


BEAR RIVER RV PARK LOCATED IN N 1/2 NE 1/4 SECTION 22 T15N, R120W, 6TH P.M. UINTA COUNTY, WYOMING

LEGEND

	PROPOSED STORM SEWER
	EXISTING STORM SEWER
	PROPOSED SANITARY SEWER
	EXISTING SANITARY SEWER
	PROPOSED WATERLINE
	PROPOSED POWERLINE
	EXISTING POWER LINE (OVERHEAD)
	EXISTING POWER LINE
	PROPOSED GAS LINE
	EXISTING GAS LINE
	EXISTING WATER MAIN
	PROPOSED FIRE HYDRANT
	EXISTING POWER POLE
	EXISTING UTILITY PEDISTAL/BOX
	EXISTING SIGN
	WATER VALVE
	WATER SERVICE
	SEWER MANHOLE
	ELECTRIC SERVICE




- NOTES:
- All work to be performed as per current Wyoming Public Works Standard Specifications.
 - All traffic control (including flagging) to be in accordance with the current manual of uniform traffic control and be approved by the Project Engineer.
 - Contractor required to call for locates, coordinate with utility companies, and repair any damaged or exposed utilities to satisfaction of utility companies. This work will be considered subsidiary to other work items.
 - Topsoil to be salvaged, stockpiled and replaced on surface at completion of construction. Topsoil to be rock free.
 - Contractor to anticipate groundwater in trenches and also pit run type rock, dealing with these items shall be considered subsidiary to the water line and sewer line placement.
 - Contractor to keep copy of construction plans at project and note any changes, revisions, or corrections on plans. These plans will be provided to the Engineer at completion of construction and used for preparation of "As-Built" plans.
 - Contractor to coordinate work with Engineer for inspection of water and sewer system, provide record plans to Engineer for use in preparing As-Built plans, provide documentation of compaction testing, coordinate testing of the water and sewer mains with the Engineer, and provide all information and submittal documents required for Engineer to accept the water and sewer systems. Any documents or documentation required by Engineer to obtain final acceptance to the Town, DEQ, and County will be provided by the Contractor if listed in the submittal schedule or requested by the Engineer.
 - All work on this project is subject to inspection by Uinta County, OSHA, and Wyoming DEQ. Contractor to cooperate with any requested inspections and to notify the Engineer of any inspections.

QUANTITIES	
ITEM	AREA
TYPE 'A' CURB & GUTTER	3,285 LF
ROLL CURB	8,000 LF
TYPE 'D' CURB	16,985 LF
3' VALLEY PAN	185 LF
CHP SEAL	1,552,856 SQ.FT
18" STORM SEWER	140 LF
18" CULVERT	160 LF
INLET STRUCTURE	3 EA

SHEET INDEX	
SHEET	TITLE
C0.0	COVER
C1.0	SITE PLAN
C2.0	GRADING PLAN
C2.0.1	CROSS SECTIONS
C2.0.2	CROSS SECTIONS
C2.0.3	CROSS SECTIONS
C2.1	DRAINAGE PLAN
C2.1.1 - C2.1.3	DRAINAGE DITCH 1 PLAN/PROFILE
C2.1.4 - C2.1.5	DRAINAGE DITCH 2 PLAN/PROFILE
C2.2.1	SWPPP
C2.2.2	SWPPP DETAILS
C3.0	OVERALL ROAD PLAN
C3.1 - C3.12	ROAD PLAN/PROFILE
C7.1	STORM SEWER PLAN/PROFILES
C8.0 - C8.3	DETAILS
C8.0-C9.1	LANDSCAPE PLAN
C10.0	APPROACH PLAN



DATE: 7/5/22 JOB #: 22-08-02 FILE: 22-08-02 Site Plan
DRAWN BY: JLH ENGINEER: Ken Walker



REV.	DATE	DESCRIPTION