THE CORPORATION OF THE TOWN OF AJAX

ZONING BY-LAW 95-2003

OFFICE CONSOLIDATION November 1, 2023



This consolidation is for purposes of convenience only. For accurate reference, recourse should be made to the original approved documents.

This content is available in alternative formats upon request by contacting 905-683-4550 or emailing contactus@ajax.ca

TOWN OF AJAX

ZONING BY-LAW 95-2003

OFFICE CONSOLIDATION

November 1, 2023

This document is a consolidation of Zoning By-law 95-2003, as passed by Town *Council*, and approved and modified by the Ontario Municipal Board. The following events have led to this consolidation. The amendments to Zoning By-law 95-2003 are outlined in a separate table.

Date	Event and Status
July 14, 2003	Town <i>Council</i> passed Zoning By-law 95-2003
July 25, 2003	Notice of Passing of Zoning by-law 95-2003 was circulated
August 14, 2003	Appeals were lodged by Anne Kwan and Cougs Investments Limited within the prescribed time-period for appeals
March 12, 2004	Ontario Municipal Board as set out in Decision/Order No.: 0643 approved modifications to By-law 95-2003 as set out in Attachment 1 and deemed the portions of By-law 95-2003 not at issue in the appeals of Anne Kwan and Cougs Investments Limited to have into full force and effect as of July 14, 2003
June 14, 2004	Deferral No. 5 to By-law 95-2003 was resolved with the passing of By-law 81-2004
July 21, 2004	Appeal lodged by Cougs Investments Limited was approved, in-part, by the Ontario Municipal Board as set out in Decision/Order No.: 1270, as it related to the lands identified in Attachment 3 to Decision/Order No.: 0643 dated March 25, 2004, and was amended in the manner as identified on Schedules 1 and 2. In all other respects, the Board ordered the appeal to be dismissed.
September 30, 2004	Ontario Municipal Board as set out in Decision/Order No: 0499 permitted a yard for a contractor engaged in the installation and/or

Date	Event and Status
	repair and replacement of communication and information systems as a temporary use on the lands known as 1501 Harwood Avenue North (enacted on April 17, 2003, and expired on September 30, 2004)
January 10, 2005	Deferral D7 to By-law 95-2003 was resolved with the passing of By-law 1-2005.
February 2, 2005	Ontario Municipal Board as set out in Decision/Order No: 0203 approved modifications to By-law 95-2003 as set out in Attachments 1 and 2. Deferral D4 resolved.
August 19, 2005	Ontario Municipal Board as set out in Decision/Order No: 2192 approved modifications to By-Law 95-2003 as set out in Attachment 1. Deferral D2 resolved.
October 28, 2005	Ontario Municipal Board as set out in Decision/Order No. 2848 approved modifications to By-law 95-2003 as set out in Attachment 2.
December 19, 2005	Ontario Municipal Board as set out in Decision/Order No: 3307 approved modifications to By-Law 95-2003 as set out in Attachment 1.
May 17, 2007	Ontario Municipal Board as set out in Decision/Order No: 1411 approved modifications to By-Law 95-2003 as set out in Attachment 1.
October 12, 2007	Ontario Municipal Board as set out in Decision/Order No: 2702 approved modifications to By-Law 95-2003 as set out in Attachment 1.
November 7, 2007	Ontario Municipal Board as set out in Decision/Order No: 2910 approved modifications to By-Law 95-2003 as set out in Attachment 2.
August 25, 2008	Ontario Municipal Board as set out in Decision/Order No: issued August 25, 2008, approved modifications to By-Law 95-2003 as set out in Attachment 1.

Date	Event and Status
December 16, 2008	Appeal lodged by Anne Kwan withdrawn.
February 24, 2009	Ontario Municipal Board as set out in Decision/Order dated February 24, 2009, approved modifications to By-Law 95-2003 as set out in Attachment 3.
March 16, 2009	Ontario Municipal Board as set out in Decision/Order dated March 16, 2009, approved modifications to By-law 95-2003 as set out in Exhibit 8.
August 11, 2009	Ontario Municipal Board as set out in Decision/Order dated August 11, 2009, approved modifications to By-law 95-2003 as set out in Attachment 1.
March 9, 2011	Ontario Municipal Board as set out in Decision/Order dated March 9, 2011, approved modifications to By-law 95-2003 as set out in Attachment 1.
July 8, 2011	Ontario Municipal Board as set out in Decision/Order dated July 8, 2011, approved modification to By-law 95-2003 as set out in Attachment 3.
August 5, 2011	Ontario Municipal Board as set out Decision/Order dated August 5, 2011, approved modifications to By-law 95-2003 as set out in Exhibit 5.
January 20, 2012	Ontario Municipal Board as set out in Decision/Order dated January 20, 2012, approved modifications to By-law 95-2003 as set out in Attachment 1.

Outstanding Appeals* of the Town of Ajax Zoning By-law 95-2003 as of November 1, 2023

Ontario Land Tribunal Case No.	Appellant	Land Subject to Appeal	Nature of Appeal
PL150303	Magnum Opus Developments (Ajax) Corp.	727 Shoal Point Road	Appeal of non-decision by the Town of Ajax Council on Zoning By-law Amendment application Z2/11 that rezones the property from the Agricultural Zone to Residential One – E Zone, Residential One – F Zone, Residential Two – B Zone, Residential Multiple Four Zone, Residential Multiple Six Zone, Open Space Zone, Environmental Protection Zone, and Institutional- A Zone/Residential One – F Zone.
PL210028	The Corporation of the City of Pickering Pickering Properties	221 Church Street South (former Annandale Golf Course)	Appeal of Town of Ajax Council decision to approve a Zoning By-law Amendment application Z2/19 (By-law 52-2020) that rezones a portion of the property from Golf Facility Zone to Prestige Employment Zone, and a portion of the property from Golf Facility Zone to Environmental Protection Zone.

^{*} Appealed Zoning By-law Amendments are not consolidated.

Outstanding Deferrals of the Town of Ajax Zoning By-law 95-2003 as of November 1, 2023

Deferral No.	Section/ Schedule	Explanation/Source
D3	Zoning Schedules 46 & 52	Zoning deferred for the lands located on the south side of Bayly Street, east of Pickering Beach Road – 301 Bayly Street pending the submission and approval of an Environmental Impact Study.
D6	Section 5.11 and Footnote (5) of Section 6.3.1	These sections have been deferred pending the review of a drive-thru operations study to be submitted by the TDL Group Ltd. and the Ontario Restaurant Hotel and Motel Association.

AMENDMENTS TO ZONING BY-LAW 95-2003

By-Law	Enacted	File/Ref	Schedule	Explanation
121-2003	2003/09/22	S-A-2002-04 S-A-2003-03 Ex.97	9, 10, 18	Southwest corner of Taunton Road and Salem Road – Development standards; front yard determination
124-2003	2003/10/14	S-A-2003-04 S-A-2003-05	45, 46	Both sides of realigned Pickering Beach Road – development standards for maximum lot coverage; repeals By-law 69-97 and exception 34
26-2004	2004/02/09	Z20/03	52	65 Angier Crescent – to rezone from "R3" to "R1-E"
31-2004	2004/03/25	Z11/02	18	To remove the 'H' – Holding symbol on the lands described as Part Lot 7, Concession 2
42-2004	2004/04/13	Z02/04 Ex. 47, 99	8, 16	South of the Hydro Corridor, west of Westney Road – revised zoning categories and performance standards
44-2004	2004/04/13	Z15/03 S-A-2003-07 OPA03-A1	52, 62, 63	To rezone the lands from 'A' to 'EP', 'OS', and 'R1-D', and to permit the development of a residential subdivision comprising of 62 residential <i>dwelling units</i> located on the east side of Shoal Point Road, north of Warwick Avenue
58-2004	2004/05/10	Ex.100	31	100 Bayly Street West- additional permitted uses, prohibited uses, and parking standards
59-2004	2004/05/10	Ex. 69	31	Additional use of parking lot; parking standards
60-2004	2004/05/10	Ex. 104	38	Additional uses, prohibited uses; parking standards
61-2004	2004/05/10	Ex. 101	38	Additional uses, prohibited uses, parking standards
62-2004	2004/05/10	Ex. 12	38	Additional uses, prohibited uses, parking standards
63-2004	2004/05/10	Ex. 38		Additional uses and prohibited uses added
64-2004	2004/05/10	Ex.57		Additional uses and prohibited uses added
65-2004	2004/05/10	Ex. 58		Additional uses and prohibited uses added
65-2004	2004/05/10	Ex. 58	38, 44	Additional uses, prohibited uses, development standards

By-Law	Enacted	File/Ref	Schedule	Explanation
66-2004	2004/05/10	Ex. 65	38, 44	Additional uses, prohibited uses, parking standards
67-2004	2004/05/10	Ex. 91	38, 44	Development standards
68-2004	2004/05/10	Ex. 105		Additional uses and prohibited uses added
72-2004	2004/05/25	Z16/03	62	To rezone the lands from 'A' to 'R2-B' and 'I-A' to permit the development of 150 street townhouse units and a parking lot for the abutting church
81-2004	2004/06/14	Z10/03	16	Plan 40M-1425, Block 192 – southwest corner of Rossland Road and Westney Road North –
		OPA03-A2		to rezone from 'AC2' to 'NC'; prohibited uses
		Ex. 102		and setback requirements
82-2004	2004/06/14	Z19/03 Ex. 69	31	Alexis Lodge – Part 8, 40R-22342, Doric Street – to rezone from 'R2-A' to 'UC' to permit the development of a retirement home
83-2004	2004/06/14			Housekeeping issues – definition of porch, driveway width, maximum front yard
86-2004	2004/06/2	Z22/03 Ex. 107	29, 30	110 Ritchie Avenue – to rezone from 'EP' to 'NC' in order to permit a parking lot expansion for an existing plaza; landscape buffers; parking requirements
94-2004	2004/07/05	Z21/03 Exception 46	15, 16	Changes to performance standards under Exception 46 to facilitate garage widths, maximum setbacks, and area specific changes
95-2004	2004/07/05	Z23/01 Ex. 106	32	To rezone the lands to 'AC', 'UC', and 'RM4' and to reduce the minimum required landscape strip adjacent to Kingston Road and Salem Road and the required number of parking spaces for the retirement home in order to facilitate the development of a service station with an accessory convenience store, a commercial building, as well as a retirement home on the south-west corner of Kingston Road and Salem Road

By-Law	Enacted	File/Ref	Schedule	Explanation
96-2004	2004/07/05	Z1/04 Ex. 103	45	211 Bayly Street – to rezone from 'A' to 'AC', and to reduce the minimum landscape strip adjacent to Bayly Street, and to increase the minimum landscape strip adjacent to residential lands in order to facilitate the development of a service station with an accessory convenience store and carwash facility
97-2004	2004/07/05	Z8/03 S-A-2003-02 Ex. 76	11, 59	To permit the development of 161 residential dwelling units; maximum garage and driveway widths at the southwest corner of Audley Road and the CPR line
117-2004	2004/09/15	Ex. 43, 44 Z11/04	9, 16	Developments standards for garage widths in Enclaves 16 and 13
123-2004	2004/09/27	Ex. 109	21	Prohibited uses; development standards
134-2004	2004/10/25	Ex. 45	9	Standards for driveways and garage widths
141-2004	2004/11/08	Z9/04	15	Rezone lands from R2-B to R1-C, From R2-B to R1-E, from R1-D to R1-E, From R1-E to R2-a, from R1-F to R2-A, and from R1-F to R1-E
144-2004	2004/11/22	89-2003	29	448 Kingston Road – to remove hold
149-2004	2004/11/22			Amends section 5.4 iii)
1-2005	2005/01/10	Ex. 110	62	Development standards
9-2005	2005/01/24	Ex. 80	10, 11	Standards for maximum garage widths
10-2005	2005/01/25	Ex. 112	60	Standards for lot coverage
11-2005	2005/01/24	Z16/04		Rezone lands from 'A' to 'R2-B' and 'R1-D' to permit development
21-2005	2005/02/14	Ex. 113	28	579 Kingston Road West – landscape buffers
28-2005	2005/03/10			Implements interim control of land uses in the vicinity of Highway 401/Salem Road interchange until December 31, 2005
37-2005	2005/03/29	Z7/04, Z8/04		Incorporates lands to permit development
38-2005	2005/03/29	Ex. 116	28	66 Church Street – development standards
42-2005	2005/04/11	Ex. 57, 65, 115, 117, 118	38, 44	Amends permitted uses; development standards
53-2005	2005/04/25	Ex. 114	31, 32	Prohibited uses; development standards

By-Law	Enacted	File/Ref	Schedule	Explanation
68-2006	OMB Approved	Z13/05	39	Development standards
75-2005	2005/06/27			Requirements for Licensed and Unlicensed Outdoor Patios
84-2005	2005/07/07	Ex. 121, 122	39, 40	Development standards for southeast corner of Salem Road and Achilles Road
86-2005	2005/07/07	Ex. 4, 12, 28, 57, 65, 91, 101, 104,		Amends Sections 2.1, 3, 4.1.1, 4.8, 4.11, 4.12, 5.3.2, 5.4, 5.7, 5.8, 5.1.1, 5.13, 5.13.4, 6.1, 6.3.1, 6.3.2, 6.3.3, 6.3.4,
		105, 115, 117, 118, 119, 120		Adds 4.12.2, 5.10.2, 5.12.4, 6.9, 6.9.1, 6.9.2, 6.9.2.1, 6.9.3, 6.9.4, 6.9.5, 6.9.6, 6.9.7, and 6.9.8
96-2005	2005/09/12	Z5/05	11	Lands rezoned from 'R1-E' to 'R2-B'
97-2005	2005/09/12	95-2004	32	To remove the 'H' – Holding symbol on the lands described as 2 – 8 Salem Road South
99-2005	2005/09/12	Ex. 124 Z2/05	18	Development standards
105-2005	2005/09/26	53-2005	31, 32	To remove the 'H' – Holding symbol on the lands known as the Durham Centre
112-2005	2005/10/06	Z3/05		Lands rezone from 'I-A' to 'R2-B' to permit the development of 78 semi-detached dwellings.
120-2005	2005/10/24	28-2005		Extends length of interim control by-law for Highway 401/Salem Road interchange to June 30, 2006
137-2005	2005/11/14	Ex. 128	36, 37	Permitted uses; development standards
139-2005	2005/11/14	Ex. 129	11	Development standards
		Z14/05,		
		OPA -5-A7		
141-2005	OMB Approved	Ex. 123	58	1183 Shoal Point Road
142-2005	OMB Approved	Ex. 111	32	Shell Canada – 15 Salem Road South
150-2005	2005/12/08	Z7/05	43	Development standards
		Ex. 130		

By-Law	Enacted	File/Ref	Schedule	Explanation
157-2005	OMB Approved	Z18/03 Ex. 125, 127	10, 18, 19	Development standards for Part of Lots 6 and 7, Concession 3
12-2006	2005/02/13	Ex. 131 Z18/05	30, 31	Additional uses, development standards
47-2006	2006/04/24	29-2003	10, 11	To remove the 'H' – Holding symbol on the lands described as Part of Lots 3, 4, and 5, Concession 3
48-2006	2006/04/24	84-2005	39, 40	To remove the 'H' – Holding symbol on the lands described as Part of Lots 6 and 7, Concession 1
56-2006	2006/05/08			Implements interim control for Pickering Village; amends Section 8.3.1
68-2006	2006/05/23	Z13/05	39	Development standards
78-2006	2006/06/12	77-96	14	To remove the 'H' – Holding symbol on the lands described as Part Lot 14, Concession 2, 520 Rossland Road West
84-2006	2006/06/26	Ex. 135	37	Additional uses, holding provision
87-2006	2006/06/26	Ex. 5	32	Additional uses, prohibited uses, and development standards
88-2006	June 26, 2006 OMB Approved Feb. 24, 2009	Ex. 5, 61, 121, 122, 136, 152, 156		Zoning amended for exceptions 5, 61, 121, and 122.
89-2006	2006/06/26	Ex. 137	39, 40	Additional uses, prohibited uses, and development standards
90-2006	2006/06/26 OMB Approved February 24, 2009	Ex. 61	40	Additional uses, prohibited uses, and development standards
91-2006	2006/06/26		39	Rezone lands located at the northwest and southwest corners of Salem Road and Achilles Road from 'PE(H)' to 'OS'
92-2006	2006/06/26	Ex. 138	39	Additional uses, prohibited uses, and development standards

By-Law	Enacted	File/Ref	Schedule	Explanation
93-2006	2006/06/26	Ex. 139	39, 40	Additional uses, prohibited uses, and development standards
94-2006	2006/06/26	Ex. 122	39, 40	Additional uses, prohibited uses, and development standards
95-2006	2006/06/26 OMB Approved	Ex. 140	40	Additional uses, prohibited uses, and development standards
	February 24, 2009			
105-2006	2006/07/10	Ex. 141	28	Development standards, amends Section 8.1.1 holding provisions
108-2006	2006/07/10	Ex. 80	10, 11	Development standards for curb cut, garage and driveway widths
109-2006	2006/07/10			Amends Section 5.3.1 and Table 6.2.2
116-2006	2006/09/11	Z1/06	39	Lands rezoned from "A" to "R1-F" in order to permit two new residential dwellings
117-2006	2006/09/11	Z4/05	10	Lands rezoned from "A" to "OS" and "R1-E" in order to permit 35 single detached dwellings
119-2006	2006/09/11	Ex. 132	48	Permitted uses
129-2006	2006/09/25	Z2/06	31	Lands rezoned from "A" to "R1-F" to permit development, holding provisions
5-2007	January 22, 2007	Ex. 64		Remove the holding provision imposed under By-law 99-01.
6-2007	January 22, 2007	Ex. 39		Amended minimum setback for Units 111 to 120 on Registered Plan 40M-2046.
12-2007	January 22, 2007	Ex. 143		Subject lands rezoned from A to OS, R2-B, R1-D, and R1-F; exception 143 added
42-2007	April 23, 2007	Ex. 80		Remove Holding provision
54-2007	May 14, 2007	Ex. 144		Development standards for 1010 and 1020 Westney Road North
64-2007	June 25, 2007	Ex. 146		Development Standards
70-2007	July 9, 2007	Ex. 80		Remove the holding provision imposed under By-law 139-2005
99-2007	Sept 24/07	Ex. 141		Remove the holding provision imposed under By-law 105-2006

By-Law	Enacted	File/Ref	Schedule	Explanation
107-2007	Oct 22/07 OMB Decision	Ex. 147		Development standards, holding provision
	2702			
122-2007	Nov 22/07	Ex. 148		Development standards, holding provision
	OMB Decision 2910			
27-2008	March 6/08	Ex. 46		Exception area amended; minimum lot depth
		Z11/07		for Block 132, 40M-2215
38-2008	Apr 14/08	Ex. 49, 95, 145,		Town initiated zoning amendment to implement Official Plan Amendment No. 30 for the Village Centre
55-2008	May 26/08	Ex. 149		Development standards for plan of subdivision S-A-2007-03
60-2008	June 9/08	Ex. 80		Remove holding provision imposed by By-law 29-2003
62-2008	June 23/08	Ex. 125	10	Amended Exception 125 and revised holding
		157-2005		provision imposed by By-law 157-2005
		OMB Decision 3307		
67-2008	June 23/08	107-2007		Removes holding provision imposed by OMB
		OMB Decision 2702		Decision 2702 and By-law 107-2007
68-2008	June 23/08	Ex. 99		Addition permitted uses and development standards 201 Williams Drive West
72-2008	July 3/08	Ex. 87		Removed holding provision
82-2008	Sept. 8/08	Ex. 151		Development standards for 60 Salem Road
		OMB Decision Aug 25/08		South
92-2008	Sept. 22/08	Ex. 108		Development standards amended
97-2008	Oct. 9/08	Ex. 75		Development standards amended
99-2008	Oct. 9/08	Ex. 154		Development standards for S-A-2007-04

By-Law	Enacted	File/Ref	Schedule	Explanation
115-2008	Nov. 10/08	Ex. 155		Development standards, holding provision
122-2008	Nov 4/2008	Ex 68		Removed holding provision on the Ajax Downs Racetrack lands imposed by by-law 98-2001
135-2008	Dec. 8/08	Ex. 119	37, 38, 43	Amends Section 6.4.2 Zone Standards and Exception 119
136-2008	Dec. 8/08	Ex. 4	38	New definitions, Amends 4.1.3, Exception 4, holding provision
10-2009	Jan. 26/09	Ex. 148		Removed holding provision imposed by By-Law 122-2007
37-2009	Apr. 14/09	Ex. 157	31	Development standards for accessory use as a Garden Centre
58-2009	May 25/09	Ex. 158	31	Development standards for 216, 228, 240 Old Harwood Avenue and rear portion of 200 Old Harwood Avenue
66-2009	June 8/09	Ex. 134	10, 18	Development standards, holding provision. Hold removed via By-law 42-2018.
72-2009	June 22/09	Ex. 159	10	Development standards
78-2009	July 9/09	Ex. 43	16	Removed holding provision imposed by By-law 95-2003
79-2009	July 9/09	Ex. 135 84-2006		Removed holding provision imposed by By-law 84-2006
81-2009	Aug. 11/09	Ex. 93	16	OMB Decision for PL070803 dated August 11, 2009. Defines residential care facility and outdoor amenity space.
133-2009	Nov 23/09			Pickering Village parking standards
139-2009	Dec 14/09	Ex. 145	28	Removed holding provision imposed under Bylaw 38-2008.
140-2009	Dec. 14/09	Ex. 146	33	Removed holding provision imposed under by-law 64-2007.
151-2009	2009/03/16	Ex. 51	45	OMB Decision for PL981016 dated March 16, 2009. Amends development standards in exception 51
152-2009	2009/02/24	Ex. 136, 152, 156	32, 33, 39, 40	OMB Decision for PL060718 dated February 24, 2009. Amends development standards in By-laws 88-2006 and 95-2006

By-Law	Enacted	File/Ref	Schedule	Explanation
61-2010	2010/04/26	Z14/07, S-A-2007-05 Ex. 160	15	Development standards for Marshall Homes subdivision S-A-2007-05.
105-2010	2010/07/08	Z2/09	9	Additional use permitted and development standards for 1801 and 1901 Harwood Avenue North
106-2010	2010/07/08	Z1/10	43	Additional and other permitted uses for 365 Bayly Street West
21-2011	2011/02/14	SPA1/08	38	Removal of the holding provision on 170 Mills Road
30-2011	2011/03/10	Z4/10, S-A-2010-01 Ex. 165	24	Development standards for the southwest corner of Magill Drive and Old Harwood Avenue
43-2011	2011/04/26	Z17/89, 18T-89058 Ex. 166	4	Development standards for 239 and 299 Fifth Concession Road
58-2011	2011/05/24	Z2/10 SPA11/10 Ex. 167	32	Development standards for the added permitted use of a motor vehicle gas bar for 150 Kingston Road East
68-2011	2011/07/07	SP20/10		Removal of the holding provision on Part of Lots 5 and 6, Concession 3 designated as Parts 4, 5, 6, 7, 14, 15, 16, 18 and 19 on Plan 40R-26814
73-2011	OMB Decision July 8, 2011	Ex. 163 Z1/05 S-A-2005-01	18, 19	OMB decision for PL050180 dated July 8, 2011, for Beechridge Farms Inc. Development standards and holding provision for lands located north of Rossland Road, east of Spitty Road, west of Carruthers Creek and south of the SL&H Rail line.
74-2011	OMB Decision March 9, 2011	Ex. 164 Z3/08 SP11/08	18	OMB Decision for PL100253 dated March 9, 2011. Dunbury Development Ltd. Development standards for the lands located on the south side of Rossland road West, approximately 70.0 west of Harwood Avenue North.

By-Law	Enacted	File/Ref	Schedule	Explanation
75-2011	OMB Decision August 5, 2011	Ex. 106 Z23/01, Z3/10 SP1/11	32	OMB decision for PL110018 dated August 5, 2011, JFC Developments Limited. Additional use and development standards for the northeast corner of Twilley Lane and Trott Lane.
78-2011	2011/09/12	Ex. 125	10, 18, 19	To remove the holding provision imposed by By-law 157-2005 (OMB Decision/Order No. 3307 issued December 19, 2005)
90-2011	OMB Decision January 20, 2012	Ex. 168 Z4/08 S-A-2008-01	13, 14	OMB decision for PL020648 and PL101142 dated January 20, 2012, The Trustee's for Toronto's Workmen's Circle Colony and Children's Camp and Coughlan Homes Inc.; and Cougs Ajax Ltd. and 1441449 Ontario Inc. Development standards and conditions for the removal of holding provisions.
114-2011	2011/11/28	Ex. 146	33	To remove the holding provision imposed on 365 Kingston Road East.
93-2012	2012/06/11	Z3/11 SP3/12 Ex. 170	32	Additional uses, prohibited uses and development standards for 36 Salem Road South. Incorporates the definition of restaurant, Take-Out into the zoning by-law consolidation.
101-2012	2012/07/05	SPA6/12	16	To remove the holding provision imposed by By-law 4-2000 and amended by By-law 78-2009.
131-2012	2012/10/09	SP18/11 Ex. 38	44	To rezone the subject property and to remove the holding provision on a portion of the lands.
145-2012	2012/11/12	18T-95041 RL2/10 C-A-2012-03 Z2/12, SP12/10 Ex. 171	32, 39	To incorporate exception 171 to apply individual zone standards and to exempt the development from the requirements of Section 4.9, Frontage on a Public Road.
151-2012	2012/11/26	Z8/06 OPA06-A3 SP10/12	40	To remove the holding provision on the lands legally described as Part of Block 1, Registered Plan 40M-1454 and lands forming part of the Highway 401 right-of-way.

By-Law	Enacted	File/Ref	Schedule	Explanation
15-2013	2013/02/25	Z28/01 SPA6/07 Z7/07 SP9/12	8	To remove the holding provision on the lands legally described as Part of Lot 11, Concession 3.
42-2013	2013/04/22		37, 38	To rezone the north side of realigned Station Street from 'GE' – 'General Employment' to 'PE' – 'Prestige Employment'.
43-2013	2013/04/22	Z5/11 SPA11/11	30	To incorporate Exception 169 to apply individual development standards for the lands legally described as Part of Block 114, Plan 40M-1489 NOW Part 87 on RP 40R-24069.
50-2013	2013/05/13	Ex. 61, 122, 132, 136, 137, 138, 139, 140, 152, 156	32, 33, 39, 40, 48	To remove place of worship and site specific exceptions that permit places of worship with accessory day care facilities and offices as permitted uses on lands zoned Prestige Employment in order to implement the OMB's decision regarding ROPA 128 to prohibit certain sensitive land uses within employment areas. Footnotes added to Section 6.4.1 for exceptions for places of worship and commercial school in the Prestige Employment zone.
52-2013	2013/05/27	Ex. 173	9	To rezone the lands at the southeast corner of Taunton Road East and Harwood Avenue North and to incorporate Exception 173 to apply individual zone standards and to exempt the development from the requirements of Section 4.9; Frontage on a Public Road.
64-2013	2013/06/24	Ex. 139	39, 40	To remove the Holding (H) Provision from the center portion of the lands legally described as Part of Lot 6, Concession 1, Pickering, Part 1 on Registered Plan 40R-24253 in order to permit the development of a motor vehicle sales establishment.

By-Law	Enacted	File/Ref	Schedule	Explanation
65-2013	2013/06/24	Z1/13; LD11/2013 to LD19/2013	13	To amend the zoning on the lands legally described as Lot 12, Plan M-1157 from Country Residential (CR) to Residential One – B (R1-B) and Environmental Protection (EP) in order to permit the creation of 10 single detached dwelling lots through the appropriate land division applications.
67-2013	2013/06/24	OPA12-A1 Z3/12 SP9/12	43	To permit a funeral home and a crematorium and a funeral visitation centre as an ancillary use to a funeral home. To incorporate Exception 172 to establish parking standards, maximum gross floor area, and maximum number of cremators for the property.
68-2013	2013/06/24	R2/11 Z4/11 Ex. 110	62	To amend Exception 110 to facilitate amendments to an approved draft plan of subdivision (18T-94026).
69-2013	2013/06/24	18T-94026 R2/11 Z4/11		To permit the temporary use of the subject lands for a contractors yard and for outdoor storage to assist in the development of a residential subdivision consisting of 565 dwelling units.
79-2013	2013/09/09	S-A-2008-01 Z4/08 90-2011	13, 14	To remove the Holding (H) Provisions from portions of the subject lands to enable the completion of Phase 1A and Phase 1B of the Duffins Village Subdivision.
114-2013	2013/12/09	Town- Initiated		To establish definitions for a lodging house and a lodging unit; identify zones where lodging houses are permitted; and to establish parking requirements for lodging houses.
24-2014	2014/03/06	S-A-2005-07 Z16/05	48, 61, 62	To add Exception 177 to amend the permitted uses and various development standards on lands located along the south side of Bayly Street East, approximately 200 metres east of Shoal Point Road to facilitate the development of the subject lands for prestige employment, residential consisting of street townhouse units and common element condominium units, and a park block. OMB Case No. PL130454, approved April 7, 2014.

By-Law	Enacted	File/Ref	Schedule	Explanation
25-2014	2014/03/06	S-A-2005-06 Z15/05	46	To add Exception 176 to facilitate the development of the subject lands for prestige employment and residential consisting of street townhouse units and common element condominium units. OMB Case No. PL130455, approved April 7, 2014.
33-2014	2014/05/12	Z2/13		To permit temporary outdoor storage as a principal use for the maximum period of three years. Temporary Use expired May 12, 2017. To establish a Hold that allows the property to be used in accordance with the GE Zone until a site plan is approved/agreement entered into. Temporary Use and Hold removed via housekeeping via November 1, 2023 Consolidation.
48-2014	2014/06/23	Z1/14	10, 19	To rezone Block 189 and Lot 165, 40M-2390 (20 Hearson Street) from R1-E Zone to R1-D Zone to permit the development of four single detached dwellings.
108-2014	2014/12/19	Z4/08	13, 14	To add Exception 168 to rezone the lands to provide for the development of a residential development consisting of 133 single detached dwelling lots, 9 blocks for 47 townhouse dwellings, 1 commercial block, 1 stormwater pond block, 1 school block, 2 environmental protection blocks, 2 overland flow/walkway blocks, 1 landscape buffer block, and 7 part blocks for future residential purposes. OMB Case No. PL020648, approved December 19, 2014. OMB Decision was issue in 2 parts – also refer to by-law 109-2014.
109-2014	2014/12/19	Z9/95, SP4/12, C-A-2014-01 S-A-2014-01	14, 15	To add Exception rezone the lands for the development and for individual parcel of tied land (POTL) and to exempt the development from the requirements of Section 4.9 (Frontage on a Public Road) to permit frontage on a private road and to provide the development of a residential development consisting of 140 multiple attached townhouse dwellings within a common elements condominium. OMB Case No. PL020648, approved December 19, 2014. OMB Decision was issue in 2 parts – also refer to by-law 108-2014.

By-Law	Enacted	File/Ref	Schedule	Explanation
30-2015	2015/03/30	S-A-2013-01 SP4/14, Z3/14	18, 19	To amend the development standards, under Exception 163, applicable to the subject lands in order to regulate the development of 92, 3-storey multiple attached dwellings on parcels of tied land (POTL) in a common elements condominium.
43-2015	2015/04/13			Amend Section 6.9.1 to add Retail Store with footnote 8 for DCA/ME1 and DCA/ME2 zones.
44-2015	2015/04/13	Z4/15 SP8/15	12	Temporary use permission for 709 Taunton Road East to permit the lands to be used as a parking lot as a principal use. Permission for the temporary use expired September 1, 2015.
53-2015	2015/05/11	C-A-2012-04 S-A-2012-01 SP16/12 Z6/07	9	To add Exception 179 to rezone the subject lands and to apply zone standards for the development and individual P.O.T.Ls being created and to exempt the development from the requirements of Section 4.9 Frontage On A Public Road.
70-2015	2015/06/25	S-A-2013-01 SP4/14	18, 19	To remove the Holding (H) provision from the subject lands in order to facilitate the development of 92, 3-storey townhouse units on parcels of tied land, a private parkette, private roads and visitor parking in a common element condominium (associated with Exception 163).
88-2015	2015/11/09	S-A-2015-01 SP1/15 Z1/15		To add Exception 181 regulate the development of 41, 3-storey townhouse units on parcels of tied land, private roads and visitor parking in a common elements condominium form
93-2015	2015/11/23	Z5/15 LPAT Case No. PL151270 (Decision Effective Date: 2018/12/18)		To add new definitions and zoning provisions to permit an expanded gaming and gaming establishment to include casino-type games and remove the 800 slot machine limitation at the Ajax Casino. The zoning amendment was appealed to the Ontario Municipal Board – OMB Decision PL151270. By-law 93-2015 was repealed by By-law 73-2019.

By-Law	Enacted	File/Ref	Schedule	Explanation
99-2015	2015/12/14	C-A-2014-02 S-A-2014-01 SP9/14 Z4/14	13, 20	To add Exception 183 to rezone the subject lands and to establish development standards to provide for the development of a residential development consisting of 56 single detached dwellings consisting of 8, 2-storey single detached dwellings along Riverside Drive and 48, 1 ½ to 2-storey, single detached dwellings within a common element condominium.
10-2016	2016/03/21	OPA06-A3, Z8/06, SP7/15	39, 40	To remove the Holding (H) provision from the subject lands in order to permit the development of a motor vehicle sales establishment (associated with Exception 139).
21-2016	2016/04/18	S-A-2015-04 C-A-2015-04 OPA15-A4 SP17/15 Z8/15	13	To regulate the development of 14, 3-storey semi-detached dwelling units on parcels of tied land, private road and visitor parking in a common elements condominium located directly north of the intersection of Rossland Road West and Riverside Drive.
33-2016	2016/05/16	Z1/16	18	To allow for the development of eight single detached dwellings, on individual lots, consistent with the remainder of the residential community.
44-2016	2016/06/20	Z6/15 OPA 15-A3 S-A-2015-02 C-A-2015-01 SP10/15	31	To rezone the subject lands and to provide standards for a residential development consisting of 66 multiple attached dwellings under condominium ownership.
51-2016	2016/10/23	Z1/09, Ex. 180 OMB Case Nos: PL110236 and PL150104 Approved October 23, 2015	18, 25	To permit a mixed-use commercial centre at 1 Rossland Road East. OMB Decision issued October 23, 2015 that approved the Minutes of Settlement for Case Numbers PL110236 and PL150104 to permit a mixed use commercial centre. Incorporates Exception 180.
67-2016	2016/10/17	18T-95004	15, 16	To rezone the subject lands and amend development standards to provide for the

By-Law	Enacted	File/Ref	Schedule	Explanation
		S-A-2002-01 Z2/15 S-A-2014-02		development of 54 single detached dwellings. Incorporates Exception 188.
91-2016	2016/12/12	SP8/14	39, 40	To remove the Holding Provision from Exception 139 the subject lands to permit the Volvo and Jaguar-Land Rover automobile dealerships (also see By-law 10-2016), and to add "PE" (Prestige Employment) to Exception 140.
5-2017	2017/01/11	18T-900015 OPA90/26D Z2/90 RL3/14, Z6/14	13	OMB Case No. PL160036 - Decision issued January 11, 2017, for Part of Lot 17, Concession 3 reconfirming the decision of the Board. To permit rezoning a portion of an approved plan of subdivision from R1-D to R2-B.
6-2017	2017/02/21	Z3/16 S-A-2016-01	9	To rezone the lands to R1-A(H), R1-D(H) and OS and incorporate Exceptions 189 and 190 to enable the completion of the pattern of development consisting of 8 single-detached dwellings, consisting of 7 infill lots and 1 Heritage Lot for the conservation of the Westglen property and 6 part lots within the plan of subdivision along Westney Road North, Fenn Street, Schoolbridge Street and Alden Square.
27-2017	2017/04/18	SP10/16 Z4/16	41, 42	To rezone the lands to GE and incorporates Exception 191 to facilitate the construction of a contractor's yard with associated office, motor vehicle repair facility, one fuel storage tank and outdoor storage.
OMB Decision PL051147	2017/05/17	Z2/90 18T-90015 OMB File No. Z050161	13	To provide for the implementation of the OMB Decision for the Jizoco site. Exception 150 provides an exception regarding building height in the RM5 zone as well as permitting apartment dwellings and removing multiple attached dwellings.
50-2017	2017/06/26	Z5/16	36	Incorporates Exception 187 to permit retail stores subject to the floor area limitations.

By-Law	Enacted	File/Ref	Schedule	Explanation
59-2017	2017/09/18	Z3/16 S-A-2016-01	9	To remove the Holding provision from the subject lands to enable the completion of the pattern of development consisting of 8 single-detached dwellings, consisting of 7 infill lots and 1 Heritage Lot for the conservation of the Westglen property and 6 part lots within the plan of subdivision along Westney Road North, Fenn Street, Schoolbridge Street and Alden Square.
84-2017	2017/12/11	OPA 15-A1 Z3/15, SP6/15	15	To rezone a portion of the lands and incorporates Exception 193 to facilitate the development of 27 block townhouses, and a one-storey 7-unit commercial building.
86-2017	2017/11/17	C-A-2016-01 S-A-2015-03 SP2/16, Z7/15 OMB Case No. PL160856, Approved November 17, 2017	39	To rezone the lands on the west side of Kings Crescent at Parry Road from I-A to R1-D, and to apply zone standards for the development and for each individual POTL being created and to exempt the development from the requirements of Section 4.9 (Frontage on a Public Road).
10-2018	2018/02/20	Z6/16 OPA16-A1 SP5/16 S-A-2016-01 C-A-2016-01	14, 15	To rezone the lands located east of Church Street North and North of Rossland Road West; and to incorporate Exception 194 to facilitate the development of 213 multiple attached (block) townhouse dwellings within a common elements condominium in accordance with Site Plan Application SP5/16.
27-2018	2018/05/22	Z8/16 OPA16-A3	24	To rezone the lands located at the southeast corner of Old Harwood Avenue and Grayson Road and to incorporate Exception 195 to facilitate the development of nine double-fronted street townhouses, 10 multiple-attached (block) townhouses, and 10 semi-detached dwellings within a common elements and nine street townhouses fronting onto Grayson Road, in accordance with Site Plan Application SP8/16.

By-Law	Enacted	File/Ref	Schedule	Explanation
40-2018	2018/06/22	Z2/17 OPA 17-A2	8	To modify Exception 155 and modify the conditions of the Holding (H) provision as they apply to the subject lands to allow the construction for the first 389 apartment units on Parcel 'B' to proceed, subject to the applicant designing a proportionate payment to the Town and Rio Can associated with the construction of Ravenscroft Road. Hold established through By-law 115-2008 has been removed and replaced by Hold established through By-law 40-2018.
42-2018	2018/07/09	Z17/05 S-A-2005-08	18	To remove the Holding (H) Provisions from the lands to enable the development of eight lots (associated with Exception 134).
44-2018	2018/07/09	Z9/16	25	To rezone a portion of the subject lands at the northwest corner of Salem Road North and Kerrison Drive East from "Prestige Employment (PE) Zone, Exception 66" to "Environmental Protection (EP Zone", "Prestige Employment/Automobile Commercial, Holding Provision (PE/AC(H)) Zone, Exception 196, and to "Prestige Employment, Holding Provision, (PE(H)) Zone, Exception 196.
60-2018	2018/09/17	SP3/18	25, 32	To remove the Holding (H) Provisions from the subject lands to facilitate the development of a food distribution centre for the property municipally known as 200 Salem Road North.
OMB Decision	2018/04/19	OPA11-A1 Z1/11, SPA4/14 LD005/2011 OMB Case No. PL170128	62	To rezone the subject lands south of Bayly Street East, on the west side of Lake Ridge Road South from Golf Facility (GF) Zone to Cemetery (Holding Provision) (CE(H)) Zone and Environmental Protection (EP) Zone, to permit a cemetery. Incorporates Exception 185.
30-2019	2019/05/21	Ex. 197 - Z2/18, OPA18-A1, SP6/20	17	To rezone the lands located at the southeast corner of Rossland Road West and Miller's Creek, municipally known 105 Rossland Road West, from Residential Two - A (R2-A) Zone and Agricultural (A) Zone to Residential Multiple Six (RM6)(H) Zone, and to establish a Hold.

By-Law	Enacted	File/Ref	Schedule	Explanation
53-2019	2019/09/16	Ex. 198 - Z7/17, OPA17-A3, SP13/17	55	To rezone the lands located at the southeast corner of Finley Avenue and Burden Crescent, municipally known as 925-937 Finley Avenue, from Neighbourhood Commercial (NC) Zone to Residential Multiple Six (RM6)(H) Zone, and to establish a Hold. The Hold was subsequently removed via By-law 25-2020.
59-2019	2019/10/15	Ex. 199, 200 -Z1/18 S-A-2018-01	38, 44	To rezone portions of the subject lands from "Downtown Central Area - Residential Mixed Use Zone, with Exception 105 (DCA/MU, Exception 105)" to "Open Space Zone (OS)". Maps 38 and 44 are further amended to remove Exception 105 from lands zoned "Open Space Zone (OS)" and to add and delineate the boundaries of two new Exceptions 199 and 200, both in conjunction with Exception 105.
66-2019	2019/11/18	SP12/18	25	To remove the Holding ('H') Provision from the subject lands in order to facilitate the development of a self-serve motor vehicle washing establishment and an automatic motor vehicle washing establishment under Site Plan Application SP12/18 for the lands. unicipally known as 110 and 114 Kerrison Drive East.
73-2019	2019/03/25	Z5/15		Repealed By-law 93-2015.
17-2020	2020/05/19	Ex. 175 - Z1/19, OPA19-A1	11	To rezone the subject lands at the southwest corner of Taunton Road East and Audley Road North, municipally known as 593 Taunton Road East from Permanent Countryside (PC) Zone, Residential One – 'E' Zone, with Exception 80 (R1-E, Exception 80), and Open Space Zone, with Exception 80 (OS, Exception 80) to Residential Multiple Six Zone, Holding ('H') Provision, with Exception 175 [RM6 (H), Exception 175] to facilitate the development of 96 dwelling units (multiple attached dwellings and back-to-back stacked townhouse dwellings), and to establish a Hold.
25-2020	2020/07/27	Ex. 198 - Z7/17, OPA17-A3, SP13/17	55	To remove the Holding ('H') Provision from the subject lands municipally known as 925-937 Finley Avenue to facilitate the development 16 back-to-back townhouses under Site Plan Application SP13/17. Hold removed from

By-Law	Enacted	File/Ref	Schedule	Explanation
				section 8.1.1 and Exception 198, modified to change Zone RM6(H) to RM6.
26-2020	2020/07/27	n/a	All	To establish a Temporary Use By-law to permit licensed accessory outdoor patios and unlicensed accessory outdoor patios that are associated with a Restaurant to be temporarily located in parking lots, parking spaces and landscape buffers until October 30, 2020. (Amended by By-laws 41-2020 and 72-2021)
29-2020	2020/07/31	O. Reg. 438/20	17, 18	Minister's Zoning Order O. Reg. 438/20 applies to the southern portion of the lands municipally known as 1401 Harwood Avenue North Every use of the land and every erection, location or use of any building or structure is prohibited on the lands except to permit a 192-bed capacity long-term care home and accessory uses; and a 320-unit retirement home and accessory uses. O. Reg. 438/20 was amended by O. Reg. 455/22 to add additional accessory uses and refine the boundary of the lands to which the Minister's Zoning Order applies. Also see Bylaw 86-2022.
30-2020	2020/08/28	O. Reg. 475/20	50	Minister's Zoning Order O. Reg. 475/20 applies to the northwest corner of Harwood Avenue South and Clements Road West to permit a 320-bed long term care home, a retirement home and accessory uses. O. Reg. 475/20 was amended by O. Reg. 261/21 to add development standards and refine the boundary of the lands to which the Minister's Zoning Order applies. Also see By-law 85-2021.
41-2020	2020/10/19	n/a	All	To extend the Temporary Use By-law to permit accessory outdoor patios and unlicensed accessory outdoor patios that are associated with a Restaurant to be temporarily located in parking lots, parking spaces and landscape buffers until December 31, 2021. (Amended by By-law 72-2021)
15-2021	2021/02/22	Ex. 37, 38 Z8/96, Z6/04, Z6/05,	44	To remove the Holding '(H)' Provision from the subject lands in order to permit Medallion (Bayly/Harwood) Phase II mixed-use development (SP3/19).

By-Law	Enacted	File/Ref	Schedule	Explanation
		SP18/11, SP3/19, OPA		
		No. 15, OPA No. 20		
27-2021	2021/04/19	Z1/21	All	To modify existing residential driveway standards for all residential properties throughout the Town, with the exception of driveways approved through a site plan application.
28-2021	2021/04/19	Ex 178 - Z5/20, SP8/20	33, 40, 60, 61	To rezone the subject lands at the southwest corner of Kingston Road and Audley Road extending west to Carruthers Creek, municipally known as 537 Kingston Road East from "Agricultural (A) Zone", "Deferral No. 1 (D1)", "Open Space (OS) Zone", and "Prestige Employment (PE) Zone, Holding ('H') Provision [PE(H)]" to "Environmental Protection (EP) Zone"; and from "Deferral No. 1 (D1)" and "General Employment (GE) Zone, Holding ('H') Provision [GE(H)]" to "Prestige Employment (PE) Zone, with Exception 178 [PE, Exception 178]" to facilitate the development of a warehouse/distribution centre.
44-2021	2021/06/21	Ex. 168 - Z1/20 OPA20-A1, S-A-2020-01	14	To rezone 1192 and 1260 Church Street North, from "Agricultural (A) Zone" to different Residential Zones (R1-D, R1-F, R2-B, RM6), Environmental Protection (EP) and Open Space (OS) Zones; and Establish Exception 205 to facilitate the development of single detached dwellings, street townhouse dwellings, and multiple attached dwellings.
72-2021	2021/11/22	n/a	All	To extend the Temporary Use By-law to permit accessory outdoor patios and unlicensed accessory outdoor patios that are associated with a Restaurant to be temporarily located in parking lots, parking spaces and landscape buffers until December 31, 2023.
74-2021	2021/11/22	Ex. 206 - Z4/20, OPA20-A3, SP6/21	48	To rezone 253 and 255 Lake Driveway West, from "Institutional — 'A' (I-A) Zone, with Exception 11 [I-A, Exception 11]" and "Local Commercial (LC) Zone" to "Local Commercial (LC) Zone, with Exception 206 [LC, Exception

By-Law	Enacted	File/Ref	Schedule	Explanation
				206]" and "Environmental Protection (EP) Zone to permit an apartment building without ground floor commercial uses and stacked townhouse dwellings.
81-2021	2021/12/13	Ex. 176 Z3/19	46	Zoning Schedule, Map 46 is amended by rezoning the lands generally bounded by Shoal Point Road, Bayly Street East, Clayton Road and Leney Street from "Prestige Employment Zone, Holding '(H)' Provision [PE(H)]" to "Open Space Zone (OS)", "Residential Multiple Six Zone, with a Holding '(H)' Provision [RM6 (H)]", "Agricultural Zone (A)" to "Open Space Zone (OS)", "Agricultural Zone (A)" to "Residential Multiple Six Zone (RM6)", "Agricultural Zone (A)" to "Residential Multiple Six Zone (RM6)", "Agricultural Zone (A)" to "Residential Multiple Six Zone, with a Holding '(H)' Provision [RM6 (H)]. Zoning Exception Schedule, specifically Map 46 is amended by expanding the boundary of Exception 176 to include lands to the east.
84-2021	2021/11/12	O. Reg. 773/21	35, 36, 41 and 42	This Minister's Order applies to the lands municipally known as 221, 271 and 321 Church Street South (northeast corner of Church Street South and Bayly Street West) to establish exceptions to the permitted uses and development standards of the Prestige Employment zone in accordance with the Official Plan.
85-2021	2021/04/06	O. Reg. 261/21	50	Minister's Zoning Order O. Reg. 261/21 amended O. Reg. 475/20 to add development standards and refine the boundary of the lands to which the Minister's Zoning Order applies. Also see By-law 30-2020.
86-2022	2022/04/29	O. Reg. 455/22	17, 18	Minister's Zoning Order O. Reg. 455/22 amended O. Reg. 438/20 to add additional accessory uses and refine the boundary of the lands to which the Minister's Zoning Order applies. Also see By-law 29-2020.

By-Law	Enacted	File/Ref	Schedule	Explanation
05-2022	2022/01/24	Ex. 204 - Z5/18 OPA18-A3, , S-A-2018-01	39, 45	To rezone the lands at the northeast corner of Porte Road and Bayly Street East from "Residential Two — B Zone, with Exception 29 (R2-B, Exception 29)" and "Agricultural (A) Zone" to "Residential Three Zone, with Exception 201 (R3, Exception 201)", "Residential Multiple Six Zone, with Exception 202 (RM6, Exception 202)", "Residential Multiple Four Zone, Holding ('H') Provision, with Exception 203 [RM4(H), Exception 203]", "Residential Multiple Four Zone, Holding ('H') Provision/Automobile Commercial Zone, Holding ('H') Provision, with Exception 204 [RM4(H)/AC(H)]", and "Open Space (OS) Zone". Maps 39 and 45 are further amended to remove Exception 29 from the subject lands and to add and delineate the boundaries of four new Exceptions 201, 202, 203 and 204, for the subject lands. A list of holding provisions enacted on January 24, 2022.
47-2022	2022/06/20	Ex. 207 - Z6/18, OPA18-A2, SP2/20	31	To rezone 27, 29 and 31 Harwood Avenue South, from "Uptown Mixed Use (UC) Zone, with Exception 69 [UC, Exception 69]" to "Uptown Mixed Use (UC) Zone, with Exception 207 [UC, Exception 207]".
50-2022	2022/06/20	Ex. 208- Z5/17 OPA20-A4, SP8/17	33	To rezone 310 Kingston Road East, from "Agricultural (A) Zone" to "Uptown Mixed Use (UC) Zone, Holding ('H') Provision, with Exception 208 [UC (H), Exception 208]". Map 33 is further amended to add and delineate the boundaries of Exception 208.
59-2022	2022/09/06	Ex 209 - Z2/21, OPA21-A1, SP8/21, SPA22/21	37	To add new Exception 209 for the Southeast corner of Cedar Street and Knapton Avenue for the Subject Lands to permit Back-to-Back Townhouse dwellings with associated development standards for each Parcel of Tied Land (POTL). To add new Exception 210 for 3-73 Cedar Street.
61-2022	2022/09/26	Ex. 59 Z6/20, SP14/03, SP14/20	31	To amend existing Exception 59 to establish new site-specific development standards for 290 Old Harwood Avenue that would implement the proposed development in accordance with Site Plan Application SP14/20.

By-Law	Enacted	File/Ref	Schedule	Explanation
79-2022	2022/12/12	Ex. 76 Z1/17 OLT Case No. OLT-22- 002467 (Decision Effective Date: 2022/09/16)	59	OLT-22-002467 Case (Formerly PL 180017) dated September 16, 2022, between Medallion Developments (Castlefields) Limited and the Town of Ajax. To amend existing Exception 76, associated permitted uses and development standards to facilitate development for 1,304 residential dwelling units for Blocks A to E. To rezone the subject lands, from "Residential Multiple Six Zone, with Exception 76 (RM6, Exception 76)" and 'Neighbourhood Commercial Zone, with Exception 76 (NC, Exception 76)' to "Residential Multiple Six Zone, Holding ('H') Provision, with Exception 76 [RM6(H), Exception 76]" and "Open Space Zone, with Exception 76 (OS, Exception 76). To establish and regulate the procurement of community benefits under Section 37 for increases in building height and/or density.
14-2023	2023/04/17	Z4/22	20	To rezone the subject lands municipally known as 836 Riverside Drive from Country Residential (CR) Zone to Environmental Protection (EP) Zone and Residential One – 'D' (R1-D) Zone, with Exception 211 [R1-D, with Exception 211]
19-2023	2023/04/17	Z5/21 OPA21-A3 SP12/22	45, 46	To rezone the subject lands municipally known as municipally known as 101 Pickering Beach Road and 235 Bayly Street East from Agricultural Zone (A) and Institutional - A Zone, with Exception 98 (I-A, Exception 98) to Residential Multiple Four Zone, with Exception 212 (RM4, Exception 212) and Environmental Protection Zone (EP)
36-2023	2023/06/19	Z1/23	28, 29	To rezone 527 Kingston Road West, from "Village Core Mixed Use Three (VC3) Zone" to "Village Core Mixed Use Three (VC3) Zone, with a Temporary Use [VC3 (T)]" to allow a detached dwelling as an addition permitted use (temporary). The temporary use permissions are in effect between June 19, 2023 and June 19, 2026.

By-Law	Enacted	File/Ref	Schedule	Explanation
38-2023	2023/06/19	Ex 213 - Z3/20 OPA20-A2	31	To rezone 21 and 23 Harwood Avenue South, from Uptown Mixed Use (UC) Zone, with Exception 69 to Uptown Mixed Use (UC) Zone, with Exception 213, and to rezone the portion of the subject lands, municipally known as 100, 101, and 102 Heron Street, from Residential One – 'B' (R1-B) Zone to Uptown Mixed Use (UC) Zone, with Exception 213.
45-2023	2023/09/05	Ex 214 – Z4/21 OPA21-A2	36	To rezone 190 Westney from Prestige Employment (PE) to GO Station Mixed Use (GS) Zone with a Holding (H) provision and Exception 214 "GS(H), Exception 214"

This consolidation is for purposes of convenience only. For accurate reference, recourse should be made to the original approved documents.

Copies of Amendments can be obtained from the Clerk's Department or Planning and Development Services.

TABLE OF CONTENTS

PREAMBLE	I
Introduction	
Purpose of This Zoning By-law	
How to Use This By-law	
Description of By-law Components	
SECTION 1: INTERPRETATION AND ADMINISTRATION	
1.1 Title	
1.2 Conformity and Compliance with By-law	
1.3 Building Permits	
1.4 Interpretation	
1.5 Enforcement	
1.6 Severability	
1.7 Effective Date	
1.8 Repeal of Former By-laws	
SECTION 2: ESTABLISHMENT OF ZONES	
2.1 Establishment of Zones	
Residential Zones Commercial and Mixed Use Zones	
Downtown Central Area Zones (New zone incorporated By-law 86-2005)	
Employment Zones	
Institutional and Cemetery Zones	
Rural Zones	
Open Space Zones	3
2.2 Zone Symbols	3
2.3 Zone Schedules	3
2.4 Determining Zone Boundaries	4
SECTION 3: DEFINITIONS	5
SECTION 4: GENERAL PROVISIONS	25
4.1 Uses Permitted in All Zones	
4.1.1 Accessory Buildings, Structures and Uses	
4.1.2 Public Uses	
4.1.3 Streets and Installations	
4.1.4 Satellite Dishes	
1. 1.0 1 OHIPOTALY OCHORACION OCCO	<i>– 1</i>

4.2 Encroachments into Required Yards	27
4.3 Platforms	28
4.4 Accessory Apartments	29
4.5 Outdoor Display and Sales Area	29
4.6 Area Requirements to Remain	29
4.7 Daylighting Triangle	30
4.8 Exceptions to Height Requirements	30
4.9 Frontage on a <i>Public Road</i>	31
4.10 Separation Distances for <i>Group Homes</i>	31
4.12 Landscaped Buffers	32 32
4.13 Undersized <i>Lots</i>	34
4.14 Model Homes	34
4.15 Non-conforming Uses	35
-	
_	
4.21 Special Setbacks	36
4.21.5 TransNorthern Pipeline	
4.22 Temporary Sales Structure	37
4.23 Truck, Bus and Coach Bodies	37
5.3 Size of Parking Space	
	4.4 Accessory Apartments 4.5 Outdoor Display and Sales Area. 4.6 Area Requirements to Remain. 4.7 Daylighting Triangle 4.7.1 Establishing the Daylighting Triangle. 4.7.2 Maximum Height in Daylighting Triangle 4.8 Exceptions to Height Requirements. 4.9 Frontage on a Public Road. 4.10 Separation Distances for Group Homes 4.11 Home Based Business 4.12 Landscaped Buffers 4.12.1 Landscaped Buffers for Commercial, Mixed Use and Employment Zones 4.13 Undersized Lots. 4.14 Model Homes 4.15 Non-conforming Uses 4.16 Non-complying Buildings or Structures 4.17 Deemed to Comply 4.18 Number of Dwelling Units on a Lot. 4.19 Portable Classrooms 4.20 Reduction of Requirements 4.21 Special Setbacks 4.21.1 Minimum Setback For Access 4.21.2 Railways 4.21.3 Setback from Lake Ontario 4.21.4 Minimum Distance Separation Setbacks 4.21.5 TransNorthern Pipeline 4.22 Truck, Bus and Coach Bodies ECTION 5: PARKING, LOADING, AND QUEUING REQUIREMENTS 5.1 Parking Area Requirements 5.2 Exclusive Nature of Parking Space

	5.3.1 Required Parking Spaces Within Private Garages	
	5.4 Location of <i>Use</i> and Parking	
	5.5 More Than One <i>Use</i> on a Lot	
	5.6 Parking Area Location on a <i>Lot</i> in a Residential Zone	40
	5.7 Parking of Oversized Vehicles	
	5.8 Parking of Inoperative Vehicles	
	5.9 Calculation of Parking Requirements	
	5.10 Parking Requirements	
	5.10.1 Residential Parking Requirements	
	5.10.2 Parking Requirements for Non-Residential <i>Use</i> s	43
	5.11 Queuing Lane Requirements	
	5.11.1 Queuing Space Requirements	
	5.11.2 Queuing Lane Requirements for More Than One Use on a Lot	
	5.11.4 Setback for Queuing Lane	50
	5.11.5 Delineation of <i>Queuing Lane</i> Requirements	50
	5.12 Parking requirements for <i>Persons</i> with Disabilities	
	5.12.1 Parking Requirements for <i>Hospital</i> s and <i>Medical Clinics</i>	
	5.12.3 Size of <i>Parking Space</i> for <i>Person</i> s with Disabilities	
	5.12.4 Required <i>Parking Spaces</i> Designated for <i>Use</i> by <i>Persons</i> with Disabilities	
	Downtown Central Area Zones	
	5.13 Loading Space Requirements 5.13.1 Size of Loading Space	52
	5.13.2 Location of Loading Spaces	
	5.13.3 Location on a <i>Lot</i>	53
	5.13.4 Setbacks Abutting a Residential Zone or Single- <i>Use</i> /Mixed- <i>Use</i> Resident Development Site in a Downtown Central Area Zone or Village Core Mixed <i>Use</i>	ial
	Zone	53
	5.13.5 Additions to Buildings	53
	5.13.6 Access to Loading spaces	
S	ECTION 6: ZONE PROVISIONS	54
	6.1 Zone Provisions	
	6.1.1 Permitted <i>Uses</i>	
	6.2 Residential Zones	
	6.2.1 Permitted <i>Uses</i>	
	6.2.2 Zone Standards	57
	6.2.3 Garage and <i>Driveway</i> Requirements	
	U.Z. T 1 1011(1010 0110 EXIGNOL 1010 LOQUILETIENIS	ひこ

6.3 Commercial and Mixed <i>Use</i> Zones	61
6.3.1 Permitted <i>Uses</i>	
6.3.1.1 Licensed Accessory Outdoor Patios	
6.3.2 Zone Standards	
6.3.4 Zone Standards for Residential <i>Uses</i> in The Commercial Mixed <i>Use</i> Zones	
6.4 Employment Zones	
6.4.1 Permitted <i>Uses</i>	
6.4.2 Zone Standards	
6.4.3.1 Outdoor Storage	
6.5 Institutional and Cemetery Zones	
6.5.1 Permitted <i>Uses</i>	
6.5.2 Zone Standards	
6.6 Rural Zones	77
6.6.1 Permitted <i>Uses</i>	77
6.6.2 Zone Standards	78
6.7 Open Space Zones	78
6.7.1 Permitted <i>Uses</i>	
6.7.2 Zone Standards	79
6.8 Environmental Protection Zone	
6.8.1 Permitted <i>Uses</i>	
6.8.2 Zone Standards	
6.9 Downtown Central Area Zones	
6.9.1 Permitted <i>Uses</i>	
6.9.2.1 Interim Non-Compliance with Respect to Built Frontage, <i>Lot Coverage</i>	
Density Requirements	103
6.9.3 Gateway Sites	
6.9.4 Private Garage and <i>Driveway</i> Requirements	
6.9.6 <i>Yard</i> and <i>Building</i> Separation Requirements for Residential Plans of	100
Condominium	110
6.9.7 Fences	
6.9.8 Air Conditioning Units	112
SECTION 7: EXCEPTIONS	113
7.1 EXCEPTIONS	
7.1.1 List of Exceptions	113
SECTION 8: HOLDING PROVISIONS, TEMPORARY <i>USE</i> ZONES, AND	4 4 7
INTERIM CONTROL ZONES	
8.1 Holding Provisions	
8.1.1 List of Holding Provisions	44/

476
476
479
479
480
493
493
493
493
494

PREAMBLE

Introduction

This preamble explains the purpose of this Zoning By-law and how it should be used. The preamble does not form part of the Zoning By-law. It is intended to make the Zoning By-law more understandable and easier to reference.

Purpose of This Zoning By-law

This Zoning By-law implements the policies of the Town of Ajax Official Plan. The Official Plan contains policies that affect the *use* of land throughout the Town. These policies specify where certain land *uses* are permitted and, in some instances, specify what regulations should apply to the development of certain lands.

The Official Plan is a general document that is not intended to regulate every aspect of the built-form on a private *lot*. In the Province of Ontario, this is the role of the Zoning Bylaw. Once an Official Plan is in effect, any Zoning By-law passed by *Council* must conform to the Official Plan. For example, if the Official Plan stated that lands in the vicinity of a significant natural feature are to remain in their natural state, the Zoning Bylaw would prohibit the erection of *buildings* or *structures* on those lands.

The statutory authority to zone land is granted by the Ontario Planning Act. The Planning Act specifies what a By-law can regulate. A Zoning By-law can:

- prohibit the use of land or buildings for any use that is not specifically permitted by the By-law;
- prohibit the erection or siting of buildings and structures on a lot except in locations permitted by the By-law;
- regulate the type of construction and the *height*, bulk, location, size, floor area, spacing, and *use* of *buildings* or *structures*;
- regulate the minimum frontage and depth of a parcel of land;
- regulate the proportion of a lot that any building or structure may occupy;
- regulate the minimum elevation of doors, windows or other openings in buildings or structures:
- require parking and loading facilities be provided and maintained for a purpose permitted by the By-law; and,

- prohibit the *use* of lands and the erection of *buildings* or *structures* on land that is:
 - subject to flooding;
 - the site of steep slopes;
 - rocky, low-lying, marshy or unstable;
 - contaminated;
 - a sensitive groundwater recharge area or head water area;
 - the location of a sensitive aquifer;
 - a significant wildlife habitat area, wetland, woodland, ravine, valley or area of natural and scientific interest;
 - a significant natural corridor or shoreline of a lake, river or stream; or,
 - the site of a significant archaeological resource.

How to Use This By-law

To reference this By-law each of the steps listed below should be followed to determine what permissions apply to a particular property.

1. Locate the Property on a Map

Maps in a Zoning By-law are referred to as 'Schedules'. The first step to using this By-law is to refer to the zone schedules that are contained at the back of the By-law to determine in which zone category the subject property is located. The zone category will be indicated on the schedules by a symbol or abbreviation. For example, a symbol such as "R1-A" beside a property would indicate that the property is within the 'Residential Type 1 Zone'. The zone symbols or abbreviations used in this By-law are explained on the first page of Section 2 of the By-law or contact Ajax Planning and Development Services for assistance.

Section 2 also provides assistance to help identify the zone boundaries on the Schedules. For example, if a property appears close to a zone boundary refer to section 2.4 of the By-law.

2. By-law Amendments

A Zoning By-law is not a static document; it is amended over time as development proceeds and policies governing land use change. Before proceeding any further, verify that the property is not the subject of an earlier Zoning By-law amendment, Minister's Zoning Order or a minor variance. Zoning By-law amendments are listed in Section 7 of this By-law and Minister's Zoning Orders are listed in Section 9 of this By-law. More recent amendments may not be included in this version of the By-law.

A minor variance does not amend the Zoning By-law. It simply excuses a property from a specific requirement of the Zoning By-law (such as a minimum *side yard* setback) if the *use* and *structures* on the property conforms to all other aspects of the By-law. A minor variance is achieved by submitting an application to the Committee of Adjustment and allows the property owner to obtain a *building* permit. Minor variances granted by the Committee of Adjustment are not included in this By-law.

Staff in the Town's Planning and Development Services department will be able to confirm if the property has been subject to a more recent Zoning By-law amendment, Minister's Zoning Order or a minor variance.

3. Permitted Uses

Section 6 of the By-law identifies the permitted *uses* permitted in each zone category within the Town. Definitions for these *uses* are provided in Section 3. Words that are defined in Section 3 are *italicized* throughout the By-law. *Uses* which are not identified as permitted *uses* within a particular zone are not permitted in that zone.

4. Zone Standards

Section 6 of the By-law also identifies the zone standards that apply to the *uses* on a property for each zone in the Town. Standards that typically apply to permitted *uses* include minimum *lot area*, minimum frontage requirements, minimum *yard* requirements, maximum *lot coverage* for *buildings*; maximum permitted *height* of *buildings* and in some cases, the minimum required landscaped open space on the *lot*. In some cases, there may be additional standards beyond those identified in this Preamble.

5. General Provisions

Section 4 of this By-law provides a more generic set of standards known as 'General Provisions' that apply to all properties in all zones throughout the Town unless otherwise specifically governed by zone standards or exceptions referred to elsewhere in the By-law. For example, the General Provisions include standards to regulate the construction and location of accessory *buildings*. These standards apply to all properties regardless of where in the Municipality the property is located.

6. Parking and Loading

There is one final section of the By-law that should be consulted when determining what permissions apply to a specific property. Section 5 provides the parking and loading requirements for all permitted *uses* in the Town.

7. Explanatory Notes

A series of drawings are provided in the back of this document to assist the reader in interpreting certain Zoning By-law provisions. These drawings are for illustration purposes only and do not form part of the actual By-law.

Description of By-law Components

This By-law contains nine sections which together, provide the zoning standards applicable to all lands within the Town of Ajax. These sections are as follows:

- Section 1 Interpretation and Administration
- Section 2 Establishment of Zones
- Section 3 Definitions
- Section 4 General Provisions
- Section 5 Parking, Loading and Queuing Requirements
- Section 6 Zone Provisions
- Section 7 Exceptions
- Section 8 Holding Provisions, Temporary Use Zones, and Interim Control Zones
- Section 9 Minister's Zoning Orders
- Section 10 Enactment

The purpose of each of these sections is described below.

Section 1 – Interpretation and Administration

This Section specifies:

- the lands that are subject to this By-law;
- that every parcel of land governed by this By-law is to conform and comply with the By-law; and,
- the penalties to be levied against a person or a corporation for contravention of any provision in the By-law.

Section 2 - Establishment of Zones

This Section establishes the zones that apply to the lands governed by this By-law. This Section also describes how to determine the location of the Zone boundaries on the schedules.

Section 3 - Definitions

It is necessary to define words in a Zoning By-law because it is a legal document which, if necessary, can be enforced in a court of law. These definitions are intended to clarify the intent of the By-law and ensure that the By-law is interpreted consistently.

Section 4 - General Provisions

This Section contains regulations that apply to certain types of *uses*, *buildings* or *structures* regardless of where in the municipality or in what zone they are located. For example, this Section contains provisions dealing with the construction of accessory *buildings* in any zone or provisions to regulate the operation of *home based businesses*.

Section 5 – Parking, Loading, and Queuing Requirements

Parking and loading facilities are required for almost all permitted *uses*. This Section establishes requirements for parking and loading facilities including such regulations as the number of spaces required for permitted *uses*, minimum *driveway* width, minimum *parking space* size and the location of parking facilities on a *lot*.

Section 6 - Zone Provisions

This Section lists the *uses* permitted within each Zone. The effect is to only permit certain *uses* in specified locations within the Town. The only *uses* permitted in a zone are those that are specified in the By-law. If a *use* is not specifically identified as a permitted *use* then it is not permitted. Similarly, if a *use* is defined in Section 6 of the By-law but does not appear as a permitted *use* in any zone, then it is not a *use* permitted within any Zone.

This Section also contains regulations that control the placement, bulk and *height* of a *building* on a *lot*. This includes regulations such as minimum *lot* size, minimum frontage, maximum *building height* or the maximum coverage of a *building* on a *lot*.

Section 7 – Exceptions

This Section contains regulations applicable to one property or a specific group of properties in the Town. Exceptions are denoted on the Exceptions Schedules by a bold outline and a numeric reference which guides the reader to the applicable Section of the By-law.

Section 8 – Holding Provisions, Temporary Use Zones, and Interim Control Zones

This Section provides a consolidated list of properties that are subject to Holding (H) Provisions, Temporary *Use* By-laws and Interim Control By-laws.

Section 9 – Minister's Zoning Orders

This section contains Minister's Zoning Orders for specific properties in the Town.

Section 10 – Enactment

This Section contains the signatures of the Mayor and the Clerk who signed the By-law when it was passed by *Council* in accordance with Section 34 of the Planning Act, R.S.O. 1990.

SECTION 1: INTERPRETATION AND ADMINISTRATION

1.1 Title

This By-law may be referred to as the "Town of Ajax Zoning By-law" and applies to all lands within the Town of Ajax.

1.2 Conformity and Compliance with By-law

No *person* shall change the *use* of any *building*, *structure* or land or erect or *use* any *building* or *structure* or occupy any land or *building* except in accordance with the provisions of this By-law. Any *use* not specifically permitted by this By-law shall not be permitted in the Town of Ajax. A *use* which is defined but not identified within a permitted *use* table in any zone or by exception is not permitted.

1.3 Building Permits

The requirements of this By-law must be met before a *building* permit is issued for the erection, addition to or alteration of any *building* or *structure*.

1.4 Interpretation

Nothing in this By-law shall serve to relieve any *person* from any obligation to comply with the requirements of any other By-law of the Town of Ajax or any other regulation of the Regional Municipality of Durham, Province of Ontario or Government of Canada that may otherwise affect the *use* of lands, *buildings* or *structures* in the Town of Ajax.

1.5 Enforcement

Any *person* or corporation that contravenes any provision of this By-law is guilty of an offense and upon conviction is liable to the fine as provided for in the Planning Act, R.S.O. 1990, Chapter P.13 as amended.

1.6 Severability

A decision of a court that one or more of the provisions of this By-law are invalid in whole or in part does not affect the validity, effectiveness or enforceability of the other provisions or parts of the provisions of this By-law.

1.7 Effective Date

This By-law shall come into force the day it was passed.

1.8 Repeal of Former By-laws

By-law 3036, By-law 3037 and By-law 35-77 of the Town of Ajax and all Amendments thereto are hereby repealed.

SECTION 2: ESTABLISHMENT OF ZONES

2.1 Establishment of Zones

The following zones are hereby established and they may be referred to by name or by the symbol set opposite the name of the zone below:

Zone	Symbol
Residential Zones	
Residential One – 'A' Zone	R1-A
Residential One – 'B' Zone	R1-B
Residential One – 'C' Zone	R1-C
Residential One – 'D' Zone	R1-D
Residential One – 'E' Zone	R1-E
Residential One – 'F' Zone	R1-F
Residential Two – 'A' Zone	R2-A
Residential Two – 'B' Zone	R2-B
Residential Three Zone	R3
Residential Multiple Four Zone	RM4
Residential Multiple Five Zone	RM5
Residential Multiple Six Zone	RM6
Country Residential Zone	CR
Commercial and Mixed Use Zones	
Neighbourhood Commercial Zone	NC
Local Commercial Zone	LC
Village Core Mixed Use One Zone	VC1
Village Core Mixed Use Two Zone	VC2
Village Core Mixed Use Three Zone	VC3
Village Core Mixed Use Four Zone	VC4
General Commercial Zone	GC
Uptown Mixed Use Zone	UC
Automobile Commercial Zone	AC
GO Station Mixed Use Zone	GS

Downtown Central Area Zones (New zone incorporated By-law 86-2005)

Downtown Central Area – Mixed Employment One Zone

DCA/ME1

Downtown Central Area – Mixed Employment Two Zone

DCA/ME2

Downtown Central Area – Institutional Zone

DCA/I

Downtown Central Area – Residential Mixed Use Zone

DCA/MU

Downtown Central Area – Residential Multiple One Zone

DCA/RM1

Downtown Central Area – Residential Multiple Two Zone

DCA/RM2

Employment Zones

Prestige Employment Zone PE
General Employment Zone GE
Heavy Employment Zone HE

Institutional and Cemetery Zones

Institutional – 'A' Zone I-A
Institutional – 'B' Zone I-B
Cemetery Zone CE

Rural Zones

Permanent Countryside Zone PC
Agricultural Zone A

Open Space Zones

Open Space Zone OS
Private Open Space Zone POS
Golf Facility Zone GF
Environmental Protection Zone EP

2.2 Zone Symbols

The zone symbols may be used to refer to lots, buildings and structures and to the use of lots, buildings and structures permitted by this By-law. By-law Exceptions, Holding Provisions, Temporary Use Zones, Interim Control Zones and Minister's Zoning Orders are identified in Sections 7, 8 and 9 of this By-law.

2.3 Zone Schedules

The zones and zone boundaries are shown on Zoning Schedules which are attached to and form part of this By-law.

2.4 Determining Zone Boundaries

When determining the boundary of any zone as shown on the Schedules forming part of this By-law, the following provisions shall apply:

- a boundary indicated as following a highway, street, *lane*, railway right-of-way, utility corridor or watercourse shall be the centre line of such highway, street, *lane*, railway right-of-way, or utility corridor;
- ii) a boundary shown as following a shoreline shall follow such shoreline, and in the event of change in the shoreline, the boundary shall be construed as moving with the actual shoreline;
- iii) a boundary indicated as following *lot lines* or the municipal boundaries of the Town of Ajax shall follow such *lot lines* or boundary:
- iv) where a boundary is shown parallel to a street line and the distance from the street line is not indicated, the boundary shall be deemed to be parallel to such a street line and the distance from the street line shall be determined according to the bar scale shown on the Schedule;
- v) where two or more zones are located on a single *lot* and the distance of the respective zone boundaries is indicated on the Zone Schedules, the boundary shall be determined in accordance with the distances noted on the Zone Schedules;
- vi) where a *lot* is divided into two or more zones the zone boundary dividing the *lot* shall be deemed to be a *lot line* for purposes of calculating required setbacks and coverage, and each portion of the *lot* shall be in accordance with the provisions of this By-law for the applicable zone;
- vii) where none of the above provisions apply, the zone boundary shall be scaled from the Schedule(s).

SECTION 3: DEFINITIONS

ACCESSORY APARTMENT

Shall mean a separate *dwelling unit* that is located within the *structure* of a *detached*, *semi-detached*, *linked villa*, or *duplex dwelling unit* and which is subordinate or incidental to the principal *dwelling*.

ACCESSORY BUILDING OR STRUCTURE

Shall mean a detached *building* or *structure* that is subordinate to and customarily incidental to the *principal building*, *structure* or *use* on the same *lot*.

ACCESSORY RETAIL SALES

Shall mean the sale of products manufactured, processed or assembled on the *premises* of a primary *manufacturing use*.

ACCESSORY USE

Shall mean a *use* customarily incidental to, subordinate to and exclusively devoted to the principal *use* and which operates together with the principal *use* on the same *lot*.

ADULT ENTERTAINMENT PARLOUR

Shall mean any *premises* or part thereof in which is providing services appealing to or designed to appeal to, erotic or sexual appetites or inclinations.

ADULT VIDEO STORE

Shall mean a *premises* in which the principal business is the sale or rental of slides, films, videotape, pre-recorded magnetic tape or computerized or electronically generated images designed to appeal to sexual appetites or depicting sexual acts.

AGRICULTURAL OPERATIONS

Shall mean general farming and shall include such *uses* as the breeding and rearing of livestock, including poultry, fowl and fur-bearing animals, the general cultivation of land and associated production, conditioning, processing, and storing of field crops, fruits, vegetables, and horticultural crops and the selling of such produce on the *premises*.

AGRICULTURALLY RELATED COMMERCIAL USE

Shall mean a *use* directly related to agriculture and requiring proximity to farm operations.

APRON (New definition as incorporated by By-law 27-2021)

Shall mean an area of the boulevard consisting of a hard surface leading from the travelled portion of the highway to a private *driveway*.

ART GALLERY

Shall mean a *building*, place or area where paintings, sculptures or other works of art are exhibited or sold.

AUTOMOTIVE RECYCLING FACILITY

Shall mean an area outside of an enclosed *building* where *motor vehicles* are disassembled and dismantled, or where vehicles in an inoperable condition or *motor vehicle* parts are stored or re-sold. An *automotive recycling facility* may also include

facilities for the disposal, storage or reuse of *motor vehicle* fuels, lubricants and related materials.

BANQUET FACILITY

Shall mean a *premises* for the purpose of catering to banquets, receptions, weddings or similar functions for which food and beverages are prepared and served.

BED AND BREAKFAST ESTABLISHMENT (Amended by By-law 114-2013)

Shall mean a *dwelling* or part of a *dwelling* in which not more than 3 bedrooms are used or maintained for the accommodation of the travelling public, in which the owner supplies lodgings with or without meals for hire or pay but does not include a *group home* or a *lodging house*.

BLOCK FACE (New definition incorporated by By-law 86-2005)

Shall mean the distance along a *street line* edge between any given pair of adjacent road intersections, or between a road intersection and an overpass.

BOARDING KENNEL

Shall mean a commercial establishment for the keeping, breeding, boarding or training of domestic animals but shall not include the keeping of animals in a *veterinary clinic* for the purpose of observation, and/or recovery necessary to veterinary treatment.

BODY RUB

Shall mean the kneading, manipulating, rubbing, massaging, touching, or stimulating, by any means, of a *person's* body or part thereof but does not include medical or therapeutic treatment given by a *person* otherwise duly qualified, licensed or registered under the laws of the Province of Ontario.

BODY RUB PARLOUR

Shall mean any *premises* or part thereof where a body-rub is performed, offered or solicited in pursuance of a trade, calling, business or occupation, but does not include any *premises* or part thereof where the body-rubs performed are for the purpose of medical or therapeutic treatment and are performed or offered by *person*s otherwise duly qualified, licensed or registered to do so under the laws of the Province of Ontario.

BUILD-WITHIN ZONE (New definition incorporated by By-law 86-2005)

Shall mean an area established by the *use* of a minimum and maximum *building* setback, drawn parallel to the front and/or exterior *lot line* where a prescribed portion of the main front *building* wall and/or exterior side wall of a *building* (excluding a public utility *building*) shall be positioned. Accessory *buildings* and *structures* are not subject to the setbacks defining a *build-within zone*.

BUILDING

Shall mean a *structure* occupying an area greater than 10.0 m² and consisting of any combination of walls, roof and floor or any structural system serving the function thereof, including all associated plumbing, works, fixtures and service systems.

BUILDING, PRINCIPAL

Shall mean a *building* which constitutes, by reason of its *use*, the primary purpose for which the *lot* is used

BUILDING. FRONT OF

Shall mean the wall or walls of a *building* that are more or less parallel to the *front lot line*; when setback regulations are applicable, "*front of building*" shall mean that wall or walls of the *building* which front upon the street on which the setback is applicable.

BUILDING AND CONSTRUCTION MATERIALS FACILITY

Shall mean a *premises* in which *building* or construction materials are offered or kept for sale.

BUILDING STOREY (New definition incorporated by By-law 86-2005)

Shall mean that portion of a *building* between any floor and the floor, ceiling or roof next above, provided that any portion of a *building* partly below the average level of the *established grade* shall not be deemed a storey unless its ceiling is at least 1.8 metres above the average level of the *established grade*. For that portion of a *building* located wholly or partly within a sloping roof, the space shall be considered an additional full storey if the floor area is not less than one-half of the floor area of the storey next below, all side walls are not less than 1.2 metres in *height*, and the ceiling has a minimum *height* of 2.3 metres over an area equal to at least 50 percent of the floor area.

CEMETERY

Shall mean land that is set apart or used for the interment of the dead or in which human bodies have been buried, and may include a crematorium, a columbarium and a mausoleum but does not include any facilities for public assembly.

CO-GENERATION DISTRICT ENERGY FACILITY (New definition as incorporated by By-law 136-2008)

Shall mean a central facility in wholly enclosed *building(s)* that generates and distributes thermal energy (steam and/or hot and cold water) to end users through an underground pipeline distribution system and generates electricity, including electricity for supply to the grid.

COMMERCIAL FITNESS CENTRE

Shall mean a private club in which facilities are provided for recreational athletic activities and shall include associated facilities such as a sauna, *office* space, retail shop and related lounge facilities.

COMMERCIAL SCHOOL

Shall mean a *premises* as a school conducted for gain, including a studio of a dancing teacher or a music teacher, an art school, a golf school or business school and any other similar specialized school.

COMMUNITY CENTRE

Shall mean a *building* or *structure* owned and/or operated by the Town of Ajax that provides facilities for indoor recreational activities and other community facilities such as meeting rooms or a *library* for use by the general public.

CONTRACTORS YARD

Shall mean a *yard* of any *building* trade or contractor where equipment and material is stored or where a contractor performs shop or assembly work.

CONVENIENCE STORE

Shall mean a retail establishment which deals primarily in goods required by the inhabitants of a residential area to meet their day-to-day needs.

COUNCIL

Shall mean the Council of The Corporation of the Town of Ajax.

CREMATORIUM (New definition as incorporated by By-law 67-2013)

A *building, structure* or part thereof used for the purposes of the cremation of human remains. This use is only permitted in association with a *cemetery* or a *funeral home*.

CRISIS CARE FACILITY

Shall mean a residential facility that is licensed and funded by the Province of Ontario, Government of Canada or an appointed agency, for the short term, temporary care of *person*s requiring immediate emergency shelter and aid who are living under supervision in a single housekeeping unit and who by reason of their emotional, mental, social or physical condition or legal status, require a group living arrangement for their well being.

CURB CUT (New definition as incorporated by By-law 27-2021)

Shall mean the portion of a concrete curb that has been constructed or cut to grade level to facilitate the passing of vehicles and pedestrians.

DAYLIGHTING TRIANGLE

Shall mean an area of private land on a *corner lot*, which area is to be determined by measuring from the point of intersection of the *street lines*, the distance required by this By-law along each such *street line* and joining such points with a straight line. The triangular shaped land between the intersecting *street lines* and the straight line joining the points at the required distance along the *street lines* is the "*daylighting triangle*".

DAY CARE FACILITY

Shall mean a *premises* where more than 5 children are provided with temporary care and/or guidance for a continuous period not exceeding sixteen hours and which is licensed in accordance with the applicable Provincial legislation.

DRIVEWAY

Shall mean that portion of a *lot* used to provide vehicular access from a roadway to an off-street parking or loading area located on the same *lot*.

DRIVEWAY-ADJACENT WALKWAY (New definition as incorporated by By-law 27-2021)

Shall mean a hard surface alongside a *driveway* that is constructed to connect at-grade with the *driveway* and has a maximum width regulated by this By-Law. A *driveway-adjacent walkway* shall be visually delineated from the *driveway* through a change in material, a change in the colour of the material or a change in the layout or pattern of the material.

DRIVEWAY WIDTH (New definition as incorporated by By-law 83-2004, Amended by By-law 27-2021)

Shall mean the widest horizontal surface of any *driveway* required by this By-law, measured along a line parallel to the *lot line* through which it passes. Measurements of *driveway width* shall include any portion of hard surface contiguous to a *driveway* or

parking space, except for driveway-adjacent walkways as permitted in this By-law or other hard surfaces elevated a minimum of 0.15 metres above the surface grade of the driveway.

DRIVE-THRU FACILITY

Shall mean a *building* or *structure* or part thereof where goods or services are offered to the public within a parked or stationary vehicle by way of a service window, or offered in a similar fashion where goods, money or materials are exchanged.

DRY CLEANING DEPOT

Shall mean a *premises* for the purpose of receiving articles or goods of fabric to be subjected to the process of laundering, dry cleaning at another location, and may include self serve laundry facilities.

DRY CLEANING ESTABLISHMENT

Shall mean a *premises* in which the business of laundry or dry cleaning is undertaken and where the cleaning, drying, ironing and finishing of such goods is conducted.

DWELLING

Shall mean a *building*, occupied or capable of being occupied as a home, residence, or sleeping place by one or more *persons*, containing one or more *dwelling units*.

DWELLING UNIT

Shall mean a room or a group of rooms in a *dwelling* used or intended to be used as a single, independent and separate housekeeping unit in which a kitchen and sanitary facilities are provided, and which has a private entrance from outside the *dwelling* or from a common hallway or stairway inside the *dwelling*.

DWELLING, APARTMENT

Shall mean a *dwelling* consisting of four (4) or more *dwelling units* which units have a common entrance from the street level and common halls and/or stairs, elevators and *yards*.

DWELLING, BACK-TO-BACK STACKED TOWNHOUSE (New definition incorporated by By-law 86-2005)

Shall mean a *dwelling* that is structurally configured to resemble two *stacked townhouse dwellings* attached to one another, rear wall to rear wall, such that a rear wall common to all units in the *dwelling* is created, dividing the *dwelling* vertically.

DWELLING, BACK-TO-BACK TOWNHOUSE (New definition incorporated by By-law 42-2005)

Shall mean a *dwelling* that is divided vertically into three (3) or more *dwelling units*, each of which has an independent entrance to the front of the *dwelling*. In the case of an end unit, the entrance may be at the front or exterior side of a *dwelling*. The dividing walls between the adjoining *dwelling units* is formed by walls joining the sides of the *dwelling units* and a wall joining the rear of the *dwelling units*.

DWELLING, DETACHED

Shall mean a dwelling containing only a dwelling unit or a dwelling unit and one accessory apartment.

DWELLING. DOUBLE DUPLEX

Shall mean a separate *dwelling* that consists of two duplexes attached to each other, with a common wall dividing the two *duplex dwellings* vertically, or a *dwelling* containing only two (2) storeys exclusive of basement divided vertically into four (4) *dwelling units*.

DWELLING, DUPLEX

Shall mean the whole of a two storey *dwelling* divided horizontally into two separate *dwelling units*, each of which has an independent entrance.

DWELLING, LINKED VILLA

Shall mean a *dwelling* that is divided vertically into three (3) or more *dwelling units* each of which has independent entrances, to a front and *rear yard* immediately abutting the front and rear walls of the *dwelling unit*. The dividing wall between adjoining *dwelling units* is formed by the wall of an attached single storey garage of one *dwelling unit* and the wall of the adjoining unit so that habitable or living space of one unit does not adjoin to the habitable space of the adjacent unit.

DWELLING, LIVE WORK UNITS (Amended by By-laws 86-2005, 55-2008) Shall mean a dwelling unit with a minimum ceiling height of 2.75 metres on the ground floor, and designed to accommodate a home based business in accordance with all relevant provisions for the same, save and except that:

- a) only an *office*, an archive or *library*, a *personal service shop* (excluding the sale of goods not assembled, crafted or produced on the *premises*), or the studio of an artist, photographer or craftsperson, shall be permitted as the non-residential component of the *dwelling unit*; and
- b) up to two employees, in addition to the resident(s) of the *dwelling unit*, may be engaged in the business and working in the *dwelling unit*.

DWELLING, MAISONETTE

Shall mean a *dwelling* that is divided into three (3) or more *dwelling units*, each of which has independent entrances, one to a common corridor and the other directly to the outside *yard* area adjacent to the said *dwelling unit*.

DWELLING, MOBILE HOME

Shall mean a transportable, factory-built, *dwelling unit* designed to be transported on its own wheels and chassis and may be supported on wheels, jacks, posts or piers, or with a permanent foundation.

DWELLING, MULTIPLE ATTACHED

Shall mean a *dwelling* that is divided vertically into three (3) or more *dwelling units*, each of which has independent entrances, to the front and rear of the *dwelling*.

DWELLING, SEMI-DETACHED

Shall mean the whole of a *dwelling* divided vertically both above grade and below grade into two separate *dwelling units*.

DWELLING, STACKED (New definition incorporated by By-law 75-2011)

Shall mean a residential *use building* containing four or more *dwelling units* where each *dwelling unit* is divided horizontally and vertically, and in which each *dwelling unit* has an independent entrance to the exterior.

DWELLING, STACKED TOWNHOUSE (New definition incorporated by By-law 86-2005) Shall mean a dwelling containing three or more dwelling units in a building vertically configured to be two dwelling units high - ground units below upper units, exclusive of basements – where ground units are attached side-by-side and share a common vertical dividing wall, and where upper units are attached side-by-side and share a common vertical dividing wall.

DWELLING, STREET TOWNHOUSE

Shall mean a *dwelling* that is divided vertically into three (3) or more *dwelling units* each of which has independent entrances to a *front* and *rear yard* immediately abutting the front and rear walls of each *dwelling unit*, and each *dwelling unit* has frontage on and access to a *public street*.

DWELLING, TRIPLEX

Shall mean a dwelling divided horizontally into three (3) dwelling units.

EQUESTRIAN CENTRE

Shall mean a commercial operation in which lands, *buildings* or *structures* are used for the boarding of 10 or more horses, the training of horses and riders, and/or the staging of equestrian events, but does not include the racing of horses.

ESTABLISHED GRADE

Shall mean the average elevation of the finished ground level abutting the wall or walls in question.

EXISTING

Shall mean existing as of the date of the final passing of this By-law.

FINANCIAL INSTITUTION

Shall mean a *premises* where financial transactions including the borrowing, depositing, exchanging of currency and credit occurs and may include an automated banking machine.

FLOOR AREA. GROSS

Shall mean the aggregate of the floor area measured between the exterior faces of the exterior walls of the *building* or *structure* at the level of each floor, excluding any *porches*, verandas, sunrooms (unless habitable in all seasons of the year), basement, cellar, garage, or mechanical penthouse.

FLOOR AREA. GROSS LEASABLE

Shall mean the aggregate area of all floors in a *building* measured from the centre line of the joint interior partitions and from the exteriors of outside walls, and used or capable of being used for commercial purposes, such as sales, display, storage and *offices* but excluding storage areas below grade.

FLOOR AREA. GROUND

Shall mean the floor area of the lowest storey of a *building* approximately at or first above the finished grade level excluding any basement, cellar or sub-cellar, which area is measured between the exterior faces of the exterior walls at the floor level of such storey, but:

i) excludes car parking areas within the *building*; and

ii) for the purpose of this definition the walls of an inner court are and shall be deemed to be exterior walls.

FLOOR SPACE INDEX

Shall mean the aggregate of the *gross floor area* of all *buildings* on a *lot* divided by the area of the *lot*.

FUEL STORAGE SUPPLY YARD

Shall mean the *use* of land for the bulk storage or wholesale distribution of gasoline, oil, petroleum products or other flammable liquids.

FUNERAL HOME

Shall mean a *premises* where the care and preparation of human bodies and the coordination of rites and ceremonies with respect to dead human bodies is performed, but does not include services provided by a *cemetery* or crematorium owner under the Cemeteries Act.

FUNERAL VISITATION CENTRE (New definition incorporated by By-law 67-2013)
A building which typically has visitation rooms, a chapel or gathering room and a room or rooms where a reception can be held after a service. This use is only permitted in association with a funeral home.

GAMING ESTABLISHMENT

Shall mean *premises* accommodating up to 800 *slot machines*, together with related *restaurants*, lounges, administrative *offices* and other *accessory uses*. For the purposes of this definition a '*Gaming establishment*' shall not include a bingo parlour or any other casino-type game or *use*.

GARAGE, PRIVATE

Shall mean a detached *accessory building*, car port, or portion of a *dwelling* which is designed or for the sheltering of one or more private *motor vehicles* and may also include the storage of household wares or materials incidental to the residential occupancy and which is fully enclosed and roofed.

GARDEN CENTRE

Shall mean the *use* of land, *buildings* or *structures* for the growing of flowers, plants, shrubs, or trees and shall also include the retail sale of such goods, products and equipment as are normally associated with gardening or landscaping.

GATEWAY SITE (New definition incorporated by By-law 86-2005)

Shall mean any area so identified symbolically in the Town of Ajax Official Plan, the actual limits of which are to be defined at the time of development approval subject to the parameters established by this By-law in Section 6.9.3, wherein either special performance standards shall apply, notwithstanding the provisions of any Downtown Central Area Zone that would otherwise be applicable, or which may be zoned Open Space.

GOLF COURSE

Shall mean a *premises* for the purpose of playing golf and may include such associated uses as a *restaurant*, *banquet facility*, *retail store*, fitness centre and other *buildings* or *structures* devoted to the maintenance and operation of the *golf course*.

GOLF DRIVING RANGE

Shall mean an open air *recreation facility* where the sport of golf is practiced from individual tees and which may include *accessory structures* to house the tees, a kiosk for golf balls and golf club rentals, and a *structure* from which the golfers tee off.

GROUP HOME

Shall mean a residence, licensed or funded under an Act of the Parliament of Canada or Province of Ontario, that is designed for the accommodation of 3 to 10 *persons*, exclusive of staff, living under supervision in a *dwelling unit* and whom by reason of their emotional, mental, social, or physical condition or legal status, require a group living arrangement for their well-being. For the purposes of this by-law, *group homes* are classified either as *Group Home A* or *Group Home B*.

GROUP HOME A

Shall mean a *group home* primarily for *persons* who have been referred by a *hospital*, recognized social services agency or health professional.

GROUP HOME B

Shall mean a *group home* operated primarily for *persons* who have been placed on probation, released on parole, or admitted for correctional purposes.

HEIGHT (Amended by By-law 86-2005, 38-2008)

Shall mean the vertical distance from the average level of the *established grade* of the street in front of the *building* to:

- a) the highest point of any exterior wall of a flat roofed building; unless the building is located in a Downtown Central Area Zone or Village Core Mixed Use zone, in which case the measure shall exclude the height of any parapet rising above the roof deck.
- b) the mean *height* between the eaves and ridge of a pitched roof; or
- c) the deck roof line of a mansard roof.

When no grade has been established the level of the crown of the street upon which the *building* fronts at right angles to the mid point of that *building* shall be considered the *established grade*.

HOME BASED BUSINESS

Shall mean an *accessory use* within part of a *dwelling unit* for a lawful occupation or business activity that results in a product or service and which is clearly secondary to the main *use* of the *dwelling unit*.

HOSPITAL

Shall mean any institution, *building* or other *premises* established for the treatment of *persons* afflicted with or suffering from sickness, disease or injury, or for the treatment of convalescent or chronically ill *persons* that is approved under the Public Hospitals Act as a public *hospital* and may include a gift shop, cafeteria or other *accessory use* normally associated with a *hospital*.

HOTEL

Shall mean a commercial establishment offering accommodation to the travelling public on a daily rate basis and may include such accessory facilities as a *restaurant*, *banquet facilities*, meeting rooms, swimming pool and a fitness establishment.

LANDSCAPED BUFFER

Shall mean an area of land used only for the growth and maintenance of grass, flowers, bushes and other landscaping and includes the part of the *lot* unoccupied by any parking, *buildings* or *structures*.

LANE

Shall mean a thoroughfare which affords a means of access to abutting *lots* and which is not intended for general traffic circulation.

LAUNDROMAT, SELF SERVE

Shall mean a *premises* where coin-operated laundry machines, using only water, detergents and additives, are made available to the public for the purpose of laundry cleaning.

LICENCED OUTDOOR PATIO (New definition as incorporated by By-law 75-2005) An outdoor area where seating accommodation is provided, and where meals or refreshments are served to the public for consumption which is used on a seasonal basis in conjunction with, and in immediate proximity to, a restaurant or a drive-thru restaurant. The establishment shall be licensed by the Alcohol and Gaming Commission of Ontario for the consumption of alcohol within the establishment or accessory outdoor patio.

LIBRARY

Shall mean a building containing printed, electronic and pictorial material for public use for purposes of study, reference and recreation.

LIVESTOCK HOUSING CAPACITY

Shall mean the total maximum number of livestock that can be accommodated in a livestock facility at one time.

LIVESTOCK FACILITIES

Shall mean barns, *buildings* or *structures* where animals are housed and shall also include beef feed *lots* and the associated manure storage facilities.

LIVESTOCK UNIT

Shall mean the equivalent values for various types of animals and poultry based upon manure production and production cycles.

LOADING SPACE

Shall mean an unobstructed area of land which is provided and maintained upon the same *lot* or *lots* upon which the principal *use* is located and which area is provided for the temporary parking of one commercial *motor vehicle* while merchandise or materials are being loaded or unloaded from such vehicles. Such area shall not be used for the purpose of offering commodities for sale or display.

LODGING HOUSE (New definition as incorporated by By-law 114-2013)

Shall mean a *building* or part of a *building*, containing three to ten *lodging units*, which does not function as a *dwelling unit*, although one may be included with the *lodging units*. It includes, without limitation, a rooming house and a boarding house, a fraternity house or sorority house. It does not include a *hotel*, a *hospital*, a *group home*, a *bed and breakfast establishment*, a *crisis care facility*, a *nursing home*, a *retirement home*, a seniors apartment, or a *senior citizens' apartment*.

LODGING UNIT (New definition as incorporated by By-law 114-2013)

Shall mean a room within a *building* that contains sleeping accommodations and may contain washroom facilities.

LOT

Shall mean a parcel of land which is only capable of being legally conveyed as a single *lot* pursuant to Section 50 of the Planning Act, R.S.O. 1990, c.P.13.

LOT AREA

Shall mean the total horizontal area within the *lot lines* of a *lot* and in the case of a *corner lot* having *street lines* rounding at the corner with a radius of six metres (6.0 m) or less, the area of such *lot* is to be calculated as if the *lot lines* were projected to this point of intersection.

LOT. CORNER

Shall mean a *lot* situated at the intersection of, and abutting upon at least two streets, provided that the interior angle of intersection of such streets is not more than one hundred and thirty-five (135) degrees.

LOT COVERAGE

Shall mean the proportion of the *ground floor area* of all *buildings* and *structures* on the *lot* to the *lot area*, expressed as a percentage, but shall not include *porches*, unenclosed verandas or *platforms*.

LOT DEPTH

Shall mean the horizontal distance between the front and *rear lot lines*, but where the front and *rear lot lines* are not parallel the *lot depth* is the length of a line joining the midpoints of such lines.

LOT FRONTAGE

Shall mean the horizontal distance between the side lot lines measured along the front lot line, but where the front lot line is not a straight line or where the side lot lines are not parallel, the lot frontage is to be measured by a line nine metres (9.0 metres) back from and parallel to the chord of the lot frontage, and for the purpose of this paragraph, the chord of the lot frontage is a straight line joining the two points where the side lot lines intersect the front lot line.

LOT. INTERIOR

Shall mean a lot other than a corner lot or a thru lot.

LOT LINE

Shall mean any boundary of a lot.

LOT LINE. EXTERIOR SIDE

Shall mean a side lot line which abuts a public street or lane on a corner lot.

LOT LINE, FRONT

Shall mean the *lot line* that divides the *lot* from the street, provided that, in the case of a *corner lot*, in any residential, commercial or industrial zone, the shorter *lot line* that abuts a street shall be deemed to be the *front lot line*; however, in residential zones, if both *lot lines* abutting streets exceed the stated or implied minimum *lot depth* requirements for that zone then either *lot line* may be considered to be the *front lot line*.

LOT LINE. REAR

Shall mean the farthest *lot line* opposite the *front lot line*, or in the case of a triangular *lot*, shall be that point formed by the intersection of the *side lot lines*.

LOT LINE. SIDE

Shall mean a lot line other than a front or rear lot line.

LOT. THROUGH

Shall mean a *lot* bounded on opposite sides by a *public street*. However, if the *lot* qualifies as being both a *corner lot* and a *thru lot*, such *lot* is deemed to be a *corner lot* for the purposes of this By-law. Such *thru lot* shall have a *front yard* on each street in accordance with the provisions of the zone or zones in which each *front yard* is located.

MACHINERY AND EQUIPMENT SALES AND RENTAL

Shall mean a *premises* in which machinery and equipment are offered or kept for sale, rent, lease or hire.

MANUFACTURING

Shall mean the *use* of land, *building* or *structures* for the *manufacturing*, processing, fabricating or assembly of raw materials or goods and related *accessory uses*.

MANUFACTURING, LIGHT

Shall mean the *use* of *buildings* or *structures* primarily for the purpose of *manufacturing*, processing, fabrication, assembly, treatment, packaging, and incidental indoor storage of goods and materials and may include accessory sales and distribution of such products but does not include basic industrial processing from raw materials, all such activities conducted wholly within one or more *buildings*. A food processing *use* shall be considered a *light manufacturing use* provided that no animal or animal by-products are used with or as a result of the *use*.

MEDICAL CLINIC

Shall mean a *premises containing* two or more *offices* where medical, dental, and/or therapeutic diagnosis and treatment is provided to the general public without overnight accommodation and may include accessory dispensary facilities.

MEMORIAL/NATURE TRAIL

Shall mean a meandering trail located within all of the buffer/vegetation protection zones described in this By-law for use by cemetery patrons. In the 15 metre buffer zones, the *Memorial/Nature Trail* shall include a strip of land approximately 1.5 metres in width on either side of the trail where in-ground cremated remains may be placed provided disruption to existing vegetation shall be minimized.

MODEL HOME

Shall mean a new uninhabited *dwelling unit* constructed to the requirements and the provisions of the zone category in which the *lot* upon which the *model home* is situated or as specified by by-law and is used only for the purposes of displaying the architectural design, materials and interior design or decorating of homes, the layout and features of a draft approved or registered plan of subdivision or condominium for the purpose of selling homes to the general public. The items displayed and homes offered for sale shall be restricted to those in the draft approved or registered Plan of Subdivision or Condominium in which the *model home* is located.

MOTEL

Shall mean a separate *building* or two (2) or more connected or detached *buildings* that are rented on a temporary basis to the travelling public for the purpose of sleeping accommodation with each room being accessible from the outside and which may or may not contain cooking facilities.

MOTOR VEHICLE

Shall mean automobile, motorcycle, motor assisted bicycle or any other vehicle propelled or driven other than by muscular power, but does not include a street car, or other *motor vehicles* running only upon rails, or a motorized snow vehicle, traction engine, farm tractor, self-propelled implement of husbandry or road-*building* machine within the meaning of the Highway Traffic Act. R.S.O. 1990.

MOTOR VEHICLE GAS BAR

Shall mean *premises* where gasoline or other motor fuels and oil are kept for sale and delivery directly into a *motor vehicle*, and does not include a *motor vehicle repair facility*, *motor vehicle washing establishment* or a *motor vehicle service centre*.

MOTOR VEHICLE RENTAL DEPOT

Shall mean an *office* where the rental of *motor vehicles* is administered and where such *motor vehicles* are picked up and dropped off, but shall not include facilities for the ongoing storage of a fleet of *motor vehicles*.

MOTOR VEHICLE RENTAL ESTABLISHMENT

Shall mean a *premises* where *motor vehicles* are kept for rent, lease or hire under agreement for compensation.

MOTOR VEHICLE SALES ESTABLISHMENT

Shall mean a *premises* where new *motor vehicles* are kept for display, lease or sale, and may include an associated *motor vehicle service centre*.

MOTOR VEHICLE USED SALES ESTABLISHMENT

Shall mean a *premises* where only *used motor vehicles* are kept for display, lease or sale.

MOTOR VEHICLE REPAIR FACILITY

Shall mean a *premises* used to conduct repairs of *motor vehicle*s of a mechanical or structural nature and may include an associated towing service, *motor vehicle* service station and *motor vehicle* rentals.

MOTOR VEHICLE SERVICE CENTRE

Shall mean a *premises* used for the sale of gasoline or other motor fuels delivered directly into a *motor vehicle*; the servicing, repairing or equipping essential to the actual operations of *motor vehicles*; the performance of diagnostic services on *motor vehicles*; the sale to the motoring public of goods usual to the trade; and may include a *motor vehicle washing establishment*.

MOTOR VEHICLE WASHING ESTABLISHMENT

Shall mean a *building* or part thereof used for gain or profit for the operation of washing equipment for *motor vehicles*.

MOTOR VEHICLE WASHING ESTABLISHMENT, AUTOMATIC

Shall mean a *building* or part thereof with a capacity to wash more than ten (10) cars per hour in a mechanically driven or automated fashion.

NIGHTCLUB

Shall mean a *premises* whose primary function is the provision of theatrical performances, pre-recorded music, or live musical entertainment, whether such pre-recorded music or live music is provided for listening or dancing by the patrons, or any combination of the above functions, and whose accessory function is the sale and consumption on the *premises* of food and alcoholic beverages, but does not include a *restaurant* or an *adult entertainment parlour*.

NON-CONFORMING

Shall mean an *existing use* which is not permitted by the provisions of this By-law on the effective date of this By-law.

NON-COMPLYING

Shall mean a *lot, building or structure* which is permitted by this By-law but which has less than the minimum frontage and/or depth and/or area, or less than the minimum set back and/or *side yard* and/or *rear yard* and/or minimum open space or other performance standard required by the By-law on the effective date of this By-law.

NURSING HOME

Shall mean a *dwelling* or other *building* in which lodging, with or without meals, is provided for hire or pay, and where nursing or medical care and treatment are provided or made available in accordance with The Nursing Homes Act, but does not include a *hospital*.

OFFICE

Shall mean a *building* or part thereof, intended or used for the practice of a profession, conduct of a business or public administration.

OUTDOOR AMENITY SPACE (New definition incorporated by By-law 81-2009) Shall mean a common area on a property which provides benefits to the occupants, which increase the attractiveness, functionality and value of a property and which areas are dedicated to passive and active recreational *uses*, exclusive of *parking lots* and drive aisles based on a ratio of 10 square metres per bed. Such areas can include but are not limited to patios, decks, swimming pools, paths, leisure spaces or lawns.

OUTDOOR DISPLAY AND SALES AREA

Shall mean an area of land used for the display or sale of goods as an *accessory use* to the principal *use* of the *lot*, which principal *use* is conducted wholly within one or more *buildings*.

OUTDOOR STORAGE

Shall mean the storage of equipment, goods, or raw or processed materials outside of any *building* or *structure*.

PARKING LOT

Shall mean an open area, other than a street, used for the temporary parking of two or more *motor vehicles* and available for *public use* whether free or for compensation, or as an accommodation for clients, customers or residents, but does not include the storage of impounded or wrecked vehicles.

PARKING LOT, PRINCIPAL USE (New definition incorporated by By-law 86-2005) Shall mean a *lot* used for the principal purpose of providing space for general purpose public parking, offered either gratuitously or in return for a consideration or compensation, on an hourly or daily basis, but shall not be used for the storage or display of vehicles.

PARKING SPACE (Amended by By-law 27-2021)

Shall mean an area of land that is accessible by a *driveway* or aisle, having access to a *public street* or *lane*, that is reserved for the purpose of the temporary parking or storage of one *motor vehicle* and does not include any lands constituting a *driveway-adjacent walkway*.

PARKING SPACE, DESIGNATED

Shall mean an off-street *parking space* marked by a sign indicating such space to be for the sole *use* of a vehicle displaying a permit in accordance with the requirements of the Highway Traffic Act.

PASSIVE RECREATIONAL USE

Shall mean a recreation use that does not require the erection of any buildings or structures and that does not alter the soil or topography of the land, but does not include a golf course or golf driving range.

PERSON

Shall mean any human being, association, firm, partnership, incorporated company, corporation, agent or trustee, and the heirs, executor or other legal representatives of a *person* to whom the context can apply according to law.

PERSONAL SERVICE SHOP

Shall mean a *premises* where professional or personal services are provided for gain and where the sale of retail goods, wares, merchandise, articles or things is only accessory to the provision of such services.

PLACE OF ASSEMBLY

Shall mean a *premises* in which facilities are provided for the gathering of people.

PLACE OF ENTERTAINMENT

Shall mean a *premises* where entertainment is offered for gain or profit such as a cinema, public hall, billiard or pool rooms, bowling alley, dance hall or similar activity for the enjoyment of the general public.

PLACE OF WORSHIP

Shall mean *premises* used by one or more religious groups for the practice of religious services.

PLATFORM

Shall mean a *structure* attached to, or abutting a *dwelling*, or constructed separately from a *dwelling*, which may be open, or roofed, and which may be screened-in, but not fully enclosed, with or without access to the ground, the floor of which is above finished ground level. A *platform* does not include any stairs.

PORCH (As amended by By-law 83-2004)

Shall mean a *platform* with a foundation that is fully roofed, unenclosed, permanent and projecting from the front exterior wall of the *building*.

PREMISES

Shall mean the area of a *building* and/or *lot* occupied by a business or enterprise. In a multiple tenancy *building* occupied by more than one business, each business area shall be considered a separate *premises*.

PUBLIC AUTHORITY

Shall mean the Government of Canada, Province of Ontario, Regional Municipality of Durham, or Town of Ajax.

PUBLIC GARAGE

Shall mean a building other than a private garage in which vehicles are parked.

PUBLIC PARK

Shall mean an area of land for recreational purposes which is owned or controlled by a *public authority*.

PUBLIC STORAGE FACILITY

Shall mean a *premises* used for the temporary storage of household items and seasonal, recreational or commercial vehicles, boats and trailers in storage areas or lockers within enclosed *buildings*, which are generally accessible by means of individual loading doors.

PUBLIC STREET OR ROAD

Shall mean a public thoroughfare available for use by vehicular and pedestrian traffic which is assumed or dedicated by/under the jurisdiction of the Regional Municipality of Durham, Town of Ajax or Province of Ontario, but does not include a private *lane*, private right-of-way, or unopened road allowance.

PUBLIC USE

Shall mean the use of any land, building or structure by a public authority.

QUEUING LANE

Shall mean a portion of a parking area or a *parking lot*, other than a parking aisle or a *parking space* which provides standing room for vehicles in a queue. For the purposes of this definition, a *queuing lane* shall be measured by the length of a queuing space times the number of spaces required.

RACETRACK. HORSE

Shall mean an oval race course with starting chutes including a betting theatre; parimutuel lobby, together with appurtenances for the conduct of horse races; a grandstand; restaurants; lounges and administrative offices; a museum; retail space for the sale of racetrack and tourist related merchandise; and areas and facilities for stabling, grooming, training and showing of horses; accommodation for staff, the parking of motor vehicles and horse vans; and storage facilities for feed, straw, equipment and accessories.

RECREATION FACILITY

Shall mean a *premises* designated and equipped for the conduct of outdoor sports and leisure time activities such as sports fields but shall not include facilities for any indoor recreational activities.

RESIDENTIAL CARE FACILITY (New definition incorporated by By-law 81-2009) Shall mean a publicly or privately funded residential facility having 6 or more beds, not greater than 37 beds, in which *persons* with physical disabilities, *persons* who are developmentally delayed, *persons* with psychiatric disabilities, and/or pensioners are provided care and lodging.

RESOURCE MANAGEMENT USES

Shall mean the preservation, protection, and improvement of the natural environment *thru* comprehensive management and maintenance of natural heritage features including the maintenance of wildlife habitats, flood and erosion control, protection and production of water supplies and preservation for *passive recreational use* and enjoyment.

RESTAURANT

Shall mean a commercial establishment in which the principal business is the preparation and serving of food and refreshments to the public for immediate consumption within the establishment or on an abutting terrace or patio, and which may include home delivery, catering or food pick-up/take-out services.

RESTAURANT, DRIVE-THRU

Shall mean a commercial establishment in which the principal business is the preparation and serving of food and refreshments to the public for immediate consumption within the establishment, on an abutting terrace or patio, or by means of an order or window service which *motor vehicles* access from the parking area by using designated *lanes*, and which may include home delivery, catering or food pick-up/take-out services.

RESTAURANT, TAKE-OUT (New definition incorporated by By-law 93-2012) Shall mean a commercial establishment where food or beverages are prepared and offered for sale to patrons for consumption off the *premises*.

RETAIL STORE

Shall mean a *building* or part thereof which is not otherwise defined in this By-law, in which goods, wares, merchandise, substances, articles or things are offered or kept for sale at retail directly to the public.

RETAIL WAREHOUSE

Shall mean a *building* or *structure* or part thereof, where the entire floor area of the *use* is occupied by a single user with integrated storage and retail sale of goods to the general public in a warehouse format and which serves a regional trade area.

SALES PAVILION (New definition incorporated by By-law 55-2008)

Shall mean a permanent *building* intended for temporary *use* as a *sales pavilion* for residential units prior to being used for a different permitted *use*.

SCHOOL

Shall mean a provincially approved institution for academic instruction and may include a public, private or separate *school*, college or university.

SEASONAL FARM PRODUCE SALES OUTLET

Shall mean a *structure* from which fruits, vegetables, or other farm produce is sold during the growing season.

SENIOR CITIZENS' APARTMENT (Amended by By-law 86-2005)

Shall mean an apartment *building* for seniors which shall include common facilities for the preparation, serving and consumption of meals, and may also include common areas, indoor and outdoor recreation facilities, and respite care facilities where such *uses* and activities are provided only for residents, and where each *dwelling unit* has a maximum of one bedroom and may or may not include a private kitchen.

SERVICE OR REPAIR SHOP

Shall mean a *premises* for the servicing, repairing or renting, of articles, goods or materials but shall not include any form of vehicles or boats.

SHOPPING CENTRE

Shall mean a group of commercial establishments designed, developed and managed as a unit by a single owner or tenant, or group of owners or tenants, for which parking is provided in common off-street areas.

SLOT MACHINE

Shall mean a coin, token or slug-activated automatic machine, the results of the operation of which are a matter of chance or uncertainty to the operator.

SPORTS ARENA

Shall mean a *building* or part of a *building*, in which the principal facilities provide for recreational activities such as curling, skating, hockey, lacrosse, broomball or other similar athletic activities, and which facilities may include dressing rooms, concession booths for the provision of food and refreshments to the general public, bleachers, equipment for making artificial ice and other such accessory facilities.

STREET LINE

Shall mean the dividing line between a *lot* and a street.

STRUCTURE

Shall mean anything that is erected, built or constructed of parts joined together or any such erection fixed to or supported by the soil or any other *structure*. But for the purposes of this By-law, an in-ground swimming pool shall be deemed not to be a *structure*.

TAXI DEPOT

Shall mean the *use* of a *premises* for a dispatch *office* for taxis and includes the area used for the parking of taxis when not engaged in transporting *person*s or goods.

TEMPORARY SALES STRUCTURE

Shall mean a temporary *structure* or trailer used as a sales *office* for the sale of residential, commercial or industrial *lots*.

TILLABLE HECTARES

Shall mean the total area of land including pasture that can be worked or cultivated.

TRAILER, VEHICULAR

Shall mean any vehicle so constructed that it is suitable for being attached to a *motor vehicle* for the purpose of being drawn or propelled by the *motor vehicle* and is capable of being used for the transport of goods, materials, equipment or livestock notwithstanding that such vehicle is jacked up or that its running gear is removed.

TRANSPORTATION DEPOT

Shall mean a *premises* where goods or wares are stored and where the vehicles used to transport such wares are stored, serviced, repaired, kept for hire, loaded or unloaded.

UNLICENCED OUTDOOR PATIO (New definition as incorporated by By-law 75-2005) Shall mean an outdoor area where seating accommodation is provided, and where meals or refreshments are served to the public for consumption which is used on a seasonal basis in conjunction with, and in immediate proximity to, a restaurant or a drive-thru restaurant. The selling, serving and consumption of alcohol shall not be permitted on the outdoor patio.

USE

Shall mean the purpose for which any portion of a *lot*, *building* or *structure* is designed, arranged, intended, occupied, operated or maintained.

VETERINARY CLINIC

Shall mean a *building* or part of a *building* where animals or pets are given medical or surgical treatment or grooming, within which there may be shelter facilities provided for short-term overnight medical treatment but shall not include a *boarding kennel*.

WAREHOUSE/ DISTRIBUTION CENTRE

Shall mean a *building* or part of a *building* used for the storage and distribution of goods, wares, merchandise, substances, articles or things.

WOODWASTE (New definition as incorporated by By-law 136-2008) Shall mean a product

- a) that is wood or a wood product, including tree trunks, tree branches, leaves and brush;
- b) that is not contaminated with chromated copper arsenate, ammoniacal copper arsenate, pentachlorophenol or creosote; and
- c) from which easily removable hardware, fittings and attachments, unless they are predominantly wood or cellulose, have been removed

But does not include

- a) an upholstered article; or
- b) an article to which a rigid surface treatment is affixed or adhered, unless the rigid surface treatment is predominantly wood or cellulose.

YARD

Shall mean an open, uncovered space on a *lot* appurtenant to a *building* and unoccupied by *buildings* or *structures* except as may be expressly permitted in this By-law but does not include a court *yard*. In determining *yard* measures, the minimum horizontal distance from the respective *lot lines* is to be used.

YARD, EXTERIOR SIDE

Shall mean a *side yard* immediately adjacent to a *public street* or *lane*.

YARD, FRONT

Shall mean a *yard* extending across the full width of a *lot* between the *front lot line* and front walls of the nearest *building* or *structure* on the *lot*.

YARD. INTERIOR SIDE

Shall mean a *side yard* other than an *exterior side yard*.

YARD, REAR

Shall mean a *yard* extending across the full width of a *lot* between the *rear lot line* and the nearest wall or walls of any main *building* on the *lot* for which the *yard* is required.

YARD, SIDE

Shall mean a *yard* extending from the *front yard* to the *rear yard* between the *side lot line* and the nearest wall of any *building* or *structure* on the *lot* for which the *yard* is required.

SECTION 4: GENERAL PROVISIONS

4.1 Uses Permitted in All Zones

The *uses* identified in this subsection are permitted in all zones.

4.1.1 Accessory Buildings, Structures and Uses

Accessory buildings, structures and uses are permitted in all zones subject to the following provisions:

- i) The principle *use*, *building* or *structure* must already be established on the same *lot*;
- ii) No detached *accessory building* or *structure* may be used for human habitation or an occupation for gain, unless specifically permitted by this By-law;
- iii) Accessory buildings or structures shall not be permitted in a front yard;
- iv) Unless otherwise specified in this By-law, any accessory building or structure shall be setback a minimum of 0.6 metres from any rear or interior side lot line and a minimum of 5 metres from any exterior lot line; and,
- v) The total *lot coverage* of all *accessory buildings* and *structures* on a *lot* shall not exceed 10% of the *lot area* to a maximum *gross floor area* of 60.0 m², nor may any part of any *accessory building* or *structure* be located more than 4.5 metres above the *established grade*. However, in any Downtown Central Area Zone where a detached *private garage* is located in the *rear yard* of a single-*use* residential *dwelling unit* and is accessed from a rear *lane*, the garage may be permitted having a depth of up to 7.7 metres and a *gross floor area* of up to 45 square metres.
- vi) In any DCA/MU, DAC/RM1 or DCA/RM2 zone, where a nonapartment residential *dwelling* consists of double front units which are located either on a *through lot* or on a *lot* abutting a *public street* on one side and an Open Space Zone on the opposite side, no *accessory building* shall be permitted on the *lot*.

4.1.2 Public Uses

The provisions of this By-law shall not apply to prevent the *use* of any land, *building* or *structure* by any *public authority*, except in an Environmental Protection (EP) Zone provided that:

- Such use, building or structure complies with all applicable regulations, parking and loading requirements of the zone in which it is located;
- ii) Such *use* shall not adversely affect the character or amenity of the area in which it is located; and,
- iii) No *outdoor storage* is permitted unless such *outdoor storage* is specifically permitted in the zone in which the *use* is located.

4.1.3 Streets and Installations

(As amended by By-law 136-2008)

Nothing in this By-law shall prevent land from being used, subject to the applicable municipal studies or an approved development application as a *public street* or prevent the installation and *use* of a:

- water main:
- sanitary sewer main;
- storm sewer main;
- gas main;
- steam line, subject to an agreement with the Town;
- hot/cold water line, subject to an agreement with the Town;
- pipeline;
- overhead or underground hydro, telephone or other utility supply and/or communication lines; or
- Canada Post centralized delivery facility.

4.1.4 Satellite Dishes

(As amended by By-law 38-2008)

Satellite dishes with a maximum diameter of 1.0 metre each are permitted in any zone provided they are mounted on an exterior wall, roof or chimney of the *principal building* of the *lot* on which it is located.

Notwithstanding the above, a maximum of one satellite dish shall be permitted for each residential *dwelling unit* or individual non-residential *use* within any Village Core Mixed *Use* Zone, and no satellite dish shall be mounted on an exterior wall facing onto a front and/or *exterior side vard*.

4.1.5 Temporary Construction *Uses*

In all zones, save and except the Environmental Protection or Open Space Zones a tool shed, construction trailer, or other *building* or *structure* incidental to construction is permitted on a *lot* where construction is taking place provided that the *building* or *structure* is located no closer than 15 metres to any *existing dwelling* and provided that a valid *building* permit is in effect for the noted construction.

4.2 Encroachments into Required *Yards*

The following ornamental *structures* to a *principal building* are permitted to encroach into any required *yard* in accordance with the following provisions:

Permitted Ornamental Structure	Maximum Permitted Distance of Encroachment into a Required Yard	
Bay/Box/Bow Window with or without a foundation	1.0 metre	
Canopies/Porticos	One half of the setback of the building from the street line.	
Sills, cornices, parapets, pilasters, or other similar ornamental <i>structures</i>	50% of the width of any required <i>yard</i> to a maximum of 0.6 metres	
Uncovered steps leading to or from a <i>principal building</i> or <i>platform</i>	a) Front and Exterior side yard	0.0 m from lot line
	b) Rear yard	1.8 m from rear lot line
Chimneys or Vents	50% of the width of the side yard	
	1.0 metre into the <i>rear yard</i> and the aggregate of all <i>rear yard</i> projections shall be limited in extent to 25% of the face of the rear wall.	
Drop awnings, clothes poles, flag poles, garden trellises, retaining walls, fences or other similar accessory structures	Permitted in any required <i>yard</i> .	
Eaves	To the <i>lot line</i>	

The encroachments permitted in the table above do not apply to accessory buildings.

4.3 Platforms

Notwithstanding the setback requirements of any Residential Zone, *platforms* are permitted in any Residential Zone in accordance with the following provisions:

	Height Above Finished Ground Level		
	Finished ground level to 0.6 m	More than 0.6 and less than 1.2 m	More than 1.2 m
Maximum Area	50% of <i>yard</i> in which it is located	50% of <i>yard</i> in which it is located	30.0 m ²
Minimum Setback from Exterior side lot line	May extend 2.5 metres out from main building wall, but no closer to exterior side lot line than 3.5 metres except in the R1-C, R1-D, R1-E, R1-F, R2-A, R2-B and R3 Zones in which requirements of Section 6.2.4 apply.	May extend 2.5 metres out from main building wall, but no closer to exterior side lot line than 1.5 metres except in the R1-C, R1-D, R1-E, R1-F, R2-A, R2-B and R3 Zones in which requirements of Section 6.2.4 apply.	Must meet setback requirements for individual zones
Minimum Setback from Interior side lot line	Must meet setback requirements for individual zones	Must meet setback requirements for individual zones	Must meet setback requirements for individual zones The setback shall be zero for Townhouses
Minimum Setback from Rear lot line	1.8 m	1.8 m	4.0 m
Minimum Setback from <i>Front lot line</i>	May extend 2.5 metres out from main building wall, but no closer to front lot line than 3.5 metres except in the R1-C, R1-D, R1-E, R1-F, R2-A, R2-B and R3 Zones in which requirements of Section 6.2.4 apply	May extend 2.5 metres out from main building wall, but no closer to front lot line than 3.5 metres except in the R1-C, R1-D, R1-E, R1-F, R2-A, R2-B and R3 Zones in which requirements of Section 6.2.4 apply.	Must meet setback requirements for individual zones

	Height Above Finished Ground Level		
·	Finished ground level to 0.6 m	More than 0.6 and less than 1.2 m	More than 1.2 m
Maximum <i>Yard</i> Coverage	In no case shall the area of the <i>platform</i> exceed 50% of the area of the <i>yard</i> in which it is located.	In no case shall the area of the <i>platform</i> exceed 50% of the area of the <i>yard</i> in which it is located.	In no case shall the area of the <i>platform</i> exceed 50% of the area of the <i>yard</i> in which it is located.

4.4 Accessory Apartments

One accessory apartment shall be permitted in any single detached or semi-detached dwelling in a Residential or Mixed Use Zone provided that it has a minimum gross floor area of 25.0 m² and the total gross floor area of the accessory apartment is not more than the ground floor area of the dwelling in which it is located.

4.5 Outdoor Display and Sales Area

Where the outdoor display and sale of goods and materials is permitted as an *accessory use*, the following provisions shall be complied with:

- i) The area used for outdoor display and sale is not be more than 35% of the total *lot area*;
- ii) The area used for outdoor display and sale is in addition to and separated from, the areas required for parking; and
- iii) The area used for outdoor display and sale provides side and *rear yard*s in accordance with the provisions for the Zone in which the *lot* is situated.

4.6 Area Requirements to Remain

When any part of a *lot* is required by this By-law to be reserved as open space, it shall continue to be so reserved regardless of changes in the ownership of such land and shall not be deemed to form a part of an adjacent *lot* for the purpose of computing the area thereof available for building purposes. *Lot area* calculations shall only be based on the area of lands zoned for the intended *use*

4.7 Daylighting Triangle

Daylighting triangles shall be required on corner lots in all zones in accordance with the following requirements:

4.7.1 Establishing the Daylighting Triangle

(Amended by By-law 86-2005)

The area within a *daylighting triangle* shall be determined by measuring from the point of intersection of *street lines* on a *corner lot*, the distance required by this By-law along each such *street line* and joining such points with a straight line. *Daylighting triangles* shall be established in accordance with the following requirements:

	Zone	Minimum Distance Measured Along Each Streetline From Corner
Residential Zones		4.5 m
Downtown Central Area	Local Road / Local Road Intersection	4.5 m
Zones	Local Road / Collector Road Intersection	4.5 m along the local road street line and 7.5 m along the collector road street line
	Collector Road / Collector Road Intersection	7.5 m
	Any intersection with an Arterial Road	As per Region of Durham requirements
All Other Zones		7.5 m

4.7.2 Maximum Height in Daylighting Triangle

Notwithstanding any other provisions of this By-law, the maximum permitted *height* of any *structure*, storage, display, fence or vegetation within a *daylighting triangle* shall be 0.75 metre as measured from the top of the adjacent curb.

4.8 Exceptions to *Height* Requirements

(Amended by By-law 86-2005, 38-2008)

The *height* requirements of this By-law shall not apply to spires, belfries, chimneys, elevator enclosures, or mechanical penthouses occupying in the aggregate less than ten percent of the area of the roof of the *building* on which they are located, for *buildings* located outside of any Downtown Central Area Zone. Nor shall they apply to monuments, flag poles, silos or other agricultural *buildings* or *structures*.

Within any Downtown Central Area zone or Village Core Mixed *Use* zone, the *height* restrictions of this By-law shall not apply to chimneys, elevator enclosures, mechanical penthouses, roof-top access enclosures (such as access ways to roof-top gardens), or to the architectural elements including spires, belfries, cupolas, and parapets. Commensurately, in terms of achieving the minimum *height* requirements of this By-law for *buildings* in any Downtown Central Area Zone, such elements as those noted above shall not be considered in calculating a *building's minimum height*.

4.9 Frontage on a Public Road

No *person* shall erect any *building* or *structure* in any zone unless the *lot* upon which the *building* or *structure* is to be erected has frontage on a *public road*.

4.10 Separation Distances for Group Homes

No *group home* shall be located any closer than 300 metres to any other *group home*.

4.11 Home Based Business

Where a *home based business* is permitted the following provisions shall apply:

- Not more than one employee, in addition to the residents of the dwelling unit, is engaged in the business and working in the dwelling;
- ii) The use is restricted to the dwelling unit and shall not be conducted in whole or in part in any accessory building;
- iii) Not more than the lesser of 25% of the gross floor area or 45 square metres of floor area of the dwelling unit is used for the purpose of the home based business;
- iv) There is no outdoor storage or display of material or equipment;
- v) Only the sale of goods assembled, crafted or produced on the lot is permitted; and,
- vi) The use is clearly secondary to the residential use and does not change the residential character of the *dwelling* or the *lot*.
- vii) (Incorporated by By-Law 86-2005) Notwithstanding any other provision of this Section, a *home based business* forming the non-residential component of a *live-work unit* shall not be subject to the floor area provisions of sub-section 4.11 iii) above, provided that some part of the *live-work unit*, having a minimum *gross floor area* of 40.0 m², is retained exclusively for residential *use* as a *dwelling unit*.

4.12 Landscaped Buffers

4.12.1 Landscaped Buffers for Commercial, Mixed Use and Employment Zones

(Incorporated by By-Law 86-2005 and amended by By-law 38-2008)

Landscaped buffers shall be required in the Commercial, Mixed Use and Employment Zones in accordance with the following:

- i) Notwithstanding any other provision of this By-law, where a Village Core Mixed Use Two Zone, a Village Core Mixed Use Four Zone, a Commercial Zone, or an Employment Zone abuts a Residential or Open Space Zone, a landscaped buffer of a minimum width of 3 metres, in the case of a Village Core Mixed Use Two Zone or Village Core Mixed Use Four Zone, or a minimum width of 4.5 metres, in the case of a Commercial or Employment Zone, shall be required within the Village Core Mixed Use Two Zone, the Village Core Mixed Use Four Zone, the Commercial Zone, or the Employment Zone and located adjacent to the Residential or Open Space Zone.
- ii) Where a *landscaped buffer* is required on a *lot*, such portion of the *lot* shall not be used for any other purpose.
- iii) Notwithstanding Sections 4.12 (i) and 4.12 (ii) of this By-law, landscape buffers shall be required for lands within the Commercial, Mixed Use, or Employment Zones as follows:

Location	Minimum Landscape Buffer
Adjacent to Highway No. 401	15.0 m
Adjacent to Type A and Type B Arterial Roads and Harwood Avenue in the Uptown Mixed <i>Use</i> Zone and Prestige Employment Zone	9.0 m
Adjacent to Type C Arterial Roads and Collector Roads in the Uptown Mixed <i>Use</i> Zone and Prestige Employment Zone	6.0 m
Adjacent to Local Roads in the Prestige employment zone and Commercial Zone	3.0 m

4.12.2 Landscaped Buffers for Downtown Central Area Zones

(Incorporated by By-law 86-2005)

Within all Downtown Central Area Zones, *landscaped buffers* shall be required in accordance with the following:

Location			Minimum Landscape Buffer
i)	i) Between a public street and any parking area		
,	a)	Adjacent to a local road	4.0
	b)	Adjacent to a collector or arterial road	4.0 m
			6.0 m
ii) Where a non-residential or mixed <i>use</i> development site abuts a single- <i>use</i> residential development site, a <i>landscaped buffer</i> shall be required along the dividing property line within the <i>lot</i> or development block that is the site of the non-residential or mixed <i>use</i> development		4.5 m	
iii)	iii) Where a non-apartment single-use residential development site abuts a single-use residential apartment development site, a landscaped buffer shall be required along the dividing property line within the lot or development block that is the site of the apartment development		3.0 m
iv)	iv) Where a non-apartment single-use residential development site featuring freehold lots on public streets abuts a single-use residential development associated with private roads provided through a plan of condominium, a landscaped buffer shall be required along the dividing property line within the condominium-based development		3.0 m
v)	v) Open Space Zones:		
	a)	Where a non-residential or mixed use development site abuts an Open Space Zone used for purposes other than a public walkway or a Gateway Site that is zoned Open Space, a landscaped buffer shall be required within the	4.5 m

		Location	Minimum Landscape Buffer	
		development site and located abutting the Open Space Zone	-	
	b)	Where a parking or service area associated with a non-residential or mixed <i>use</i> development site is adjacent to an Open Space Zone that is used for a public walkway or is a <i>Gateway Site</i> that is zoned Open Space, a <i>landscaped buffer</i> shall be required within the development site and located abutting the Open Space Zone	3.0 m	
vi)	vi) Gateway Sites that are not zoned Open Space:			
	a)	Where a parking or service area associated with a non-residential or mixed use development site abuts a Gateway Site that is not zoned Open Space, a landscaped buffer shall be required within the development site and located abutting the defined Gateway Site block	3.0 m	
where a <i>landscaped buffer</i> is required on a <i>lot</i> , such portion of the <i>lot</i> shall not be used for any other purpose, save and except for an approved <i>driveway</i> access location				

4.13 Undersized Lots

In any zone where a *lot* having lesser width or area than is required by this By-law is held under distinct and separate ownership from any adjoining *lot* on the date of passing of this By-law, a *building* or any addition to an *existing building* may be erected and used on such *lot* provided that such *building* conforms with all other provisions of this By-law.

4.14 Model Homes

*Model home*s shall only be permitted on lands that have received Draft Plan Approval for residential purposes provided that:

i) not more than the lesser of 10 *dwelling*s, or 10% of the total number of residential units contained in the approved Draft Plan are constructed as *model homes*;

- ii) the *model home* is built within a *lot* defined by the draft approved Plan of Subdivision;
- iii) the *model home* complies with all other requirements of this Zoning By-law; and,
- iv) a *Model Home* Agreement is entered into with the Town of Ajax.

4.15 Non-conforming Uses

This By-law shall not prevent the *use* of any land, *building* or *structure* for any purpose prohibited by the By-law if such land, *building* or *structure* was lawfully used for such purposes on the day of the passing of this By-law, so long as it continues to be used for that purpose.

This By-law shall not prevent the erection or *use* for a purpose prohibited by the by-law of any *building* or *structure*, for which a *building* permit has been issued in accordance with the *Building* Code Act, prior to the day of the passing of this By-law, so long as the *building* or *structure* when erected is used and continues to be used for the purpose for which it was erected and provided that the *building* permit has not been revoked.

4.16 Non-complying Buildings or Structures

Where a *building* has been erected prior to the day of the passing of this By-law on a *lot* having less than the minimum frontage and/or depth and/or area, or having less than minimum set back and/or *side yard* and/or *rear yard* and/or minimum usable open space required by this By-law, the said *building* may be enlarged, repaired or renovated provided that:

- i) the enlargement, repair or renovation does not further reduce a required *yard* or open space having less than the minimum required by this Bylaw; and,
- ii) all other provisions of this By-law are complied with.

4.17 Deemed to Comply

Where a *building* permit has been issued in accordance with the Ontario *Building* Code and which remains valid, for the construction of a *building* or *structure* that would otherwise not comply with this By-law, such *building* or *structure* shall be deemed to comply with this By-law.

4.18 Number of Dwelling Units on a Lot

Unless otherwise specified by this By-law, no more than one *dwelling unit* is permitted on any *lot*.

4.19 Portable Classrooms

Buildings formerly used as portable classrooms shall not be located on a lot for use as an accessory building to the primary residential use.

4.20 Reduction of Requirements

No *lot* shall be reduced in area, either by the conveyance or alienation of any portion of such *lot*, so that any *building* or *structure* on the *lot* no longer meets the requirements of the zone in which the *lot* is located. No *person* shall be deemed to have contravened any portion of this By-law by reason of the fact that any part or parts of any *lot* have been conveyed to a *public authority*.

4.21 Special Setbacks

Notwithstanding any other provisions in this By-law, the following special setbacks shall apply.

4.21.1 Minimum Setback For Access

A minimum setback of 1 metre is required between any wall of a *building* or *structure* containing a door and any *lot line*.

4.21.2 Railways

Minimum setbacks from the edge of a railway right-of-way shall be required in accordance with the following:

- i) In any Employment Zone, where a *lot line* abuts a railway spur line right-of-way, no *interior side yard* or *rear yard* setback shall be required along the portion of the *lot line* that abuts the railway right-of-way.
- ii) In all zones adjacent to the CN or CP rail lines, save and except the General Employment (GE) Zone and the Heavy Employment (HE) Zone, all permitted *buildings and structures* within such zones shall be *setback* a minimum of 30 metres from the edge of the railway right-of-way.

4.21.3 Setback from Lake Ontario

No *building* or *structure* shall be erected, improved or enlarged such that the distance from any wall of a *building* to the edge of the water of Lake Ontario, taken at an elevation of seventy-six metres (76.0 m) above mean sea level, is less than one hundred and twenty metres (120.0 m). *Buildings* and *structures* within the Country Residential (CR) Zone, and residential *uses* that are located east of Pickering Beach Road on the north side of Lakeview Boulevard are exempt from this requirement.

4.21.4 Minimum Distance Separation Setbacks

No residential, institutional, commercial, industrial or recreational *use*, located on a separate *lot* and otherwise permitted by this By-law shall be erected or enlarged unless it complies with the provincial Minimum Distance Separation (MDS I) formula.

In addition, notwithstanding any other *yard* or *setback* provision in this Bylaw, no livestock facility shall be erected or enlarged unless it complies with the provincial Minimum Distance Separation Formula (MDS II).

4.21.5 TransNorthern Pipeline

A minimum ten metre (10.0 m) setback shall be provided for all permanent *structures* and excavations from the limits of any TransCanada Pipeline right-of-way.

4.22 Temporary Sales Structure

A *temporary sales structure* shall be permitted in any Mixed *Use*, Residential, Commercial, Employment, or Agricultural Zone provided that:

- i) the *temporary sales structure* is located in accordance with the zone provisions for the zone in which it is located; and,
- ii) an agreement is entered into with the Town of Ajax.

4.23 Truck, Bus and Coach Bodies

Except as otherwise specifically permitted in this By-law, no truck, trailer, bus, coach, streetcar body or *structure* of any kind, other than a *dwelling unit* erected and used in accordance with this and all other by-laws of the Town, shall be used for human habitation, whether or not the same is mounted on wheels or other form of mounting or foundation.

SECTION 5: PARKING, LOADING, AND QUEUING REQUIREMENTS

5.1 Parking Area Requirements

When any new development is constructed, when any *existing* development is enlarged, or when any *use* is changed, off-street vehicular *parking spaces* shall be provided in accordance with the standards of this By-law.

5.2 Exclusive Nature of Parking Space

A *parking space* required by this By-law must be available for parking purposes and used exclusively for that purpose.

5.3 Size of Parking Space

The minimum size of an off-street *parking space* shall be in accordance with the following:

5.3.1 Required Parking Spaces Within Private Garages

All required *parking spaces* within a *private garage* shall have a minimum width of 3.1 metres and a minimum length of 6.5 metres free of any obstructions. (*1) Where more than one required *parking space* is provided within a *private garage*, all subsequent *parking spaces* provided shall have a minimum width of 2.5 metres. A step of not higher than 20 centimeters and not deeper than 25 centimetres shall be permitted to encroach into the edge of the required *parking space*. In addition, a maximum 0.1 metre encroachment into the edge of the required *parking space* for a maximum of 20% of the wall length shall be permitted for the purposes of accommodating mechanical works.

(*1) This shall not apply to residential plans of subdivision that are draft approved prior to October 31, 2006 and residential site plans with site plan agreements executed prior to October 31, 2006.

5.3.2 Required Parking Spaces Other Than Within Private Garages

(Amended by By-laws 86-2005, 38-2008, 27-2021)

All required off-street parking spaces except those within a private garage, shall have a minimum width of 2.6 metres and a minimum length of 5.5 metres. A parallel parking space shall have a minimum length of 6.7 metres and a minimum width of 2.5 metres. With the exception of parking spaces in residential driveways, where the side of a required parking space is obstructed by any part of a fixed object such as a wall, column, bollard or fence, the minimum width of the required parking space shall be increased by 0.3 m for each side of the parking space that

is obstructed. The minimum vertical clearance for all parking spaces is 2.0 metres, unless otherwise specified in this By-law.

The width of the adjacent aisle shall also be in accordance with the following standards:

Angle of <i>Parking Spac</i> e Aisle	Min. Perpendicular Width of Aisle
60 to 90 degrees	6.7 metres
59 to 45 degrees	5.5 metres
44 degrees or less	4.5 metres
No adjacent parking	4.5 metres one direction only
	7.0 metres two directions

Access to a *parking space* with an angle of 44 degrees or less shall be from one direction only.

5.4 Location of Use and Parking

Parking facilities shall be located in accordance with the following:

- i) Parking spaces shall be located on the same lot as the lot on which the use is located unless otherwise specified in this By-law.
- ii) (As amended by by-law 86-2005, 27-2021) Notwithstanding any other Section of this By-law, in any Residential Zone or Downtown Central Area Zone permitting single-use residential development, where the garage is permitted to be located closer than 5.5 metres to a lot line, required parking spaces may include part of the public street or road to a maximum distance of 2.5 metres but shall not include any part of the sidewalk or travelled section of the public street or road.
- iii) (As amended by by-law 149-2004) Notwithstanding any other section of this By-law, in any Commercial or Employment Zone, parking spaces may be provided within the limits of the Zone in which the use is located and not more than 150 metres from the principal building(s) subject to an Agreement being registered on title between the owners of the affected properties, with the Town of Ajax as a party to such Agreement.
- iv) In the Prestige Employment (PE) Zone, no parking shall be permitted in the *front yard* or *exterior side yard* except for a maximum of 20% of the required spaces provided that the spaces in the front or *exterior side yard* are used exclusively for visitor parking and are arranged in a single row.

- v) Notwithstanding any other Section of this By-law, in any Employment Zone, no parking other than a single row of visitor parking, shall be permitted on that section of a *lot*:
 - between an arterial road and the exterior face of the principal building;
 - between Highway 401 and the exterior face of the principal building; and
 - fronting onto Highway 401.
- vi) (Incorporated by By-law 86-2005) Notwithstanding any other Section of this By-law, for any non-residential development (excluding the Ajax Pickering Health Centre *principal building* and expansions thereto), residential mixed-used development, or apartment development in any Downtown Central Area Zone, no parking, *driveways* or other service related components shall be permitted in any part of the *building's front yard* and/or *exterior side yard* that is located between the front and/or exterior side face of the *building* and the front and/or *exterior side lot line*.
- vii) (Incorporated by by-law 38-2008) Notwithstanding any other Section of this By-law, for any development in any Village Core Mixed Use Zone other than a detached dwelling or a detached dwelling converted to accommodate commercial or residential mixed-use purposes, no parking, driveways or other service related components shall be permitted in any part of a building's front yard and/or exterior side yard that is located between the front and/or exterior side face of the building and the front and/or exterior side lot line.

5.5 More Than One Use on a Lot

The parking requirements for more than one primary or secondary *use* on a single *lot* or for a *building* containing more than one *use* shall be the sum of the parking requirements for each of the individual component *uses* unless otherwise specified in this Zoning By-law.

5.6 Parking Area Location on a Lot in a Residential Zone

(Amended by By-law 27-2021)

i) Unless otherwise specified in this By-law, in any Residential Zone, not more than 30% of the aggregate area of the *side yards* and *rear yard* of any *lot* shall be occupied by *parking spaces* with the exception of *parking spaces* accessed by a rear *lane*.

- ii) (Amended by by-law 108-2006, 27-2021) In any Residential Zone, not including Multiple Residential Zones, the parking of a *motor vehicle(s)* in the *front yard* shall be restricted to within the limits of the permitted *driveway* and *driveway-way adjacent walkway*.
- iii) (As incorporated by By-law 27-2021) In any Multiple Residential Zone, the parking of a *motor vehicle(s)* shall be restricted to within the limits of the *driveway* or an area identified as a parking area within an approved site plan or development agreement.

5.7 Parking of Oversized Vehicles

(As amended by by-law 86-2005, 38-2008) No *person* shall *use* any *lot* in any Residential Zone or any *lot* in a Downtown Central Area Zone or Village Core Mixed *Use* Zone developed for residential purposes for the parking or storage of any *motor vehicle* in excess of one tonne capacity or in excess of 7 metres in length.

5.8 Parking of Inoperative Vehicles

(Amended by by-law 86-2005, 38-2008) The parking or storage of boats, trailers or any vehicle that does not have current license plates is not permitted in any Residential Zone or on any *lot* in a Downtown Central Area Zone or Village Core Mixed *Use* Zone used for residential purposes, unless wholly located within a *private garage* and provided that such storage does not occupy a *parking space* otherwise required by this Bylaw.

5.9 Calculation of Parking Requirements

Where the minimum number of *parking spaces* is calculated on the basis of a rate or ratio, the required number of spaces shall be rounded to the higher whole number.

5.10 Parking Requirements

Off street parking facilities shall be provided in accordance with Sections 5.10.1 and 5.10.2.

5.10.1 Residential Parking Requirements

(Amended by By-laws 86-2005, 114-2013)

The off-street parking requirements for residential *uses* shall be as follows:

Type or Nature of <i>Use</i>	Off-Street Parking Requirements
Detached Dwelling, Duplex Dwelling, Linked Villa Dwelling, Semi-Detached Dwelling, Street Townhouse Dwelling, Triplex, Live-Work Units, Back –to-Back Townhouse Dwelling on a public street	Minimum: 2 spaces per unit
Apartment Dwelling; Double Duplex, Maisonette, Block Townhouse Dwelling, Backto-Back Townhouse Dwelling on a private road, and All Other Housing Forms Not Identified Above With More Than 2 Dwelling Units.	All areas excluding Downtown Central Area Zones and the Village Core Mixed Use Zones: Minimum: 1.5 spaces per unit for the exclusive use of the occupants in addition to 0.25 space per unit for the exclusive use of visitors Downtown Central Area Zones and Village Core Mixed Use Zones: Minimum: 1.25 spaces per unit for the exclusive use of the occupants in addition to 0.25 spaces per unit for the exclusive use of visitors; Downtown Central Area Zones: Maximum: same as Minimum for all areas outside of Downtown Central Area Zones
Accessory Apartment	Minimum: 1 space in addition to the requirements of the <i>dwelling unit</i>
Bed And Breakfast Establishment	Minimum: 1 space for every room or each suite for the purposes of lodging for the travelling public, in addition to the required parking for the <i>dwelling</i>
Group Home	Minimum: 2 spaces plus the requirements of the <i>dwelling</i>

Type or Nature of <i>U</i> se	Off-Street Parking Requirements
Home Based Business	Minimum: 1 parking space in addition to the parking requirements for the dwelling; however, no parking spaces beyond what are necessary for the dwelling are required if the home-based business is located in a Live-Work Unit
Lodging House	Minimum 2 spaces for the <i>building</i> NOTE: additional parking spaces for the <i>lodging units</i> are required in the Lodging House Licensing By-law.
Senior Citizens' Home, Seniors' Apartment	Minimum: 1 <i>parking space</i> per <i>dwelling unit</i> , or 1 space per 38.0 m ² , whichever is greater

5.10.2 Parking Requirements for Non-Residential *Uses*

(Amended by By-law 86-2005)

Type or Nature of <i>U</i> se	Off-Street Parking Requirements
Accessory Retail Sales Outlet	Minimum: 1 space per 28.0 m ² dedicated to accessory retail sales
	Maximum: Only in a Downtown Central Area Zone – 4.25 spaces per 100.0 m ² dedicated to <i>accessory retail sales</i>
Banquet Facility	Minimum: the greater of 1 space per 3 seat capacity or 1 space per 12.0 m ² of gross floor area
Boarding Kennel,Veterinary clinic	Minimum: 1 space per 30.0 m² of <i>gross</i> floor area

Type or Nature of <i>U</i> se	Off-Street Parking Requirements
Commercial Fitness Centre	All areas excluding Downtown Central Area Zones and Village Core Mixed <i>Use</i> Zones: Minimum: 1 space per 20.0 m² of gross floor area Downtown Central Area Zones and Village Core Mixed <i>Use</i> Zones: Minimum: 3.75 spaces per 100.0 m² of gross floor area Downtown Central Area Zones:
	Maximum: 4.5 spaces per 100.0 m ² of gross floor area
Commercial School	All areas excluding Downtown Central Area Zones and Village Core Mixed <i>Use</i> Zones: Minimum: 1 space per 20.0 m ² of gross floor area
	Downtown Central Area Zones and Village Core Mixed <i>Use</i> Zones: Minimum: 3.75 spaces per 100.0 m ² of gross floor area
	Downtown Central Area Zones: Maximum: 4.25 spaces per 100.0 m ² of gross floor area
Convenience Store	All areas excluding Downtown Central Area Zones and Village Core Mixed <i>Use</i> Zones: Minimum: 1 space per 20.0 m ² of gross floor area
	Downtown Central Area Zones and Village Core Mixed <i>Use</i> Zones: Minimum: 3.75 spaces per 100.0 m ² of <i>gross floor area</i>
	Downtown Central Area Zones: Maximum: 4.25 spaces per 100.0 m ² of gross floor area

Type or Nature of <i>Use</i>	Off-Street Parking Requirements
Day Care Facility	Minimum: 2 spaces per classroom plus 1 additional <i>parking space</i> for every 4 children licensed capacity
Crisis Care Facility	Minimum: 2 spaces in addition to the parking requirements of the <i>dwelling</i> or if not located in a <i>dwelling unit</i> , 1 space per 38.0 m ² of <i>gross floor area</i>
Restaurant, Drive-Thru	Minimum: 1 space per 15.0 m ² of <i>gross</i> floor area
<i>Drive-Thru Facility</i> (All Other Types)	Minimum: 1 space per 20.0 m ² of <i>gross</i> floor area
Financial Institution	All areas excluding Downtown Central Area Zones and Village Core Mixed <i>Use</i> Zones: Minimum: 1 space per 20.0 m ² of gross floor area
	Downtown Central Area Zones and Village Core Mixed <i>Use</i> Zones: Minimum: 3.75 spaces per 100.0 m ² of <i>gross floor area</i>
	Downtown Central Area Zones: Maximum: 4.25 spaces per 100.0 m ² of gross floor area
Funeral Home	Minimum: 30 <i>parking spaces</i> for the first 30.0 m ² of <i>gross floor area</i> plus 1 space for each additional 15.0 m ² of <i>gross floor area</i>
Garden Centre	Minimum: 1 space per 30.0 m ² of <i>gross</i> floor area
Golf Course	Minimum: 12 spaces per golf hole plus 1 space per 15.0 m² of gross floor area dedicated to accessory uses
Golf Driving Range, Miniature Golf Course	Minimum: 1.5 spaces per golf hole plus 1.5 spaces per tee on the driving range

Type or Nature of <i>U</i> se	Off-Street Parking Requirements
Hospital	Minimum: 1 space per 49.0 m ² of <i>gross</i> floor area
Hotel, Motel	Minimum: 1 space per guest room in addition to 1 space per 12.0 m ² of <i>gross floor area</i> dedicated to administrative, banquet and meeting facilities
Manufacturing;- Manufacturing, Light	Minimum: 1 space per 40.0 m ² of <i>gross</i> floor area in addition to the parking requirements for any associated accessory retail sales outlet
Medical Clinic	All areas excluding Downtown Central Area Zones and Village Core Mixed <i>Use</i> Zones: Minimum: 1 space per 20.0 m ² of gross floor area
	Downtown Central Area Zones and Village Core Mixed <i>Use</i> Zones: Minimum: 3.5 spaces per 100.0 m ² of <i>gross floor area</i>
	Downtown Central Area Zones: Maximum: 5.0 spaces per 100.0 m² of gross floor area
Motor Vehicle Repair Facility	Minimum: 3 spaces per service bay
Motor Vehicle Service Centre	Minimum: 1 <i>parking space</i> for every 45.0 m² of floor space dedicated to <i>accessory</i> retail sales
Nursing Home	All areas excluding Downtown Central Area Zones:
	Minimum: 1 space per 38.0 m ² of <i>gross</i> floor area
	Downtown Central Area Zones: Minimum: 0.6 spaces per 100.0 m ² of gross floor area

Type or Nature of <i>U</i> se	Off-Street Parking Requirements
Office	All areas excluding Downtown Central Area Zones and Village core Mixed <i>Use</i> Zones: Minimum: 1 space per 28.0 m ² of <i>gross floor area</i>
	Downtown Central Area Zones:
	Minimum: 2.0 spaces per 100.0 m ² of gross floor area
	Maximum: 3.0 spaces per 100.0 m ² of gross floor area
	Village Core Mixed <i>Use</i> Zones: Minimum: 3.0 spaces per 100.0 m ² of gross floor area
Outdoor Display And Sales Area	Minimum: 1 <i>parking space</i> per 20.0 m ² dedicated to accessory outdoor sales
Personal Service Shop	Minimum: 1 space per 30.0 m ² of <i>gross</i> floor area
	Maximum: Only in a Downtown Central Area Zone and a Village Core Mixed <i>Use</i> Zone: 4.25 spaces per 100.0 m ² of <i>gross floor area</i>
Place Of Assembly	Minimum: the greater of 1 space per 3 seat capacity or 1 space 12.0 m ² of <i>gross floor area</i>
Place Of Entertainment	Minimum: the greater of 1 space per 5 seat capacity or 1 space per 12.0 m ² of gross floor area
Place Of Worship	Minimum: 1 <i>parking space</i> per every 4 <i>person</i> s maximum capacity in the largest room of assembly
Restaurant	All areas excluding Downtown Central Area Zones and Village Core Mixed <i>Use</i> Zones: Minimum: 1 space per 10.0 m ² of gross floor area
	Downtown Central Area Zones and Village Core Mixed <i>Use</i> Zones:

Type or Nature of <i>Use</i>	Off-Street Parking Requirements
Restaurant continued	Minimum: 6.0 spaces per 100.0 m ² of gross floor area
	Downtown Central Area Zones: Maximum: 7.0 spaces per 100.0 m ² of gross floor area
Retail Store	Minimum: 1 space per 28.0 m² of gross floor area for retail stores with a total gross floor area up to 6000.0 m² (For any retail stores with a total gross floor area in excess of 6,000.0 m², the Shopping centre parking requirement shall apply.) Maximum: Only in a Downtown Central Area Zone: 4.25 spaces per 100.0 m² of gross floor area for retail stores with a total gross floor area in excess of 6,000.0 m², (for any retail stores with a total gross floor area in excess of 6,000.0 m², the Shopping Centre parking requirement shall apply)
Retail Warehouse	Minimum: 1 space per 20.0 m² of <i>gross</i> floor area for retail stores with a total gross floor area greater than 6000.0 m²
School, Elementary	Minimum: 6 spaces for the <i>use</i> of visitors in addition to 1.5 <i>parking spaces</i> per classroom
School, Secondary	Minimum: 8 spaces for the <i>use</i> of visitors in addition to 4 <i>parking spaces</i> per classroom
Laundromat, Self Serve Dry Cleaning Depot	Minimum: the greater of 1 space for every 2 washing machines or 1 space per 20.0 m ² of <i>gross floor area</i>
Service or Repair Shop	Minimum: 1 space per 28.0 m ² of <i>gross</i> floor area and there shall not be less than 2 parking spacescontinued

Type or Nature of <i>U</i> se	Off-Street Parking Requirements
Service or Repair Shop continued	Maximum: Only in a Downtown Central Area Zone: 4.25 spaces per 100.0 m ² of gross floor area
Shopping Centre	All areas excluding Downtown Central Area Zones: Minimum: 1 parking space per 19.0 m ² of gross floor area
	Downtown Central Area Zones:
	Minimum: 3.75 spaces per 100.0 m ² of gross floor area
	Maximum: 4.25 spaces per 100.0 m ² of gross floor area
Sports Arena	Minimum: the greater of 1 space per 10.0 m² of <i>gross floor area</i> or 1 space for every 5 fixed seats of seating capacity
Transportation Depot	Minimum: 1 space per 20.0 m ² of <i>gross</i> floor area
Warehouse/ Distribution Centre	Minimum: 1 space per 500.0 m ²
Uses Permitted By This By- Law That Are Not Included Within This Table	Minimum: 1 space per 28.0 m ² of <i>gross</i> floor area

Deferral No. D6

5.11 *Queuing Lane* Requirements

Where required by this By-law, *queuing lanes* for *drive-thru* facilities shall be provided in accordance with the following provisions:

Deferral No. D6

5.11.1 Queuing Space Requirements

The minimum ingress and egress queuing space requirements shall be as follows:

Drive-Thru Facility	Minimum Queuing Spaces Leading to Service Window	Minimum <i>Queuing Lane</i> After the Service Window
Drive-Thru Bank	4	1
Drive-Thru Restaurant	15	1

Drive-Thru Facility	Minimum Queuing Spaces Leading to Service Window	Minimum <i>Queuing</i> Lane After the Service Window
All Other <i>Drive-Thru</i> Facilities	5	1

Drive-Thru Facility	Minimum Queuing Spaces Leading to Service Window	Minimum <i>Queuing</i> Lane After the Service Window			
	Ingress	Egress			
Automatic <i>Motor Vehicle</i> Wash	15	5			

5.11.2 Queuing Lane Requirements for More Than One Use on a Lot

Deferral No. D6 Where *queuing lanes* are required for more than one *use* on a *lot*, the minimum *queuing lane* requirement for the *lot* shall be the sum of the *queuing lane* requirements for each individual *use*.

5.11.3 Size of Queuing Space

Deferral No. D6 All queuing spaces shall be rectangular in shape, with a minimum size of 6 metres in length and 4 metres in width. Queuing lanes shall be arranged in a single line in advance of and following the service window.

5.11.4 Setback for Queuing Lane

Deferral No. D6 Queuing lanes shall be located in accordance with the following:

- i) No *queuing lane* shall be located closer than 10 metres to the vehicular access to a *lot* as measured from the *lot line* and shall not obstruct access to parking aisles or *parking spaces* on the *lot*.
- ii) No *queuing lane* shall be located closer than 10 metres to any Residential Zone.

5.11.5 Delineation of Queuing Lane Requirements

Deferral No. D6 Queuing lanes shall be unobstructed and must be clearly delineated by pavement markings or physical barriers.

5.12 Parking requirements for *Persons* with Disabilities

In addition to the requirements of Section 5.10, off-street *parking spaces* for *persons* with disabilities shall be provided in accordance with the provisions of this By-law and the Highway Traffic Act. A minimum number of required *parking spaces* must be provided for *persons* with disabilities in accordance with the following:

5.12.1 Parking Requirements for Hospitals and Medical Clinics

Required No. of <i>Parking</i> spaces	No. of Required Spaces Designated for <i>Use</i> by <i>Person</i> s with Disabilities
1 to 30	Minimum of 2 spaces
31 to 60	Minimum of 4 spaces
61 to 100	Minimum of 6 spaces
For each additional 30 spaces or part thereof above 100	A minimum of 2 spaces to a maximum of 40 additional spaces

5.12.2 Parking Requirements for All Other Uses

Required No. of Parking Spaces	No. of Required Spaces Designated for <i>U</i> se by Persons with Disabilities
2 to 19	Minimum of 1 space
20 to 200	Minimum of 2 spaces
201 to 400	Minimum of 5 spaces
For each additional 400 spaces or part thereof	A minimum of 2 spaces to a maximum of 40 additional spaces

Where only 1 off-street *parking space* is required for a *use*, other than a residential *use*, that space shall satisfy the minimum size requirements for a *parking space* for *persons* with disabilities but shall not be designated as a *parking space* reserved for *persons* with disabilities.

5.12.3 Size of Parking Space for Persons with Disabilities

(Amended by By-law 38-2008)

Each off-street *parking space* designated for *persons* with disabilities shall be a minimum of 6.0 long, 4.5 metres wide and have a vertical clearance of 2.75 metres. However, in Village Core Mixed *Use* Zones, each off-street *parking space* shall be a minimum of 5.7 metres long.

5.12.4 Required *Parking Spaces* Designated for *Use* by *Persons* with Disabilities in Downtown Central Area Zones

(As incorporated by By-Law 86-2005)

For the purposes of calculating the required number of *parking spaces* to be designated for *use* by *persons* with disabilities for any *use* in any Downtown Central Area Zone, the amount of such parking shall be based on the number of standard *parking spaces* required as if the *use* in question was located outside of a Downtown Central Area Zone.

5.13 Loading Space Requirements

(Amended by By-Laws 86-2005 and 38-2008) In any Commercial or Employment Zone, or for any non-residential, non-institutional development in a Downtown Central Area Zone or Village Core Mixed *Use* Zone, off-street vehicular *loading spaces* shall be provided when any new development is constructed, when any *existing* development is enlarged, or when any *existing use* is changed in accordance with the following requirements:

Gross Floor Area of Building	Minimum Number of Required Loading spaces
Up to 1000.0 m ²	None required
From 1000.0 m ² up to and including 2,300 m ²	1 loading space
Over 2,300 m ² up to and including 7,500 m ²	2 loading spaces
Over 7,500 m ² up to and including 14,000 m ²	3 loading spaces
Over 14,000 m ² up to and including 22,500 m ²	4 loading spaces
Over 22,500 m ² up to and including 30,000 m ²	5 loading spaces
Over 30,000 m ² for each additional 9,500 m ²	1 loading space

5.13.1 Size of Loading Space

Each *loading space* shall be a minimum of 15 metres long, 3.6 metres wide with a vertical clearance of 4.5 metres on land with a slope not exceeding 8 percent.

5.13.2 Location of Loading Spaces

Loading spaces must be provided on the same lot as the use or building for which they are required.

5.13.3 Location on a Lot

Loading spaces are permitted in the rear yard or interior side yard only. Where a lot is located adjacent to Highway 401 no loading spaces are permitted in the area between the building face and Highway 401.

5.13.4 Setbacks Abutting a Residential Zone or Single-*Use*/Mixed-*Use* Residential Development Site in a Downtown Central Area Zone or Village Core Mixed *Use* Zone

(Amended by By-laws 86-2005, 38-2008)

In any Commercial or Employment Zone, or where any development site in a Downtown Central Area Zone or Village Core Mixed *Use* Zone features a loading area, no *loading space* shall be located closer than 10 metres to any interior *side lot line* or *rear lot line* that abuts a Residential Zone or single-*use*/mixed-*use* residential development site in a Downtown Central Area Zone or Village Core Mixed *Use* Zone.

5.13.5 Additions to Buildings

The *loading space* requirements of this By-law shall not apply to any *building* in existence at the date of passing of this By-law so long as the floor area, as it existed at such date, is not increased. If an addition is made to the *building* which increases the *gross floor area*, then additional *loading spaces* applicable to the additional floor area shall be provided as required by the regulations of this By-law.

5.13.6 Access to Loading spaces

Access to a *loading space(s)* from a street shall be provided by means of a *driveway*, aisle, or maneuvering area, no part of which is to be for the temporary parking or storage of any *motor vehicle*.

SECTION 6: ZONE PROVISIONS

6.1 Zone Provisions

Permitted *uses* and zone standards for all Zones are provided in the following Sections:

ZONE CATEGORY	SECTION
Residential Zones	Section 6.2
Commercial and Mixed Use Zones	Section 6.3
Employment Zones	Section 6.4
Institutional and Cemetery Zones	Section 6.5
Rural Zones	Section 6.6
Open Space Zones	Section 6.7
Environmental Protection Zone	Section 6.8
Downtown Central Area Zones	Section 6.9

6.1.1 Permitted Uses

Permitted *uses* in a Zone are noted by the symbol '•' in the column applicable to that Zone and corresponding with the row for a specific permitted *use*. A number(s) following the symbol '•', zone heading or identified permitted *use*, indicates that one or more special provisions apply to the *use* noted or, in some cases, to the entire Zone. Special provisions are noted at the end of each table.

6.1.2 Zone Standards

An asterisk and a number (*1) following the zone standard, zone heading or description of the standard, indicates an additional Zone requirement. These additional standards are listed at the end of each subsection.

6.2 Residential Zones

No *person* shall *use* any land or erect, alter or *use* any *building* or *structure* in any Residential Zone except in accordance with Sections 6.2.1 to 6.2.4 of this By-law

6.2.1 Permitted *Uses*

(Amended by By-law 114-2013)

The following table establishes the *uses* permitted in the Residential Zones.

	CR	R1-A	R1-B	R1-C	R1-D	R1-E	R1-F	R2-A	R2-B	R3	RM4	RM5	RM6
Detached Dwelling	•	•	•	•	•	•	•	•					
Semi-Detached Dwelling							•	•	•				
Duplex Dwelling										•			
Triplex Dwelling										•			
Double Duplex Dwelling										•			
Linked Villa Dwelling										•			
Townhouse Dwelling (Street)									•	•			
Maisonette Dwelling													•
Multiple Attached Dwelling											•	•	•
Apartment Dwelling											•		
Senior Citizens' Apartment												•	
Accessory Apartment	•	•	•	•	•	•	•	•	•	•			
Bed and Breakfast Establishment (1)	•	•	•	•	•	•	•	•	•				
Day Care Facility (2)	•	•	•	•	•	•	•	•	•	•	•	•	•
Crisis Care Facility		•	•	•									
Group Home 'A'		•	•	•									
Home Based Business	•	•	•	•	•	•	•	•	•	•	•	•	•
Lodging House (3)	•	•	•										

- (1) Permitted in a *detached dwelling* only.
- (2) Only a day care facility that existed on the date of passage of this By-law is permitted.
- (3) Subject to meeting all applicable parking requirements of Section 5 of this Zoning By-law and the requirements of the Lodging House Licensing By-law.

6.2.2 Zone Standards

(Amended by By-law 27-2021)

The following table establishes the zone standards applicable to the Residential Zones.

	Standards Per Dwelling Unit											Standards Per <i>Lot</i>		
	CR	R1-A	R1-B	R1-C	R1-D	R1-E	R1-F	R2-A	R2-B	R3	RM4	RM5	RM6	
Minimum Lot Frontage	50.0 m	20.0 m	15.0 m	14.6 m	11.9 m	10.4 m	9.0 m	9.0 m	6.0 m	6.0 m	37.0 m	30.0 m	30.0 m	
Minimum Lot Depth	130.0 m	33.5 m	33.5 m	33.5 m	25.0 m	25.0 m	25.0 m	33.5 m	25.0 m	33.5 m				
Min. Setback from <i>Front Lot</i> <i>Line</i>	15.0 m	7.5 m	6.0 m	(*1)	(*1)	(*1)	(*1)	(*1)	(*1)	(*1)	7.5 m	7.5 m	7.5 m	
Max. Setback from <i>Front Lot Line</i>				(*1)	(*1)	(*1)	(*1)	(*1)	(*1)	(*1)				
Min. Setback from <i>Exterior</i> <i>Side Lot Line</i>	7.5 m	6.0 m	6.0 m	(*1)	(*1)	(*1)	(*1)	(*1)	(*1)	2.0 m	6.0 m	6.0 m	6.0 m	
Min Setback from Interior Side Lot Line	7.5 m	1.8 m	1.2 m	(*2)	(*2)	(*2)	(*2) (*3)	(*2) (*3)	(*3)	(*3)	3.6 m	3.6 m	3.6 m	
Min. Setback from <i>Rear Lot</i> <i>Line</i>	15.0 m	9.0 m	7.5 m	7.5 m	7.5 m	7.5	7.5	7.5 m	7.5 m	7.5 m	9.0 m	7.5 m	9.0 m	
Maximum <i>Lot</i> <i>Coverage</i>	20 %	30%	33%	45%	45%	45%	45%	45%	50%	50%	30%	35%	30%	
Maximum <i>Height</i>		11.0 m	11.0 m	11.0 m	11.0 m	45.0 m	30.0 m	11.0 m						

	Standards Per Dwelling Unit											Standards Per <i>Lot</i>		
	CR	R1-A	R1-B	R1-C	R1-D	R1-E	R1-F	R2-A	R2-B	R3	RM4	RM5	RM6	
Maximum <i>Driveway Width</i>	(*5)	7.8 m (*6)	6.1 m (*6)	5.6 m (*6)	5.6 m (*6)	5.2 m (*6)	5.2 m (*6)	5.2 m (*6)	3.0 m (*6)	3.0 m (*6)				
Maximum Number of <i>Driveway</i> Accesses	2 (*7)	1	1	1	1	1	1	1	1	1				
Minimum Driveway Setback from Interior Side Lot Line	(*8)	(*8)	(*8)	(*8)	(*8)	(*8)	(*8)	(*8)	(*8)	(*8)				
Maximum Garage Width		7.5 m	6.1 m	5.6 m	5.6 m	3.3 m (*4)								
Maximum Apron and Curb Cut Width	9.0 m	7.8 m	6.1 m	5.6 m	5.6 m	5.2 m	5.2 m	4.0 m	3.0 m	3.0 m				

- (*1) See requirements of Section 6.2.4
- (*2) (As amended by By-law 83-2004) 0.3 metres on one side and 1.2 metres on the other for *detached dwellings* with a minimum aggregate setback between *dwellings* of 1.2 metres. A 1.2 metre minimum *side yard* setback shall be required adjacent to any Open Space zone.
- (*3) For all horizontally attached *dwellings*, 0.0 metres between units and 1.2 metres for end units.
- (*4) This shall not apply to residential plans of subdivision that are draft approved prior to October 31, 2006 and residential site plans with site plan agreements executed prior to October 31, 2006.
- (*5) There is no maximum *driveway width* but *driveways* and/or parking areas shall not occupy more than 30% of the area of the *front yard* or more than 10% of the aggregate area of the *rear* and *side yards* of any *lot*.

- (*6) A *driveway-adjacent walkway* is permitted to extend a maximum of 1.8 metres beyond the listed maximum *driveway* width on the side of a *driveway* nearest the principle entrance of the *dwelling* and a maximum of 0.6 metres beyond the listed maximum *driveway* width on the opposite side of the *driveway*. Where a *driveway-adjacent walkway* intersects at grade with a hard landscaping surface other than a *driveway*, the connection point between the two must not exceed a maximum width of 1.5 metres.
- (*7) Where two *driveway* accesses exist on one *lot*, the aggregate width of these accesses shall not exceed the standard for Maximum *Apron* and *Curb Cut* Width in the corresponding zone. Further, the two *driveway* accesses must be separated by a minimum distance of 9.0 metres.
- (*8) 0.3 metres in all cases except for properties with attached *dwellings* or historically paired *driveways*, where the required setback is reduced to 0.0 metres on the side of the attachment or paired *driveway*. This setback applies to both *driveways* and *driveway adjacent walkways*.

6.2.3 Garage and *Driveway* Requirements

(As amended by By-laws 83-2004, 27-2021)

Notwithstanding any other provision of this By-law, in any Residential zone, garages shall extend no more than 2.5 metres beyond the front face of the *principal building* provided that, for a bungalow or back split house, this may be increased to 3.0 metres.

Where the opening for vehicular access to an attached garage faces an interior *side lot line,* the requirements of this section shall not apply, but shall be subject to the setback requirements of Section 6.2.4.

6.2.4 Front Yard and Exterior Yard Requirements

(As amended by By-law 83-2004)

Notwithstanding any other provision of this By-law, the following *front yard* and *exterior yard* requirements shall apply:

Standard	Minimum <i>Front Yard</i> Setback	Minimum Setback from Exterior <i>Lot Lin</i> e
Dwelling unit on street side with a sidewalk	3.0 m	2.0 m
Dwelling unit on street side without a sidewalk	2.0 m	2.0 m
Attached <i>garage</i> on street side with a sidewalk	5.7 m	2.0 m

Standard	Minimum <i>Front Yard</i> Setback	Minimum Setback from Exterior <i>Lot Line</i>
Attached garage on street side without a sidewalk	3.0 m	2.0 m
Platform on street side with a sidewalk	1.5 m	1.0 m
Platform on street side without a sidewalk	1.0 m	1.0 m

Notwithstanding the provisions of the above-noted table, a *dwelling unit* shall not be set back more than 3.0 metres from the *front lot line* of an adjacent *dwelling unit* which fronts on the same street.

For all *dwelling units*, the maximum *front yard* shall be 7.5 metres as measured from the front of the *principal building*, to the *front lot line*. Notwithstanding this requirement, the maximum *front yard* may be measured from the front face of an attached *porch*, subject to the following:

- i) the minimum depth of the attached front *porch* shall not be less than 1.5 metres, measured from the front face of the *principal building* to the front face of the *porch*;
- ii) the minimum width of the attached front *porch* shall be not less than the following, whichever is less:
 - a) 3.0 metres;
 - b) the entire width of the habitable portion of the *dwelling*, measured from the nearest exterior wall of an attached *private garage* to the opposite exterior side wall of the *principal building*.

6.3 Commercial and Mixed Use Zones

No *person* shall *use* any land or erect, alter or *use* any *building* or *structure* in any Commercial Zone except in accordance with Sections 6.3.1, 6.3.2, 6.3.3 and 6.3.4 of this By-law.

6.3.1 Permitted Uses

(As amended by By-law 38-2008)

The following table establishes the non-residential *uses* permitted in the Commercial Zones.

	NC Neighbourhood Commercial	LC Local Commercial	VC1 Village Core Mixed Use One	VC2 Village Core Mixed Use Two	VC3 Village Core Mixed Use Three	VC4 Village Core Mixed Use Four	GC General Commercial	UC Uptown Mixed Use	AC Automobile Commercial
Art Gallery			•	•	• (6)	• (6) (9)	•	•	
Banquet Facility		•					•	•	
Commercial Fitness Centre		•	•	•			•	•	
Commercial School			•	•			•	•	
Convenience Store	• (2)	•	•	•			•	•	• (1)
Crisis Care Facility			•	•					
Day Care Facility	•	•	•	•			•	•	
Drive-Thru Facility		•					•	•	• (5)
Dry Cleaning Depot	•	•	•	•			•	•	
Dry Cleaning Establishment		•	•	•			•		
Financial Institution	•	•	•	•			•	•	
Funeral Home			•	•			•	•	
Garden Centre							•	•	
Hotel			•	•			•	•	

	NC Neighbourhood Commercial	LC Local Commercial	VC1 Village Core Mixed Use One	VC2 Village Core Mixed Use Two	VC3 Village Core Mixed Use Three	VC4 Village Core Mixed Use Four	GC General Commercial	UC Uptown Mixed Use	AC Automobile Commercial
Laundromat, Self Serve	•	•	•	•			•	•	
Library	•	•	•	•			•	•	
Licensed Accessory Outdoor Patio (7)		•	•	•			•	•	
Medical Clinic		•	•	•			•	•	
Motel							•	•	
Motor Vehicle Rental Depot							•	•	
Motor Vehicle Rental Establishment							•		
Motor Vehicle Sales Establishment							•		
Motor Vehicle Used Sales Establishment							•		
Motor Vehicle Gas Bar									•
Motor Vehicle Service Centre									•
Motor Vehicle Wash, Automatic (1)(3)									•
Museum		•	•	•			•	•	
Nightclub								•	
Office	•	•	•	•	•	• (9)	•	•	

	NC	LC	VC1	VC2	VC3	VC4	GC	UC	AC
	Neighbourhood	Local	Village Core	Village Core Mixed <i>Use</i>	Village Core Mixed <i>Use</i>	Village Core Mixed	General Commercial	Uptown Mixed <i>Use</i>	Automobile Commercial
	Commercial	Commercial	Mixed <i>Use</i>						
			One	Two	Three	Use Four			
Personal Service Shop	•	•	•	•	•	• (9)	•	•	
Place Of Assembly			•	•			•	•	
Place Of Entertainment		•	•	•			•	•	
Place Of Worship			•	•			•	•	
Restaurant		•	•	•			•	•	
Restaurant, Drive-Thru		•					•	•	
Retail Store		•	•	•	• (6)	• (6) (9)	•	•	
Retail warehouse								• (4)	
Service or repair shop	•	•	•	•			•	•	
Taxi depot							•	•	
Unlicensed Accessory Outdoor Patio		•	•	•			•	•	
Veterinary clinic		•	•	•			•	•	

- (1) As an *accessory use* to a gasoline establishment only provided that the gasoline establishment is not located on a *lot* abutting a zone where residential *uses* are permitted.
- (2) A convenience store is permitted provided that it does not exceed a maximum gross leasable floor area of 250.0 m²
- (3) Not permitted on any *lot* abutting a Residential Zone or a Downtown Central Area Zone where residential *uses* are permitted.
- (4) A retail warehouse is permitted provided that it has a minimum gross leasable floor area of 2000.0 m².
- (5) Only a non-food *drive-thru facility* is permitted. (* See Deferral No. D6)
- (6) (As amended by By-Law 38-2008) The identified *use* is permitted provided that it does not exceed a maximum *gross floor area* of 140.0 m² and is located within a *building* that existed as of the date of passing of this By-law.

- (7) A Licensed Accessory Outdoor Patio is permitted provided that the licensed accessory outdoor patio meets the provision in Section 6.3.1.1.
- (8) <u>(Incorporated by By-Law 38-2008)</u> The identified *use* shall only be permitted in conjunction with one residential *dwelling unit*, containing a minimum of two bedrooms, located on the same *lot*.

6.3.1.1 Licensed Accessory Outdoor Patios

- a) A licensed accessory outdoor patio situated on a property that does not abut a residential, institutional or open space zone shall be permitted.
- b) A licensed accessory outdoor patio situated on a property that abuts a residential, institutional or open space zone shall be permitted provided the licensed accessory outdoor patio meets one of the following two provisions:
 - i) There is a *building* situated between the licensed accessory outdoor patio from the abutting residential, institutional or open space zone; or
 - ii) The accessory outdoor patio is separated from an abutting residential, institutional or open space zone by Harwood Avenue or a Type A or B Arterial Road.

6.3.2 Zone Standards

(As amended by By-law 38-2008)

The following table establishes the zone standards applicable to non-residential *uses* in the Commercial and Mixed *Use* Zones.

	NC Neighbourhood Commercial	LC Local Commercial	VC1 Village Core Mixed Use One	VC2 Village Core Mixed Use Two	VC3 Village Core Mixed Use Three	VC4 Village Core Mixed Use Four	GC General Commercial	UC Uptown Mixed Use	AC Automobile Commercial
Minimum <i>Lot</i> <i>Frontage</i>		90.0 m	(6)	(5) (6)	(6)	(6)	90.0 m	45.0 m	45.0 m
Minimum <i>Lot</i> Depth		60.0 m	-	-	-	-	60.0 m		45.0 m
Minimum Setback From <i>Front Lot</i> <i>Line</i>	3.0 m	3.0 m	(7)	(8)	(7)	(7)	3.0 m	3.0 m	9.0 m
Maximum Setback From <i>Front Lot</i> <i>Line</i>			(7)	(9)	(7)	(7)			
Minimum Setback From <i>Exterior Side</i> <i>Lot Line</i>	3.0 m	3.0 m	(10)	(8)	(10)	(10)	3.0 m	3.0 m	7.5 m
Maximum Setback from <i>Exterior</i> Side <i>Lot Line</i>	-	-	(10)	(9)	(10)	(10)	-	-	
Minimum Setback From <i>Interior Side</i> <i>Lot Line</i>	7.5 m	7.5 m	-	(11)	-	1.2 m	7.5 m	7.5 m	7.5 m
Minimum Setback From <i>Rear Lot</i> <i>Line</i>	9.0 m	9.0 m	-	(11)	7.5 m	7.5 m	9.0 m	9.0 m	9.0 m

	NC Neighbourhood	LC Local	VC1 Village Core	VC2 Village Core	VC3 Village Core	VC4 Village Core	GC General	UC Uptown	AC Automobile
	Commercial	Commercial	Mixed <i>Use</i> One	Mixed <i>Use</i> Two	Mixed <i>Use</i> Three	Mixed <i>Use</i> Four	Commercial	Mixed Use	Commercial
Minimum Built <i>Lot</i> Frontage (Front Streetwall)			-	75% (12)	-	-			
Minimum Built <i>Lot</i> Flankage (Exterior Side Streetwall)			-	75% (12)	-	-			
Minimum <i>Floor</i> Space <i>Index</i>			(4)	1.0 (4) (13)	(4)	(4)			
Maximum <i>Floor</i> Space <i>Index</i>			2.0 (4)	3.25 (4)(13)	1.5 (4)	0.75 (4)			
Minimum <i>Ground</i> Floor Area			-	-	-	-		600.0 m ²	
Maximum Gross Floor Area	1400.0 m ² (1)	10,000.0 m ²	-	-	-	-			500.0 m ²
Minimum Height			2 storeys	2 storeys (14)(15)	-	-			
Maximum <i>Height</i>	11.0 m	12.5 m	12.5 m or 4 storeys, whichever is greater (16)	20.0 m (14) (17) (18)	12.5 m	11.0 m		68.0 m	4.3 m (3)

- (1) No individual store shall exceed a maximum gross leasable floor area of 250.0 m²
- (2) Office uses shall have a maximum Floor Space Index of up to 1.0
- (3) Notwithstanding the maximum *height* requirement in the AC Zone, canopies over gas pumps may be permitted to a maximum *height* of 6.3 metres.

- (4) (As amended by By-Law 38-2008) No individual *convenience store*, *dry cleaning depot*, *dry cleaning establishment*, retail store, service or repair shop, or veterinary clinic may exceed 300.0 m² of gross floor area.
- (5) (As amended by By-Law 38-2008) Where the *front lot line* divides the *lot* from Kingston Road West and a *building* having a *height* in excess of 12.5 metres and/or an FSI in excess of 1.5 is proposed on the *lot*, the minimum *lot* frontage shall be 50.0 metres. Where the *front lot line* divides the *lot* from Church Street South and a *building* having a *height* in excess of 12.5 metres and/or an FSI in excess of 1.5 is proposed on the *lot*, the minimum *lot frontage* shall be 75.0 metres. In all other instances, no minimum *lot frontage* requirement applies.
- (6) (As amended by By-Law 38-2008) No individual *convenience Store*, *dry cleaning depot*, *dry cleaning establishment*, *financial institution*, *office*, *personal service shop*, *retail store*, *service or repair shop*, or *veterinary clinic* that is located at grade, in a multi-unit *building*, shall occupy a unit frontage having a width greater than 15.0 metres, as measured along the frontal façade of a *building* where primary pedestrian entrances are located.
- (7) (As amended by By-Law 38-2008) For *interior lots* which feature an *existing* individually designated historic or heritage "wish list" *building*, the setback shall match to within 1.5 metres the established setback of the designated or heritage "wish list" *building*. For *interior lots* that are vacant or which do not feature designated or "wish list" *buildings*, the setback for new development shall be determined by drawing a straight line between the two nearest street facing corners of the nearest adjacent principal *buildings* on either side of the subject *lot*: the mid point of the proposed front *building* wall shall intersect with this line, with a permitted deviation toward the front or rear of the *lot* of up to 1.5 metres. For all *corner lots*, the setback shall either match to within 1.5 metres of the established setback of any designated or heritage "wish list" *building existing* on the *lot*, or alternatively, be determined by drawing a line parallel to and even with the least point of setback of the street-facing wall of the nearest *principal building* adjacent to the interior *side lot line* of the subject *lot*, with a permitted deviation toward the front or rear of the *lot* of up to 1.5 metres. In no instances shall a *building* setback involve an encroachment beyond a *front lot line*.
- (8) (As amended by By-Law 38-2008) Where the *front lot line* or *exterior side lot line* divides the *lot* from Kingston Road West, the minimum setback from the *front lot line* or *exterior side lot line* shall be 5.0 metres. Where the *front lot line* or *exterior side lot line* divides the *lot* from the west side of Church Street South, the minimum setback from the *front lot line* or *exterior side lot line* shall be 7.0 metres. Where the *front lot line* or *exterior side lot line* divides the *lot* from the east side of Church Street South, the minimum setback from the front *lot*
 - line or *exterior side lot line* shall be 5.0 metres. In all other instances, the minimum setback from the *front lot line* or *exterior side lot line* shall be 5.0 metres.
- (9) (As amended by By-Law 38-2008) Where the *front lot line* or *exterior side lot line* divides the *lot* from Kingston Road West, the maximum setback from the *front lot line* or *exterior side lot line* shall be 7.0 metres. Where the *front lot line* or *exterior side lot line* divides the *lot* from the west side of Church Street South, the maximum setback from the *front lot line* or *exterior side lot line* shall be 9.0 metres. Where the *front lot line* or *exterior side lot line* divides the *lot* from

- the east side of Church Street South, the maximum setback from the *front lot line* or *exterior side lot line* shall be 7.0 metres. In all other instances, the minimum setback from the *front lot line* or *exterior side lot line* shall be 7.0 metres.
- (10) (As amended by By-Law 38-2008) The setback shall either match to within 1.5 metres of the established setback of any designated or heritage "wish list" *building existing* on the *lot*, or alternatively, be determined by drawing a line parallel to and even with the least point of setback to the street-facing wall of the nearest *principal building* adjacent to the *rear lot line* of the subject *lot*, with a permitted deviation toward the exterior side or interior side of the *lot* of up to 1.5 metres. In no instances shall a *building* setback involve an encroachment beyond an *exterior side lot line*.
- (11) (As amended by By-Law 38-2008) The setback shall be 9.0 metres where the *lot line* in question abuts a residential zone.
- (12) (As amended by By-Law 38-2008) The specified requirement applies only to built frontages and flankages along Kingston Road West and Church Street South.
- (13) (As amended by By-Law 38-2008) *Buildings* with an FSI greater than 1.5 shall only be permitted on a *lot* having a minimum *lot frontage* of 50.0 metres along Kingston Road West, or on a *lot* having a minimum *lot frontage* of 75.0 metres along Church Street South.
- (14) (As amended by By-Law 38-2008) *Buildings* more than 12.5 metres in *height* shall only be permitted on a *lot* having a minimum *lot frontage* of 50.0 metres along Kingston Road West, or on a *lot* having a minimum *lot frontage* of 75.0 metres along Church Street South.
- (15) (As amended by By-Law 38-2008) The ground floor of *buildings* shall have a minimum clear floor-to-ceiling *height* of 4.0 metres for a minimum depth of 20.0 metres in from the street-facing façade of the *building*.
- (16) (As amended by By-Law 38-2008) Any portion of a front or exterior side *building* wall, excluding a parapet or balcony wall, that is located higher than 8.0 metres above the *established grade*, shall be subject to a minimum 2.0 metre setback requirement.
- (17) (As amended by By-Law 38-2008) Any portion of a front or exterior side *building* wall fronting Kingston Road West or the east side of Church Street South, excluding a parapet or balcony wall, that is located higher than 15.0 metres above the *established grade*, shall be subject to a minimum 2.0 metre stepback requirement. Any portion of a front or exterior side *building* wall fronting the west side of Church Street South, excluding a parapet or balcony wall, that is located higher than 8.0 metres above the *established grade*, shall be subject to a minimum 2.0 metre stepback requirement and shall be subject to a second minimum 2.0 metre stepback if the *building* wall extends higher than 15.0 metres above the *established grade*. In all other instances, any portion of a front or exterior side *building* wall, excluding a parapet or balcony wall, that is located higher than 8.0 metres above the *established grade*, shall be subject to a minimum 4.0 metre stepback requirement.

(18)	(As amended by By-Law 38-2008) For <i>lots</i> west of Church Street South, the maximum permitted <i>height</i> zone shall be restricted to within 40.0 metres of the Church Street South and Kingston Road West property lines. Beyond 40.0 metres, the maximum permitted <i>height</i> zone shall decrease to 15.0 metres for the next 20.0 metres in from Kingston Road West and 10.0 metres in from Church Street South, and to then a maximum <i>height</i> of 10.0 metres for the remainder of the <i>lot</i> . For <i>lots</i> east of Church Street South, the maximum permitted <i>height</i> zone shall be restricted to within 40.0 metres of the Church Street South and Kingston Road West property lines. Beyond 40.0 metres, the maximum permitted <i>height</i> zone shall decrease to 10.0 metres for the remainder of the <i>lot</i> .

6.3.3 Residential Uses Permitted In The Commercial Mixed Use Zones

(As amended by By-Law 38-2008, 114-2013)

The following table establishes the residential *uses* permitted in the Local Commercial, Village Core Mixed *Use*, and Commercial Mixed *Use* Zones.

,	LC Local Commercial	VC1 Village Core Mixed Use One	VC2 Village Core Mixed Use Two	VC3 Village Core Mixed Use Three	i	UC Uptown Mixed <i>Use</i>
Apartment Dwelling	• (1)	• (1)	• (1)	• (1)	• (3)	• (1)
Detached Dwelling					•	
Lodging House					• (4)	
Multiple Attached						•
Seniors Apartment						•
Additional Provisions						(2)

- (1) Permitted on upper floor of *building* with ground level commercial *uses* only.
- (2) No garage associated with any residential *building* or development shall protrude more than 2.4 metres beyond the front main façade of the *dwelling unit*, provided a *porch* of a minimum of 1.2 metres in width is associated with the front main façade, and the width of the garage door shall not occupy more than 50 percent of the front façade of the *dwelling unit*.
- (3) Only one apartment dwelling unit, having a minimum of two bedrooms, shall be permitted.
- (4) Subject to meeting all applicable parking requirements of Section 5 of this Zoning By-law and the requirements of the Lodging House Licensing By-law.

6.3.4 Zone Standards for Residential Uses in The Commercial Mixed Use Zones

(As amended by By-Law 86-2005, 38-2008, 114-2013)

The following table establishes the residential *uses* permitted in the Local Commercial, Village Core Mixed *Use*, and Commercial Mixed *Use* Zones.

Permitted <i>Use</i>	Lot Frontage		ge <i>Lot</i> Front Depth <i>Yard</i>		Rear Inte		Interior Side <i>Yard</i>		Exterior Side <i>Yard</i>		
	Min.	Max.	Min.	Min.	Max.	Min.	Min.	Max	Min.	Max	Max
Apartment Dwelling	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	~
Detached Dwelling	15 m	-	33.5 m	(4)	(4)	7.5 m	1.2 m	-	-	-	11.0 m
Multiple Attached	5.48 m	8.0 m	25.0 m	3.0 m	6.0 m	7.5 m	(2)	2.0 m	3.0 m	6.0 m	11.3 m
Apartment <i>Building</i> (less than 6 storeys)	20.0 m	~	~	3.0 m	6.0 m	10.0 m	5.5 m	8.0 m	3.0 m	6.0 m	~
Apartment <i>Building</i> (six storeys and over)	30.0 m	~	~	3.0 m	8.0 m	(3)	5.5 m	12.0 m	3.0 m	6.0 m	68.0 m
Lodging House	15.0 m		33.5 m	(4)	(4)	7.5 m	1.2 m				11.0 m

- (1) Apartment dwellings in the Local Commercial (LC), Village Core Mixed Use One (VC1), Village Core Mixed Use Two (VC2), Village Core Mixed Use Three (VC3), and Uptown Core Mixed Use (UC) Zones shall only be permitted on an upper floor of a building with ground level commercial uses. Such buildings shall conform to the requirements of Section 6.3.2 in accordance with the zone in which the building is located.
- (2) The *interior side yard* requirement shall be 0.3 metres on one side and 1.2 metres on the other side.
- (3) The *rear yard* shall be half the *height* of the *building* from a minimum of 10.0 metres up to a maximum of 15.0 metres.

(4) For *interior lots* which feature an *existing* individually designated historic or heritage "wish list" *building*, the setback shall match to within 1.5 metres the established setback of the designated or heritage "wish list" *building*. For *interior lots* that are vacant or which do not feature designated or "wish list" *buildings*, the setback for new development shall be determined by drawing a straight line between the two nearest street facing corners of the nearest adjacent principal *buildings* on either side of the subject *lot*; the midpoint of the proposed front *building* wall shall intersect with this line, with a permitted deviation toward the front or rear of the *lot* of up to 1.5 metres. For all *corner lots*, the setback shall either match to within 1.5 metres of the established setback of any designated or heritage "wish list" *building existing* on the *lot*, or alternatively, be determined by drawing a line parallel to and even with the least point of setback of the street-facing wall of the nearest *principal building* adjacent to the *interior side lot line* of the subject *lot*, with a permitted deviation toward the front or rear of the *lot* of up to 1.5 metres. In no instances shall a *building* setback involve an encroachment beyond a *front lot line*.

6.4 Employment Zones

No *person* shall *use* any land or erect, alter or *use* any *building* or *structure* in any Employment Zone except in accordance with Sections 6.4.1 and 6.4.2 of this By-law.

6.4.1 Permitted Uses

(Amended by By-law 50-2013)

The following table establishes the *uses* permitted in the Employment Zones.

·	PE Prestige Employment	GE General Employment	HE Heavy Employment
Accessory Retail Sales Outlet (1)	•	•	•
Banquet Facilities	•		
Building And Construction Materials Facility		•	•
Commercial Fitness Centre	•		
Commercial School (6)	•		
Community Centre	•		
Contractors Yard		•	•
Day Care Facility	•		
Drive-Thru Facility	•		
Dry Cleaning Establishment	•	•	
Emergency Service Facilities	•	•	•
Financial Institution	•		
Fuel Storage Supply Yard			•
Funeral Home	•		
Hotel	•		
Licensed Accessory Outdoor Patio (4)	•		
Light Manufacturing (2)	•	•	•
Machinery And Equipment Sales And Rental		•	•
Manufacturing		•	•
Medical Clinic	•		
Motel	•		

	PE Prestige Employment	GE General Employment	HE Heavy Employment
Motor Vehicle Repair Facility		•	•
Motor Vehicle Rental Establishment	•	•	
Motor Vehicle Sales Establishment	•	•	
Motor Vehicle Washing Establishment		•	•
Offices	•	•	•
Outdoor Storage (3)		•	•
Personal Service Shop	•		
Place Of Assembly	•		
Place Of Entertainment	•		
Place Of Worship (5)			
Public Storage Facility	•	•	
Recreation Facility	•		
Restaurant	•		
Restaurant, Drive-Thru	•		
Service or repair shop	•	•	•
Sports arena	•		
Transportation Depot			•
Unlicensed Accessory Outdoor Patio	•		
Veterinary clinic	•	•	
Warehouse/ Distribution Centre	•	•	•

- (1) May not exceed 20% of the GFA of the *premises* in which it is located.
- (2) Manufacturing is permitted only in wholly enclosed buildings.
- (3) Outdoor storage shall not exceed 50% of the site area and shall not be visible from the street.
- (4) A Licensed Accessory Outdoor Patio is permitted provided that the licensed accessory outdoor patio meets the provisions in Section 6.3.1.1.
- (5) A place of worship shall continue to be permitted on lands known as 360 Westney Road South, 877 Westney Road South, and 438 Monarch Avenue.

(6) A Commercial School shall mean a *premises* as a school conducted for gain, including a studio of a dancing teacher or a music teacher, an art school, a golf school or business school and any other similar specialized school, but shall exclude any elementary or secondary *school* registered with the Ministry of Education.

6.4.2 Zone Standards

The following table establishes the zone standards applicable to the Employment Zones.

	Zone Standards			
	PE Prestige Employment	GE General Employment	HE Heavy Employment	
Minimum Lot Area	4200.0 m ²			
Min. Setback From <i>Front Lot Line</i>	9.0 m	9.0 m	9.0 m	
Min. Setback From Exterior Side Lot Line	3.0 m	3.0 m	9.0 m	
Min. Setback From <i>Interior Side Lot Line</i> (*1)(*2)	4.5 m	3.6 m	3.6 m	
Min. Setback From <i>Rear Lot Line</i> (*2)	3.0 m	3.0 m	3.0 m	

- (1) Plus 0.3 metre extra for each additional 1.0 metre of *building height* in excess of 12.0 metres.
- (2) (As amended by By-law 135-2008) Where an Employment Zone is located adjacent to a Residential Zone or a Downtown Central Area Zone that permits residential *uses*, the minimum setback from the *interior side lot line* and *rear lot line* shall be 9.0 metres.

6.4.3 Additional Zone Requirements

6.4.3.1 Outdoor Storage

- i) Outdoor storage is not permitted in the PE Zone.
- ii) In the GE and HE Zones, *outdoor storage* is permitted only in the *rear yard* provided that:
 - a) such *outdoor storage* is accessory to the *use* of the main *building* on the *lot*;
 - b) no *outdoor storage* is located closer than 9.0 metres to any *street line*;
 - c) no *outdoor storage* is located closer than 15.0 metres to any residential zone boundary;

- d) any portion of the area for *outdoor storage* where it does not adjoin the outside wall of a *building* is enclosed by a fence at least 1.8 metres high and which must be constructed of permanent masonry, wood and/or plastic with a ratio of voids to solids not greater than 50%; and,
- e) no materials may be stored outside to a *height* greater than 1.8 metres.
- iii) In the HE Zone, any part of a *lot* for a permitted or accessory *outdoor storage* purpose shall be enclosed within a 1.8 metres high fence constructed of wood.

6.5 Institutional and Cemetery Zones

No *person* shall *use* any land or erect, alter or *use* any *building* or *structure* in the Institutional or *Cemetery* Zones except in accordance with Sections 6.5.1 and 6.5.2 of this By-law.

6.5.1 Permitted Uses

The following table establishes the *uses* permitted in the Institutional and *Cemetery* Zones.

	I-A Institutional - A	I-B Institutional - B	CE Cemetery
Cemetery			•
Community Centre	•	•	
Crisis Care Facility	•	•	
Day Care Facility	•	•	
Hospital		•	
Library	•	•	
Nursing Home	•	•	
Place Of Worship	•	•	
School (1)	•	•	
Sports arena		•	

(1) Portables associated with a *school* are permitted provided that they are located only in the rear or *interior side yard* and are setback the greater of 12 .0 from any Residential Zone boundary or 12.0 from the *street line*. No minimum setback is required for *school* portables abutting any Open Space Zone.

6.5.2 Zone Standards

The following table establishes the zone standards applicable to the Institutional and *Cemetery* Zones.

	Zone Standards			
	I-A Institutional - A	I-B Institutional - B	CE Cemetery	
Minimum <i>Lot Area</i>		2.5 ha		
Minimum Setback From Front Lot Line	9.0 m	9.0 m	12.0 m	
Minimum Setback From Exterior Side Lot Line	9.0 m	9.0 m	12.0 m	
Minimum Setback From Interior Side Lot Line	9.0 m	9.0 m	9.0 m	
Minimum Setback From Rear Lot Line	9.0 m	9.0 m	9.0 m	

6.6 Rural Zones

No *person* shall *use* any land or erect, alter or *use* any *building* or *structure* in any Rural Zone except in accordance with Sections 6.6.1 and 6.6.2 of this By-law.

6.6.1 Permitted Uses

(Amended by By-law 114-2013)

The following table establishes the *uses* permitted in the Rural Zones.

	PC Permanent Countryside	A Agricultural
Agricultural Operations	•	•
Bed And Breakfast Establishment	•	
Boarding Kennel	•	
Dwelling, Detached (1)	•	•
Equestrian Centre	•	
Garden Centre	•	
Home Based Business	•	•
Lodging House (3)	•	
Resource Management Uses	•	•
Seasonal farm produce sales outlet (2)	•	•
Veterinary Clinic	•	

- (1) Nothing in this By-law shall prevent the erection of a *detached dwelling* on a *lot* in the Permanent Countryside or Agricultural Zones provided such *lot* has been in existence since December 26, 1962.
- (2) Permitted as an accessory use to an agricultural operation only.
- (3) Subject to meeting all applicable parking requirements of Section 5 of this Zoning By-law and the requirements of the Lodging House Licensing By-law.

6.6.2 Zone Standards

The following table establishes the zone standards applicable to the Rural Zones.

	Zone Standards		
	PC Permanent Countryside	A Agricultural	
Minimum Lot Area	4.0 ha	0.8 ha	
Minimum <i>Lot Area</i> For Agricultural <i>Use</i> s (1)	40.0 ha	0.8 ha	
Minimum Lot Frontage	150.0 m	60.0 m	
Minimum Setback From Front Lot Line	15.0 m	12.0 m	
Minimum Setback From <i>Exterior Side Lot Line</i>	6.0 m	3.0 m	
Min. Setback From <i>Interior Side Lot Line</i>	6.0 m	3.0 m	
Min. Setback From <i>Rear Lot Line</i>	15.0 m	12.0 m	
Maximum <i>Lot Coverage</i>	10%	20%	

(1) In the Permanent Countryside and Agricultural Zones, nothing shall prohibit the *use* of any *lot existing* as of the effective date of this By-law for agricultural purposes.

6.7 Open Space Zones

No *person* shall *use* any land or erect, alter or *use* any *building* or *structure* in any Open Space Zone except in accordance with Sections 6.7.1 and 6.7.2 of this By-law.

6.7.1 Permitted Uses

The following table establishes the *uses* permitted in the Open Space Zones.

	OS Open Space	POS Private Open Space	GF Golf Facility
Golf Course			•
Golf Driving Range			•
Passive Recreational Use	•	•	
Public Park	•		
Recreation Facility	•		
Refreshment Pavilion (1)	•		
Resource Management Uses	•	•	
Stormwater Management Facility	•		

(1) Permitted only as an *accessory use*.

6.7.2 Zone Standards

The following table establishes the zone standards applicable to the Open Space Zones:

	Zone Standards			
	OS Open Space	POS Private Open Space	GF Golf Facility	
Min. Setback From <i>Front Lot Line</i>	15.0 m		15.0 m	
Min. Setback From Exterior Side Lot Line	15.0 m		6.0 m	
Min. Setback From <i>Interior</i> Side Lot Line	9.0 m		6.0 m	
Min Setback From <i>Rear Lot Line</i>	9.0 m		15.0 m	
Maximum <i>Lot Coverage</i>			5%	
Maximum <i>Height</i>	11.0 m		11.0 m	

6.8 Environmental Protection Zone

No *person* shall *use* any land or erect, alter or *use* any *building* or *structure* in any Environmental Protection Zone except in accordance with Sections 6.8.1 and 6.8.2 of this By-law.

6.8.1 Permitted Uses

The following table establishes the *uses* permitted in the Environmental Zone:

	EP Environmental Protection
Resource Management Uses	•
Structure For Flood/Erosion Control	•

6.8.2 Zone Standards

The following standards apply to the Environmental Protection Zone:

i) No development shall be permitted in the EP Zone.

6.9 Downtown Central Area Zones

(New section as incorporated by By-law 86-2005)

No *person* shall *use* any land or erect, alter or *use* any *building* in any Downtown Central Area Zone except in accordance with Sections 6.9.1 to 6.9.8 of this By-law.

6.9.1 Permitted Uses

The following table establishes the *uses* permitted in the Downtown Central Area Zones.

	DCA/ME1 Downtown Central Area – Mixed Employment	DCA/ME2 Downtown Central Area – Mixed Employment 2	DCA/I Downtown Central Area - Institutional	DCA/MU Downtown Central Area – Mixed Use	DCA/RM1 Downtown Central Area Residential Multiple 1	DCA/RM2 Downtown Central Area – Residential Multiple 2
Accessory Outdoor Patio	•			•		
Art Gallery				•	• (5)	• (5)
Banquet Facility	•	•		•		
Commercial Fitness Centre	•	•		•	• (5)	• (5)
Commercial School	•	•		•	• (5)	• (5)
Community Centre	•	•	•	•		
Convenience Store				•		
Crisis Care Facility			•	•		
Day Care Facility	•	•	•	•	• (6)	• (5)
Dry Cleaning Depot	•			•	• (5)	• (5)
Dry Cleaning Establishment	•	•		•		

	DCA/ME1	DCA/ME2	DCA/I	DCA/MU	DCA/RM1	DCA/RM2
	Downtown Central Area – Mixed Employment	Downtown Central Area – Mixed Employment 2	Downtown Central Area - Institutional	Downtown Central Area – Mixed Use	Downtown Central Area – Residential Multiple 1	Downtown Central Area – Residential Multiple 2
Financial Institution	•	•		•	• (5)	• (5)
Funeral Home	•	•		•		
Hospital			•			
Hotel	•	•		•		
Laundromat, Self Serve	•			•		
Library			•	•		
Manufacturing, Light (1)	•	•				
Medical Clinic	•	•		• (7)	• (5) (7)	• (5) (7)
Motel	•	•		•		
Motor Vehicle Rental Depot	•			•		
Motor Vehicle Sales Establishment (2)	•	•		•		
M <i>us</i> eum				•		
Office	•	•		•	• (5)	• (5)
Parking Lot as a Principal Use	•	•		•		
Personal Service Shop	•	•		•	• (5)	• (5)
Place Of Assembly	•	•		•		
Place Of Entertainment	•	•		•		

	DCA/ME1	DCA/ME2	DCA/I	DCA/MU	DCA/RM1	DCA/RM2
	Downtown Central Area – Mixed Employment 1	Downtown Central Area – Mixed Employment 2	Downtown Central Area - Institutional	Downtown Central Area – Mixed Use	Downtown Central Area – Residential Multiple 1	Downtown Central Area – Residential Multiple 2
Place Of Worship	•	•	•	•		
Recreation Facility	•	•	•			
Restaurant	•	•		•		
Retail Store	• (8)	• (8)		• (8)	• (5) (8)	• (5) (8)
School (3)			•			
Service or Repair Shop	•	•		•		
Sports Arena	•	•	•	•		
Veterinary Clinic	•	•		•		
Warehouse Distribution Centre	•	•				
Dwelling, Triplex						•
Dwelling, Double Duplex						•
Dwelling, Linked Villa						•
Dwelling, Street Townhouse (4)				•		•
Dwelling, Live-Work Units (4)				•	•	•
Dwelling, Maisonette				•	•	•
Dwelling, Multiple Attached (4)				•	•	•

	DCA/ME1	DCA/ME2	DCA/I	DCA/MU	DCA/RM1	DCA/RM2
	Downtown Central Area – Mixed Employment 1	Downtown Central Area – Mixed Employment 2	Downtown Central Area - Institutional	Downtown Central Area – Mixed Use	Downtown Central Area – Residential Multiple 1	Downtown Central Area – Residential Multiple 2
Dwelling, Back-to-Back Townhouse				•	•	•
Dwelling, Stacked Townhouse				•	•	•
Dwelling, Back-to-Back Stacked Townhouse				•	•	•
Dwelling, Apartment				•	•	•
Senior Citizens' Apartment				•	•	•
Nursing Home			•	•		
Home Based Business				•	•	•

- (1) *Manufacturing* is permitted only in wholly enclosed *buildings*.
- (2) Excluding accessory service/repair facilities and *outdoor storage* or display of vehicles.
- (3) Portables associated with a *school* are permitted provided that they are located only in the rear or *interior side yard* and are situated no closer than 12.0 metres from any residential zone boundary or 30.0 metres from any *building* used (wholly or partially) for residential purposes, whichever is the lesser, and 12.0 metres from any *street line*. No minimum setback is required for *school* portables abutting any Open Space Zone.
- (4) Dwellings having frontage on Bayly Street, Commercial Avenue, Falby Court, Harwood Avenue South, Kings Crescent, Kitney Drive, MacKenzie Avenue, Monarch Avenue and/or any east-west link between Kitney Drive and Harwood Avenue South, shall be designed as live-work units, with direct pedestrian access (not vehicular) to these roads.
- Only on the ground floor of a residential mixed-use building having a minimum height of three storeys; and only on the ground and second floor of a residential mixed-use building having a minimum height of four storeys. Offices may also be permitted on a third or fourth storey, provided residential uses wholly occupy at least two storeys above.

- (6) Only a *day care facility* that existed on the date of passage of the comprehensive Zoning By-law 95-2003 is permitted, unless it is located on the ground floor of a residential mixed-*use building*.
- (7) Provided that in a residential mixed-*use building*, the main entrance to the *medical clinic* is separate and apart from the main entrance to the residential portion of the *building*, with no shared lobby, foyer, or common entry area.
- (8) Individual retail *uses* having a *gross leasable floor* area in excess of 4,645.0 m², located in a multi-unit commercial *building* erected after July 14, 2003, in a residential mixed-*use building*, or in a free-standing *building*, shall not be permitted. However, none of the provisions of this By-law shall apply to prevent the expansion of any individual *retail store* up to a maximum *gross leasable floor area* of 9,300.0 m², provided that the *retail store* existed prior to July 14, 2003 as part of a *shopping centre* and that the total *gross leasable floor area* of the particular *retail store*, in all instances, is not more than half the total *ground floor area* of the overall *building*.

6.9.2 Zone Standards

The following table establishes the zone standards applicable to the Downtown Central Area Zones.

			DCA/ME1 Downtown Central Area – Mixed Employment 1	DCA/ME2 Downtown Central Area – Mixed Employment 2	DCA/I Downtown Central Area - Institutional	DCA/MU Downtown Central Area – Mixed Use	DCA/RM1 Downtown Central Area – Residential Multiple 1	DCA/RM2 Downtown Central Area - Residential Multiple 2
Minimum <i>Lot Area</i>	Non-Reside Mixed <i>Use</i>	ntial and Residential	4200.0 m ²	4200.0 m ²	-	-	-	-
	Single-Use I	Residential			-	-	-	_
Minimum Lot Frontage	Non-Reside Mixed <i>Use</i>	ntial and Residential				(1)	(1)	(1)
	Single-Use	Dwelling, Triplex						20.0 m
	Residential	Dwelling, Double Duplex						22.0 m
		Dwelling, Linked Villa						5.48 m/unit (2)
		Dwelling, Street Townhouse				5.48 m/unit (2) (3)		5.48 m/unit (2) (3)
		Dwelling, Live-Work Units				4.4 m/unit (2)	4.4 m/unit (2)	4.4 m/unit (2)
		Dwelling, Maisonette				_	_	-
		Dwelling, Multiple Attached				30.0 m (2) (3)	30.0 m (2) (3)	30.0 m (2) (3)

		DCA/ME1 Downtown Central Area – Mixed Employment 1	DCA/ME2 Downtown Central Area – Mixed Employment 2	DCA/I Downtown Central Area - Institutional	DCA/MU Downtown Central Area – Mixed <i>Use</i>	DCA/RM1 Downtown Central Area – Residential Multiple 1	DCA/RM2 Downtown Central Area - Residential Multiple 2
Minimum Lot Frontage	Dwelling, Back-to- Back Townhouse				5.48 m/unit (2) (3)	5.48 m/unit (2) (3)	5.48 m/unit (2) (3)
continued	Dwelling, Stacked Townhouse				30.0 m (2)	30.0 m (2)	30.0 m (2)
	Dwelling, Back-to- Back Stacked Townhouse				30.0 m (2)	30.0 m (2)	30.0 m (2)
	Dwelling , Apartment (less than 6 storeys)				20.0 m	20.0 m	20.0 m
	Dwelling , Apartment (6 storeys and over)				30.0 m	30.0 m	30.0 m
	Nursing Home						

			DCA/ME1 Downtown Central Area – Mixed Employment 1	DCA/ME2 Downtown Central Area – Mixed Employment 2	DCA/I Downtown Central Area - Institutional	DCA/MU Downtown Central Area – Mixed Use	DCA/RM1 Downtown Central Area – Residential Multiple 1	DCA/RM2 Downtown Central Area - Residential Multiple 2
Minimum Built	Along local a	and collector roads t-West	75 percent of the <i>block face</i> of each block (4) (5)				lock (4) (5)	
Frontage		Nong local and collector roads ligned North-South		50 percer	nt of the <i>block</i>	face of each	block (4)	
	Along Harwo	ood Avenue South treet			50 percent of the <i>block face</i> of each block			n block (4)
Minimum <i>Lot</i> <i>Depth</i>	Non-Reside Mixed <i>Use</i>	Non-Residential and Residential Mixed <i>Use</i>						
	Residential	Dwelling, Triplex						
		Dwelling, Double Duplex						
		Dwelling, Linked Villa						25.0 m
		Dwelling, Street Townhouse				25.0 m		20.0 m
		Dwelling, Live-Work Units				25.0 m	25.0 m	25.0 m
		Dwelling, Maisonette						

		DCA/ME1 Downtown Central Area – Mixed Employment	DCA/ME2 Downtown Central Area – Mixed Employment 2	DCA/I Downtown Central Area - Institutional	DCA/MU Downtown Central Area – Mixed <i>Use</i>	DCA/RM1 Downtown Central Area – Residential Multiple 1	DCA/RM2 Downtown Central Area – Residential Multiple 2
Minimum <i>Lot</i> Depth	Dwelling, Multiple Attached				25.0 m	25.0 m	25.0 m
continued	Dwelling, Back-to Back Townhouse				14.0 m per unit	14.0 m per unit	14.0 m per unit
	Dwelling, Stacked Townhouse				25.0 m	25.0 m	25.0 m
	Dwelling, Back-to- Back Stacked Townhouse				14.0 m per ground unit	14.0 m per ground unit	14.0 m per ground unit
	Dwelling, Apartment						
	Nursing Home						

			DCA/ME1 Downtown Central Area – Mixed Employment	DCA/ME2 Downtown Central Area – Mixed Employment 2	DCA/I Downtown Central Area - Institutional	DCA/MU Downtown Central Area – Mixed <i>Use</i>	DCA/RM1 Downtown Central Area – Residential Multiple 1	DCA/RM2 Downtown Central Area – Residential Multiple 2
Front Yard Build –Within Zone	Non-Reside Residential		3.0 – 6.0 m (6)	3.0 – 6.0 m (6)	2.0 – 6.0 m (6)	0.0 – 3.0 m (6)	0.0 – 3.0 m (6)	0.0 – 3.0 m (6)
and	Single- <i>Use</i> Residential	Dwelling, Triplex						2.0 – 4.5 m (7)
Exterior Side Yard Build- Within Zone	rtoolaoritiai	Dwelling, Double Duplex						2.0 – 4.5 m (7)
77111111 20110		Dwelling, Linked Villa						2.0 – 4.5/ 6 m (7)
		Dwelling, Street Townhouse				2.0 – 4.5 / 6.0 m (7)		2.0 – 4.5 / 6.0 m (7)
		Dwelling, Live- Work Units				2.0 – 4.5 m (7)	2.0 – 4.5 m (7)	2.0 – 4.5 m (7)
		Dwelling, Maisonette				2.0 – 4.5 m (7)	2.0 – 4.5 m (7)	2.0 – 4.5 m (7)
	Dwelling, Multiple Attached				2.0 – 4.5 / 6 m (7)	2.0 – 4.5 / 6 m (7)	2.0 – 4.5 / 6 m (7)	
		Dwelling, Back-to Back Townhouse				2.0 – 4.5 / 6 m (7)	2.0 – 4.5 / 6 m (7)	2.0 – 4.5 / 6 m (7)

		DCA/ME1 Downtown Central Area – Mixed Employment	DCA/ME2 Downtown Central Area – Mixed Employment 2	DCA/I Downtown Central Area - Institutional	DCA/MU Downtown Central Area – Mixed <i>Use</i>	DCA/RM1 Downtown Central Area – Residential Multiple 1	DCA/RM2 Downtown Central Area – Residential Multiple 2
Front Yard Build –Within	Dwelling, Stacked Townhouse				2.0 – 4.5 m (7)	2.0 – 4.5 m (7)	2.0 – 4.5 m (7)
and Exterior Side Yard Build- Within Zone continued	Dwelling, Back-to- Back Stacked Townhouse				2.0 – 4.5 m (7)	2.0 – 4.5 m (7)	2.0 – 4.5 m (7)
	Dwelling, Apartment				2.0 – 4.5 m (6)	2.0 – 4.5 m (6)	2.0 – 4.5 m (6)
Continueu	Nursing Home			2.0 – 4.5 m (6)	2.0 – 4.5 m (6)		

			DCA/ME1 Downtown Central Area – Mixed Employment 1	DCA/ME2 Downtown Central Area – Mixed Employment 2	DCA/I Downtown Central Area - Institutional	DCA/MU Downtown Central Area – Mixed <i>Use</i>	DCA/RM1 Downtown Central Area - Residential Multiple 1	DCA/RM2 Downtown Central Area – Residential Multiple 2
Minimum Setback from	Non-Reside Residential		4.5 m (8)	4.5 m (8)	7.5 m	7.5 m	7.5 m	7.5 m
Interior Side Lot Line	Single-Use	Dwelling, Triplex						1.2 m
Lot Line	Residential	Dwelling, Double Duplex						1.2 m
		Dwelling, Linked Villa						1.2 m (9)
		Dwelling, Street Townhouse				1.2 m (9)		1.2 m (9)
		Dwelling, Live- Work Units				1.2 m (9)	1.2 m (9)	1.2 m (9)
		Dwelling, Maisonette				1.2 m	1.2 m	1.2 m
		Dwelling, Multiple Attached				1.2 m	1.2 m	1.2 m
		Dwelling, Back-to Back Townhouse				1.5 m (9)	1.5 m (9)	1.5 m (9)
		Dwelling, Stacked Townhouse				1.2 m	1.2 m	1.2 m

		DCA/ME1 Downtown Central Area – Mixed Employment 1	DCA/ME2 Downtown Central Area – Mixed Employment 2	DCA/I Downtown Central Area - Institutional	DCA/MU Downtown Central Area – Mixed <i>Use</i>	DCA/RM1 Downtown Central Area – Residential Multiple 1	DCA/RM2 Downtown Central Area – Residential Multiple 2
Minimum Setback from Interior Side Lot Line continued	Dwelling, Back- to-Back Stacked Townhouse				1.5 m	1.5 m	1.5 m
	Dwelling, Apartment (less than 6 storeys)				3.6 m	3.6 m	3.6 m
	Dwelling, Apartment (6 storeys and over)				5.5 m	5.5 m	5.5 m
	Nursing Home			5.5 m	5.5 m		

			DCA/ME1 Downtown Central Area – Mixed Employment 1	DCA/ME2 Downtown Central Area – Mixed Employment 2	DCA/I Downtown Central Area - Institutional	DCA/MU Downtown Central Area – Mixed <i>Use</i>	DCA/RM1 Downtown Central Area - Residential Multiple 1	DCA/RM2 Downtown Central Area – Residential Multiple 2
Minimum Setback from	Non-Reside Residential I		3.0 m	3.0 m	9.0 m (10)	9.0 m (10)	9.0 m (10)	9.0 m (10)
	Single- <i>Use</i> Residential	Dwelling, Triplex						7.5 m (11)
		Dwelling, Double Duplex						7.5 m (11)
		Dwelling, Linked Villa						7.5m (11)
		Dwelling, Street Townhouse				7.5 m (11)		7.5 m (11)
		Dwelling, Live- Work Units				7.5 m (11)	7.5 m (11)	7.5 m (11)
		Dwelling, Maisonette				7.5 m (11)	7.5 m (11)	7.5 m (11)
		Dwelling, Multiple Attached				7.5 m (11)	7.5 m (11)	7.5 m (11)
		Dwelling, Back-to Back Townhouse				0.0 m	0.0 m	0.0 m
		Dwelling, Stacked Townhouse				7.5 m (11)	7.5 m (11)	7.5 m (11)

		DCA/ME1 Downtown Central Area – Mixed Employment	DCA/ME2 Downtown Central Area – Mixed Employment 2	DCA/I Downtown Central Area - Institutional	DCA/MU Downtown Central Area – Mixed <i>Use</i>	DCA/RM1 Downtown Central Area - Residential Multiple 1	DCA/RM2 Downtown Central Area – Residential Multiple 2
Minimum Setback from Rear Lot Line continued	Dwelling, Back- to-Back Stacked Townhouse				0.0 m	0.0 m	0.0 m
	Dwelling, Apartment				9.0 m (10)	9.0 m (10)	9.0 m (10)
	Nursing Home			9.0 m	9.0 m		

			Dow Centr – N	A/ME1 Intown ral Area Aixed oyment 1	DCA/ME2 Downtown Central Area – Mixed Employment 2	DCA/I Downtown Central Area - Institutional	DCA/MU Downtown Central Area – Mixed <i>Use</i>	DCA/RM1 Downtown Central Area - Residential Multiple 1	DCA/RM2 Downtown Central Area – Residential Multiple 2
		parking covered ed open space,	30%	6 min.	30% min.	40% min.	40% min.	40% min.	30% min.
	Landscaped	Landscaped Open Space		min.	5% min.	15% min.	10% min.	15% min.	15% min.
	Loading and	Surface Parking / <i>Driveways</i> / Loading and Service Areas (excluding private roads)		% max	35% max.	30% max.	30% max.	25% max.	25% max.
Minimum and	•	Non-Residential and Residential Mixed Use		0.75 FSI	0.75 FSI	1.25 FSI	1.25 FSI	1.75 FSI	1.25 FSI
Maximum Density			Max.	4.0 FSI	4.0 FSI	-	-	-	-
	Single-Use	Dwelling,	Min.						25 upnha
FSI: Floor Space Index	Residential	Triplex	Max.						60 upnha
Space maex		Dwelling, Double Duplex	Min.						25 upnha
			Max.						60 upnha
		Dwelling, Linked Villa	Min.						25 upnha
			Max.						60 upnha

		Dow Centi – N	A/ME1 Intown ral Area Mixed Oyment	DCA/ME2 Downtown Central Area – Mixed Employment 2	DCA/I Downtown Central Area - Institutional	DCA/MU Downtown Central Area – Mixed <i>Use</i>	DCA/RM1 Downtown Central Area – Residential Multiple 1	DCA/RM2 Downtown Central Area – Residential Multiple 2
Minimum	Dwelling,	Min.				35 upnha		35 upnha
and Maximum	Street Townhouse	Max.				85 upnha		85 upnha
Density	Dwelling, Live-	Min.				35 upnha	35 upnha	35 upnha
continued	Work Units	Max.				95 upnha	95 upnha	95 upnha
	Dwelling,	Min.				25 upnha	25 upnha	25 upnha
FSI: Floor Space Index	Maisonette	Max.				60 upnha	60 upnha	60 upnha

				DCA/ME1 Downtown Central Area – Mixed Employment 1	DCA/ME2 Downtown Central Area – Mixed Employment 2	DCA/I Downtown Central Area - Institutional	DCA/MU Downtown Central Area – Mixed <i>Use</i>	DCA/RM1 Downtown Central Area – Residential Multiple 1	DCA/RM2 Downtown Central Area – Residential Multiple 2
Minimum Single-Us	Single-Use	Dwelling,	Min.				25 upnha	25 upnha	25 upnha
and Maximum	Residential	Multiple Attached	Max				85 upnha	85 upnha	85 upnha
Density		Dwelling, Back-to Back Townhouse	Min.				40 upnha	40 upnha	40 upnha
continued			Max.				130 upnha	130 upnha	130 upnha
FSI: Floor		Dwelling, Stacked Townhouse	Min.				50 upnha	50 upnha	50 upnha
Space Index			Max.				165 upnha	165 upnha	165 upnha
		Dwelling,	Min.				70 upnha	70 upnha	70 upnha
		Back-to-Back Stacked Townhouse	Max.				190 upnha	190 upnha	190 upnha
		Dwelling,	Min.				40 upnha	40 upnha	40 upnha
	Apartment	Apartment	Max.				370 upnha (13)	370 upnha (13)	370 upnha (13)
		Nursing	Min.			1.25 FSI	1.25 FSI		
	Home	Max			_	_			

				DCA/ME1 Downtown Central Area – Mixed Employment	DCA/ME2 Downtown Central Area – Mixed Employment 2	DCA/I Downtown Central Area - Institutional	DCA/MU Downtown Central Area – Mixed <i>Use</i>	DCA/RM1 Downtown Central Area – Residential Multiple 1	DCA/RM2 Downtown Central Area – Residential Multiple 2
Minimum and	1	Non-Residential and Min. Residential Mixed <i>Use</i> Max.		2 st/6.0 m	2 st/6.0 m	2 st/6.0 m	2 st/6.0 m (15)	3 st	3 st
Maximum <i>Height</i> (14)				8 st/28.0 m	8 s/28.0 m	25 st/88.0 m	25 st/88.0 m	25 st/88.0 m	25 st/88.0 m
Sin	Single-Use	Dwelling,	Min.						3 st (16)
st = storeys	Residential	esidential <i>Triplex</i>	Max.						4 st/11.0 m
		Dwelling, Double Duplex	Min.						2 st (16)
			Max.						4 st/11.0 m
NOTE: Where cells		Dwelling,	Min.						2 st (16)
show two		Linked Villa	Max.						4 st/11.0 m
measures, the lesser		Dwelling,	Min.				2 st (16)		2 st (16)
of the two measures		Street Townhouse	Max.				4 st/11.3 m		15.0 m
shall apply.		Dwelling, Live-	Min.				2 st (16)	3 st	2 st (16)
	Work Units	Max.				4 st/ 11.3 m	4 st/ 11.3 m	4 st/ 11.3 m	
			Min.				2 st (16)	3 st	2 st (16)

			DCA/ME1 Downtown Central Area – Mixed Employment 1	DCA/ME2 Downtown Central Area – Mixed Employment 2	DCA/I Downtown Central Area - Institutional	DCA/MU Downtown Central Area – Mixed <i>Use</i>	DCA/RM1 Downtown Central Area – Residential Multiple 1	DCA/RM2 Downtown Central Area – Residential Multiple 2
Minimum and	Dwelling, Maisonette	Max.				4 st/ 11.3 m	4 st/ 11.3 m	4 st/ 11.3 m
Maximum	Dwelling,	Min.				2 st (16)	3 st	2 st (16)
Height (14) continued	Multiple Attached	Max.				4 st/11.3 m	4 st/11.3 m	4 st/11.3 m
	Dwelling,	Min.				2 st (16)	3 st	2 st (16)
	Back-to-Back Townhouse	Max				4 st/11.3 m	4 st/11.3 m	4 st/11.3 m
	Dwelling,	Min.				2 st (16)	3 st	2 st (16)
	Stacked Townhouse	Max.				5 st/15.0 m	5 st/15.0 m	5 st/15.0 m

				DCA/ME1 Downtown Central Area - Mixed Employment 1	DCA/ME2 Downtown Central Area - Mixed Employment 2	DCA/I Downtown Central Area - Institutional	DCA/MU Downtown Central Area – Mixed Use	DCA/RM1 Downtown Central Area - Residential Multiple 1	DCA/RM2 Downtown Central Area Residential Multiple 2
Minimum and Maximum Height (14)	Single- <i>Use</i> Residential		Min.				2 st (16)	3 st	2 st (16)
			Max.				5 st/15.0 m	5 st/15.0 m	5 st/15.0 m
continued			Min.				3 st	3 st	3 st
			Max.				25 st/88.0 m	25 st/88.0 m	25 st/88.0 m
		Nursing Home	Min.			2 st/6.0 m	2 st/6.0 m		
			Max.			8 st/28.0 m	8 st/28.0 m		
Minimum Floor-to-	Non-Reside Mixed <i>Use</i>	Non-Residential and Residential Mixed <i>Use</i>			3.3 m	3.3 m	3.3m	3.3 m	3.3 m
Ceiling <i>Height</i> (Ground Floor	Single- <i>Use</i> Residential	gle- <i>Use</i> Dwellings, Non-		2.75 m	2.75 m	2.75 m	2.75 m	2.75 m	2.75 m
only) (17)		Dwellings, Apartm	nent	3.3 m	3.3 m	3.3 m	3.3 m	3.3 m	3.3 m
Maximum <i>Driveway</i> <i>Width</i>	Non-Apartment Single- <i>Use</i> Residential					3.0 m	3.0 m	3.0 m	
Minimum	Non-Reside	Non-Residential			600.0 m ²	600.0 m ²	600.0 m ²		
Ground Floor Area	Residential	Mixed <i>Use</i>					600.0 m²	600.0 m²	600.0 m²

¹⁾ A residential mixed-use building shall have a minimum lot frontage of 30.0 metres.

- 2) No more that 8 ground level *dwelling units* shall be attached side-by-side along the width of the *dwelling*, and in no instances shall the width of the *dwelling* between the opposing outer side walls of the end units be more than 52.0 metres.
- A minimum *dwelling unit* width of 5.48 metres applies in all instances where a *private garage* is attached to the front of the *dwelling unit*; however, the *dwelling unit* width may be reduced to a minimum of 4.4 metres for a particular unit where the garage is located in and/or has a vehicle door facing the *yard* opposite the *front yard* and is accessed by a public street or *lane* abutting the same *yard*, or where parking is provided in a common parking area.
- 4) The specified minimum amount of built frontage along any given *block face* relates to *building* walls located inside a *build-within zone*.
- The specified minimum amount of built frontage may be reduced to 50% for any portion of the *block face* consisting of a *lot* where the *building* wall within the *build-within zone* is an exterior side wall of a triplex, double duplex, linked villa, street townhouse, maisonette, *live-work unit*, block townhouse, or *stacked townhouse dwelling*.
- A minimum two-thirds (67) of the length of both the front and exterior side walls of a *building* shall be located within the prescribed range of the *build-within zone*; the remaining third (33%) may be further setback from the street edge. In the case of a *corner lot*, a portion of the junction of the front and exterior side walls (i.e., the *building* "corner") shall be built within 0.6 3.0 metres of the *daylighting triangle*/corner rounding. The one exception to the build-within requirement abutting a *daylighting triangle*/corner rounding shall be in the event that the street corner of the *lot* is developed for the purposes of an urban square, in which case at least 70% of that part of the perimeter of the urban square which is not adjacent to a street edge or sight triangle shall abut a *building* façade. Public utility *buildings* are not subject to any build-within provisions.

Where the range is shown as "x-y", x is the minimum yard setback, y is the maximum yard setback, and no parking space in the yard or private garage door facing onto the yard shall be permitted. Where the range is shown as "x-y/z", x is the minimum yard setback, y is the maximum yard setback in instances where no parking space in the yard or private garage vehicle door facing onto the yard is proposed, and z is the maximum front yard setback in instances where a parking space in the front yard or private garage vehicle door facing onto the front yard is proposed. In all instances, where a private garage vehicle door is proposed facing onto the front yard, the vehicle door face shall not be setback from the front lot line 1.5 metres more than the value of z, nor shall a private garage project beyond the front face of the dwelling unit.

Notwithstanding any other requirement of this by-law, all *dwelling units* designed as double front units shall have a maximum *front yard* setback of 3.5 metres and a maximum *exterior side yard* setback of 3.5 metres.

The *build-within zone* does not apply to *buildings* which by physical necessity are located in the interior of a block and adjacent only to a private road, *lane* or *driveway*, or to *accessory buildings or structures*.

Notwithstanding any other requirements of this By-law, the prescribed setbacks for a *build-within zone* may be measured from the front face of an attached *porch*, subject to the following:

- i) the depth of the attached front or exterior side *porch* shall not be less than 1.5 metres and no more than 3.0 metres, measured from the front face or exterior side face of the *building* to the front face of the *porch*;
- ii) the minimum width of the attached front or exterior side *porch* shall not be less than the following, whichever is less:
 - a) 3.0 metres; or
 - b) if the *porch* faces the *front yard*, the entire width of the habitable portion of the *building*, measured from the nearest exterior wall of any attached *private garage* to the opposite side wall of the *building*.
- the front face of an attached *porch* may encroach to within a minimum of 1.5 metres from a front or *exterior side lot line*, and still be considered to comply with the *build-within zone* requirements.
- 8) Plus 0.3 metres extra for each additional 1.0 metre of *building height* in excess of 12.0 metres.
- 9) No side yards are required abutting a side lot line that coincides with the vertical party wall between two dwelling units.
- 10) The *rear yard* shall be half the *height* of the *building* from a minimum of 9.0 metres up to a maximum of 15.0 metres.
- In instances where more than one-third of the units, in a *dwelling* are located on a *through lot* or on a *lot* abutting a *public* street on one side and an Open Space Zone on the opposite side, the *dwelling* shall be designed such that all units are double front units, and there is no *rear yard* as defined in Section 3. For double front units on a *through lot*, the *front yard* shall

be the *yard* facing the public street having the greater right-of-way width or, if the rights-of-way are equal, the *yard* without a *parking space* in the *yard* or *private garage* vehicle door

facing onto the *yard*. For double front units on a *lot* abutting a *public street* on one side and an Open Space Zone on the opposite side, the *front yard* shall be the *yard* facing abutting the Open Space Zone. In both instances, the *yard* located opposite the *yard* deemed to be the *front yard* shall have a minimum depth of 3.0 metres, although a *porch* may further encroach a maximum of 1.5 metres into the *yard*.

- 12) Notwithstanding any other provision of this By-law, where the principal *use* of a property is a *Parking Lot*, a maximum of 75% of the site may be used for parking, aisles and *driveways*, provided that all applicable landscaping and buffer requirements of this By-law are maintained.
- 13) Where the apartment dwelling is a senior citizen's apartment building, up to 550 units per net hectare may be permitted.
- 14) Notwithstanding the minimum *height* requirements specified for any Downtown Central Area Zone, where a development site includes an area designated in the Ajax Official Plan as a "*Gateway Site*", the minimum *height* requirements specified in Section 6.9.3 shall apply.
- 15) A residential mixed-use building shall have a minimum height of 3 storeys.
- 16) For single-*use* residential *dwellings* adjacent to Harwood Avenue South or Bayly Street, the minimum *height* shall be 3 storeys.
- 17) This regulation applies only to *buildings* adjacent to designated arterial and collector roads.

6.9.2.1 Interim Non-Compliance with Respect to Built Frontage, Lot Coverage and Density Requirements

- i) Extensions/Expansions of *Existing Non-Complying* Development
 - Notwithstanding the Built Frontage, *Lot Coverage* and Density requirements within Section 6.9.2, extensions or expansions of *existing non-complying* development (namely, additions to *existing buildings* or the development of new *buildings* on the same site as *existing* development) on development sites larger than 2.0 hectares shall be permitted without amendment to the Zoning By-law with respect to the provisions regulating Built Frontage, *Lot Coverage* and Density, provided that:
 - a) the intent of the Official Plan is not compromised and the tests prescribed in Section 2.4.2.1 m) of the Official Plan are met; and,

- b) the *building* extension or expansion is designed and sited in a manner which demonstrates, to the satisfaction of the Town, that the development of the site is moving toward a greater level of compliance with all applicable regulations of this By-law, and does not preclude or hinder the ability to ultimately achieve compliance. In this regard, a Master Concept Development Plan demonstrating compliance under ultimate build-out conditions shall be submitted for approval by the Town. This plan shall demonstrate that the proposed *building* extension or expansion shall protect for the ability of progressive intensification on the site to ultimately achieve compliance. It is understood that the Master Concept Development Plan may be amended from time-to-time, in response to the vagaries of the market, but all such amendments shall continue to demonstrate, to the Town's satisfaction, the ability to ultimately achieve compliance in a fashion which maintains the intent of the Official Plan and the requirements of the Zoning By-law.
- ii) Phasing of New Development on Vacant Sites

Notwithstanding the Built Frontage, *Lot Coverage* and Density requirements within Section 6.9.2, it is understood that the development of any given property may involve a number of phases before it achieves ultimate build-out. As a result, the density, built frontage and *lot coverage* provisions contained in this By-law might only be achieved upon the completion of all phases, rather than on a phase-by-phase basis.

Accordingly, in instances where a development on a vacant site larger than 1.0 hectare is proposed to be phased, *building* phases which individually do not comply with the built frontage, *lot coverage* and/or density provisions of Section 6.9.2 of this By-law shall be permitted without amendment to the Zoning by-law with respect to the provisions regulating Built Frontage, *Lot Coverage* and Density, provided that a Master Concept Development Plan demonstrating compliance under ultimate build-out conditions is submitted and approved by the Town. Each phase of development undertaken by the proponent shall protect for future phases in accordance with the Master Concept Development Plan, and in no instances will the amount of surface parking provided on-site in conjunction with a particular phase exceed maximum coverage restrictions. The phasing of development in accordance with the approved Master Concept Development Plan shall be a requirement of any related Site Plan Agreement

It is understood that the Master Concept Development Plan may be amended from time-to-time, in response to the vagaries of the market, but all such amendments shall continue to demonstrate, to the Town's satisfaction, the ability to ultimately achieve compliance in a fashion which maintains the intent of the Official Plan and the requirements of the Zoning By-law.

6.9.3 Gateway Sites

- i) The Ajax Official Plan symbolically identifies various intersection corners and road segments along Harwood Avenue South and Bayly Street as *Gateway Sites*. The actual physical extent of these sites shall be defined at the time of development approval according to the following criteria:
 - a) where a *Gateway Site* is shown symbolically encompassing a public street corner rather than a public street segment along Harwood Avenue South or Bayly Street West, the lands subject to the *Gateway Site* provisions contained in Section 6.9.3 ii) shall consist of the following:
 - an 11.0 metre by 11.0 metre block located directly at the *public street corner*, as measured along each street edge from the point of intersection of the *street lines*, plus an abutting area equivalent to a minimum additional 203.0 m², in order that the entire area of the corner *Gateway Site* is a minimum 324 m². With the inclusion of the additional minimum area, the total extent of the *Gateway Site* shall include as minimum component a block measuring 11.0 metres by 18.0 metres directly abutting the public street corner, oriented lengthwise along the Harwood Avenue South or Bayly Street street edge;
 - b) where a *Gateway Site* is shown symbolically encompassing a public street segment rather than a public street corner along Harwood Avenue South or Bayly Street West, the lands subject to the *Gateway Site* provisions contained in Section 6.9.3 ii) shall consist of the following:
 - a block having a minimum depth of 11.0 metres located directly abutting the street edge along Harwood Avenue South or Bayly Street West, extending the length of each *block face* comprising the public street segment.
- ii) For each non-residential or residential mixed-*use building* or any portion of such *building* located within a *Gateway Site*, the minimum *height* shall be as follows:
 - a) For all Downtown Central Area Zones in areas designed "Commercial Mixed *Use*", "*Public Use*", and *Hospital*-Related Mixed *Use*" in the Ajax Official Plan: 2 storeys and 9.0 metres, under a minimum roof area of 900.0 m², provided that in all instances, all parts of a *building* located within the *Gateway Site* satisfy the specified minimum *height* requirement.
 - b) For all Downtown Central Area Zones in areas designated "Downtown Residential" in the Ajax Official Plan: 3 storeys and 9.0 metres, under a minimum roof area of 900.0 m² provided that in all instances, all parts of a *building* located within the *Gateway Site* satisfy the specified minimum *height* requirement.

For each single-*use* residential *dwelling* or any portion of such *dwelling* located within a *Gateway Site*, the minimum *height* shall be as follows:

c) For all Downtown Central Area Zones: 3 storeys and 9.0 metres

6.9.4 Private Garage and *Driveway* Requirements

- i) In all instances, no vehicular access door for an attached or detached private garage associated with an individual *dwelling unit* shall face an *exterior side lot line*, and no *driveway* shall be located in an *exterior side yard* pertaining to an individual *dwelling unit*.
- ii) In all instances, no vehicular access door for a detached *private garage* shall face a *front yard* across an intervening *public street*.
- iii) Maximum Garage Width:

The maximum width of the vehicle door opening of an attached private garage facing onto a front yard or a private road shall not exceed 50 percent of the width of the front face of the associated dwelling unit. Where access to a rear-facing, attached private garage is provided via a rear lane or private road, the garage portion of the dwelling unit may have a maximum external width equal to that of the width of the rear wall of the associated dwelling unit. Where access to a rear-facing, detached private garage is provided via a rear lane or private road, the exterior width of the garage shall be subject to the applicable requirements of sub-section 6.9.4 v) below.

iv) Garage Projections

- a) Notwithstanding any other provision of this By-law, in any Downtown Central Area Zone, where attached *private garages* are permitted having an opening for vehicular access in the front face of a residential *dwelling unit*, no part of the garage shall project from said face of the *dwelling unit*. Similarly, where the opening for vehicular access faces an *interior side lot line*, no part of an attached *private garage* shall project from the interior side face of the *dwelling unit*.
- b) Where a non-apartment residential *dwelling* consists of double front units which are located either on a *through lot* or on a *lot* abutting a public street on one side and an Open Space Zone on the opposite side, parking and/or an attached *private garage* shall only be permitted in the *yard* located opposite the *front yard*, and the garage shall not be permitted to project into the said *yard*.
- c) In all instances, where access to a rear-facing, attached *private garage* is provided via a rear *lane* or private road, the garage portion of the *dwelling unit* may project a maximum of 4.0 metres from the rear

wall of the *dwelling unit*, provided that if the projection is 2.0 metres or greater, a *platform* directly above and adjoining the projecting portion of the garage shall be provided.

- v) Garage Encroachments and Separation Requirements;
 - a) Where access to a rear-facing, attached *private garage* is provided via a rear *lane*, the garage portion of the *dwelling unit* may encroach a maximum of 4.0 metres into the required *rear yard*.
 - b) Where a detached *private garage* is located in the *rear yard* and accessed via a rear *lane*, the provisions of Section 4.1.1, as amended, shall apply, with the exception that such a garage may be setback 0.0 metres from one *interior side lot line* provided that it shares a common side all with a detached garage for an abutting unit within the same *dwelling*. No more than two detached *private garages* may be attached side-by-side to one another, and in all instances, a detached *private garage* shall be setback either a minimum of 1.2 metres from one *interior side lot line* or a minimum of 3.0 metres from an *exterior side lot line*.
 - c) Where an individual detached *private garage* is provided for a *dwelling unit* in a residential condominium, the garage may be permitted having a depth of up to 7.7 metres and a *gross floor area* of up to 45.0 m², subject to the provisions of Section 6.9.6.
 - d) A detached *private garage* located in the *rear yard* of a *dwelling unit* shall be separated from the associated *dwelling unit* by a minimum distance of 6.0 metres.
- vi) Maximum *Driveway* Width for Non-Apartment Residential *Dwellings*:

Notwithstanding the *Width of Driveway* requirements within Section 6.9.2, the maximum *width of driveway* shall not exceed the following:

- a) In instances where a *private garage* is not a rear facing garage accessed from a rear *lane* or *private road*, the maximum *width of driveway* shall not exceed the following:
 - 1) where a *private garage* is flush with the *building* face of the *dwelling unit*, the maximum *width of driveway* shall not be more than 0.7 metres wider than the vehicle door opening of the garage.
 - 2) where a *private garage* is recessed within the *building* face of the *dwelling unit*, the maximum *width of driveway* shall not exceed the exterior dimensions of the *private garage*.
 - 3) unless otherwise permitted by the *Width of Driveway* provisions in Section 6.9.2, in no case shall the maximum permitted width of a *driveway* exceed more than 66 percent of the width of the adjacent *building* face of the associated *dwelling unit*, up to a maximum of 5.6 metres wide.

- b) In instances where a *private garage* is a rear-facing garage accessed from a rear *lane* or private road, the maximum width of *driveway* shall not exceed the following:
 - 1) where the *private garage* is attached to the associated *dwelling unit*, the maximum width of the *driveway* shall be 0.7 metres wider than the vehicle door opening of the garage, but in no case shall exceed the width of the rear wall of the associated *dwelling unit*;
 - where the *private garage* is detached from the associated *dwelling unit*, the maximum width of the *driveway* shall be 0.7 metres wider than the vehicle door opening of the garage, plus an additional 2.7 metres for every outdoor *parking space* provided wholly alongside and abutting the exterior side of the garage, but in no case shall the *width of driveway* exceed the width of the rear wall of the associated *dwelling unit*.

6.9.5 Porches/Platforms

Notwithstanding the setback and *build-within* provisions in Section 6.9.2, in any Downtown Central Area Zone where non-apartment single-*use* residential *dwellings* are permitted, the following provisions shall apply to *platforms* associated with such *dwellings*:

- i) a *platform* is permitted directly above and adjoining a *porch*, provided that the *platform* does not project beyond the limit of the *porch*;
- ii) where a rear facing, attached *private garage* is provided via a rear *lane* and projects 2.0 metres or more from the rear wall of the *dwelling unit*, a *platform* directly above and adjoining the projecting portion of the garage shall be provided, but in no instance shall the *platform* itself project beyond the vehicle door face of the garage;
- the depth of an attached *porch* shall not be less than 1.5 metres and no more than 3.0 metres, measured from the *building* wall of the *dwelling unit* from which the *porch* projects to the front face of the *porch*;
- iv) the following additional provisions:

	Height Above Finished Ground Level							
	Finished Ground Level to 0.6 m	More than 0.6 m and less than 1.2 m	More than 1.2 m					
Maximum Area	In a rear yard, interior side yard, or a yard opposite a front yard in instances where a double front dwelling unit is located either on a through lot or on a lot abutting a public street on one side and an Open Space Zone on the opposite side, 50% of the yard.	In a rear yard, interior side yard, or a yard opposite a front yard in instances where a double front dwelling unit is located either on a through lot or on a lot abutting a public street on one side and an Open Space Zone on the opposite side, 50% of the yard.	30.0 m ² , unless the <i>platform</i> is located directly above and adjoining the projecting portion of a <i>private garage</i> , in which instance the maximum area shall be 30.0 m ² or match the exterior dimensions of the garage projection, whichever is greater.					
	In a front yard or exterior side yard, the requirements of Section 6.9.2 shall apply	In a front yard or exterior side yard, the requirements of Section 6.9.2 shall apply						
Front and Exterior Side Yard Build- Within Zone Setbacks	The requirements of Section 6.9.2 shall apply.	The requirements of Section 6.9.2 shall apply.	The requirements of Section 6.9.2 shall apply.					
Minimum Setback from <i>Interior Side</i> <i>Lot Line</i>	The requirements of Section 6.9.2 shall apply.	The requirements of Section 6.9.2 shall apply.	The requirements of Section 6.9.2 shall apply.					
Minimum Setback from <i>Rear Lot Line</i>	1.8 m	1.8 m	3.5 m					
Minimum Setback to a <i>yard</i> located opposite a <i>front</i> <i>yard</i> , where the <i>lot</i>	The requirements of Section 6.9.2 shall apply.	The requirements of Section 6.9.2 shall apply.	The requirements of Section 6.9.2 shall apply.					

	Height Above Finished Ground Level								
	Finished Ground Level to 0.6 m	More than 0.6 m and less than 1.2 m	More than 1.2 m						
contains a double front <i>dwelling</i>									
Maximum <i>Yard</i> Coverage	In a rear yard, interior side yard, or a yard opposite a front yard in instances where a double front dwelling unit is located either on a through lot or on a lot abutting a public street on one side and an Open Space Zone on the opposite side, the area of the platform shall not exceed 50% of the area of the yard in which it is located. In a front yard or exterior side yard, the requirements of Section 6.9.2 shall apply.	In a rear yard, interior side yard, or a yard opposite a front yard in instances where a double front dwelling unit is located either on a through lot or on a lot abutting a public street on one side and an Open Space Zone on the opposite side, the area of the platform shall not exceed 50% of the area of the yard in which it is located. In a front yard or exterior side yard, the requirements of Section 6.9.2 shall apply.	In no case shall the area of the platform exceed 50% of the area of the yard in which it is located, unless the platform is located directly above and adjoining the projecting portion of a private garage, in which instance the maximum converge shall be 50% of the yard area or equal to the area of the exterior dimensions of the garage projection, whichever is greater.						

6.9.6 Yard and Building Separation Requirements for Residential Plans of Condominium

In all instances, the standards contained in Sections 6.9.2, 6.9.3, 6.9.4 and 6.9.5 of this By-law shall apply. However, for circumstances not addressed by these Sections, the following requirements for minimum *yards* and *building* separation shall apply to all non-apartment single-*use* residential development associated with a plan of condominium:

- i) Minimum Yard Setback for a Principal Building:
 - a) The front wall of a *dwelling unit* or, if the *dwelling unit* has a front *porch*, the front face of the *porch*: 3.0 metres to a *private road*; in addition, no *private garage* shall project beyond the front face of the *dwelling unit*, and the vehicle door opening shall have a minimum setback of 6.0 metres from a *private road*:

- b) The rear wall of a *dwelling unit* with no attached, rear-facing *private garage* projecting from the rear wall: 7.5 metres to a *private road*;
- c) The rear wall of a *dwelling unit* with an attached, rear-facing *private garage* projecting from the rear wall: 7.5 metres to a *private road*, with the garage component of the *dwelling unit* permitted to project up to 4.0 metres from the rear wall of the *dwelling unit* and approaching to within 3.5 metres of a *private road*:
- d) The side wall of a *dwelling unit*: 3.0 metres to a *private road*; in addition, no vehicular access door for an attached *private garage* associated with an individual *dwelling unit* shall be located in the side wall of a *dwelling unit*.
- ii) Minimum Yard Setback for a Detached Private Garage:

A detached *private garage* may be located at the rear of an associated *dwelling unit*, subject to the following provisions:

- a) The minimum and maximum distance separation between any part of a detached *private garage* and the rear wall of the associated *dwelling unit* is 6.0 metres and 9.0 metres respectively;
- b) The vehicle door opening faces a *private road* which runs generally parallel to the rear wall of the associated *dwelling unit*, and the vehicle door opening is located a minimum of 3.5 metres from a *private road*.
- c) No more than two detached *private garages* associated with *dwelling units* in the same *dwelling* may be attached side-by-side, and share a common vertical party wall.
- d) Where the side wall of a detached garage is not attached to an abutting *private garage* and faces a private road, a minimum 3.0 metre *yard* adjacent to the garage shall be provided.
- iii) Minimum Building Separation Between Principal Buildings:
 - a) 15.0 metres between a front or rear *building* wall with windows and a front or rear *building* wall with windows of a separate *building*.
 - b) 9.0 metres between a front or rear *building* wall with windows and a side *building* wall with or without windows of a separate *building*.
 - c) 2.4 metres between a side *building* wall with or without windows and a side *building* wall with or without windows of a separate *building*, except in the case where one or both of the adjacent *buildings* is a

back-to-back townhouse dwelling or a back-to-back stacked townhouse dwelling, in which instance 3.0 metres is required.

- iv) Minimum Building Separation Between a Principal Building and a Detached Private Garage:
 - a) 6.0 metres between the rear *building* wall of the associated *dwelling unit* and any part of the detached *private garage*.
 - b) 4.5 metres between a side *building* wall with or without windows and any part of a detached *private* garage.
 - c) No front wall of a *dwelling unit* shall face the vehicle door opening of an individual *private garage* across an intervening private road.
- v) Minimum *Building* Separation Between Detached *Private Garages*:
 - a) 0.0 metres between two *private garages* attached side-by-side, along a common vertical party wall.
 - b) 2.4 metres between the side walls on one side, and 1.2 metres between the side walls on the other side, where an individual detached *private garage* is not part of an attached pair.
 - c) 2.4 metres between the side walls of adjacent pairs.

6.9.7 Fences

- i) No fence associated with a single-*use* residential *building* in any Downtown Central Area Zone shall be located in a *front yard* that abuts an Open Space Zone.
- ii) No fence shall be located within 1.0 metre of the edge of a *private road*.

6.9.8 Air Conditioning Units

No air-conditioning unit associated with a single-use residential dwelling unit shall be located in a front yard abutting an Open Space Zone.

SECTION 7: EXCEPTIONS

7.1 EXCEPTIONS

There are special zoning provisions that apply to the lands identified as exceptions in Section 7.1.1 of this By-law. The location of each exception is identified on the Exception Schedules. When there is an inconsistency between the text and the exception schedules, the applicable text shall apply.

7.1.1 List of Exceptions

The following exceptions apply to the properties specified:

Exception	Zoning	Мар	By-law	File Reference
1	RM4	28		A14/74, SP2/75,
				18CDM 75-54

i) Location: 92 Church Streetii) Legal Part 1, Plan WR-159 Description:

iii) Additional Uses: Offices on the ground floor of the apartment building

Excep	otion	Zoning	Мар	By-law	File Reference
2		R1-B	44	91-89	
i)	i) Location: 14 Emperor			Street	
ii)	Leg Des	jal scription:	Part 9, Plan 40R-7493		
iii)	Add	ditional <i>Uses</i> :	Esthetician se	ervice	
iv)	iv) Other:				
 a) The esthetician services shall be limited to a maximum gross floor area of 65.0 m2. 					
Except a	as amer	nded herein, a	ll other provision	ns of this By-la	aw, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
3	GE	43	50-84	Z3/84

i) Location: 405 MacKenzie Avenueii) Legal Part Block F, Plan 481

Description:

iii) Additional *Uses*: Fuel storage and dispensing *yard* with underground fuel

storage tank(s)

			1				
Exc	Exception Zoning		Мар	By-law	File Reference		
	4	PE	38	81-84	Z8/84, Z6/05, OPA 08-A2,		
				86-2005	SPA1/08, Z7/08		
				136-2008			
				21-2011			
i)	i) Location: West side of Mills Road, north of Hunt Street, known municipally as 170 Mills Road						
ii)	Legal Descript	ion: and	Registered Plan M-30, Part of Lots 3, RP 40R4883 Part 1 and RP 40R4882 Parts 1 and 2; and Plan 512, Part of Lot 3, RP 40R8366, Part 1				
iii)	Interpret	sub Mill	for: For the purposes of this Exception, the lands that are subject to this Exception shall be interpreted to be one <i>lot</i> . Mills Road shall be deemed to abut the <i>front lotline</i> , and Hunt Street shall be deemed to abut the <i>exterior side lot line</i> .				
iv)	Additional Permitte			• • • • • • • • • • • • • • • • • • • •	<i>cility</i> that only burns s a fuel source.		
v)	v) Prohibited Uses: Drive-Thru Facility; Motor Vehicle Rental Establishment; Motor Vehicle Sales Establishment, Motor Vehicle Used Sales Establishment; Taxi Depot; and Restaurant, Drive-Thru			nt, Motor Vehicle Used			
vi)	vi) Development Standards:						
	a) Min	3.0 m					
	b) Max	kimum <i>Front Ya</i>	ard:		6.0 m		
Exc	eption 4	is continued	on the next pa	ge.			

	Exception	Zoning	Мар	By-law	File Reference
	4	PE	38	81-84	Z8/84, Z6/05, OPA 08-A2,
				86-2005	SPA1/08, Z7/08
				136-2008	
				21-2011	
c) Minimum <i>Height</i> :				d which shall h	xcept for <i>buildings</i> in the ave a minimum <i>height</i> of
	d) Ma	ximum <i>Height</i> :			28.0 m
	,	ximum Stack <i>ght</i> :			47.0 m
f) Minimum Parking Spaces associated with a Co-Generation District Energy Facility:					20

Co-Generation District Energy Facility

a) Minimum parking stall death:

5.7 m

g) Minimum parking stall depth:

h) Minimum Landscape Buffer:i) Adjacent to any public street:

3.0 m

ii) Between any parking area and any public street:

6.0 m

- i) Accessory Buildings, Structures and Uses:
 - Accessory buildings or structures shall not be permitted in any side yard.
 - ii) Co-Generation District Energy Facility that only burns chipped woodwaste or natural gas a fuel source.

vii) Other:

- a) The electricity generating capacity shall be limited to a maximum of 25MV.
- b) Ash shall be stored in a sealed container.
- c) Chipping of wood shall not be permitted on site.

Exception	Zoning	Мар	By-law	File Reference
5	RM4	32	98-86 87-2006	Z6/86, ICI5/88,
			07-2000	OPA06-A3, Z8/06

i) Location: 135 Mandrake Street

ii) Legal Block 91, Plan 40M-1378, southeast corner of Mandrake

Description: Street and Angus Drive

iii) Additional Uses: Residential: Stacked Townhouse Dwelling; Back-to-Back

Townhouse Dwelling; Back-to-Back Stacked Townhouse Dwelling; Dwelling Units in a Residential/Commercial Mixed

Use Building

Non-residential: Convenience Store, Day Care Facility, Dry Cleaning Depot (excluding self-serve laundry facilities), Financial Institution, Library, Office, Personal Service Shop, Restaurant, and Service or repair shop, provided that all such non-residential uses are located on the ground floor of

a Residential/Commercial Mixed Use Building

Exception 5 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
5 continued	RM4	32	98-86 87-2006	Z6/86, ICI5/88, OPA06-A3, Z8/06

- iv) Prohibited Uses: Non-residential: Serve-serve Laundromat, Drive-Thru Facility, Drive-Thru Restaurant
- v) Development Standards:
 - a) Minimum Floor Space Index (FSI):

0.2

b) Minimum Lot Coverage:

i) Building Area:

20%

- ii) However, where an urban square is provided between the *principal building* and a street corner, the area of the urban square, up to an amount not exceeding 5% of the total *lot area*, **may** be considered as a substitute for *Building* Area, in lieu of actual *building* coverage.
- c) Minimum Building Height

3 storeys and 9.0 m

Maximum Building Height

4 storeys

- d) Minimum Built Frontage Within a Build Within Zone:
 - i) 50% of the lot frontage; or
 - Provided that the *building* has a *Gross Floor Area* of at least 3,800 square metres; shall apply to at least three points (as measured perpendicular from the adjacent *lot line*) along the street-facing façade of the *building*, where each point is separated by a minimum distance of 35.0 as measured along the front and/or *exterior side lot line*

However, notwithstanding the above, where the *lot* is a *corner lot* and an urban square is developed between the *principal building* and the street corner, the street frontage of the urban square **may** be considered equivalent to a length of a *building* façade in terms of contributing to the required minimum built frontage.

- e) Front Yard and Exterior Side Yard Build-Within Zone:
 - i) The required Minimum Built Frontage shall be located between 3.0 metres (minimum) and 6.0 metres (maximum) of the front and exterior side lot lines.

Exception 5 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
5 continued	RM4	32	98-86	Z6/86, ICI5/88,
			87-2006	OPA06-A3, Z8/06

- ii) In the case of a *corner lot*, a portion of the junction of the front and exterior side walls (i.e., the *building* "corner") shall be built with 3.0 to 6.0 metres of the *daylighting triangle*/corner rounding. An exception to this requirement shall be in the event that an urban square is developed between the *principal building* and the street corner, in which case at least 50% of that part of the urban square which is not adjacent to a street edge or sight triangle/corner rounding shall abut a *building* façade.
- iii) The *Build-Within Zone* does not apply to accessory *buildings* or *structures*, or to *buildings* which by physical necessity are located in the interior of a development site and adjacent only to a private road or *driveway*.

f) Parking:

- i) No parking areas or *driveway* aisles shall be permitted between an adjacent street and any part of the *building* façade within the *buildwithin zone*. Where the *build-within zone* extends along a front and/or *exterior side lot line* between at least three separated points, no parking areas or *driveway* aisles shall be permitted in the *yard* area bounded by the street-facing façade of the *building*, the street, and the two end-points defining the limits of the *build-within zone*.
- ii) No *private garages* or *driveways* shall be permitted for individual *dwelling units*.

vi) Other:

- a) The development standards identified in sub-section (v) above do not apply to a public utility *building*.
- b) A minimum seating capacity of 25 persons shall be provided per restaurant.

Ex	ception	Zoning	Мар	By-law	File Reference
	6	RM4	28, 35	9-86	Z12/85, SP1/86
i)	Location:	98	Church Street		
ii)	Legal Descripti				
iii)	Maximun	n Number of U	Inits:		6
iv)) Additional <i>Uses</i> : Apartment <i>building</i>				
v)) Development Standards:				
	a) Minimum Lot Frontage: 14.7				
	b) Minii	3.5 m			

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

c) Maximum Building Height:

7.5 m

Exception	Zoning	Мар	By-law	File Reference
7	AC	29	161-86	SP19/86, Z1/86

i) Location: 2 Westney Road South - Shell Canada

ii) Legal Block 105, Plan 40M-1230, southwest corner of Highway 2

Description: and Westney Road South

iii) Additional Uses: A retail *convenience store* in conjunction with the automobile

gas bar

iv) Other:

a) The maximum gross leasable floor area for the retail convenience store shall be 55.0 m².

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
8	GC	30	187-88 142-91 87-99 112-01	Z21/84, Z19/86, Z5/99, Z02/01, Z10/01

i) Location: 15 Westney Road North – Westney Heights Plaza

ii) Legal Blocks 93 and 95, Plan 40M-1228, and Parts 1, 2, and 3, Description:

Plan 40R-12030, located on the northeast corner of

Kingston Road and Westney Road North

iii) Additional Uses: Farmers' market or auction market; drive-thru restaurant,

and one supermarket

iv) Minimum 1 space per 19.0 m² of gross leasable floor area, except the

> uses within the mezzanine level of the existing building on lands described as Parts 1 & 2 of Plan 40R-12030 shall be

subject to a parking standard of 1 space per 38.0 m².

v) Other:

Parking:

a) The supermarket shall be limited to a maximum gross leasable floor area of 5,574.0 m².

Exception	Zoning	Мар	By-law	File Reference
9	VC3	28	51-89	Z15/88, Z01/08
			38-2008	

i) Location: 555 Kingston Road West

ii) Legal Part Lot 5 and Lot 6, Plan 11

Description:

iii) Development Standards:

11.5 m a) Minimum distance between the front *porch* and the *front*

lot line:

b) Maximum Building Height: 11.0 m

c) Minimum front yard landscaping: 35%

d) Minimum parking spaces:

28

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
10	EP, PE	42, 48	67-89	Z29/88

i) Location: 500 Clements Road

ii) Legal Lands located north side of Clements Road West, west of

Description: Westney Road South, and opposite Green Court

iii) Additional *Uses*: A one-storey community service club building comprising a

maximum *gross floor area* of 196.0 m²

iv) Development Standards:

a) Minimum Front Yard from Clements Road West:

b) Maximum Parking Area::

930.0 m²

19.0 m

v) Other:

a) All *structure(s)* and parking area shall be located on tablelands.

Exception	Zoning	Мар	By-law	File Reference
11		48	105-89	Z9/88
			49-94	Z4/20
			74-2021	

i) Location: 253 Lake Driveway Westii) Legal Part Block 1, Plan 40M-1486 Description:

Exception 11, established via By-laws 105-89 and 49-94, was deleted via By-law 74-2021 on November 22, 2021 and is superseded by Exception 206.

Exception	Zoning	Мар	By-law	File Reference
12	DCA/MU	38	141-89	Z5/88, Z6/04, Z6/05,
			62-2004	OPA No. 15, OPA No. 20
			86-2005	

i) Location: 75 Commercial Avenue

ii) Legal Description: Lots 13 and 14, Part of Lot 15, Plan M-31

iii) Prohibited Uses: Drive-Thru Facility, Drive-Thru Restaurant, and Taxi Depot

iv) Development Standards:

a) Minimum Yard:

i) Interior Side – northern:

0.9 m

ii) Rear: 2.8 m

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
13			38-2008	

i) Location: 144 Old Kingston Roadii) Legal Part Lot 16, Concession 2 Description:

Exception 13 was deleted by By-law 38-2008 on April 14, 2008.

Exception	Zoning	Мар	By-law	File Reference
14	AC	30	175-90	SP7/84, Z6/89

i) Location: 1 Westney Road North – Good Year Car Repair

ii) Legal Part Block 94, Plan 40M-1228

Description:

iii) Prohibited Uses: Automobile gas bar or any other type of fuel dispensing facility

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
15			38-2008	

i) Location: 80 Old Kingston Road

ii) Legal Parts 3 and 4, Plan 40R-5409 and Part Lot 20, Plan 11

Description:

Exception 15 was deleted by By-law 38-2008 on April 14, 2008.

Exception	Zoning	Мар	By-law	File Reference
16	DCA/I	44	96-92 86-2005	Z5/92, Z6/05, OPA No. 20

i) Location: 36 Emperor Street

ii) Legal Lot 8, Plan 512 Description:

iii) Additional Uses: Office uses

Exception	Zoning	Мар	By-law	File Reference
17	R1-A	17	168-91	Z18/90

i) Location: 46 Church Street North

ii) Legal Lot 5, Plan 476

Description:

iii) Additional Uses: Office uses limited to a maximum gross floor area of 86.0 m² in

association with permitted residential uses comprising a minimum

gross floor area of floor area of 93.0 m²

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
18	R1-B, OS,	51, 52,	12-93	Z13/92
	EP	57, 58		

i) Location: Pickering Beach

ii) Legal Plans 250 (excluding Lots 4, 24, 32, 33, 34 and 35), 285,

Description: 372, 380 (excluding Lots 13 and 26) and 392

iii) Development Standards for lands zoned 'R1-B':

a) Minimum Lot Depth:

b) Minimum *Yard* - Front: 7.62 m

c) Maximum *Building Height*: 9.14 m

iv) Development Standards for lands zoned 'OS' and 'EP':

a) Maximum *Building Height*:

v) Other:

a) Maximum *lot coverage* of 33% or 150.96 m² (1,625 sq ft) whichever is less for *lots* less than 603.85 m² (6,500.0 sq ft); and maximum *lot coverage* of 25% for *lots* equal to or greater than 603.85 m² (6,500 sq ft.).

Exception 18 is continued on the next page.

30.48 m

9.14 m

Exception	Zoning	Мар	By-law	File Reference
18 continued	R1-B, OS, EP	51, 52, 57, 58	12-93	Z13/92

b) Notwithstanding the provisions of Section 6.2.2 of this By-law, no new dwelling unit shall be permitted to be erected on any vacant lot within Registered Plans 250 (excluding Lots 4, 24, 32, 33, 34 and 35), 285, 372, 380 (excluding Lots 13) and 26 or 392 in the Town of Ajax without municipal water and sanitary sewers being available and connected to the unit. In addition, an appropriate storm drainage system shall be available for each lot. However, this section shall not prevent the replacement, enlargement or extension to any dwelling unit or permitted accessory building occupied as of May 1st, 1972, and located within Registered Plans 250 (excluding Lots 4, 24, 32, 33, 34 and 35), 285, 372, 380 (excluding lots 13 and 26) or 392 in accordance with the requirements of the appropriate zone designation.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
19	GE	43, 49	76-2003	Z10/02

i) Location: 375 Clements Road West

ii) Legal Parts 2 and 3, Plan 40R-10031, Part of Block 2, Registered

Description: Plan 40M-1308

iii) Additional Uses: Waste material recycling facility

iv) Other:

- a) A waste material recycling facility shall be subject to the following conditions:
 - i) The use of the Facility shall be limited to the recovery, processing, transfer and handling of solid, non-hazardous waste and recyclables from institutional, commercial, industrial, construction or demolition sources and blue box recyclables.
 - ii) The Facility shall not be used to transfer, receive, store, handle or process domestic or putrescible waste or hazardous waste.

Exception 19 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
19 continued	GE	43, 49	76-2003	Z10/02,

- iii) That outside storage of recycled and residual waste products be contained in storage bins with covers and the stacking of such bins shall be prohibited.
- iv) That all waste handling occur within a wholly enclosed building.
- v) That the storage of disposal vehicles, equipment, storage bins and/or containers shall be prohibited in the *front yards*.
- vi) That the *gross floor area* of the *building* shall not exceed 5,000 square metres exclusive of *office uses*.
- vii) That the volume of permitted waste material accepted on the Land shall not exceed 180 metric tonnes per day; and
- viii) That the volume of permitted waste stored at the Facility shall not exceed 540 metric tonnes.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
20	RM6	30	125-94	Z14/90, Z12/92, SP2/93

i) Location: Arnold Estate Lane

ii) Legal Part Lot 10, Concession 1

Description:

iii) Additional Uses: Detached and semi-detached dwellings

Exception	Zoning	Мар	By-law	File Reference
21	NC	38	90-93	Z11/92

i) Location: 9 Doric Street

ii) Legal Plan 40M-1349, Block 10

Description:

iii) Permitted Uses: Animal hospital, offices (excluding medical offices) and one

dwelling unit

iv) Other:

a) No external holding and/or kennel facilities shall be permitted on the subject lands

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference	
22	R1-B, R1-D	20, 27	127-93	Z12/90, Z10/93, Z15/94, Z16/94	
i) Location:	i) Location: Elizabeth Street, McNeilage Court, and Annie Crescent				
ii) Legal Descripti			•	1749, Lots 1, 13, 14 to 20 ve, Plan 40M-1805	
iii) Developr	i) Development Standards:				
a) Minimum Let Coverge Dlan 40M 4740 and Dlan 40M					

a)	Minimum Lot Coverage: Plan 40M-1749 and Plan 40M-	42 %
	1805 zoned 'R1-B' and 'R1-D':	

b) Minimum *rear yard* setback for accessory *structures*: Lots 14 to 20 inclusive and Lots 28 to 47 inclusive, Plan 40M-1805 and Lots 52 to 63 inclusive, Plan 40M-1749

c) Minimum *interior side yard* setback adjacent to valley 3.0 m lands: Lots 1, 13 and 14, Plan 40M-18053

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

3.0 m

Exception	Zoning	Мар	By-law	File Reference
23	UC	32	112-94	Z8/93

i) Location: Southwest corner of Pickering Beach Road and Kingston

Road

ii) Legal Lots 3, 4, 5, and 73, Plan M-377

Description:

iii) Development Standards:

a) Any *building* or elevated parking *structure* shall be setback a minimum of 20.0 metres from lands zoned 'A' Agricultural.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
24	R1-B	14, 21	108-94	Z11/94

i) Location: 82 to 94 Roberson Drive

ii) Legal Lots 183 to 189 inclusive and Block 272, Plan 40M-1793 Description:

- iii) Development Standards:
 - a) The minimum *rear yard* setback for all *buildings*, accessory *structures*, decks, swimming pools or any paved surfaces shall be 10.0 metres

Exception	Zoning	Мар	By-law	File Reference
25	R1-B, R1-D, R2-A, R3	20, 21, 27, 28	141-94	Z12/94

i) Location: Draft plan of subdivision 18T-88069

ii) Legal Part Lots 15 and 16, Concession II

Description:

iii) Development Standards:

a) Maximum *Lot* Coverage:

For 'R1-B' zone: 42 %

For 'R2-A' zone: 49 %

b) Section 6.2.3 shall not apply.

- c) Section 6.2.4 shall apply; save and except for the following provisions:
 - i) The minimum *front yard* setback for an attached garage on a street side with a sidewalk shall be 5.5 metres.
 - ii) The maximum *front yard* setback for a *dwelling unit* on a street side with a sidewalk shall be 10.0 metres.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
26	RM6	28	142-95	Z2/94

i) Location: South side of Kingston Road, west of Randall Drive

ii) Legal North Part Lot 15, Concession I now Part 1, RP 40R-1747,

Description: Part 6, RP 40R-2213, Part 1, 40R-12758 and Part 1, 40R-

8928

iii) Maximum 31 residential *dwellings*

Number of Units:

iv) Additional Uses: Semi-detached dwellings

Exception 26 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
26 continued	RM6	28	142-95	Z2/94

v) Development Standards:

a) Minimum Yard:

i) Interior Side (Western Property 0.0 m Line):

ii) Exterior Side (Randall Drive): 4.5 m

iii) Rear (Southern Property Line): 1.5 m

b) Maximum Building Height: 12.5 m

c) Minimum Parking: 2 spaces per unit

d) Minimum Aisle Width: 6.0 m

v) Other:

- a) The subject lands zoned 'RM6' shall be deemed to be a 'Lot' for the purposes of determining compliance with the performance standards and requirements set out in this Exception.
- b) The *lot line* adjacent to Highway No. 2 shall be deemed the front (northern) *lot line*; the *lot line* adjacent to Randall Drive shall be deemed the exterior *lot line*; the *lot line* adjacent to the top-of-bank shall be deemed to be the *interior lot line*, and the *lot line* adjacent to the southern most unit shall be deemed to be the *rear lot line*.
- c) The minimum distance between exterior *building* walls adjacent to one another shall be 1.4 metres.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference	
27	R2-A	48	149-95	Z2/94	
i) Location: West side of Westney Road South, south of Lake Driveway					

I) Location: West side of Westney Road South, south of Lake Driveway

ii) Legal Block 45, Plan 40M-1382 Description:

iii) Permitted Uses: Detached dwellings shall be constructed in accordance with

the provisions of the 'R2-A' zone.

Exception	Zoning	Мар	By-law	File Reference
28	RM6	14	77-96	Z1/94

i) Location: 520 Rossland Road West

ii) Legal Lot 14, Concession 3

Description:

iii) Additional Uses: Detached dwellings

iv) Development Standards:

a) Minimum Yard:

i) Front - South Property Line 2.0 m

ii) Exterior Side - Eastern Property Line: 2.0 m

iii) Interior Side -Western Property Line adjacent to Units 0.0 m Numbers 1 and 2:

v) Other:

- a) For the purpose of this By-law, the subject lands that are zoned 'RM6' shall be deemed to be a 'Lot' for the purpose of determining compliance with the performance standards and requirements set out in this exception.
- b) For the purpose of this By-law, the *lot line* adjacent to Rossland Road West shall be deemed to be the *front lot line*, the easterly *lot line* adjacent to the open road allowance (former Rossland Road West) shall be deemed to be *exterior side yard lot line*; the northern *lot line* adjacent to the top-of-bank shall be deemed to be the *rear yard lot line*, and the *lot line* at the west end of the property adjacent to unit numbers 1 and 2 shall be deemed to be the *interior lot line*.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

 $0.0 \, \mathrm{m}$

Exception	Zoning	Мар	By-law	File Reference
29	R1-B, R1-D, R3	39, 45	25-96, 18-97	Z25/89

i) Location: Between Pickering Beach Road and Salem Road, north of

Bayly Street

ii) Legal Part Lot 6, Concession 1 Description:

iii) Other:

- a) That *lots* 22 30 inclusive, zoned 'R3' (semi-detached), may be developed with a minimum *lot depth* of 32.5 metres.
- b) That *lots* 2 8 inclusive, zoned 'R3' (semi-detached), shall be subject to *driveway* twinning and may be developed with a minimum *lot depth* of 30.0 metres and a minimum *lot area* of 225 square metres for each development unit.
- c) That blocks 37 to 39 inclusive, zoned 'R3' (street townhouse), shall be developed in accordance with the following provisions:
 - i) That the *building* setback, between the main *building* and the right-of-way for the future realigned Pickering Beach Road, be a minimum of 5.0 metres and that, the front of the main *building* shall face the future realignment for Pickering Beach Road.
 - ii) That the minimum distance from the detached garage to the *side lot line* shall be 0.0 metres.

Exception	Zoning	Мар	By-law	File Reference
30	R1-C, R1- D, R1-E, R3, NC, OS	52, 63	73-96	Z24/94

i) Location: East of Shoal Point Road, north of Lake Ontario

ii) Legal Part of *Lots* 2 and 3, Ranges 2 and 3, Broken Front

Description: Concession (18T-94020)

iii) Additional *Uses*: In the 'NC' zone – *art gallery*, commercial fitness center,

street townhouse dwelling, and restaurant

iv) Development Standards:

a) Minimum Lot Depth:

i)	'R1-C':	33.0 m
ii)	'R1-D':	24.0 m
iii)	R1-E':	24.0 m
iv)	'R3:	32.0 m

b) Maximum *Lot Coverage*:

i) For *lots* zoned 'R1-D' and located east of the new 47% Audley Road:

ii) For bungalows within the 'R1-D' zone: 48%

v) Other:

For the purpose of the 'NC' – Neighbourhood Commercial Zone, only the following standards shall apply to residential *uses*:

- a) Front Lot Line shall mean the lot line that divides the lot from the public lane (northern lot line).
- b) Street Town House *Dwellings* shall have frontage and access to a public *lane*.
- c) All Detached Garages shall face the *Front Lot Line* with a minimum setback from the *Front Lot Line* of 0.6 m.

Exception 30 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
30 continued	R1-C, R1-D, R1-E, R3, NC, OS	52, 63	73-96	Z24/94

d) Minimum lot frontage:

6.1 m

- e) The front of the Street Town House *Dwelling* shall face the *Rear yard* and shall be set back from the *Rear Lot Line* a maximum of 30 m.
- f) Minimum distance between the Street Town House *Dwelling* and a Detached Garage is 7.5 m or where there is no Detached Garage, the minimum distance between the Street Town House *Dwelling* and a *parking space* is 7.5 m.
- g) Minimum *Side yard* setback for Internal End Units is 1.2 m and for External End Units is 2.0 m.

h) Maximum Height:

11.0 m

i) Minimum Parking Spaces per dwelling unit

2

For the purpose of the 'NC' – Neighbourhood Commercial Zone, only the following standards shall apply to non-residential *uses*

j) Yards:

i)	Minimum West Yard:	6.0 m
ii)	Maximum South Yard:	3.0 m
iii)	Minimum Yard from any 'OS' Zone:	18.0 m
iv)	Maximum East Yard:	2.0 m
v)	Maximum North <i>Yard</i> :	3.0 m

- k) The maximum aggregate gross leasable floor space for all land $\it uses$ shall not exceed 1,400.0 m².
- I) Maximum height shall be 4 storeys.
- m) Restaurants are permitted in the 'NC' Neighbourhood Commercial Zone provided that the following conditions are satisfied:

Exception 30 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
30 continued	R1-C, R1-D, R1-E, R3, NC, OS	52, 63	73-96	Z24/94

- i) The building has a minimum gross leasable floor area of 900 m².
- ii) The combined *gross leasable floor area* of the *restaurant* shall not exceed 30% of the *gross leasable floor area* of the *buildings*; and
- iii) The *restaurant* shall be part of a *building* containing other commercial *uses*.
- n) The minimum setback for an attached garage on a street side with a sidewalk in the 'R1-C', 'R1-D', 'R1-E', and 'R3' zones shall be 5 metres;
- O) The regulations for *Daylighting Triangles* contained in Section 4.7.1 of this By-law shall not apply to *corner lots* in the 'R1-D' and 'R1-E' zones where intersections are controlled by stop signs, save and except, the following intersections identified below:
 - Street "O" at Street "A"
 - Street "H" at Street "B"
 - Street "T" at Street "V"
 - Street "U" at Street "V"
 - Street "P" at Street "C"
- p) In the 'R1-C', 'R1-D' and 'R1-E' zones, attached garages may extend up to 3.5 metres in front of the front face of the main *building* provided:
 - A habitable room will be located over the garage and will not be setback more than 2.0 metres; and
 - ii) The front *porch* will not be setback from the front face of the attached garage more than 1.0 metre
- q) In the 'R3" zone, detached garages shall be setback a minimum of 0.0 metres from any *interior side lot line* and 0.6 metres from any exterior *lot line*, where vehicular access to the detached garages is only from a rear laneway
- r) The lands zoned 'OS' Open Space and located at the southwest corner of Audley Road and Ashbury Boulevard (former elementary *school* site) may be developed in accordance with the provisions of the 'RM5' zone subject to the following conditions:

Exception 30 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
30 continued	R1-C, R1-D, R1-E, R3, NC, OS	52, 63	73-96	Z24/94

- i) Any development on the lands shall be limited to an apartment *building* for senior citizens and/or *multiple attached dwelling*s for senior citizens.
- ii) Minimum Yard:

Front: 3.0 m to 10.0 m

- Exterior Side: 3.0 m to 10.0 m

Rear from the 'EP zone: 7.5 m

iii) Maximum GFA as a % of *Lot* Area: 125%

iv) Maximum Building Height:

4 storeys

s) In the event that the lands referred to in paragraph (r) are used exclusively for residential uses, then all lands forming part of this area, within 120.0 metres of the Ministry of Natural Resources approved limit of wetland as surveyed January 10, 1996, will be dedicated to the Town of Ajax, and this dedicated area will then form part of the adjacent 'EP' – Environmental Protection zone.

Exce	ption	1	Zoning	Мар	By-law	File Referen	се
3	1		RM6, OS	31	44-2016	OPA 15-A3, Z0 SP10/15, S-A-201 A-2015-01	5-02, C-
i)	Loc	atior		est side of Harv enue, south of		lorth and Old Harwo e	od
ii)	Leg Des		Lo tion:	t 1, 2, 3, 4, 5, 6	, 7, 8 and 9, Pl	an 401	
iii)	Inte	rpre	no	t apply to the de	evelopment of	-2003, as amended, the subject lands for n the RM6 zone.	
iv)	Dev	elop	oment Standar	ds:			
			• •	ther provisions Development St	• •	aw 95-2003, as ame e RM6 Zone:	ended,
	a) Maximum Number of <i>Multiple Attached Dwellings</i> within the RM6 Zone:					66	
	b)	Zor	ne Standards f	or each lot with	in the RM6 Zo	ne:	
		i)	Minimum Lo	ot Depth:			17.25 m
	ii) Minimum Lot Frontage: 5.0 m for units that face Harwood Avenue North and Old Harwood Avenue and the internal private park and 6.0 metres for all other units.				I the		
		iii) Maximum <i>L</i> <i>Coverage</i> :	ot			75%
		iv) Minimum <i>Fi</i>	ront Yard:			
			- To a <i>d</i> v Avenue	welling unit fron North:	ting onto Harw	ood	3.0 m
	- To a dwelling unit fronting on to an Open 0.5 Space Zone or Old Harwood Avenue:				0.5 m		
	- To a dwelling unit fronting onto an internal private park space:				2.4 m		
· · · ·					4.5 m		
			- To any	attached garag	je:		6.0 m
Exce	Exception 31 is continued on the next page.						

Exception	Zoning	Мар	By-law	File Reference	
31	RM6, OS	31	44-2016	OPA 15-A3, Z6/15, SP10/15, S-A-2015-02, C- A-2015-01	
V	r) Minimum <i>In</i>	1.5 metres with an aggregate separation of 3.0 metres between blocks			
		3.0 metres from Unit 10 to north property line			
		2.0 metres from Unit 1 to north property line			
vi) Minimum <i>Exterior Side Yard:</i>				1.2 metres measured from either the middle of the rolled curb to the exterior wall of the dwelling abutting a private road or to the exterior lot line	
vii	vii) Minimum Rear Yard:				
viii	i) Road Radiu	ıs Yard:		0.75m	
				40 =	

c) Other Development Standards

ix) Maximum Building Height:

- i) Air conditioning unit shall only be permitted in a *rear yard* (where one exists), on the roof of a unit with rooftop amenity space, or on a balcony.
- ii) Air conditioning units shall not be permitted on any portion of a lot adjacent to an Open Space Zone.
- iii) Notwithstanding Section 5.3.1 of Zoning By-law 95-2003, as amended, the minimum width of a private garage shall be 3.0 metres free from all obstructions.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

13.5m

Exception	Zoning	Мар	By-law	File Reference
32	R1-D, R1-E, R3	46, 52	47-97	Z27/89

i) Location: Angier Crescent, Greenhalf Drive, Hulley Crescent, and

Woolf Crescent

ii) Legal Plan 40M-1985, 40M-1986, and 40M-2136 Description:

iii) Other:

- a) The measurement of the minimum required *rear yard* setback for those *lots* within Plan of Subdivision 18T-89104 that are subject to a conservation easement along the rear portion of the *lots* shall be taken from the closest limit of said conservation easement to the main *building*.
- b) For the lands zoned 'R1-E' and described in Plan 40R-21823, Parts 51 to 60, the minimum *lot frontage* shall be 7.5 metres.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
33	R1-B	24	50-97	Z4/97

i) Location: Old Harwood Avenue/Sheldon Drive

ii) Legal Description: Part Lot 9, Concession II

iii) Development Standards:

a) Minimum Rear Yard:

9.0 m

Exception	Zoning	Мар	By-law	File Reference
34		45, 46	69-97	Z12/95
			96-98	Z4/98

i) Location: Located between *existing* and re-aligned Pickering Beach

Road

ii) Legal Part Lot 6, Broken Front Concession, Range 3

Description:

Exception 34, established via By-laws 69-97 and 96-98 and is superseded by Exception 98 established via By-law 124-98.

Exception	Zoning	Мар	By-law	File Reference
35		45, 46	69-97	Z12/95
			96-98	Z4/98

i) Location: East of re-aligned Pickering Beach Road and south of Bayly

Street

ii) Legal Part Lot 6, Broken Front Concession, Range 3

Description:

Exception 35, established via By-laws 69-97 and 96-98 and is superseded by Exception 98 established via By-law 124-98.

Exception	Zoning	Мар	By-law	File Reference
36	UC	32	116-97	Z10/97

i) Location: 65 and 67 Kingston Road East

ii) Legal Lot 163, Plan 377

Description:

iii) Prohibited Uses: Restaurant with a drive-thru component

iv) Other:

a) No retail convenience stores or restaurants shall be permitted within 45.0 metres of the western property line.

Exception	Zoning	Мар	By-law	File Reference
37			21-98	
			86-2005	

i) Location: West of Harwood Avenue and south of Bayly Street

ii) Legal West of Harwood Avenue South and south of Bayly Street

Description: West

Exception 37 was deleted by By-law 86-2005 on July 7, 2005.

Exception	Zoning	Мар	By-law	File Reference
38	DCA/MU	44	21-98	Z8/96, Z6/04, Z6/05, SP18/11, SP3/19, OPA
			63-2004	No.15, OPA No.20
			86-2005	
			131-2012	
			15-2021	

i) Location: Southwest corner of Harwood Avenue South and Bayly

Street West

Part of Blocks S and T, Plan M-26 NOW Parts 5, 6, 7, 8 and ii) Legal Description:

9, Plan 40R-11815. NOW Parts 15, 17, 18, 19 and 20, Plan

40R-27717

iii) Prohibited Uses: Drive-Thru Facility, Drive-Thru Restaurant, and Taxi Depot

iv) Additional *Uses*: School

v) Development Standards:

a) Minimum Building Height Outside of a Gateway Site Block:

Exception	Zoning	Мар	By-law	File Reference
39	R1-D, R1-E, R1-F, R2-B, RM6	46	108-98 6-2007	Z20/88, Z4/06

i) Location: Plan of Subdivision 18T-88025 Plan 40M-2046

ii) Legal Description: Part of Lot 5, Broken Front Concession, Range 3

iii) Development Standards:

Detached: Lots 15 to 25, zoned 'R1-D'

a) In accordance with Schedule 'C2' to this By-law.

Semi-Detached: Lots 1 to 14 and 43 to 54 zoned 'R2-B'

a) Shall be developed in the manner and standards as depicted in Schedule 'C1' to this By-law.

Block 138 zoned 'RM6'

a) Shall be developed in the manner and standards as depicted in Schedule 'D-1' to this By-law. These standards will form the basis of the Site Plan for Block 138. Minor variances to these standards may be permitted without further amendment to this By-law, provided the intent of the site concept on Schedule 'D1' is maintained.

iv) Other:

Minimum Distance from *Accessory Building:*

a) For Residential *dwellings* zoned 'R1-D', 'R1-F', and 'R2-B':

Minimum *interior side yard* for residential *dwellings* zoned 'R1-D", 'R1-F', and "R2-B' where there is a detached garage accessed by a rear *lane*. This *side yard* setback will not apply to detached rear laneway garages.

1.2 m

b) Block 139:

A minimum setback of 7.0 metres for all *structures* and accessory *buildings* shall apply to Units 111 to 120 on Registered Plan 40M-2046. For all other units, a minimum setback of 10.0 metres for all *structures* and accessory *buildings* shall apply. Fencing and landscaping shall be permitted within the 10.0 metre setback on the adjoining Block 138.

c) Block 139, 140 and 141:


Buildings and *structures* of any kind, the placement of fill or the alteration of a watercourse, other than as required for flood or erosion control, are not permitted in Blocks 139, 140 and 141 unless approved by the Toronto and Region Conservation Authority.

Exception 39 is continued on the next page.


Exception	Zoning	Мар	By-law	File Reference
39 continued	R1-D, R1-E, R1-F, R2-B, RM6	46	108-98 6-2007	Z20/88, Z4/06

d) Minimum Clearance:


The provisions of Section 4.7 Daylighting Triangle shall not apply.



Exception 39 is continued on the next page.



Exception	Zoning	Мар	By-law	File Reference
39 continued	R1-D, R1-E, R1-F, R2-B, RM6	46	108-98 6-2007	Z20/88, Z4/06



Exception	Zoning	Мар	By-law	File Reference
40	I-B	18	113-02	Z1/98

i) Location: Multi-Use Campus, 1355, 1365, and 1375 Harwood North

ii) Legal Part Lot 7, Concession III

Description:

iii) Additional Uses: Retail and restaurant uses that form part of the principal

building and are secondary, accessory or supportive of the

predominant use

iv) Prohibited Uses: Free standing retail and/or restaurant buildings, drive-thru

restaurants

v) Development Standards:

a) Maximum Floor Area of Retail Uses:

929.0 m²

vi) Other:

a) Primary access to all retail and *restaurant uses* shall be obtained from within the *principal building*

b) Off-street parking facilities shall be provided in accordance with Section 5.10.2, except for the following exceptions:

Office and Retail:

1.0 per 25.0 m² of gross floor

area

Community Centre and Public Portion of a Community Library, Theater, High School:

1.0 per 50.0 m² of *gross floor* area 0.18 per student and staff member

Exception	Zoning	Мар	By-law	File Reference
41	R1-C, R1-D, R2-B, R3, NC, OS	18		Z18/94, Z19/94

i) Location: Northwest corner of Harwood Avenue and Rossland Road

ii) Additional Uses: In the 'NC' zone – motor vehicle gas bar

iii) Other:

- a) Daylighting Triangle requirements within any residential zone shall not be less than 3.0 metres; and
- b) The maximum outside width of double garages in the 'R1-C' and 'R1-D' zones shall not exceed 6.1 metres. The maximum outside width of garages in the 'R2-B' zone with *lot frontages* less than 12.0 metres shall not exceed 5.0 metres

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
42	R1-B, R1-D, R2-A, R3-A	18		Z18/94, Z19/94

i) Location: North of Rossland Road, west of Harwood Avenue, Plan 40M-2116

ii) Legal Description: Part Lot 7, Concession III (Draft Plan 18T-94017)

iii) Development Standards:

a) Minimum Yard:

i) Front: Minimum setback for an attached garage

5.5 m

- b) The minimum *interior side yard* requirements for *detached dwellings* in the 'R2-A' zone may range between 0.0 metres and 1.2 metres provided that:
 - i) A minimum of 0.0 metres may apply on one side of the *dwelling* only;

Exception 42 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
42 continued	R1-B, R1-D, R2-A, R3-A	18		Z18/94, Z19/94

- ii) The minimum aggregate of both *interior side yards* shall be 1.2 metres; and
- iii) The minimum distance between adjacent *dwellings* shall be 1.2 metres.

iv) Other:

- a) Daylighting triangle within any residential zone shall not be less than 3.0 metres; and
- b) Should Block 1 on Draft Plan 18T-94017 be developed for 'R3' *uses*, no reverse *lot frontage* or individual *driveway* access to Street A on Draft Plan 18T-94107 shall be permitted
- c) The maximum outside width of garages in 'R2-A' and 'R3' zones with *lot frontages* of 10.6 metres or less shall not exceed 5.0 metres.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
43	I-A,/R1-D, R1-C, R1-D, R1-E, LC/R1-E, OS	16	4-2000 117-2004 78-2009 101-2012	Z18/94, Z19/94, Z11/04, SPA6/12

i) Location: Lands generally bounded by Rossland Road, Westney Road,

Harwood Avenue, and Williamson Drive (Nottingham)

ii) Legal Part Lots 9 and 10, Concession III

Description: (Draft Plan 18T-94018)

iii) Additional Uses: Drive-thru facility in the 'LC' – Local Commercial Zone

iv) Development Standards:

a) Minimum Lot Depth:

i) 'R1-C': 25.0 m

ii) 'R3': 25.0 m

Exception 43 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
43	I-A,/R1-D, R1-C, R1-D, R1-E, LC/R1-E, OS	16	4-2000 117-2004 78-2009 101-2012	Z18/94, Z19/94, Z11/04, SPA6/12

b) Minimum Yard - Rear:

i) Main *building* shall be setback a minimum of 10.0 metres from the 'EP' – Environmental Protection Zone

c) Minimum Yard – Front:

- i) In the 'R1-D' and 'R1-E' zones, the minimum *front yard* setback for an attached garage on a street side having a right-of-way width greater than 16.5 metres with a sidewalk shall be 5.0 metres.
- ii) In the 'R1-D' zone, where the opening for vehicular access to an attached garage faces an interior *yard*, the maximum *front yard* setbacks shall be 10.0 metres for the *dwelling unit*, and the *front yard* setback requirement for the attached garage shall be those applicable for the *dwelling unit*.

d) Minimum Distance from Accessory Building:

- i) For *lots* located on Block 71, Draft Plan 18T-94018, accessory *structures* with foundations shall be setback a minimum of 5.0 metres from the 'EP' Environmental Protection Zone.
- ii) For *lots* located on Blocks 97 and 109 on Draft Plan 18T-94018, accessory *structures* with foundations shall be setback a minimum of 5.0 metres from the survey dripline of the woodlot in Block 117 on Draft Plan 18T-94018.

v) Other:

- a) Daylighting triangles within any residential zone shall not be less than 3.0 metres.
- b) The maximum *lot coverage* for bungalows within the 'R1-D' zone shall be 50%.
- c) Within the 'R1-C' and 'R1-D' zones, the maximum outside width of double garages shall not exceed 6.1 metres.
- d) Within the 'R1-E' zones, with frontage(s) less than 12.0 metres, the maximum outside width of garages shall not exceed 5.0 metres.
- e) For the lands known on September 13, 2004 as "Enclave 16", zoned 'R1-E' and for the *lots* within Enclave 16 having frontages of 15.0 metres and greater, the maximum garage width shall not exceed 6.1 metres, and the maximum outside width of double garages shall not exceed 6.1 metres.

Exception	Zoning	Мар	By-law	File Reference
44	EP, R1- D(H), R1-E, R1-F, OS	9	117-2004 6-2017	Z20/94, Z11/04 S-A-2016-01, Z3/16

i) Location: Lands bound by Taunton Road, Westney Road, and

Williamson Drive

ii) Legal Part Lot 10, Concession III (Draft Plan 18T-94019)
Description:

- iii) Development Standards:
 - a) Minimum Lot Depth:

- 'R1-C' 25.0 m

- 'R3' 25.0 m

- b) Minimum Yard Rear:
 - Main building shall be setback a minimum of 10.0 metres from the 'EP'
 Environmental Protection Zone

Exception 44 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
44 continued	EP, R1- D(H), R1-E, R1-F, OS	9	117-2004 6-2017	Z20/94, Z11/04 S-A-2016-01, Z3/16

c) Minimum Yard - Front:

- i) In the 'R1-D' and 'R1-E' zones, the minimum *front yard* setback for an attached garage on a street side having a right-of-way width greater than 16.5 metres with a sidewalk shall be 5.0 metres.
- ii) In the 'R1-D' zone, where the opening for vehicular access to an attached garage faces an interior *yard*, the maximum *front yard* setbacks shall be 10.0 metres for the *dwelling unit*, and the *front yard* setback requirement for the attached garage shall be those applicable for the *dwelling unit*.

iv) Other:

a) Accessory *structures* with foundations setback on *lots* in Block 56 adjacent to woodlot:

- 2.5 m
- b) The location of *structures* without foundations shall comply with the requirements of this By-law.
- c) All residential *daylighting triangles* shall not be less than 3.0 metres.
- d) The maximum *lot coverage* for bungalows within the 'R1-D' zone shall be 50%.
- e) Within the 'R1-C' and 'R1-D' zones, the maximum outside width of double garages shall not exceed 6.1 metres.
- f) Within the 'R1-E' zone, with frontage(s) less than 12.0 metres, the maximum outside width of garages shall not exceed 5.0 metres.
- g) For Lots 1 to 26 and Lots 71 to 75 on Plan 40M-2055, zoned 'R1-E', the maximum garage width shall not exceed 6.1 metres and the maximum width of double garages shall not exceed 6.1 metres.
- h) For the lands known on September 13, 2004 as "Enclave 13", zoned 'R1-E' and for the *lots* within Enclave 13 having frontages of 12.8 metres and greater, the maximum garage and *driveway widths* shall not exceed 5.7 metres, and the maximum outside width of double garages shall not exceed 6.1 metres.

Exception	Zoning	Мар	By-law	File Reference
45	R1-D, R1-E, R2-B/R1-F, R3/R2-B, OS	9	134-2004 27-2021	Z23/94

- i) Location: Southwest quadrant of Harwood Avenue and Taunton Road
- ii) Development Standards:
 - a) Minimum Lot Depth:

- 'R1-C': 25.0 m

- iii) Other:
 - a) Daylighting Triangle requirements within any residential zone shall not be less than 3.0 metres.

The maximum garage and *driveway widths* for single *detached dwellings* in the R1-E and R2-B/R1-F zones shall be governed by the following:

	Maximum Driveway Width	Maximum Garage Width
Lots with frontages 11.9 metres or greater	5.6 m	5.6 m
Lots with frontages less than 11. 9 metres	5.2 m	3.0 m

Exception	Zoning	Мар	By-law	File Reference
46	I-A, R1-C, R1-D, R1-E, R2-A, R2-B	15, 16	94-2004	Z21/03, Z11/07

i) Location: East of Ravenscroft Road, north of Rossland Road

ii) Legal Part of Lots 11 and 12, Concession 3 (18T-95004) Description:

- iii) Development Standards:
 - a) Minimum Lot Depth:

i)	'R1-C'	25.0 m
ii)	'R2-B'	30.0 m
iii)	'R2-A'	30.0 m
iv)	Block 132, 40M-2215 and Part 1, 40R-24383 when merged:	24.0 m

b) Maximum Lot Coverage:

i) Bungalows in the 'R1-C' and 'R1-D' zones:

50%

- iv) Other:
 - a) Daylighting triangle within any residential zone shall not be less than 3.0 metres.
 - b) The maximum width of garages in the 'R1-C' and 'R1-D' zones shall not exceed 6.1 metres.
 - c) The maximum width of garages in the 'R1-C' zone with *lot frontages* of 18.3 metres or greater shall not exceed 8.8 metres.
 - d) The maximum width of garages in the 'R1-D' zone with *lot frontages* greater than 15.5 metres shall not exceed 7.2 metres.
 - e) The maximum width of garages in the 'R1-E' and 'R2-A' zones with *lot frontages* less than 11.9 metres shall not exceed 5.0 metres.
 - f) Notwithstanding any other provision of this By-law, the maximum width of a garage on a *corner lot* in the 'R1-E' zone with *lot frontages* greater than 12.0 metres shall not exceed 6.1 metres.

Exception 46 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
46 continued	I-A, R1-C, R1-D, R1-E, R2-A, R2-B	15, 16	94-2004	Z21/03, Z11/07

- g) The maximum width of a garage for a *semi-detached dwelling* in the 'R2-B' zone for *lots* with frontages of 7.5 metres or greater shall not exceed 3.6 metres.
- h) The maximum *building* setback requirements within Section 6.2.4 of this By-law may be measured from the front face of a *porch* provided the minimum area of the *porch* is 4.5 m².

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
47	R1-D, R1-F, R2-B, NC, OS	8	42-2004 27-2021	Z2/04

i) Location: South of the Hydro Corridor, west of Westney Road

ii) Legal Part of Lot 11, Concession III Description:

- iii) Other:
 - a) The maximum width of garages in the 'R1-D' zone shall not exceed 6.1 metres.
 - b) In the 'R1-F' zone, the maximum width of garages for a single *detached dwelling* with a minimum frontage of 9.0 metres shall be 5.0 metres.
 - c) In the 'R1-F' zone, the maximum width of garages for a single *detached dwelling* with a minimum *lot frontage* of 11.9 metres shall be 5.6 metres.
 - d) In the 'R2-B' zone, the maximum width of garages for a *semi-detached* dwelling with a minimum *lot frontage* of 9.0 metres shall be 5.0 metres.

Exception 47 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
47 continued	R1-D, R1-F, R2-B, NC, OS	8	42-2004 27-2021	Z2/04

- e) For Block 12 of Draft Plan of Subdivision 18T-95013 Revised, the following shall apply
 - i) Williamson Road shall be deemed to the front lot line.
 - ii) The setback to the real *lot line* for a garage accessed via the *rear yard* shall be a minimum of 6.5 metres;
 - iii) The maximum front yard setback shall be 11.5 metres.
 - iv) The *daylighting triangle* requirements within Section 4.7 of the By-law do not apply.
- f) The maximum *front yard* setback may be measured to the *porch*, subject to the following:
 - i) The minimum depth of the *porch* shall not be less than 1.5 metres.
 - ii) The minimum width of the *porch* shall not be the lesser of 3.0 metres or the entire width of the habitable portion of the *dwelling*, measured from the nearest exterior wall of the attached *private garage* to the opposite exterior side wall of the *principal building*.

Exception	Zoning	Мар	By-law	File Reference
48	R1-D, R1-F, I-A/NC, I-A/R2-B, R3/RM6	15		Z18/97

i) Location: Northeast corner of Rossland Road and Ravenscroft Road

ii) Legal Part of Lot 12, Concession 3 (18T-97022)

Description:

iii) Additional In the 'NC' Zone – Residential street townhousing in

Uses: accordance with the provisions of the 'R3' zone; office, retail

establishment, restaurant, and financial institution.

iv) Prohibited In the 'NC' Zone – Freestanding apartment *building*

Uses:

- v) Development Standards:
 - a) Minimum Lot Depth:

i) 'R1-C': 25.0 m ii) 'R3': 25.0 m

b) Minimum Lot Coverage:

i) Bungalows in the 'R1-C' and 'R1-D' zones: 50%

c) Minimum Yard:

i) Front 'NC' 6.0 m

ii) Exterior 'NC' 6.0 m

- d) In the event of a conflict with other performance standards to the lands zoned 'I-A', the following standards will apply:
 - i) The minimum depth of the *porch* shall not be less than 1.5 metres.
 - ii) Minimum Yard:

Front: 6.0 m
 Interior Side: 7.5 m
 Exterior Side: 6.0 m
 Rear: 3.0 m

vi) Other:

a) Daylighting Triangle requirements within any residential zone shall be not less than 3.0 metres.

Exception	Zoning	Мар	By-law	File Reference
49	VC1	28	28-99 38-2008	Z12/98, Z01/08

i) Location: 90 Old Kingston Road

ii) Legal Lot 19 and Part Lot 20, Plan 11, and Part Lot 48 Plan 73 Description:

iii) Other:

a) No on-site parking shall be required.

Exception	Zoning	Мар	By-law	File Reference
50	RM6	46	58-2002	Z5/02

i) Location: Southeast corner of Shoal Point Road and Bayly Street

ii) Legal Part Lot 5, Broken Front Concession, Range III Description:

- iii) Development Standards:
 - a) Minimum Yard:
 - i) Front:

Units fronting Bayly Street 3.0 m
Units flanking Bayly Street 2.0 m

ii) Interior Side:

West property line: 7.5 mEast property line: 10.0 m

iii) Exterior Side:

Rear - South property line: 10.0 m

b) Minimum Private Road Width: 6.0 m

c) Maximum GFA as a % of *Lot Area* 50%

d) Minimum Floor Area per *Dwelling Unit*: 120.0 m²

e) Minimum Parking: 2 spaces per residential *dwelling*

- iv) Other:
 - a) The delineation between the 'RM6' Residential Zone and 'EP' Environmental Protection Zone shall be represented by the Regional Floodline or the stable top-of-bank or 10.0 metres from the watercourse, whichever line is further from the watercourse.

Exception	Zoning	Мар	By-law	File Reference
51	R2-B	45	151-2009	Z9/99, Z10/07

i) Location: South of Bayly Street between existing and re-aligned

Pickering Beach Road

ii) Legal Part Lot 6, Broken Front Concession, Range III

Description:

iii) Development Standards:

a) Minimum Lot Depth: 27.0 m

b) Maximum Lot Coverage: 59 %

c) Minimum interior side lot line setback to an exterior side wall of all street townhouse end units in Block 12, as identified on the schedule below:

d) Minimum setback from *rear lot line* for *lots* 74 and 75 in 6.5 m


Block 11, as identified on the schedule below:

iv) Other:

- a) The residential daylighting triangles shall not be less than 3.0 metres.
- b) The provisions of Section 6.2.3 Garage Requirements, shall not apply.
- c) Dwelling units on lots where the front and rear lot lines abut a public road (through lots) shall be designed as double front units, where the street facing facades present a frontal expression including a front door(s), windows, and a porch.
- d) For all *through lots*, the *front yard* shall be the *yard* facing the thoroughfare having the greater road right-of-way width.
- e) For all *through lots*, no fencing is to be erected in the *front yard*, and no fencing higher than 1.0 metre shall be erected in a *rear yard* or in a *yard* abutting an Open Space zone.
- f) No air conditioning units shall be permitted in a front or exterior side yard.
- g) A maximum of one satellite dish shall be permitted for each residential unit.
- h) No accessory buildings shall be permitted on a through lot.

Exception 51 is continued on the next page

 $0.75 \, \text{m}$



Exception	Zoning	Мар	By-law	File Reference
52	UC	31	97-02	Z25/01

i) Location: Northwest corner of Harwood Avenue and Kingston Road

ii) Legal Plan 40M-1518, Block 118 Description:

- iii) Development Standards:
 - a) Minimum Yard:

i) Western property line: 22.0 m
 ii) Northern property line (Abutting Ducatel Crescent and the residential property line along the east leg of Ducatel Crescent):

b) Maximum Building Height:

12.0 m

i) Along Ducatel Crescent, Harwood Avenue, and Kingston Road.

9.0 m

- iv) Other:
 - a) Buildings and/or patios may extend 6.0 metres into the landscape strip along Kingston Road.
 - b) No *parking space*, *driveway* or drive-thru shall be permitted between any proposed *building* located within 50.0 metres of Kingston Road and the Kingston Road landscape strip.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
53	EP, GC,GE, PE	40	56-2000	Z16/99

i) Location: 348 Bayly Street East

ii) Legal Part of Lot 5, Concession I

Description:

Exception 53 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
53 continued	EP, GC,	40	56-2000	Z16/99
	GE, PE			

- iii) Additional *Uses*: Farmer's Market
- iv) Development Standards:
 - a) Minimum Yard:

i) Front:

6.0 m

v) Other:

- a) A farmer's market shall not exceed 1,324.0 m² of gross leasable floor area.
- b) Minimum landscape strip along the north side of Bayly Street East shall be 6.0 metres.
- c) Minimum setback for any *building*, *structure* or paved surface from the regulatory floodline and the drip-line surveyed on March 23, 2002 shall be 10.0 metres.
- d) Parking spaces, driveways and drive-thru lanes shall not be permitted between Bayly Street and a building other than the main building on site.
- e) All garbage storage areas on the Subject Lands shall be enclosed and designed to be part of the commercial *building*, and not provided by way of a free-standing garbage enclosure.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
54	DCA/I	44, 50	89-00 86-2005	Z8/00, Z6/05, OPA No. 20

i) Location: 601 Harwood Avenue South

ii) Legal Part Lot 8, Range 3

Description:

iii) Additional Uses: Office uses

Exception	Zoning	Мар	By-law	File Reference
55	PE, GE	40, 46, 55, 61	90-00	Z9/00

i) Location: 500 Bayly Street East

ii) Legal Part Lots 3 and 4, Concession I

Description:

iii) Additional *Uses*: In the 'PE' Zone: *Art gallery*, live theatre, museum, parking

deck as an *accessory use*, public *library*, garden center, boat sales establishment, and snow vehicle sales establishment

iv) Development Standards:

a) Minimum Landscape A minimum of 60% of the *yard* of each block facing

Area: Highway 401 be landscaped

v) Other:

a) The following *building* setbacks from the railway right-of-way shall apply:

 30.0 m in the case of institutional, commercial, recreational and/or similar uses;

ii) 15.0 m in the case of industrial, automobile service, warehousing, distribution centers, parking deck and/or similar *uses*

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

56	86-2005	

i) Location: 65 Harwood Avenue South

ii) Legal Part Block A, Plan 510

Description:

Exception 56 was deleted by By-law 86-2005 on July 7, 2005.

Exception	Zoning	Мар	By-law	File Reference
57	DCA/MU	44	42-2005 86-2005	S-A-2004-03, Z14/04, Z6/05, OPA No. 20

i) Location: 100 Bayly Street West

ii) Legal Part of Block V, Registered Plan M-25 and Part of Block V,

Description: Plan 480

iii) Development Standards:

a) Minimum Lot Frontage:

For all *lots*/blocks fronting onto Bayly Street: 5.2 m
 For all *lots*/blocks fronting onto an Open Space 4.4 m
 Zone:

b) Minimum Lot Depth: 20.0 m

c) Minimum Yard:

Front: 1.2 m

- Exterior Side: 1.2 m

d) *Porch* Projection permitted in any *yard*: 1.8 m

- iv) Other:
 - a) The maximum garage door width is 2.44 metres.
 - b) A front door and a *porch* shall be provided in front of all *dwelling units* abutting an Open Space Zone.
 - c) The *daylighting triangle* requirements for Residential zones within Section 4.7.1 of this By-law shall apply.
 - d) A maximum of 10 *dwelling units* may be attached side-by-side in a *street townhouse dwelling* or *live-work unit dwelling*.

Exception	Zoning	Мар	By-law	File Reference
58	DCA/MU	38, 44	32-2001	Z6/04, Z6/05,
			65-2004	OPA No. 15,
			86-2005	OPA No. 20

i) Location: Harwood Plaza

ii) Legal Parts 1 to 5, Plan WR-266

Description:

iii) Additional Uses: Drive-Thru Restaurant and Drive-Thru Facility where the

drive-thru consists of only one queuing lane leading to only

one service window per tenant

iv) Development Standards:

a) Yard Requirements:

- i) For all lands between 76.0 metres and 100.0 metres south of Hunt Street, abutting Harwood Avenue South, a *Build-Within Zone* of 0.0 to 11.0 metres shall apply for all *buildings* less than 1,200.0 m² in *ground floor area*, provided that such *buildings* are associated with an outdoor patio located between the east *building* wall and Harwood Avenue South.
- ii) For all lands more than 100.0 metres south of Hunt Street, abutting Harwood Avenue South, a *Build-Within Zone* of 0.0 to 7.0 metres shall apply to any portion of a *building* where an outdoor patio is located between the east *building* wall and Harwood Avenue, for all *buildings* less than 1,200.0 m² in *ground floor area*.
- iii) A minimum of 0.0 metres and a maximum of 5.0 metres from Bayly Street West.
- iv) A minimum of 0.0 metres and a maximum of 6.0 metres from the east limit of the future southerly extension of Commercial Avenue.
- b) Minimum Landscape Area:
 - i) A minimum 3.0 metre landscape strip shall be provided along Hunt Street, Harwood Avenue South, Bayly Street West, and the future extension of Commercial Avenue, except where such a strip contains buildings or an outdoor patio.

Exception 58 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
58 continued	DCA/MU	38, 44	32-2001 65-2004 86-2005	Z6/04, Z6/05, OPA No. 15, OPA No. 20

v) Other:

- a) Lot lines which abut Hunt Street, Harwood Avenue South, Bayly Street West, and the east limit of the future southerly extension of Commercial Avenue shall be deemed to be *front lot lines*.
- b) Free-standing commercial *buildings* with less than 280.0 m² of *gross leasable floor area* shall not be permitted, unless the *building* that is less than 280.0 m² of *gross leasable floor area* is physically connected to another *building* by a shared loading/service court that is screened from view from the street such that the total *ground floor area* of the resulting *structures* is not less than 600 square metres.
- c) Drive-thru access, parking, *driveways* or other service related components shall not be permitted in any part of a *building's front yard* that is located between the front face of the *building* and the *front lot line*.
- d) The minimum number of vehicular spaces within a stacking *lane* behind the order board for a *drive-thru restaurant* shall be 5.
- e) No drive-thru shall be associated with any *building*, or part thereof, located within 70.0 metres of the Bayly Street West road right-of-way.
- f) No drive-thru shall be permitted within 30.0 metres of a residential mixeduse development site or a single-use residential development site.
- g) No part of any drive-thru *queuing lane* before the service window shall be located within 12.0 metres of a *lot line* abutting a public street, unless the *building* where the service window is provided is a single-*use*, free-standing *building* located between 76.0 metres and 100.0 metres south of Hunt Street, adjacent to Harwood Avenue South.
- h) A total of 3 drive-thrus, regardless of type, shall be permitted.
- i) Until the dedication of the future Commercial Avenue extension to the Town of Ajax, Section 4.12.2 ii) of this By-law shall not apply.

Exception 58 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
58 continued	DCA/MU	38, 44	32-2001 65-2004	Z6/04, Z6/05, OPA No. 15,
			86-2005	OPA No. 20

- j) A maximum of 5.4 *parking spaces* per 100.0 m² of *gross floor area* shall be permitted for the exclusive purpose of a *shopping centre*;
- k) Notwithstanding Section 6.9.2.1 i)b) of this By-law, a Master Concept Development Plan shall not be required to be submitted for extensions or expansions of *buildings* that are *existing* and/or site plan approved as of September 30, 2005, provided that the amount of new *ground floor area* of the particular extension/expansion does not exceed the lesser of the following:
 - i) An amount which would double the *ground floor area* of the parent *building*; or,
 - ii) A maximum 6,040.0 m² for the purpose of a supermarket, provided that the supermarket existed prior to July 14, 2003 as part of a *shopping centre*, and a maximum of 3,700.0 m² in all other instances.

Exception	Zoning	Мар	By-law	File Reference	
59	RM5	31	33-2001 61-2022	Z22/00, SP14/03, Z6/20, SP14/20	
i) Location: Lands south of Sheldon Drive, north of Tasker Crescent, east of Dominy Drive, on the west side of Old Harwood Avenue, including the lands municipally known as 290 Old Harwood Avenue.					
ii) Legal Part of Lot 9, Concession 2 Pickering, Part 2, Plan 40R- Description: 24058 Durham Standard Condominium Plan No. 198.					
Exception 59 is continued on the next page.					

Exception	Zoning	Мар	By-law	File Reference
59 continued	RM5	31	33-2001 61-2022	Z22/00

- iii) Maximum Number of Units:
 - a) 48 Multiple Attached Dwellings; and
 - b) 121 dwelling units within a Senior Citizens' Apartment.
- iv) Development Standards:

Multiple Attached Dwellings

- a) Maximum Yard:
 - i) 7.5 metres from south, west and north *lot lines*
 - ii) 3.0 metres from Old Harwood
- b) Minimum Parking:

i) Residents: 1.0 space per unit

ii) Visitors: 0.25 space per unit

Senior Citizens' Apartment

For the purposes of this Exception, a *senior citizens' apartment*, shall mean an apartment *building* for seniors which may include common facilities for the preparation, serving and consumption of meals, and may also include common areas, indoor and outdoor recreation facilities, and respite care facilities where such *uses* and activities are provided only for residents.

a) Minimum Setback from Front Lot Line (Old Harwood Avenue):

i) Senior citizens' apartmentii) Underground parking garage2.0 m

b) Minimum Setback from *Exterior Side Lot Line* (Bantham Lane):

i) Senior citizens' apartment 1.2 m

) Underground parking garage 1.0 m

Exception 59 is continued on the next page

Exception	Zoning	Мар	By-law	File Reference
59 continued	RM5	31	33-2001 61-2022	Z22/00

c) Minimum Setback from *Interior Side Lot Line* (North Property Line):

i) Senior citizens' apartment 13.5 m

ii) Underground parking garage 1.2 m

iii) Underground parking garage (for the westerly 36.0 metres of the subject lands) 4.0 m

d) Minimum Setback from Rear Lot Line (West Property Line):

i) Senior citizens' apartment 6.0 m

ii) Underground parking garage 0.7 m

e) Minimum Ground Floor *Height*: 4.4 m

f) Maximum *Height*: 6-storeys/26.0 m⁽¹⁾

g) Maximum Lot Coverage: 47%

h) Minimum Parking: 0.66 parking spaces

per dwelling unit for the use of residential occupants and

visitors

i) Minimum Two-Way Drive Aisle Width: 6.5 m

i) Minimum Number of Required Loading Spaces:

Notwithstanding Section 5.13 of Zoning By-law 95-2003, as amended, a minimum of 1.0 *loading space* is required. All other applicable provisions of Section 5.13 shall apply to such *loading space*.

Exception 59 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
59 continued	RM5	31	33-2001 61-2022	Z22/00

- k) Accessory buildings or structures shall only be permitted within common outdoor amenity spaces. The provisions of Section 4.1.1 of Zoning By-law 95-2003 shall not apply to such accessory buildings or structures.
- The maximum *height* (measurement included in metres) shall be measured to the tallest point of any rooftop penthouse. The proposed rooftop penthouses are not considered a storey and shall not exceed 20% of the floor area of the rooftop.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
60	PE	27, 28, 34, 35	88-2001	Town Initiated, OPA 01-A1

i) Location: Southeast quadrant of Notion Road and Kingston Road

ii) Permitted *Uses*: Banquet facilities, commercial fitness center, indoor

recreational establishment; personal service shop, research and development facility, distribution center, convention

center; and private recreational facility

iii) Prohibited Uses: Commercial school, school, day care center, child care

facility, any development which includes the storage, handling, production or *use* of a chemical, flammable, explosive, toxic, corrosive, other dangerous material and the treatment, collection or disposal of sewage, railway trackage for industrial purposes, automobile salvage or recycling facility or any similar operation, garbage sorting station, transfer station, recycling depot, or any waste management

operation or facility

- iv) Development Standards:
 - a) Minimum Yard:

i) Front: 4.5 m

Exception 60 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
60 continued	PE	27, 28,	88-2001	Town Initiated, OPA 01-A1
		34, 35		

Any yard adjacent to an 'EP' – Environmental Protection Zone:

6.0 m

Minimum Landscape Area:

Minimum landscape 20.0 m Strip adjacent to Highway 401:

Buildings may encroach 3.0 metres into the landscape strip provided parking, servicing, or loading facilities shall not be permitted between any building and Highway 401

Minimum landscape 6.0 m strip adjacent to Notion and Orchard:

May be reduced to 3.0 metres if the total landscaped area is greater than 10% of the area of the lot.

Minimum landscape 6.0 m strip adjacent to the 'EP' zone:

May be reduced to 3.0 metres if the total landscaped area is greater than 10% of the area of the lot.

Minimum interior side yard and rear yard landscape strips:

May be reduced to 3.0 metres if the total landscaped area is greater than 10% of the area of the lot.

Minimum landscape 10% of the area of the lot requirement

4.5 m

Minimum landscape 6.0 m strip where parking areas of neighbouring properties abut in the side or rear vards

c) Servicing and Loading:

Servicing and loading areas shall be located in the rear or side yard only. Such areas shall be screened from public view thru architectural screening, landscape buffering, berming or a combination of these treatments

Exception 60 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
60 continued	PE	27, 28, 34, 35	88-2001	Town Initiated, OPA 01-A1

v) Other:

a) This by-law shall not prevent the *use* of any lands or part thereof, *buildings* or *structures* for any purpose if any part of such lands, *buildings* or *structures* were lawfully used for such purpose immediately prior to the passing of this by-law, so long as it continues to be used for that purpose. In addition to the foregoing, *existing* permitted *gross floor area* as of the date of the passing of this by-law used for purposes not otherwise permitted in the Prestige Industrial (M1) Zone or By Section 11.213(1) in By-law 35-77, as amended, shall be permitted to expand up to 25%, provided the *use* of the increased floor area is the same as the *existing use*, and provided all other requirements of this by-law can be met, at the following locations:

Property	Legal Description
39 Notion Road	R.P. 40R-17474, Parts 2, 3, 6, 7
43 Notion Road	R.P. 40R-17474, Parts 1, 4, 5
57A Notion Road	R.P. 40R-17529, Parts
57 Notion Road	R.P. 40R-17529, Parts 6,7
81 Notion Road	R.P. 40R-1598, Parts 1, 2
91 Notion Road	R.P. 40R-7228, Parts 1, 2, 3, 4, 5, 6
77/83 Orchard Road	Con. I, Pt. Lot 16, R.P. 40R-5117, Parts 1, 2 and RP. 40R-5962, Part 1 and Part of Road Allowance between Lots 16 and 17, and R.P. 40R-5331 Parts 1, 2, 3.
109 Orchard Road	R.P. 40R-1598, Part 3

Exception	Zoning	Мар	By-law	File Reference
61	PE	40	69-2001 90-2006	Z1/01, Z8/06, OPA 06-A3
			50-2013	

i) Location: Southeast corner of Chambers Drive and the easterly leg of

Beck Crescent

ii) Legal Part of Lot 1, Concession 5; Parts 1 to 5 of Plan 40R-21149

Description:

iii) Additional Uses: Research and Development Facility

iv) Prohibited Uses: Drive-Thru Facility, Drive-Thru Restaurant, Motor Vehicle

Rental Establishment, Public Storage Facility, Recreation

Facility, and Warehouse/Distribution Centre

Free-standing forms of the following: *Financial Institution*, *Restaurant*, *Personal Service Shop*, and *Service or Repair*

shop

v) Development Standards:

Notwithstanding any other section of this By-law, the following development standards shall apply:

a) Minimum Gross Floor Area:

i) Minimum Gross Floor Area:

600.0 m²

- ii) Minimum Upper Floor Area:
 - Where the minimum required *building height* is two storeys, the second storey shall have a minimum floor area equal to 25% of the *ground floor area* of the *building*, or 600 square metres, whichever is greater. However, in the case of a *banquet facility*, a minimum second floor area of 300 square metres shall be required.
 - Where the minimum required *building height* is three storeys, the second and third storeys shall have a combined minimum floor area equal to 50% of the *ground floor area* of the *building*, or 1,200 square metres, whichever is greater.

Exception 61 is continued on the next page

Exception	Zoning	Мар	By-law	File Reference
61 continued	PE	40	69-2001 90-2006 50-2013	Z1/01, Z8/06, OPA 06-A3

Notwithstanding the above noted Minimum Upper Floor Area requirements, in cases where the uppermost storey needed to meet the minimum *building height* requirement consists of ancillary *office* space in association with a principal *light manufacturing use* or research and development facility, the minimum floor area of the upper storey in question shall be equal to at least 70% of the floor area associated with a ground floor ancillary *office* equipment.

b) Minimum Floor Space Index (FSI):

0.2

- c) Minimum Lot Coverage:
 - Building Area: 20% for all purposes save and except for a motor vehicle sales establishment, which shall have a minimum building coverage of 15% of the lot area. However, in instances where an urban square is provided between the principal building and a street corner, the area of the urban square, up to an amount not exceeding 5% of the total lot area, may be considered as a substitute for Building Area, in lieu of actual building coverage.
- d) Minimum Building Height:
 - Non-corner buildings fronting onto Chambers Drive or Beck Crescent:

2 storeys

and 6.0 m

ii) Corner *buildings* at the intersection of Chambers Drive and Beck Crescent

2 storeys and 9.0 m

The minimum *building height* requirement as specified in metres shall apply to a minimum area equal to 50% of the *ground floor area* of the *building*, but in all instances shall apply to the entire floor area of the minimum specified upper storey.

- e) Minimum Built Frontage within a *Build-Within Zone*:
 - i) 50% of the *lot frontage* along an arterial or collector road;

Exception 61 is continued on the next page

Exception	Zoning	Мар	By-law	File Reference
61 continued	PE	40	69-2001 90-2006 50-2013	Z1/01, Z8/06, OPA 06-A3

- ii) 40% of the *lot frontage* along a local road; or
- iii) Provided that the *building* has a *Gross Floor Area* of at least 3,800 square metres shall apply to at least three points (as measured perpendicular from the adjacent *lot line*) along the street-facing façade of the *building*, where each point is separated by a minimum distance of 35.0 metres as measured along the front and/or *exterior side lot line*

However, notwithstanding the above, where the *lot* is a *corner lot* and an urban square is developed between the *principal building* and the street corner, the street frontage of the urban square **may** be considered equivalent to a length of *building* façade in terms of contributing to the required minimum built frontage.

- f) Front Yard and Exterior Side Yard Build-Within Zones:
 - The required Minimum Built Frontage shall be located between 3.0 metres (minimum) and 12.0 metres (maximum) of the front and exterior side lot lines.
 - ii) In the case of a *corner lot*, a portion of the junction of the front and exterior side walls (i.e., the *building* "corner") shall be built within 3.0 to 12.0 metres of the *daylighting triangle*/corner rounding. An exception to this requirement shall be in the event that an urban square is developed between the *principal building* and the street corner, in which case at least 50% of that part of the perimeter of the urban square which is not adjacent to a street edge or sight triangle/corner rounding shall abut a *building* façade.

The *Build-Within Zone* does not apply to *accessory buildings* or *structures*, or to *buildings* which by physical necessity are located in the interior of a development site and adjacent only to a private road or *driveway*.

g) Parking:

Exception 61 is continued on the next page

Exception	Zoning	Мар	By-law	File Reference
61 continued	PE	40	69-2001 90-2006	Z1/01, Z8/06, OPA 06-A3
			50-2013	

i) No parking areas or *driveway* aisles shall be permitted between an adjacent street and any part of the *building* façade within the *buildwithin zone*. Where the *build-within zone* extends along a front and/or *exterior side lot line* between at least three separated points, no parking areas or *driveway* aisles shall be permitted in the *yard* area bounded by the street-facing façade of the *building*, the street, and the two end-points defining the limits of the *build-within zone*.

vi) Other:

- a) The development standards identified in sub-section (v) above do not apply to a public utility *building*.
- b) A minimum seating capacity of 25 *persons* shall be provided per *Restaurant*
- c) Notwithstanding the development standards identified in sub-section (v) above, a *Motor Vehicle Sales Establishment* shall only be permitted subject to the following development standards

i) Minimum Gross Floor Area:

3.800.0 m²

ii) Minimum Building Height:

3 storeys

iii) Maximum Lot Area:

1.91 ha

- iv) Outdoor vehicular storage areas for new vehicles shall only be permitted in a *rear yard*.
- v) No *outdoor storage* or display of vehicles associated with ancillary used *motor vehicle* sales shall be permitted.
- vi) No outdoor vehicle storage areas shall be visible from the traveled portion of Highway 401 or Salem Road.

Where the standards specifically applicable to *Motor Vehicle Sales Establishments* do not otherwise conflict with the development standards identified in sub-section (v) above, the standards contained in sub-section (v) above shall apply.

Exception	Zoning	Мар	By-law	File Reference
61 continued	PE	40	69-2001 90-2006 50-2013	Z1/01, Z8/06, OPA 06-A3

- d) Interim Non-Compliance With Respect to Built Frontage, *Lot Coverage* and Density (FSI) Requirements:
 - i) <u>Extensions/Expansions of Existing Non-Complying Development</u>

Notwithstanding the Built Frontage, *Lot Coverage* and Density (FSI) requirements within sub-section (v) above, extensions or expansions of *existing non-complying* development (namely, additions to *existing buildings* or the development of new *buildings* on the same site as *existing* development) on development sites larger than 2.0 hectares shall be permitted without amendment to the Zoning By-law with respect to the provisions regulating Built Frontage, *Lot Coverage* and Density (FSI), provided that:

- The intent of the Official Plan is met; and
- The *building* extension or expansion is designed and sited in a manner which demonstrates, to the satisfaction of the Town, that the development of the site is moving toward a greater level of compliance with all applicable regulations of this By-law, and does not preclude or hinder the ability to ultimately achieve compliance. In this regard, a Master Concept Development Plan demonstrating compliance under ultimate build-out conditions shall be submitted for approval by the Town. This plan shall demonstrate that the proposed extension or expansion shall protect for the ability of progressive intensification on the site to ultimately achieve Compliance. It is understood that the Master Concept Development Plan may be amended from time-to-time, in response to the vagaries of the market, but all such amendments shall continue to demonstrate, to the Town's satisfaction, the ability to ultimately achieve compliance in a fashion which maintains the intent of the Official Plan and the requirements of the Zoning By-law.

Exception	Zoning	Мар	By-law	File Reference
61 continued	PE	40	98-86	Z1/01; Z8/06,
			90-2006	OPA 06-A3
			50-2013	

ii) Phasing of New Development on Vacant Sites:

Notwithstanding the Built Frontage, *Lot Coverage* and Density (FSI) requirements within sub-section (v) above, it is understood that the development of any given property may involve a number of phases before it achieves ultimate build-out. As a result, the density (FSI), built frontage and *lot coverage* provisions contained in this By-Law might only be achieved upon the completion of all phases, rather than on a phase-by-phase basis.

Accordingly, in instances where a development on a vacant site larger than 2.0 hectares is proposed to be phased, *building* phases which individually do not comply with the built frontage, *lot coverage* and/or density (FSI) provision of sub-section (v) above shall be permitted without amendment to the Zoning By-law with respect to the provisions regulating Built Frontage, *Lot Coverage* and Density (FSI), provided that a Master Concept Development Plan demonstrating compliance under ultimate build-out conditions is submitted and approved by the Town. Each phase of development undertaken by the proponent shall protect for future phases in accordance with the Master Concept Development Plan. The phasing of development in accordance with the approved Master Concept Development Plan shall be a requirement of any related Site Plan Agreement.

It is understood that the Master Concept Plan may be amended from time-totime, in response to the vagaries of the market, but all such amendments shall continue to demonstrate, to the Town's satisfaction, the ability to ultimately achieve compliance in a fashion which maintains the intent of the Official Plan and the requirements of the Zoning By-law.

e) A minimum 5.0 metre setback from the staked and surveyed drip-line of the adjacent woodlot to the south shall be required from any *building*, *structure* or paved surface.

Exception	Zoning	Мар	By-law	File Reference
62	VC1	29	86-2001	Z5/01

i) Location: 362 and 368 Kingston Road West

ii) Legal Part of Lot 12, Concession II

Description:

iii) Development Standards:

a) Maximum Yard:

i) Interior Side: 6.0 m

ii) Rear: 9.0 m

b) Minimum Landscape A 3.0 metre *landscaped buffer* shall be provided Area: adjacent to low density residential *uses*

iv) Other:

a) A 1.8 metre privacy fence shall be provided adjacent to low density residential *uses*.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
63	PE(H)	35	88-2001	

i) Location: 75 Orchard Road

ii) Legal Parts 1 and 4, Plan 40R-9920

Description:

iii) Additional *Uses*: Contractor's *yard* and open storage

iv) Other:

a) A contractor's *yard* and open storage shall be permitted in accordance with Section 6.4.1(3) of this By-law, provided that any open storage area is not located within any required landscaping strip.

Exception	Zoning	Мар	By-law	File Reference
64	UC	32	99-01	Z3/01

i) Location: Northwest corner of Salem Road and Kingston Road

ii) Legal Part of Lot 7, Concession II Description:

- iii) Development Standards:
 - a) Minimum Lot Line:

i)	Southern:	9.0 m
ii)	Eastern:	2.0 m
iii)	Northern:	12.0 m
iv)	Western:	2.0 m

- b) Minimum Landscape Area:
 - i) Landscape strip adjacent to Salem Road and 3.0 m Ringer Road
- c) Minimum Parking:
 - i) 1 space per 21.1 m² of *gross leasable floor*
 - ii) Minimum parking space depth of 5.5 metres
- iv) Other:
 - a) The minimum required floor area for any *building* shall be 2,000.0 m².
 - b) No *parking space*, *driveway* or drive-thru shall be permitted between the proposed southerly *building* and the Kingston Road/Salem Road landscape strip.

Exception	Zoning	Мар	By-law	File Reference
65	DCA/MU	44	42-2005 86-2005	S-A-2004-03, Z14/04, Z6/05, OPA No. 20

i) Location: 100 Bayly Street

ii) Legal Part of Block V, Registered Plan M-25 and Part of Block V,

Description: Plan 480

iii) Development Standards:

a) Minimum Lot Frontage: 4.6 m

b) Minimum Lot Depth: 20.0 m

c) Maximum Yard:

- Front *yard* setback to a *porch*: 4.5 m

d) Maximum Porch Projection:

Within a *Front Yard* 1.8 m

Within an Exterior Side Yard 1.8 m

iv) Other:

a) The maximum garage door opening shall not exceed 50% of the frontage of any *lot*.

- i) A front door and a *porch* shall be provided in front of all *dwelling units* abutting an Open Space Zone.
- ii) The *daylighting triangle* requirements for Residential zones within Section 4.7.1 of this By-law shall apply.
- iii) A maximum of 11 *dwelling units* may be attached side-by-side in a *street townhouse* or *live-work unit dwelling*, having a maximum *dwelling* width of 53.0 metres.

Exception	Zoning	Мар	By-law	File Reference
66	PE, EP	19, 25, 26, 32, 33	94-01	Z7/99

i) Location: Part of Lot 6, Concession II

ii) Additional Uses: In the PE' Zone - Convention centers, research and

development, and stormwater management facilities

iii) Development Standards:

a) Minimum Lot Area:

0.2 ha

b) Maximum Yard:

Interior Side:

3.5 m

iv) Other:

- a) For those *lots* or blocks that do not abut Salem Road and/or Rossland Road, any 'GE' Zone *use*, as described in Section 6.4.1 may be permitted.
- b) Outside storage shall not be permitted in any *yard* facing Salem Road and/or Rossland Road. Outside storage shall otherwise be permitted in accordance with Section 6.4.1.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
67	EP	26, 33	98-2001	

i) Location: North of Kingston Road, west of Audley Road

ii) Legal Part of Lot 3, 4, and 5, Concession II


Description:

iii) Additional Uses: A portion of a racetrack oval and chute, a trail and exercise

area for race horses, parking area and a stormwater

management pond within the hatched area identified below.

Exception	Zoning	Мар	By-law	File Reference
67 continued	EP	26, 33	98-2001	



Except as amended herein, all other provisions of this By-law, as amended, shall apply

Exception	Zoning	Мар	By-law	File Reference
68	PE	26, 33	98-2001	
		60	122-2008	
			93-2015	
			73-2019	

i) Location: North of Kingston Road, west of Audley Road

ii) Legal Part of Lot 3, 4, and 5, Concession II Description:

iii) Additional Uses: Racetrack and gaming establishment

iv) Prohibited Uses: Dwelling Unit

v) Development Standards:

a) Minimum Lot 30.0 m Frontage:

Exception	Zoning	Мар	By-law	File Reference
68 continued	PE	26, 33 60	98-2001 122-2008	

b) Minimum Yard:

Interior Side (west *lot line*): 0.0 m

Exterior Side (east *lot line*): 10.0 m

- Rear (north *lot line*): 9.0 m

vi) Other:

- a) A "Gaming Establishment" shall mean premises accommodating up to 800 slot machines, together with related restaurants, lounges, administrative offices and other accessory uses. For the purposes of this definition, a "Gaming Establishment" shall not include a bingo parlour or any other casino-type game or use.
- b) A "Racetrack" shall mean an oval race course with starting chutes including a betting theatre; pari-mutuel lobby, together with appurtenances for the conduct of horse races; a grandstand; restaurants; lounges and administrative office; a museum; retail space for the sale of racetrack and tourist-related merchandise; and areas and facilities for stabling, grooming, training and showing of horses; accommodation for staff, the parking of motor vehicles and horse vans; and storage facilities for feed, straw, equipment and accessories.
- c) A "Slot machine" shall mean any coin, token or slug-activated automatic machine, the results of the operation of which are a matter of chance or uncertainty to the operator.
- d) The *gross floor area* of all accessory *buildings* shall not exceed 10 percent of the area of the *lot*. Such *buildings* shall not exceed three storeys in *height*.

Exception	Zoning	Мар	By-law	File Reference
69	UC	31	145-2001 59-2004 82-2004	Z17/00 Z19/03

i) Location: East side of Harwood Avenue between Mandrake Street and

Doric Street

ii) Legal Part of Lots 88, 89 and 90, Plan M-377

Description:

iii) Permitted Uses: Art gallery, financial institution, office, day care facility,

apartment dwelling, multiple attached dwelling, street townhouse dwelling, restaurant but not a drive-thru facility, commercial fitness center, hotel, library, personal service

shop, place of worship, commercial school, retail convenience store, retail establishment, seniors citizen

residence, and parking lot

iv) Development Standards:

a) Minimum Lot Frontage:

- On Harwood Avenue: 45.0 m

b) Minimum Lot Area: 0.4 ha

c) Minimum Rear Yard:

- For *lots* fronting onto Harwood Avenue: 24.0 m

d) Maximum Yard:

- From Harwood Avenue: 5.0 m

e) Building setbacks from Doric Street and Mandrake Street:

- Minimum: 3.0 m

- Maximum: 5.0 m

f) Maximum Building Height:

i) Maximum permitted *building height* within 45.0 metres of the center line of Harwood Avenue is 3 storeys or 12.9 metres, whichever is less

Exception	Zoning	Мар	By-law	File Reference
69 continued	UC	31	145-2001 59-2004 82-2004	Z17/00 Z19/03

- ii) Maximum Permitted *building height* between 45.0 metres and 65.0 metres of the center line of Harwood Avenue is 2 storeys or 8.6 metres, whichever is less.
- g) Maximum Landscape Area:
 - i) A minimum 6.0 metre landscape strip shall be provided adjacent to any Residential Zone
- h) Additional Performance Standards:

 In addition to the above standards, the following residential performance standards shall apply

Permitted <i>Use</i>	Minimum Frontage (metres)	Minimum Yard (metres)				
		Front Rear Side				
				Interior	Exterior	
Multiple Attached Dwelling	5.48	3.0	7.5	0.3 to 1.2	3.0 to 6.0	
Street Townhouse	6.0	3.0	7.5	0.3 to 1.2	3.0 to 6.0	
Stacked Townhouse	3.0/unit	3.0	7.5	0.3 to 1.2	3.0 to 6.0	

v) Other:

- a) A billiard or pool room shall be permitted on lands described as Parts 88,
 89 and 90, Plan M-377, provided that the *building* accommodating such a use is located within 5.0 metres of Mandrake Street.
- b) No garage associated with any residential *building* or development shall protrude more than 2.4 metres beyond the main façade of a *dwelling unit*, unless a *porch* of a minimum of 1.2 metres in width is associated with the façade, and the width of the garage door shall not occupy more than 50 percent of the front façade of the *dwelling unit*.

Exception	Zoning	Мар	By-law	File Reference
69 continued	UC	31	145-2001	Z17/00
			59-2004	Z19/03
			82-2004	

- c) With respect to *Multiple Attached Dwellings*, Street Townhouses, and Stacked Townhouses, any *porch* and stairs may encroach up to 1.0 metre into a required setback.
- d) A retirement home shall be permitted on lands described as Part 8, 40R-22342 with a minimum *lot area* of 0.23 ha; a minimum of 21 *parking spaces*; 0.0 metre *front yard* setback; and a minimum 1.5 metre landscape strip adjacent to any residential *uses*. Furthermore, a Holding provision (H) shall be placed on the above-noted lands, to be removed upon Site Plan approval of the retirement home.
- e) Where the principal *use* of a property is to provide parking, the facility (either at grade, or in a *structure*) may use up to 75 percent of the site for parking (inclusive of *driveway* aisles and accesses), provided that all applicable landscaping requirements in this By-law, as amended, are maintained.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
70	R3	16	130-2001	Z18/00

i) Location: Bean Crescent, Plan 40M-2098

ii) Legal Part of Lot 11, Concession III Description:

- iii) Development Standards:
 - a) All *buildings* shall be setback a minimum of 10.0 metres from Westney Road
 - b) Minimum Lot Depth:

30.0 m

Exception	Zoning	Мар	By-law	File Reference
71	I-A	27	140-2001	Z6/07

i) Location: Forest Brook Bible Chapel (Elizabeth Street and Kearney

Drive)

ii) Legal Part of Lot 16, Concession II

Description:

- iii) Development Standards:
 - a) Minimum Parking:
 - i) 1 space for every 19.5 m² of *gross floor area* or 0.3 *parking spaces* per seat, whichever is greater.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
72	R1-B	27	16-2002	Z9/01

i) Location: 36 Elizabeth Street

ii) Legal Part of Lot 16, Concession II

Description:

iii) Development Standards:

a) Minimum Lot Frontage: 14.12 m

b) Maximum Yard:

- Interior Side Adjacent to southern property line: 2.1 m

- Rear: 10.0 m

c) Maximum Lot Coverage:

42%

d) Section 6.2.3 shall not apply.

Exception	Zoning	Мар	By-law	File Reference
73	R1-B	28	57-2002	Z27/01

i) Location: 86 – 88 Church Street South ii) Legal Part of Lot 15, Concession I Description:

iii) Additional Uses: The design, manufacture and application of signs (excluding

sign work on large commercial vehicles from an accessory

building

iv) Minimum In addition to the requirements for a residential use, a Parking:

minimum of 2 parking spaces shall be provided for the

commercial operation.

v) Other:

- a) The commercial operation shall be conducted primarily indoors and confined to an area of not more than twenty-five percent (25%) of the total floor area of the *dwelling*, or a maximum of forty-five square metres (45.0 m²) whichever is less.
- b) Any sandblasting for the manufacture of signs be done indoors, in a certified, self-contained, filtered, and self-ventilating unit.
- c) No outside storage of materials shall be permitted.
- d) Truck deliveries for the commercial operation shall be restricted to normal daytime business hours (i.e. 9 am to 5 pm).

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
74	I-A	50	44-2002	Z3/02

i) Location: 990 Westney Road South

ii) Legal Part of Block 112, Plan 40M-1268

Description:

iii) Maximum Number of Units:

25 beds

Exception	Zoning	Мар	By-law	File Reference
74 continued	I-A	50	44-2002	Z3/02

iv) Permitted Uses: Crisis Care Facility for Women and Children

v) Development Standards:

a) Minimum Yard:

Front (Harwood Avenue):

3.0 m

- Interior Side (southern *lot line*):

7.5 m

b) Minimum Building Height:

2 storeys

c) Maximum Gross Floor Area:

1,420.0 m²

d) Minimum Parking:

19 space

vi) Other:

a) The front yard shall be defined as the Harwood Avenue frontage.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
75	AC	8	71-2002 97-2008 15-2013	Z28/01, SPA6/07, Z7/07, SP9/12
			13-2013	

i) Location: Southwest corner of Taunton Road West and

Westney Road North

ii) Legal Description: Part of Lot 11, Concession 3

iii) Additional Permitted Drive-thru Restaurant

Uses:

iv) Development Standards:

Exception	Zoning	Мар	By-law	File Reference
75 continued	AC	8	71-2002 97-2008 15-2013	Z28/01, SPA6/07, Z7/07, SP9/12

a) Minimum Yard:

	i)	Front (Westney)	- to Drive-thru Canopy and Decorative Wall	5.5 m
			- to building	11.0 m
	ii)	Interior Side:		3.0 m
	iii)	Exterior Side (Tai	15.0 m	
	iv)	Rear:		3.0 m
b)	Mini	1 storey		

c) Minimum Landscape Area:

- i) A minimum landscape strip of 6.0 metres shall be provided adjacent to Taunton Road and Westney Road.
- ii) The Drive-thru Canopy shall be permitted to encroach a minimum of 0.5 metres in the required landscape strip.

v) Other:

- a) The *queuing lane* for an automatic *motor vehicle* washing facility shall accommodate a minimum of 15 vehicles leading into the automatic car wash and a minimum of 3 vehicles exiting the automatic car wash.
- b) The *queuing lane* for a *Drive-thru Restaurant* shall be a minimum of 8 vehicles before the service window and a minimum of 1 vehicle after the service window.
- c) The minimum *building* setback to the *daylighting triangle* shall be 4.0 metres.
- d) A *Drive-thru Restaurant* shall only be permitted in association with a gas station and located in the same *building*.

Exception	Zoning	Мар	By-law	File Reference
76	EP, I-A, R1- D, R1-E, R2-B, RM6(H), OS	19, 59	50-2003 27-2021 79-2022	Z1/99, OPA17-A1, Z1/17

i) Location: Northwest corner of Audley Road and Rossland Road

ii) Legal Part of Lots 3 and 4, Concession III

Description:

iii) Additional Uses: Apartment Building in the 'RM6' Zone

iv) Development Standards:

a) Minimum Building Height: 6 storeys for an apartment building

b) Minimum Lot Frontage:

i) 'R1-D' zone: 11.3 m

ii) 'R1-E' zone: 9.0 m

c) Maximum Lot Coverage:

i) 'R1-D' zone: 47%

ii) 'R1-E' zone: 46%

d) Minimum Yard:

i) Interior Side – 'R2-B' zone: 1.0 m on one side 0.0 m

on the other

e) Maximum Garage and *Driveway widths* for single *detached dwellings* in the 'R1-E' and 'R1-F' zones shall be governed by the following:

	Maximum <i>Driveway Width</i>	Maximum Garage Width
Lots with frontages 11.3 metres or greater	5.6 m	5.6 m
Lots with frontages less than 11.3 metres	5.2 m	3.0 m

Except	ion	Zoning	Мар	By-law	File Reference
76 contir	nued	EP, I-A, R1- D, R1-E, R2-B, RM6(H), OS	19, 59	50-2003 27-2021 79-2022	Z1/99, OPA17-A1, Z1/17

v) Other:

a) For lands zoned 'R2-B', the following definition shall apply:

DWELLING, SEMI-DETACHED shall mean a separate building divided vertically above and below grade into not more than two (2) dwelling units, which must contain a common wall that extends a minimum of 5.0 metres in length and has a and has a minimum height of 2.0 metres above grade. The minimum distance between any portion of a dwelling unit not containing a common wall and abutting property line shall be 0.6 metres.

b) For lands located between Rossland Road East and Carberry Crescent, Mansbridge Crescent, Styles Crescent, and Whitlock Crescent, from the Carruthers Creek tributary to Audley Road North, zoned Residential Multiple Six, Holding ('H') Provision [RM6(H)] the following shall apply for the Blocks referenced below and illustrated in Schedule 'C':

i) Blocks A to E:

a) Prior to the widening of Rossland Road East to a 4-lane urban cross-section, from Salem Road North to Lake Ridge Road North, only a total of 357 residential dwelling units on the subject lands may be occupied.

ii) Block A:

- a) Permitted Uses:
 - i) Dwelling, Apartment
 - ii) Dwelling, Multiple Attached
- b) Development Standards for Dwelling, Apartment:
 - i) Maximum Height:

15 storeys

ii) Minimum Setback from the South Property Line (Rossland Road East):

3.0 m

Exception	Zon	ing	Мар	By-law	File Refe	erence
76 continued	EP, I-A, R1- D, R1-E, R2-B, RM6(H), OS		19, 59	50-2003 27-2021 79-2022	Z1/99, OPA1	7-A1, Z1/17
	iii) Minimum Setback from the North Property 25.0 Line (Carberry Crescent):					
	iv)		num Setback fro Rushworth Driv		roperty	3.0 m
	v)	Line (num Setback fro adjacent to the gement pond):		Property	3.0 m
	c) De	velopn	nent Standards	for Dwelling, I	Multiple Attached	d:
	i)	Minim	num Height:			3 storeys
	•			num Setback from the South Property Rossland Road East)		
	•			num Setback from the North Property Carberry Crescent):		
	,			num Setback from the East Property Rushworth Drive):		
	Line (num Setback from the West Property adjacent to the stormwater gement pond):		
	d) Ot	her:				
	i)	Maxin Hecta	num Residentia ire):	al Density (Uni	ts Per Net	650
	ii) Maxin			age:		56%
	iii)	Minim	um Required F	Parking (Resid	ential):	
a) 1.0 space per dwelling unit for the exclusive use of residentsb) 0.2 spaces per dwelling unit for the exclusive use of visitors						
Exception 76 is continued on the next page.						

Exception	Zoning	Мар	By-law	File Reference
76 continued	EP, I-A, R1- D, R1-E, R2-B, RM6(H), OS	19, 59	50-2003 27-2021 79-2022	Z1/99, OPA17-A1, Z1/17

- iv) Minimum Setback from a Below Grade Parking Structure to all Lot Lines:
- 0.0 m

1.0 m

- v) Minimum Setback from an Access Ramp to a Below Grade Parking Structure to all Lot Lines:
- vi) Apartment buildings shall provide a residential entrance fronting Rossland Road East.
- vii) All Multiple Attached Dwelling units shall be designed as double fronting units where the north and south facing facades present a frontal expression including a front door(s), pedestrian access, and windows. Any fencing in the north and south yards shall be limited to a maximum height of 1.2 metres.
- viii) Vehicular access to all residential units shall only be provided by an internal private road.
- ix) Notwithstanding Section 4.8, the height requirement for Dwelling, Apartment shall not apply to spires, belfries, chimneys, elevator enclosures, or mechanical penthouses occupying in the aggregate less than 45 percent of the area of the roof of the building on which they are located.
- x) Platforms may extend 1.2 metres out from the main building wall, but no closer than 1.2 metres to the North Property Line (Carberry Crescent).

iii) Block B:

- a) Permitted Uses:
 - i) Dwelling, Apartment
 - ii) Dwelling, Multiple Attached

Exception	Zoning	Мар	By-law	File Refer	ence
76 continued	EP, I-A, R1- D, R1-E, R2-B, RM6(H), OS	19, 59	50-2003 27-2021 79-2022	Z1/99, OPA17-	A1, Z1/17
	b) Developr	nent Standards	for Dwelling, A	Apartment:	
	i) Max	imum Height:			8 storeys
	,	mum Setback fi (Rossland Roa		Property	3.0 m
	,	mum Setback fi (Mansbridge C		Property	26.0 m
	,	Minimum Setback from the East Property Line (adjacent to the park block):			
	,	mum Setback fi (Rushworth Dr		Property	3.0 m
	c) Developr	nent Standards	for Dwelling, I	Multiple Attached:	
	,	 i) Minimum Setback from the South Property Line (Rossland Road East): 			
	,	mum Setback fi (Mansbridge C		Property	2.5 m
	,	mum Setback for (adjacent to the		Property	3.0 m
	,	Minimum Setback from the West Property Line (Rushworth Drive): 2.0			
	d) Other:	Other:			
	•	imum Resident tare):	al Density (Un	its Per Net	318
	ii) Max	imum Lot Cove	rage:		53%
Exception 76 is continued on the next page.					

Exception	Zoning	Мар	By-law	File Reference
76 continued	EP, I-A, R1- D, R1-E, R2-B, RM6(H), OS	19, 59	50-2003 27-2021 79-2022	Z1/99, OPA17-A1, Z1/17

- iii) Minimum Required Parking (Residential):
 - 1.0 space per dwelling unit for the exclusive use of residents
 - 0.2 spaces per dwelling unit for the exclusive use of visitors
- iv) Minimum Setback from a Below Grade
 Parking Structure to all Lot Lines:

 0.0 m
- v) Minimum distance between blocks of 11.0 m Dwelling, Multiple Attached:
- vi) Apartment buildings shall provide a residential entrance fronting Rossland Road East.
- vii) All Multiple Attached Dwelling units shall be designed as double fronting units where the north and south facing facades present a frontal expression including a front door(s), pedestrian access, and windows. Any fencing in the north and south yards shall be limited to a maximum height of 1.2 metres.
- viii) Vehicular access to all residential units shall only be provided by an internal private road.
- ix) Notwithstanding Section 4.8, the height requirement for Dwelling, Apartment shall not apply to spires, belfries, chimneys, elevator enclosures, or mechanical penthouses occupying in the aggregate less than 35 percent of the area of the roof of the building on which they are located.
- x) Platforms may extend 1.2 metres out from the main building wall, but no closer than 1.2 metres to the North Property Line (Mansbridge Crescent).
- iv) Blocks C and D:
 - a) Permitted Uses:

Exception	Zoning	Мар	By-law	File Reference			
76 continued	EP, I-A, R1- D, R1-E, R2-B, RM6(H), OS	19, 59	50-2003 27-2021 79-2022	Z1/99, OPA17-A1, Z1/17			
	i) Dwelling, Apartment						
	ii) Dwelling, Multiple Attached						
	b) Develop	ment Standards	for Dwelling, A	Apartment:			
	i) Maxir	num Height:		8 storeys			
	,	ium Setback fro Rossland Road		roperty 3.0 m			
	iii) Minimum Setback from the North Property 24.0 m Line (Styles Crescent and Whitlock Crescent):						
		ium Setback fro ey Road North):		operty Line 108 m			
	,	ium Setback fro Hilton Gate):	m the West Pr	roperty 3.0 m			
	c) Develop	ment Standards	for Dwelling, I	Multiple Attached:			
	,	num Setback fro (Rossland Road		Property 57 m			
ii) Minimum Setback from the North Property 2.0 m Line (Styles Crescent and Whitlock Crescent):							
iii) Minimum Setback from the East Property Line (Interior Side Lot Line of 41 Whitlock Crescent):							
	iv) Minimum Setback from the West Property 2.0 m Line (Hilton Gate):						
Exception 76 is continued on the next page.							

Exception	Zoning	Мар	By-law	File Reference	
76 continued	EP, I-A, R1- D, R1-E, R2-B, RM6(H), OS	19, 59	50-2003 27-2021 79-2022	Z1/99, OPA17-A1, Z1/17	
	d) Other:				
i) Maximum Residential Density (Units Per Net Hectare):					
	a) Blo	ock C:		327	
	b) Blo	ock D:		314	
	ii) Maxin	num Lot Covera	age:	53%	
 iii) Minimum Required Parking (Residential): a) 1.0 space per dwelling unit for the exclusive use of residents b) 0.2 spaces per dwelling unit for the exclusive use of visitors 					
	iv) Minimum Setback from a Below Grade Parking Structure to all Lot Lines:				
	•	um distance be nents:	ng, 15.0m		
	,	um distance be ng, Multiple At	of 7.0 m		
	, .	ment buildings ential entrance	•		
	designorth fronta pedes fencin limited	Iltiple Attached ned as double fand south facir I expression incorring access, a g in the north a d to a maximum	fronting units wang facades precluding a front and windows. And south yard height of 1.2	where the esent a door(s), Any ls shall be metres.	
	,	ular access to a e provided by a			

Exception	Zoning	Мар	By-law	File Reference
76 continued	EP, I-A, R1- D, R1-E, R2-B, RM6(H), OS	19, 59	50-2003 27-2021 79-2022	Z1/99, OPA17-A1, Z1/17

- x) Notwithstanding Section 4.8, the height requirement for Dwelling, Apartment shall not apply to spires, belfries, chimneys, elevator enclosures, or mechanical penthouses occupying in the aggregate less than 25 percent of the area of the roof of the building on which they are located.
- xi) Platforms may extend 1.2 metres out from the main building wall, but no closer than 1.2 metres to the North Property Line (Styles Crescent and Whitlock Crescent).

v) Block E:

- a) Permitted Uses:
 - i) Dwelling, Apartment, provided retail/commercial uses are located at grade
 - ii) Ground level retail/commercial uses within a Dwelling, Apartment:
 - a) uses permitted in the Neighbourhood Commercial Zone
 - b) Restaurant, Retail Store and Medical Clinic
- b) Development Standards for Dwelling, Apartment:

i)	Maximum Height:	8 storeys
ii)	Minimum Setback from the South Property Line (Rossland Road East):	0.5 m
iii)	Minimum Setback from the North Property Line (rear lot line of lots fronting onto Whitlock Crescent):	20 m

Exception	Zoning	Мар	By-law	File Reference
76 continued	EP, I-A, R1- D, R1-E, R2-B, RM6(H), OS	19, 59	50-2003 27-2021 79-2022	Z1/99, OPA17-A1, Z1/17
	•	num Setback fro (Audley Road N		roperty 0.5 m
	,	num Setback fro (Hilton Gate):	om the West P	Property 187 m
	c) Other:			
	i) Maxi Hecta	mum Residentia are):	al Density (Uni	ts Per Net 350
	ii) Maxi	mum Lot Cover	age:	48%
	(F fc	inimum Require Residential):1.0 or the exclusive 2 spaces per d	space per dwe use of residen	ts
		clusive use of	•	
	,	num Required F nil/Commercial/	•	ial Uses):
	•	parking space լ ea	per 32 m2 of g	ross floor
	,	num Gross Floc I/Commercial/ N		950m² al Uses:
	,	num Setback fro ng Structure to		rade 0.0 m
	,	ling, Apartments ential entrance	•	
	,	I/Commercial/N have entrances		
Exception 76 is continued on the next page.				

Exception	Zoning	Мар	By-law	File Reference
76 continued	EP, I-A, R1- D, R1-E, R2-B, RM6(H), OS	19, 59	50-2003 27-2021 79-2022	Z1/99, OPA17-A1, Z1/17


- viii) Any building with residential units shall provide a residential entrance fronting Rossland Road East.
- ix) Notwithstanding Section 4.8, the height requirement for Dwelling, Apartment shall not apply to spires, belfries, chimneys, elevator enclosures, or mechanical penthouses occupying in the aggregate less than 30 percent of the area of the roof of the building on which they are located.
- vi) Planning Act, Section 37 Increased Height and Density:

The registered owner of the subject lands shall enter into one or more agreements with the Town pursuant to Section 37 of the *Planning Act*, in accordance with the provisions of section 4 of By-law No. 79-2022, no later than September 18, 2022.

c) Section 4.21.2 ii) of this By-law shall not apply to Blocks 55, 56, 60, 61, 66, 67 and 70 of Draft Plan of Subdivision 18T-98014.

Exception	Zoning	Мар	By-law	File Reference
76 continued	EP, I-A, R1- D, R1-E, R2-B, RM6(H), OS	19, 59	50-2003 27-2021 79-2022	Z1/99, OPA17-A1, Z1/17

Schedule 'C'



Exception	Zoning	Мар	By-law	File Reference
77	R3	21	123-2002	Z1/02

i) Location: Northwest and southwest corners of Delaney Drive and

Church Street

ii) Legal Part of Lot 15, Concession II

Description:

ii) Development Standards:

a)	Minimum <i>Lot</i>	7.5 m
	Frontage:	

b) Minimum Lot Frontage (corner lot): 9.5 m

c) Minimum Lot Depth: 30.0 m


d) Section 6.2.4 shall apply, save and except for the following provisions:

i) Maximum Garage Width (corner lot):ii) Maximum Front yard – Garage:0.5 m

iii) Maximum *Front yard* Setback: 12.0 m

e) Minimum *Side yard* – Accessory 0.0 m *Building*:

- v) Other:
 - a) Church Street and Delaney Drive shall be deemed to be the *front yard* for Blocks 2C, 2D, 2E, 1D, and 1E as identified on the schedule below.



Exception	Zoning	Мар	By-law	File Reference
78	HE	37	137-2002	Z13/01

i) Location: 150 and 160 Dowty Road

ii) Legal Lot H-2 and Part of Lot H-1 and Part of Rowe Street, Plan Description: 480, designated as Parts 2, 3, and 4 on Plan 40R-12652 and

Part of Block L, Plan M-26, designated as Parts 1 and 2 on

Plan 40R-7231

iii) Additional Uses: Automobile recycling facility and salvage yard

iv) Other:

- a) A vehicle crusher shall only be permitted on the subject lands provided it is located not closer than 50.0 metres from the *front lot line* of Dowty Road, and in no case shall a vehicle crusher be permitted unless it is visually screened from all *lot lines*
- b) Outdoor storage may be permitted up to 57% of the area of the site and all outdoor storage areas shall be fully screened by a 2.4 metre board fence.
- c) Outdoor storage for crushed/wrecked vehicles shall not exceed a height limit of 2.28 metres.
- d) Outdoor storage shall be permitted adjacent to the northerly property boundary and shall also be permitted subject to a minimum distance separation of 6.0 metres from the property line of Dowty Road.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
79	I-A/R2-A,	16	121-2002	Z8/02
	R1-D, R2- A,OS			

i) Location: Northwest quadrant of Westney Road and Rossland Road

ii) Legal Part of Lot 11, Concession III

Description:

Exception	Zoning	Мар	By-law	File Reference
79 continued	I-A/R2-A, R1-D, R2- A,OS	16	121-2002	Z8/02

iii) Other:

- a) For the lands zoned 'R2-A', the following definition will apply:
 - DWELLING, SEMI-DETACHED shall mean a separate building divided vertically above and below grade into not more than two (2) dwelling units, which must contain a common wall that extends a minimum of 5.0 metres in length and has a minimum height of 2.0 metres above grade. The minimum distance between any portion of a dwelling unit not containing a common wall and abutting property line shall be 0.6 metres.
- b) Maximum clear inside width of garages for *lots* zoned 'R2-A' shall not exceed 3.4 metres.
- c) Maximum clear inside width of garages for *lots* zoned 'R1-D' shall not exceed 6.1 metres.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
80	R1-C, R1-D, R1-E, OS, R2-B/R1-E, OS/I-A/R1-E	10, 11, 19	29-2003 9-2005 108-2006	ZI16/98, 18T-98016, Z17/04

i) Location: Southwest quadrant of Taunton Road and Audley Road

ii) Legal Part of Lots 3, 4, and 5, Concession III Description:

iii) Additional *Uses*: In the 'RM4' zone, provided that a minimum of 31 residential

dwelling units are constructed, the following uses are permitted: art gallery, retail store, convenience store, personal service shop, service or repair shop, office, place of entertainment, restaurant, library, medical clinic, financial institution and for the service state of the

institution, self serve Laundromat, dry cleaning depot,

veterinary clinic and day care facility

80 continued R1-C, R1-D, R1-E, OS, R2-B/R1-E, OS/I-A/R1-E 10, 11, 19 29-2003 2116/98, 18T-98016, Z17/04	Exception	Zoning	Мар	By-law	File Reference
	80 continued	R1-E, OS, R2-B/R1-E,	10, 11, 19	9-2005	· ·

iv) Prohibited Uses: In the 'RM4' zone – retail warehouse, motor vehicle gas bar, motor vehicle sales establishment, motor vehicle used sales establishment, motor vehicle repair facility, motor vehicle service center, and a motor vehicle washing establishment

- v) Development Standards:
 - a) Minimum Lot Frontage:

-	'R1-C' zone:	17.0 m
-	'R1-D' zone:	11.3 m
-	'R1-E' zone:	9.0 m
-	'R2-B' zone:	7.5 m/unit

b) Minimum Lot Depth:

- 'R1-C' zone: 20.0 m

c) Minimum Yard:

Interior Side – 'R2-B' zone: 1.0 m on one side 0.0 m on the other

- Rear – 'RM4' zone: 7.5 m

d) Maximum GLFA:

- Retail store selling food: 930.0 m²

- Convenience store: 250.0 m²

e) Maximum *Lot Coverage*:

- Bungalows in 'R1-D' zone: 47%

- Bungalows in 'R1-E' zone: 46%

f) Maximum Garage Width:

- 'R1-C' zone: 6.1 m

- 'R1-E' zone for *lots* with frontages equal to or more than 5.6 m


11.3 metres:

Exception	n Zoning	Мар	By-law	File Reference
80 continu	R1-C, R1-D, R1-E, OS, R2-B/R1-E, OS/I-A/R1-E	10, 11, 19	29-2003 9-2005 108-2006	ZI16/98, 18T-98016, Z17/04

- g) Maximum Driveway Width:
 - 'R1-E' zone for *lots* with frontages equal to or more than 11.3 5.6 m metres:
- h) Maximum Curb Cut:
 - 'R1-E' zone for lots with frontages equal to or more than 11.3 5.6 m metres:

vi) Other:

- a) Detached dwellings and semi-detached dwellings may be permitted and built as model homes within Blocks 72 and 73 of Draft Plan of Subdivision 18T-98016.
- b) A sales *office* shall be permitted in the area identified on the Schedule outlined below provided that such *uses*, when no longer required for sales *uses*, is removed or converted to another permitted *use*.
- c) Parking for non-residential *uses* shall be provided at a rate of 1 *parking* space for every 15.0 m² of *gross floor area*.



Exception	Zoning	Мар	By-law	File Reference
81	AC	18	43-2003	Z11/02

i) Location: Southeast corner of Harwood Avenue and Rossland Road

ii) Legal Part of Lot 7, Concession II

Description:

iii) Additional Uses: Restaurant

iv) Prohibited Uses: Free-standing restaurant and drive-thru restaurants

v) Development Standards:

a) Minimum Lot Frontage:b) Minimum Lot Depth:60.0 m

c) Maximum Yard:

- Front: 6.0 m

d) Minimum Yard:

- Front: 3.0 m

- Exterior Side: 9.0 m

- Rear: 6.0 m

e) Maximum Lot Coverage: 25%

f) Maximum Gross Floor Area:

- Restaurant: 110.0 m²

Convenience Store 250.0 m²

Exception	Zoning	Мар	By-law	File Reference
82	PE	18	43-2003	Z11/02

i) Location: Southeast corner of Harwood Avenue and Rossland Road

ii) Legal Part of Lot 7, Concession II Description:

iii) Development Standards:

a) Minimum Lot Area:

3900.0 m²

iv) Other:

a) Drive-thru *lanes* for a *drive-thru restaurant* shall not be permitted between Harwood Avenue and any *building* on the *lot*.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
83	R3	30		

i) Location: Southeast corner of Chapman Drive and Ducatel Crescent

ii) Additional Uses: Semi-detached dwellings

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
84	OS, R1-D	60	95-2003	S-A-2002-03

i) Location: Draft Plan of Subdivision S-A-2002-03

ii) Legal Part of Lots 3 and 4, Concession 2

Description:

iii) Development Standards:

a) Minimum Lot 11.3 m Frontage:

Exception	Zoning	Мар	By-law	File Reference
85	GC	27		Town Initiated

i) Location: 778 Kingston Road West

ii) Legal Con 2 Part Lot 16 and Registered Plan 40R12295 Part 1

Description:

iii) Prohibited Uses: Motor vehicles sales establishment, and motor vehicle used

sales establishment

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
86	PE, EP	19, 33		Town Initiated

i) Location: South of Rossland Road and east of Salem Road

ii) Legal Concession 2 Part Lot 3, Part Lot 4 and Part Road Description: Allowance between Lot 4, 5, and RP 40R835 Part 1

iii) Other:

- a) For those *lots* or blocks that do not abut Salem Road, and/or Rossland Road, any 'GE' Zone *use*, as described in Section 6.4.1 may be permitted.
- b) Outside storage shall not be permitted in any *yard* facing Salem Road, and/or Rossland Road. Outside storage shall otherwise be permitted in accordance with Section 6.4.1.

Exception	Zoning	Мар	By-law	File Reference
87	PE, EP	18, 25		Town Initiated

i) Location: South of Rossland Road and east of Harwood Avenue

ii) Legal Concession 2 Part Lot 7 and Part Road Allowance between

Description: Lot 6, 7 now RP 40R13950 Part 4, 5, Part 3 Part

iii) Other:

- a) For those *lots* or blocks that do not abut Harwood Avenue and/or Rossland Road, any 'GE' Zone *use*, as described in Section 6.4.1 may be permitted.
- b) Outside storage shall not be permitted in any *yard* facing Harwood Avenue and/or Rossland Road. Outside storage shall otherwise be permitted in accordance with Section 6.4.1

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
88	GF, EP	62		Town Initiated

i) Location: South of Bayly Street and east of Audley Road
 ii) Legal Part of Lot 2, Broken Front Concession, Range III Description:

iii) Additional Uses: One detached dwelling

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
89	EP	58	54-2003	Z16/02, Z17/02

i) Location: 2999 Lakeview Boulevard and 3081 Lakeview Boulevard

ii) Legal Part of Lots 5 and 6, Range 2, Broken Front Concession

Description:

Exception	Zoning	Мар	By-law	File Reference
89 continued	EP	58	54-2003	Z16/02, Z17/02

iii) Other:

a) Notwithstanding the provisions of Section 6.8 of this By-law, for the lands municipally known on March 24, 2003, as 2999 Lakeview Boulevard and 3081 Lakeview Boulevard, any *non-conforming building* or *structure* that is damaged by fire, lightening, explosion, tempest, flood, or other act of God may be repaired provided that the damage represents less than seventy-five percent (75%) of the value of the *non-conforming building* or *structure*.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
90	DCA/RM1	44	55-2003	Z20/02, Z6/05,
			86-2005	OPA No. 20

i) Location: 3 Moss Lane

ii) Legal Plan M26, Part Block O, P, S, Now RP 40R7520 Part 1, 2 Description:

iii) Other:

a) Notwithstanding the provisions of Section 4.10 of this By-law, one *Group Home A* accommodating a maximum of three *persons* shall be permitted.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
91	DCA/MU	44	38-85	Z6/04, Z6/05,
			67-2004	OPA No. 15, OPA No. 20
			86-2005	

i) Location: 75, 95, and 105 Bayly Street (Baywood Plaza)

ii) Legal Part of Block O and T, Registered Plan M-25, and Parts 1 to

Description: 8, 10 and 11 on Reference 40R-14532

iii) Prohibited Uses: Drive-Thru Facility, Drive-Thru Restaurant, and Taxi Depot

Exception	Zoning	Мар	By-law	File Reference
91 continued	DCA/MU	44	38-85 67-2004 86-2005	Z6/04, Z6/05, OPA No. 15, OPA No. 20

iv) Other:

a) A retail store may include limited retail warehouse uses to a maximum aggregate floor area of 4,645 square metres provided that such uses are located within the building envelope in place at the time a building permit is sought, save and except a freestanding pad.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
92	I-B	41		

i) Location: 740 Church Street South

ii) Legal Concession Broken Front Range 3, Part Lot 14 now

Description: Registered Plan 40R17258 Parts 1, 2, and 3

iii) Additional Uses: Group Home B

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
93	RM5	16	95-2003 81-2009	Z01/07, 81-2009

i) Location: 1257 Westney Road North (Westney Villa)

ii) Legal Part Lot 10, Concession 3

Description:

iii) Permitted *Uses*: Residential Care Facility Exception 93 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
93 continued	RM5	16	95-2003 81-2009	Z01/07, 81-2009

iv) Development Standards:

a) Maximum *Building Height*:

11.0 m

8 spaces

b) Minimum Number of Parking Spaces:

(2 of which are for persons with disabilities)

v) Other:

- a) "Outdoor Amenity Space" shall mean a common area on a property which provides benefits to the occupants, which increase the attractiveness, functionality and value of a property and which areas are dedicated to passive and active recreational uses, exclusive of parking lots and drive aisles based on a ratio of 10 square metres per bed. Such areas can include but are not limited to patios, decks, swimming pools, paths, leisure spaces or lawns.
- b) A "Residential Care Facility" shall mean a publicly or privately funded residential facility having 6 or more beds, not greater than 37 beds, in which persons with physical disabilities, persons who are developmentally delayed, persons with psychiatric disabilities, and/or pensioners are provided with care and lodging.
- c) One of the six (6) parking spaces shall be identified as a "parking space for persons with disabilities" on site, with two additional parking spaces being provided as part of the condominium plan.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
94	R2-B	31	62-2001	S-A-200-02 Z14/02

i) Location: Blocks 1 to 10, Plan 40M-2114

ii) Development Standards:

a) Maximum Lot Coverage::

55%

Exception	Zoning	Мар	By-law	File Reference
94 continued	R2-B	31	62-2001	S-A-200-02 Z14/02

b) Minimum Yard:

Exterior Side: 2.0 metres, except flanking Old Harwood Avenue

where the minimum shall be 4.5 metres

Flanking Harwood Avenue North 6.0 metres except for the easterly end unit on Block 9 of Subdivision S-A-2000-02 where the minimum shall be 4.5 metres; and 5.5 metres flanking

Chapman Drive

(Side yards for lots flanking Old Harwood Avenue and Harwood Avenue North shall be considered exterior side yards)

exterior side yards)

c) Minimum Distance from Accessory Building:

- Exterior Side: 2.0 m

d) Minimum Floor area Per Dwelling Unit:

Where the Units have in excess of 2 bedrooms:

120.0 m²

e) Maximum Outside Garage Width:

3.3 m

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Excepti	on Zoning	Мар	By-law	File Reference
95	VC3	29	89-2003 38-2008	Z15/02 Z01/08

i) Location: 448 Kingston Road West

ii) Legal Part Lot 13, Concession 2

Description:

iii) Development Standards

a) Required Parking Spaces:

11

Exception	Zoning	Мар	By-law	File Reference
96	VC3	29	90-2003	Z4/03, Z01/08
			38-2008	

i) Location: 475 Kingston Road West

ii) Legal Pt. Lot 13, Part 2, Concession. 1, Plan 40R-7641

Description:

iii) Additional Uses: Triplex

iv) Development Standards:

a) Minimum Parking:

A maximum of six *parking spaces* shall be permitted in the *front yard*.

b) Landscape Buffer.

Notwithstanding Sections 4.12 i) and iii) the following minimum *landscape buffers* shall apply:

Location	Minimum <i>Landscape Buffer</i>
Between the parking area and the north property line (road widening line)	1.5 m
Along the west property line adjacent to the parking spaces	1.5 m
Along the east property line adjacent to the parking area	1.5 m

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
97	R1-D, R2-B, R1-F, OS, I-A,, LC	9, 10, 18	121-2003	S-A-2002-04, S-A-2003-03

i) Location: South-west corner of Taunton Road and Salem Road

ii) Legal Part of Lots 7 and 8, Concession III

Description:

Exception	Zoning	Мар	By-law	File Reference
97	R1-D, R2-B, R1-F, OS, I-A,, LC	9, 10, 18	121-2003	S-A-2002-04, S-A-2003-03

- iii) Development Standards:
 - a) Minimum Lot Frontage:

- R1-D' zone: 11.3 m

- 'LC' zone: 85.0 m

b) Minimum Yard

- Interior: 'R2-B' zone - Semi-detached dwelling: 1.0 m on one Side

0.0 m on the other

c) Maximum Lot Coverage:

47%

- iv) Other:
 - a) For lands zoned 'R2-B', the following definition shall apply: *DWELLING*, *SEMI-DETACHED* shall mean a separate *building* divided vertically above and below grade into not more than two (2) *dwelling units*, which must contain a common wall that extends a minimum of 5.0 metres in length and has a minimum *height* of 2.0 metres above grade. The minimum distance between any portion of a *dwelling unit* not containing a common wall and abutting property line shall be 0.6 metres.
 - b) Taunton Road shall be deemed to be the *front yard* for Blocks 10-15 inclusive of Draft Plan of Subdivision S-A-2002-04, as shown on the attached schedule.

Williamson Road shall be deemed to be the *front yard* for Blocks 3, 4 and 5 of Draft Plan of Subdivision S-A-2002-04.

Street 'C' shall be deemed to be the *front yard* for Blocks 1 and 2 of Draft Plan of Subdivision S-A-2002-04.

Street 'F' shall be deemed to be the front yard for Blocks 6 and 7 of Draft Plan of Subdivision S-A-2002-04.

Street 'I' shall be deemed to be the front yard for Blocks 8 and 9 of Draft Plan of Subdivision S-A-2002-04.


Street 'X' shall be deemed to be the front yard for Blocks 1 and 2 of Draft Plan of Subdivision S-A-2003-03

Exception	Zoning	Мар	By-law	File Reference
97	R1-D, R2-B, R1-F, OS, I-A,, LC	9, 10, 18	121-2003	S-A-2002-04, S-A-2003-03

Street 'Z' shall be deemed to be the front yard for Blocks 3 and 4 of Draft Plan of Subdivision S-A-2003-03.

Street 'DD' shall be deemed to be the front yard for Blocks 5 and 6 of Draft Plan of Subdivision S-A-2003-03.

c) For the Blocks referred to in item (b) above, the setback to the *rear lot line* for a garage accessed via the *rear yard* shall be 6.5 metres.



Exception	Zoning	Мар	By-law	File Reference			
98	R2-B	45, 46	124-2003	S-A-2003-04, S-A-2003-05			
i) Location:		Both sides of realigned Pickering Beach Road, approximately 55.0 metres south of Bayly Street					
ii) Legal	Part	Part of Lots 6, Broken Front Concession, Range 3					

iii) Maximum Lot Coverage:

Description:

55 %

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	on	Zoning	Мар	By-law	File Reference
99		R1-D, R2-B, NC, OS, I-A	16	42-2004 68-2008 27-2021	S-A-2004-01, Z02/04
i) Loc	ation:	Wes	Williamson Dri t of Westney R ro Corridor		Rossland Road and the

ii) Legal Description:

iii) Additional *Uses*:

Concession 3, Part of Lot 11, RP 40R-22121, Part of Part 1

Commercial Fitness Establishment, Opticians Store,

Veterinarian Clinic, *Commercial School* and Dental *Office*. One *restaurant* shall be permitted to a maximum *gross*

leasable floor area of 139.0 m².

iv) Development Standards:

Notwithstanding any other section of this By-law, the following development standards shall apply:

a) Minimum Yard:

- Front: (Westney Road):

0.8 m

Exception	Zoning	Мар	By-law	File Reference
99 continued	R1-D, R2-B, NC, OS, I-A	16	42-2004 68-2008 27-2021	S-A-2004-01, Z02/04

b) Gross Leasable Floor Area shall mean the aggregate area of all floors in a building measured from the centre line of the joint interior partitions and from the exteriors of outside walls, and used or capable of being used for commercial purposes, such as sales, display, and offices but excluding storage areas, washroom areas garbage areas and electrical and mechanical rooms.

c) Minimum Off-Street Parking Required:

44 Parking Spaces

d) Minimum Landscape Buffer.

-	Williamson Drive	4.2 m
-	Westney Road	3.0 m
-	N.E. corner of the <i>building</i> next to Westney Road	0.8 m
N 4 · ·		

e) Minimum Length of a Parking Stall: (Including Disabled Parking)

5.7 m

v) Other:

- a) Within the 'NC' zone, the maximum *building* setback from Westney Road shall be 5.0 metres;
- b) Within all residential zones, the maximum *front yard* setback may be measured to the *porch* subject to the following:
 - i) The minimum depth of the *porch* shall not be less than 1.5 metres; and
 - ii) the minimum depth of the *porch* shall not be the lesser of 3.0 metres or the entire width of the habitable portion of the *dwelling* from the nearest exterior wall of the attached *private garage* to the opposite exterior side wall of the *principal building*.

Exception	Zoning	Мар	By-law	File Reference
100	UC	31	58-2004	Z6/04

Northwest corner of Harwood Avenue South and Gardiner i) Location:

> Drive (20 Harwood Avenue South), and the northeast quadrant of Harwood Avenue South and Mandrake Street (3 to 19 Harwood Avenue South, inclusive, and 2 Mandrake

Street

ii) Legal Part of Block 120, Plan 40M-1277, and Lots 74 to 86, Description:

inclusive, Part of Lot 87 and Part of Lot 163, Plan M-377

iii) Additional Uses: Parking Lot, and Motor Vehicle Sales Establishment

(excluding accessory service/repair and *outdoor storage* or

display of vehicles)

iv) Prohibited *Uses*: Drive-thru facility, Drive-thru restaurant, and Taxi depot

v) Other:

a) Where the principal use of a property is to provide parking, the facility (either at grade, or in a *structure*) may use up to 75 percent of the site for parking (inclusive of *driveway* isles and accesses), provided that all applicable landscaping requirements in this By-law, as amended, are maintained.

Exception	Zoning	Мар	By-law	File Reference	
101	DCA/ME1, DCA/ME2	38	61-2004 86-2005	Z6/04, Z6/05, OPA No. 15, OPA No. 20	
i) I and in a The level beyonded by Chatine Charact to the worth					

i) Location: The lands bounded by Station Street to the north,

Commercial Avenue to the east, Hunt Street to the south, and Mills Road to the west, except for the southwest corner

of Station Street and Commercial Avenue

ii) Legal Blocks A, D, E, F, G, H, J, K, M, and N, Part of Block B, and

Description: Bank Street (now closed), Plan M-27

iii) Prohibited Uses: Drive-Thru Facility, Drive-Thru Restaurant, Motor Vehicle

Rental Establishment, and Motor Vehicle Service/Repair or

Outdoor Storage or Display of Motor Vehicles as an accessory use to a Motor Vehicles Sales Establishment

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
102	NC	16	81-2004	OPA03-A2, Z10/03

i) Location: South-west corner of Rossland Road West and Westney

Road North

ii) Legal Plan 40M-1425, Block 192

Description:

iii) Prohibited Uses: Convenience store, dry cleaning depot, self-serve

laundromat, personal service shop, service or repair shops,

financial institution and library

iv) Development Standards:

a) Minimum Yard:

- Front: 0.0 m

· Interior Side: 1.2 m

- Exterior Side: 1.5 m

Exception	Zoning	Мар	By-law	File Reference
102 continued	NC	16	81-2004	OPA03-A2, Z10/03

b) Maximum Building Height:

13.0 m

c) Landscape Buffer: Notwithstanding Sections 4.12 (i) and (iii), the following minimum landscape buffers shall apply:

i) Adjacent to Rossland Road West:

1.192 m

ii) Adjacent to Westney Road North:

0.0 m

iii) Rear Lot Line:

1.5 m

iv) Interior Side Lot Line:

0.0 m

v) Other:

a) The daylighting triangle is to be in accordance with an approved site plan.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
103	AC	45	96-2004	Z1/04

i) Location:

211 Bayly Street East

ii) Legal

Part of Lot 6, Range 3, Broken Front Concession

Description:

- ii) Development Standards:
 - a) Minimum Landscape Strip:

i) adjacent to Bayly Street

4.2 m

ii) for any buildings adjacent to Bayly Street

3.0 m

iii) Adjacent to residential uses

8.5 m

- v) Other:
 - a) A Holding (H) provision shall be placed on the above-noted lands, to be removed upon Site Plan approval of the service station.

Exception	Zoning	Мар	By-law	File Reference
104	DCA/MU	38, 39, 44	60-2004 68-2004 86-2005	Z6/04, Z6/05, OPA No. 15, OPA No. 20

i) Location:

Bayly Street between Mackenzie Avenue and Monarch Avenue; the north side of Bayly Street; approximately 187.0 metres west of Harwood Avenue South; the side of Hunt Street, between Commercial Avenue and Monarch Avenue, save and except for the Hunt Street frontage of the Verona site (Central Park Village) and the Skymark property; the lands bounded by Hunt Street to the south, Harwood Avenue South to the east, Station Street to the North and Commercial Avenue to the west, save and except for the premises known as 75 Commercial Avenue (the Ajax Car Wash) (commonly known as the Ajax, Station Street and Scot Plazas), the southwest corner of Station Street and Commercial Avenue, the northeast corner of Harwood Avenue South and Achilles Road; and the northwest corner of Harwood Avenue South and Station Street

ii) Legal Description:

Lands include Part of Blocks S, T, V and X, Plan 480, Part of Block N, Plan 481, Part of Block X, Plan M-25, Part of Block F, Plan M-26, Part of Block B, Plan M-27 and Lots 17 and 18, Plan 563

iii) Prohibited *Uses*:

Drive-Thru Facility, Drive-Thru Restaurant, and Taxi Depot

Exception	Zoning	Мар	By-law	File Reference
105	DCA/MU	38, 44	68-2004 86-2005	Z6/04, Z6/05, OPA No. 15, OPA No. 20

i) Location: Southeast corner of Hunt Street and Monarch Avenue (167

Hunt Street/225 Monarch Avenue - Skymark Building)

ii) Legal Block U and Part of Block V, Plan 480

Description:

iii) Prohibited Uses: Drive-Thru Facility, Drive-Thru Restaurant, and Taxi Depot

iv) Development Standards:

- a) Notwithstanding any other provision of this By-law, the *build-within zone* along Monarch Avenue shall be between 6.0 metres and 9.0 metres.
- b) A minimum 6.0 metre *landscaped buffer* shall be provided abutting Monarch Avenue, except for an approved *driveway* access location.

Exception	Zoning	Мар	By-law	File Reference
106 continued	RM4	32	95-2004 75-2011	Z23/01, Z3/10, SP1/11
100 0011111100		02		

i) Location: Northeast corner of Twilley Lane and Trott Lane

ii) Legal Part of Lot 3, Plan 377 (40R-23916, Parts 29 to 31 and 34)

Description: and Part of Lot 6, Plan 377

iii) Additional Use: Dwelling, Stacked

iv) Development Standards:

a) Notwithstanding any other provisions of this By-law, the provisions in this section shall apply to these lands zoned 'RM4' – 'Residential Multiple Four':

i)	Minimum Lot Frontage along Twilley Lane:	53.0 m
ii)	Minimum Setback from Twilley Lane (South):	4.0 m
iii)	Minimum Setback from Lane 'A' (North):	3.0 m
iv)	Minimum Setback from Trott Lane (West):	3.0 m
v)	Minimum Setback from east property line (East):	0.9 m
vi)	Maximum Lot Coverage:	40 %
vii)	Minimum Separation Distance between Blocks:	3.0 m
viii)	Minimum <i>Parking Space</i> Dimension within a <i>Private Garage</i> :	3.1 m x 6.0 m
ix)	Minimum Parking Space Dimension:	3.3 m x 6.0 m
x)	Minimum Required Parking Spaces:	71
	Residents:	61
	Visitors:	10

- b) Section 5.6 of Zoning By-law 95-2003, as amended, shall not apply.
- c) The roofs of detached garage blocks are permitted to encroach into the east *side yard* to a maximum distance of 0.3 metres.
- v) Other:
 - a) All air conditioning units shall only be located on a balcony associated with the *dwelling unit*.
 - b) Air conditioning units shall not be permitted in any yard.

Exception	Zoning	Мар	By-law	File Reference		
107	NC	29, 30	86-2004	Z22/03		
i) Location:	110 Ritchie Avenue					
ii) Legal	Plan	Plan 40M-1386 Block 32				

ii) Legal Plan 40M-1386, Block 32

Description:

iii) Development Standards:

d) Required Parking Spaces

a) Minimum Landscape Buffer: (adjacent to Type B 0.0 m Arterial Road) b) Minimum Parking Space Length: 5.5 m

c) Minimum Aisle Width for 60 to 90 degree parking spaces:

43

5.5 m

Exception	Zoning	Мар	By-law	File Reference
108	CR, POS	5	92-2008	S-A-2007-01, Z2/07

i) Location: South side of Fifth Concession Road, east of Buggey Lane,

west of Audley Road and north of Taunton Road

ii) Legal Part of Lots 3 and 4, Concession 4

Description: (40R-10348, Parts 1 to 6) (Blk 69 and 71, 40M-1577, Lot 1,

40M-1578 and 40R-17476, Part 2)

iii) Maximum Number of Units in the "CR" zone:

27 Estate Residential Dwellings

iv) Development Standards within the "CR" zone:

a) Minimum Lot Frontage:


38.0 m

b) Minimum Lot Area:

0.37 ha

v) Other:

- a) Notwithstanding Section 6.2.2 of Zoning By-law 95-2003 as amended, for the purposes of this development the minimum *lot depth* shall not apply within the "CR" "Country Residential" Zone.
- b) The *lot* hatched below shall have a minimum front and *rear yard* setback of 10.0 metres.



Exception	Zoning	Мар	By-law	File Reference
109	LC, R2-B	21	123-2004	OPA03-A8, S-A-2003-09, Z17/03

i) Location: North-east corner of Church Street and Delaney Drive

ii) Legal Plan 40M-1658, Block 263 Description:

property line and the parking area:

iii) Prohibited Uses: Banquet facility, drive-thru facility, drive-thru restaurant, place of entertainment, and a dry cleaning establishment

iv) Development Standards:

a) Minimum Landscape Strip:

i)	adjacent to Delaney Drive for the area between the property line and a <i>building</i> :	3.0 m
ii)	adjacent to Church Street for the area between the property line and a <i>building</i> :	3.0 m
iii)	adjacent to Church Street for the area between the	6.0 m

v) Other:

- a) No *outdoor patios* shall be permitted within 30.0 metres of any residential zone.
- b) All *buildings* shall have pedestrian access facing either Church Street or Delaney Drive.
- c) A holding provision shall be placed on the subject lands, to be removed upon Site Plan approval.

Exception	Zoning	Мар	By-law	File Reference
110 continued	R1-D, R1- E, R1-F, R2-B, OS, EP	62	1-2005 68-2013	18T-94026, RL2/04, Z3/04 RL2/11, Z4/11

i) Location: South of Bayly Street, west of the unopened Audley Road

allowance

ii) Legal Part of Lot 3, Range 3, Broken Front Concession, and Part

Description: 1, Plan 40R-12352

iii) Development Standards:

- a) Notwithstanding Section 6.7.1, Permitted Uses, specifically Open Space 'OS', all buildings and structures of any kind, the removal or placement of fill, or the alteration of a watercourse, other than as required for flood or erosion control and stormwater management are prohibited within Block 423 on revised draft plan REV. 18T-94026 (RL2/11), Date: Nov. 26-12, Drawing Number 8962-76dp.";
- b) Maximum *lot coverage* for bungalows or back-split *dwellings* within the 'R1-D' Residential Zone 50%
- c) Notwithstanding Section 6.2.2, Zone Standards, specifically "Residential One –'D' (R1-D), the minimum lot depth shall be 19.2 metres for Lots 48 to 53 (inclusive) on draft plan REV. 18T-94026 (RL2/11), Date: Nov. 26-12, Drawing Number 8962-76dp.
- d) Notwithstanding any other provision of this By-law, the maximum width of a garage on a *corner lot* in the 'R1-E' zone with *lot frontages* greater than 12.0 metres shall not exceed 6.1 metres.
- e) The maximum width of garages within the 'R1-E' and 'R1-F' zones with *lot frontages* less than 11.9 metres shall not exceed 5.0 metres.
- f) The maximum width of a garage for a *semi-detached dwelling* in the 'R2-B' zone for *lots* with frontages of 7.5 metres or greater shall not exceed 3.6 metres.
- g) The maximum width of double car garages in the 'R1-D' zone shall not exceed 6.1 metres.

Exception	Zoning	Мар	By-law	File Reference
110 continued	R1-D, R1- E, R1-F, R2-B, OS, EP	62	1-2005 68-2013	18T-94026, RL2/04, Z3/04 RL2/11, Z4/11

- h) Notwithstanding Section 6.2.2, Zone Standards, specifically "Residential One 'D' (R1-D), for lot frontages greater than 15.5 metres, the maximum garage width shall not exceed 7.2 metres for a three car garage.
- i) Notwithstanding Section 6.2.4, Front Yard and Exterior Yard Requirements, the maximum front yard setback of 7.5 metres as measured from the front of the principal building to the front lot line shall not apply for Lots 1 to 53 (inclusive), 82 to 89 (inclusive), 203 to 211 (inclusive), 328 to 335 (inclusive) and 354 to 363 (inclusive) on draft plan REV. 18T-94026 (RL2/11), Date: Nov. 26-12, Drawing Number 8962-76dp.
- j) The maximum *building* setback requirements within Section 6.2.4 of this By-law may be measured from the front face of a *porch*, provided the minimum area of the porch is 4.5 m².
- k) Notwithstanding Section 6.2.2, Zone Standards, the maximum driveway width and maximum garage width shall be 6.1 metres for Lot 382 on draft plan REV. 18T-94026 (RL2/11), Date: Nov. 26-12, Drawing Number 8962-76dp.
- Notwithstanding Section 6.2.4, Front Yard and Exterior Yard Requirements, for lots flanking the west side of Audley Road zoned "Residential One –'D' (R1-D), the following shall apply:

	Standard	Minimum Setback from Exterior Lot Line
i)	Dwelling unit on street side with a sidewalk	1.7 m
ii)	Attached garage on street with a sidewalk	1.7 m
iii)	Platform on street side with a sidewalk	0.7 m

m) Notwithstanding Section 5.3.1, Required Parking Spaces Within Private Garage, all required parking spaces within a private garage shall have a minimum width of 2.7 metres and a minimum depth of 5.7 metres free of any obstructions. Where more than one required parking space is provided within a private garage, all subsequent parking spaces provided shall have a minimum width of 2.5 metres.

Exception	Zoning	Мар	By-law	File Reference
111	AC	32	142-2005	Z11/03,

i) Location: Northeast corner of Salem Road and Chambers Drive

ii) Legal Plan 40M-1453, Block 103 Description:

iii) Permitted Uses: Motor Vehicle Gas Bar and Convenience Store

iv) Development Standards:

a) Landscape Buffer:

	i)	immediately adjacent to the day-lighting triangle	6.0 m
	ii)	along the frontages of Chambers Drive and Salem Road	6.0 m
	iii)	abutting Field Crescent	2.8 m
b)	Min	imum <i>Lot Frontage</i> :	42.0 m
c)	Min	imum Setback for the weather canopy:	
	i)	From Exterior Side Lot Line:	6.0 m

- ii) From Interior Side Lot Line: 5.5 m
 d) Minimum Setback from Rear Lot Line: 6.0 m
- e) Maximum *Height* of the *Convenience Store* exclusive of roof top mechanicals 5.3 m
- f) For the purposes of this by-law, *height* will be measured from the finished grade immediately adjacent to the *building* or *structure* being measured.
- v) Other:
 - a) Section 6.3.1 (1) shall not apply.

Exception	Zoning	Мар	By-law	File Reference
112	R1-F, R2- B, G, O1	60	10-2005	S-A-2004-04, Z13/04

i) Location: North-west corner of Audley Road and Kerrison Drive

ii) Legal Part Lot 3, Concession 2 Description:

iii) Development Standards:

a) Minimum Lot Coverage:

- 'R1-F' zone: 50 %

- 'R2-B' zone: 55 %

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
113	VC3	28	21-2005 38-2008	Z18/04, Z01/08

i) Location: 579 Kingston Road West

ii) Legal Plan 11, Part Lot 5

Description:

- iii) Development Standards:
 - a) Minimum Landscape Buffer:

 i) Next to Residential or Open Space – East, interior side lot line 0.0 m

ii) Adjacent to Type A and Type B Arterial Road:

5.0 m

Exception	Zoning	Мар	By-law	File Reference
114	UC	31, 32	53-2005	Z15/04

i) Location: South-east corner of Harwood Avenue and Ringer Road

ii) Prohibited Uses: Drive-thru restaurant

iii) Other:

- a) All commercial tenants shall have pedestrian entries facing Harwood Avenue and Ringer Road.
- b) Notwithstanding Section 4.12 of this By-law, all *buildings* within 30.0 metres of the intersection of Ringer Road and Harwood Avenue shall have a minimum *gross floor area* of 750.0 m² and shall be within 6.0 metres of the *street line* of Harwood Avenue.
- c) Notwithstanding Section 4.12 of this By-law, all *buildings* within 50.0 metres of the southernmost property line next to Harwood Avenue shall have a minimum *gross floor area* of 750.0 m² and shall be within 6.0 metres of the *street line* of Harwood Avenue
- d) A Holding Provision (H) shall apply, which shall be removed upon issuance of Site Plan approval.
- e) Any *building* within 30.0 metres of the intersection of Harwood Avenue and Ringer Road shall have a minimum *building height* of 9.0 metres
- f) Subject to paragraph iii) (a), a maximum of one *drive-thru facility* shall be permitted but in no case shall such *use* be permitted within 30.0 metres of Harwood Avenue.

Exception	Zoning	Мар	By-law	File Reference
115 continued	DCA/MU	38, 44	42-2005 86-2005	S-A-2004-03, Z14/04, Z6/05

i) Location: 100 Bayly Street West

ii) Legal Part of Block V, Registered Plan M-25 and Part of Block V,

Description: Registered Plan 480

iii) Development Standards:

a) The minimum built frontage along Hunt Street shall be 50 percent.

b) The *daylighting triangle* requirements for Residential Zones within Section 4.7.1 of this By-law shall apply.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
116	VC3	28	38-2005	Z21/04, Z01/08
			38-2008	

i) Location: 66 Church Street South

ii) Legal Lot 3 and Part of Lot 4, Registered Plan 11 (Lot 15, Con 1) Description:

- iii) Development Standards:
 - ___ Minimum Landscape Buffer
 - Next to Residential or Open Space Zones:

- Rear: at the hammerhead: 0.36 m

Otherwise: 1.8 m

South interior side: 0.40 m

- North interior side 0.44 m

- Adjacent to Type A and Type B Arterial Road: 4.41 m

b) Parking Spaces Required:

9

c) Parking Space Length (including disabled parking stall length):

5.45 m

Exception	Zoning	Мар	By-law	File Reference
116 continued	VC3	28	38-2005	Z21/04, Z01/08
			38-2008	

d) Aisle Width for 60 to 90 degree parking spaces

6.0 m

iv) Other:

a) An *apartment dwelling* is permitted on the upper floor and/or ground level of the *building*.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
117	DCA/MU	44	42-2005	S-A-2004-03, Z14/04,
			86-2005	Z6/05, OPA No. 20

i) Location: 100 Bayly Street West

ii) Legal Part of Block V, Registered Plan M-25 and Part of Block V, Description: Registered Plan 480

iii) Development Standards:

a) Minimum Lot Frontage: 5.0 m

b) Minimum Lot Depth: 13.0 m

c) Yard – Maximum setback to a *porch*: 4.5 m

iv) Other:

- a) Maximum garage door opening shall not exceed 50% of the frontage of any lot.
- b) The *daylighting triangle* requirements for Residential Zones within Section 4.7.1 of this By-law shall apply

Exception	Zoning	Мар	By-law	File Reference
118	DCA/MU	44	42-2005	S-A-2004-03,
			86-2005	Z14/04, Z6/05,
				OPA No. 20

i) Location: 100 Bayly Street West

ii) Legal Part of Block V, Registered Plan M-25 and Part of Block V,

Description: Plan 480

iii) Development Standards:

a) Minimum Lot Frontage:

For all *lots*/blocks in locations identified as Block 4.6 m 06, Block 07 and Block 10 within draft plan of subdivision S-A-2004-03, revised March 22, 2005

b) Minimum Lot Depth: 20.0 m

c) Minimum Yard:

Minimum Front: 1.2 m

- Minimum Exterior Side: 1.2 m

iv) Other:

- a) A *porch* may encroach to within 0.0 metres of a *front lot line* or *exterior side* yard lot line.
- b) The maximum garage door opening shall not exceed 50% of the frontage of any *lot*.
- c) A front door and a *porch* shall be provided in the *front yard*.
- d) A maximum of 11 *dwelling units* may be attached side-by-side in a *street townhouse dwelling*, having a maximum *dwelling* width of 53.0 metres.

_	1				
Exception	Zoning	Мар	By-law	File Reference	
119	PE	37, 38,	86-2005	Z6/05, Z6/08,	
		43	135-2008	OPA 08-A2	
i) Location	Roa Stre nortl form Aver Mac	d, known munio et, inclusive; ar n, Monarch Ave er CN Railway nue to the west	cipally as No's and lands bound the to the ear spur to the so thousand the so	m Mills Road to Dowty 110 through 182 Hunt d by Hunt Street to the st, the south side of the buth, and Mackenzie cipally as 205 and 225 Hunt Street, and 270	
ii) Legal Descripti	on: mos 9 Pla mos rear, Plan 8 an on 4 376' Part Part Part and 40R 480	Lots 1 and 2 Plan 512, Part of Lot 9 Plan M30 being the most easterly 120 feet of even width from front to rear of Lot 9 Plan M30, Part Lot 9 Plan M30 lying to the west of the most easterly 120 feet of even width throughout from front to rear, Part of Lot 9 Plan 512 as in D467122, Part of Lot 9 Plan 512 as in D240835, Part Block 4 Plan 480 being Parts 8 and 17 on 40R-1451, Part Block R Plan 480 being Part 9 on 40R-1451, Part Block T Plan 480 being Part 9 on 40R-3761, Part Block 4 Plan 480 being Part 10 on 40R-1451, Part Block R Plan 480 being Parts 3 and 5 on 40R-20035, Part Block R Plan 480 being Parts 3 and 4 on 40R-3761 and Part 14 on 40R-1451, Part Block R, Plan 480 being Parts 1 and 2 on 40R-3761, Part Block A Plan 480 being Part 11 on 40R-20035 except Part 17 on 40R-1451, Part Block 4 Plan 480 and Part Block R Plan 480 being Parts 5 and 6 on 40R-1451 and Part Block R Plan 480 being Part 4 on 40R-1451.			
iii) Additiona Permitted	d Uses: Stre Vehi Acce 110 use pren	et: Convenienc icle Service Ce essory retail sa through 182 Ho does not excee nises in which i	e Store; Motor ntre; and Motor les Outlet for la unt Street inclued ed 50% of the t is located for	ercial uses at 158 Hunt or Vehicle Gas Bar; Motor or Vehicle Wash, Automatic ands known municipally as usive, provided that such gross floor area of the the retail and wholesale of	
iv) Prohibite	ed Uses: Drive Moto	e-thru Facility; or Vehicle Sale es Establishmer	Motor Vehicle s Establishme	ed or assembled on site. Rental Establishment; nt; Motor Vehicle Used ; and Restaurant, Drive-	

Exception	Zoning	Мар	By-law	File Reference
119 continued	PE	37, 38, 43	86-2005 135-2008	Z6/05, Z6/08, OPA 08-A2

v) Development Standards:

a) Maximum Yard:

Front: 6.0 m

- Exterior Side: 6.0 m

b) Minimum Yard:

- Front: 3.0 m

c) Maximum Height: 8 storeys or 28.0 metres, whichever is less

d) Minimum *Height*: 2 storeys or 6.0 metres, whichever is less

e) Minimum Landscape Buffer.

i) Adjacent to any public street

3.0 m

ii) Between any parking area and any public street

6.0 m

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
120	DCA/I	44, 50	86-2005	Z6/05, OPA No. 20

i) Location: Lands bounded by Harwood Avenue South to the east,

Clements Road West to the south, Centennial Road to the west, and the Ajax *Community Centre* to the north (580 Harwood Avenue South – Ajax Pickering Health Centre)

Exception	Zoning	Мар	By-law	File Reference
120 continued	DCA/I	44, 50	86-2005	Z6/05, OPA No. 20

ii) Development Standards:

Notwithstanding the provisions of Section 6.9.2 of this By-law, only the following development standards shall apply to the existing hospital building (Ajax Pickering Health Centre) and all future expansions thereto, and these standards shall apply to the principal hospital building exclusively. Any building not physically attached to the to the hospital, and/or any permitted non-hospital use that is not accessory to the hospital use, shall comply with the provisions of Section 6.9.2 of this By-law

a) Setbacks:

b)

OCI	backs.					
i)	Minimum setback from Front Lot Line:					
ii)	Minimum setback from Exterior Side Lot Line:					
iii)) Minimum Setback from <i>Interior</i> Side <i>Lot Line</i> :					
iv)	Minimum Setback from Rear Lot Line:	9.0 m				
Parl	king Area:					
i)	Minimum Perpendicular Width of Parking Aisle (whether or not there is adjacent parking)	6.0 m				
ii)	Minimum Size of <i>Parking Space</i> for <i>Persons</i> 5.7 m long by 4.0 with Disabilities: wide) m				

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

iii) Maximum Number of Surface Parking

Spaces:

1 space per 38.0 m² of

Gross Floor Area

Exception	Zoning	Мар	By-law	File Reference
121	AC(H)	39, 40	84-2005	Z4/04

i) Location: Southeast corner of Salem Road and Achilles Road

ii) Legal Part of Lots 6 and 7, Concession 1 Description:

iii) Prohibited *Uses*: Notwithstanding the provisions of Section 6.3.1, within the

'AC' zone, a Motor Vehicle Service Centre and a Drive-thru

facility shall not be permitted

- iv) Development Standards:
 - a) Notwithstanding the provisions of Sections 4.12, 5.3.2, and 6.3.2, an accessory *Convenience Store* shall be permitted under the following performance standards.
 - Maximum building setback of 3.0 metres from the street line (including daylight triangle
 - ii) Minimum building height of 6.0 metres.
 - iii) All required off-street *parking spaces* shall have a minimum width of 2.7 metres and a minimum depth of 5.5 metres.
 - iv) Direct pedestrian access shall be provided to the nearest *public road*.
 - b) Notwithstanding the provisions of Section 5.11.1, 5.11.3, and 6.3.2, an accessory *Motor Vehicle Wash, Automatic* shall be permitted under the following performance standards:
 - Minimum distance of 75.0 metres from Salem Road
 - ii) Minimum Queuing Space Requirements shall be 10 (Ingress) and 1 (Egress).
 - iii) Minimum length of a Queuing Space shall be 5.8 metres.
 - iv) Minimum setback to an Employment Zone shall be 3.0 metres.
 - c) Notwithstanding Section 4.12, the minimum *Landscape Buffer* adjacent to Achilles Road shall be 3.0 metres.
- v) Other:
 - a) A Holding provision (H) shall be placed on the above-noted lands, to be removed upon Site Plan approval.

Exception	Zoning	Мар	By-law	File Reference
122	PE	39, 40	84-2005	Z4/04, Z8/06,
			94-2006	OPA06-A3
			50-2013	

i) Location: Southeast corner of Salem Road and Achilles Road

ii) Legal Part of Lots 6, Concession 1 Description:

Booonpaon.

iii) Additional Uses: Research and Development Facility

iv) Prohibited Uses: Drive-thru facility, Motor Vehicle Rental Establishment,

Motor Vehicle Sales Establishment, Public Storage Facility, Recreation Facility, Service or repair shop, and Warehouse/

Distribution Centre

Free-standing forms of the following: Financial Institution,

Restaurant, and Personal Service Shops

v) Development Standards:

Development Standards: Notwithstanding any other Section of this By-law, the following development standards shall apply:

- a) Minimum Gross Floor Area
 - i) Minimum *Ground Floor Area:* 800.0 m², save and except for a *Restaurant Drive-Thru*, which shall be permitted having a minimum *ground floor area* of 280 square metres;
 - ii) Minimum Second Floor Area: the second storey shall have a minimum floor area equal to 50% of the *ground floor area* of the *building*, or 790.0 m², whichever is greater. However, in the case of a *banquet facility*, a minimum second floor area of 300.0 m² shall be required.

Notwithstanding the above noted Minimum Upper Floor Area requirements, in cases where the second floor consists of ancillary *office* space in association with a principal *light manufacturing use* or research and development facility, the minimum floor area of the second storey shall be equal to at least 70% of the floor area associated with a ground floor ancillary *office* component.

b) Minimum Floor Space Index (FSI):

0.2

c) Maximum Lot Coverage – Building Area:

20%

Exception	Zoning	Мар	By-law	File Reference
122 continued	PE	39, 40	84-2005 94-2006	Z4/04, Z8/06, OPA06-A3
			50-2013	

- d) Minimum Building Height:
 - i) Buildings fronting onto Salem Road or Achilles Road, save and except for a free-standing Restaurant, Drive-Thru, which shall be permitted to have a minimum height of 1 storey and 3.7 metres.

2 storeys and 9.0 m

ii) Interior *buildings* not located within 48.0 metres of a front and/or exterior side lot line

1 storey and 9.0 m

The minimum *building height* requirement as specified in metres shall apply to a minimum area equal to 50% of the *ground floor area* of the *building*, but in all instances shall apply to the entire floor area of the minimum specified upper storey.

- e) Minimum Built Frontage within a *Build-Within Zone*:
 - i) 50% of the *lot frontage*; or
 - ii) Provided that the *building* has a *Gross Floor Area* of at least 3,800.0 m²; shall apply to at least three points (as measured perpendicular from the adjacent *lot line*) along the street-facing façade of the *building*, where each point is separated by a minimum distance of 35.0 metres as measured along the front and/or *exterior side lot line*
- f) Front Yard and Exterior Side Yard Build-Within Zone:
 - i) The required Minimum Built Frontage shall be located between 3.0 metres (minimum) and 12.0 metres (maximum) of the front and exterior side lot lines. However, in the case of a Restaurant, Drive Thru, a build-within zone of between 3.0 metres and 18.0 metres shall apply.

The *Build-Within Zone* does not apply to accessory *buildings* or *structures*, or to *buildings* which by physical necessity are located in the interior of a development site and adjacent only to a private road or *driveway*.

Exception	Zoning	Мар	By-law	File Reference
122 continued	PE	39, 40	84-2005 94-2006 50-2013	Z4/04, Z8/06, OPA06-A3

g) Parking:

- i) No parking areas, driveway aisles, or queuing lanes shall be permitted between an adjacent street and any part of the building façade within the build-within zone. Where the build-within zone extends along a front and/or exterior side lot line between at least three separated points, no parking areas, driveway aisles, or queuing lanes shall be permitted in the yard area bounded by the street-facing façade of the building, the street, and the two end-points defining the limits of the build-within zone.
- ii) All required off-street *parking spaces* shall have a minimum *parking space* length of 5.7 metres. Where a *parking space* overhangs a curb, the minimum *parking space length* shall be 5.5 metres.
- iii) The parking requirement for any permitted *use* other than a *Restaurant, Drive-Thru*; located on the ground floor of any multi-unit *building* shall be 1 space per 28.0 m² of *gross floor area.*
- h) Minimum Setback from a Storm Water Management Pond site 9.0 m or Open Space block:
- i) Minimum Landscape Strip adjacent to Salem Road, save and except where a *building* façade is located within a *build-within* zone:

vi) Other:

- a) The development standards identified in sub-section (v) above do not apply to a public utility *building*
- b) A minimum seating capacity of 25 *persons* shall be provided per *Restaurant.*
- c) The maximum number of *Restaurant, Drive-Thrus* shall be limited to one (1).
- d) Interim Non-Compliance With Respect to Built Frontage, *Lot Coverage* and Density (FSI) Requirements:

Exception	Zoning	Мар	By-law	File Reference
122 continued	PE	39, 40	84-2005 94-2006 50-2013	Z4/04, Z8/06, OPA06-A3

(1) Extensions/Expansions of Existing Non-Complying Development

Notwithstanding the Built Frontage, *Lot Coverage* and Density (FSI) requirements within sub-section (v) above, extensions or expansions of *existing non-complying* development (namely, additions to *existing buildings* or the development of new *buildings* on the same site as *existing* development) on development sites larger than 2.0 hectares shall be permitted without amendment to the Zoning By-law with respect to the provisions regulating Built Frontage, *Lot Coverage* and Density (FSI), provided that:

- i) The intent of the Official Plan is met; and
- ii) The *building* extension or expansion is designed and sited in a manner which demonstrates, to the satisfaction of the Town, that the development of the site is moving toward a greater level of compliance with all applicable regulations of this By-law, and does not preclude or hinder the ability to ultimately achieve compliance. In this regard, a Master Concept Development Plan demonstrating compliance under by the Town. This plan shall demonstrate that the proposed building extension or expansion shall protect for the ability of a progressive intensification on the site to ultimately achieve compliance. It is understood that the Master Concept Development Plan may be amended from time-to-time, in response to the vagaries of the market, but all such amendments shall continue to demonstrate, to the Town's satisfaction; the ability to ultimately achieve compliance in a fashion which maintains the intent of the Official Plan and the requirements of the Zoning Bylaw

(2) Phasing of New Development on Vacant Sites:

Notwithstanding the Built Frontage, *Lot Coverage* and Density (FSI) requirements within sub-section (v) above, it is understood that the development of any given property may involve a number of phases before it achieves ultimate build-out. As a result, the density (FSI), built frontage and *lot coverage* provisions contained in this By-Law might only be achieved upon the completion of all phases, rather than on a phase-by-phase basis.

Exception	Zoning	Мар	By-law	File Reference
122 continued	PE	39, 40	84-2005 94-2006 50-2013	Z4/04, Z8/06, OPA06-A3

Accordingly, in instances where a development on a vacant site larger than 2.0 hectares is proposed to be phased, *building* phases which individually do not comply with the built frontage, *lot coverage* and/or density (FSI) provision of sub-section (v) above shall be permitted without amendment to the Zoning By-law with respect to the provisions regulating Built Frontage, *Lot Coverage* and Density (FSI), provided that a Master Concept Development Plan demonstrating compliance under ultimate build-out conditions is submitted and approved by the Town. Each phase of development undertaken by the proponent shall protect for future phases in accordance with the Master Concept Development Plan. The phasing of development in accordance with the approved Master Concept Development Plan shall be a requirement of any related Site Plan Agreement.

It is understood that the Master Concept Plan may be amended from time-to-time, in response to the vagaries of the market, but all such amendments shall continue to demonstrate, to the Town's satisfaction, the ability to ultimately achieve compliance in a fashion which maintains the intent of the Official Plan and the requirements of the Zoning By-law.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
123	EP	58	141-2005	Z04/01,


i) Location: 1183 Shoal Point Road

ii) Legal Part of Lot 4, Range 2, Broken Front Concession Description:

Exception	Zoning	Мар	By-law	File Reference
123 continued	EP	58	141-2005	Z04/01,

iii) Other:

a) Notwithstanding the provisions of Section 4.21.3 and 6.8 of this By-law, for the lands municipally known as 1183 Shoal Point Road, and shown on the sketch below as "subject property", the principal residence located thereon is a permitted *detached dwelling* and may be replaced, enlarged or extended as a *detached dwelling* within the limits of the "building envelope" shown on the sketch. Furthermore, accessory buildings or structures, but not including living accommodations or dwellings, may be permitted within the "building envelope" subject to the provisions of Section 4.1.1.



Exception	Zoning	Мар	By-law	File Reference
124	RM5	18	99-2005	Z2/05

i) Location: Northwest quadrant of Rossland Road and Harwood Avenue

ii) Legal Part of Lot 7, Concession 3, Town of Ajax, Block 48/49 Plan Description: 40M-2116; Part 1 Plan 40R-18670 and Part 1 Plan 40R-

22588

iii) Development Standards:

a) Interpretation: Harwood Avenue shall be considered the *front yard*.

b) Yard:

i) Minimum exterior side yard setback (Rossland) - 4.55 m RM5 zone:

ii) Minimum exterior side yard setback (Biggs) – 5.70 m 'RM5' zone:

iv) Other:

a) An accessory *structure* shall be permitted in the *front yard* (Harwood Avenue) with a minimum setback of 1.50.0 metres.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
125	LC/AC	10, 18, 19	157-2005 62-2008 78-2011	Z18/03, SP4/07, Z5/07 S-A-2003-10

i) Location: South of Taunton Road, east of Salem Road

ii) Legal Part of Lots 6 and 7, Concession 3 Description:

iii) Interpretation:

For the purposes of this By-law, Gross Leasable Floor Area

shall mean the aggregate area of all floors in a *building* measured from the centre line of the joint interior partitions

and from the exteriors

Exception	Zoning	Мар	By-law	File Reference
125 continued	LC/AC	10, 18, 19	157-2005 62-2008 78-2011	Z18/03, Z5/07, SP4/07, S-A-2003-10

of outside walls and *used* or capable of being *used* for commercial purposes, such as sales, display, storage and *offices* but excluding garbage enclosures, mechanical, electrical and other *building* service rooms and spaces, stairs, internal service corridors, mezzanines *used* by staff, and storage areas below grade.

- iv) Additional *Uses*: A seasonal *garden centre* associated with a supermarket; and a *commercial school*.
- v) Development Standards:
 - a) Maximum Gross Leasable Floor Area:

11,000.0 m²

- b) At least one *building* along each frontage of Taunton Road and Salem Road shall have a minimum *Ground Floor Area* of 750.0 m².
- c) Notwithstanding Section 4.12 of this By-law, the maximum *front yard* along Salem Road shall be 6.0 metres.
- d) All *buildings* along Taunton Road and Salem Road shall have a minimum *building height* of 6.0 metres.

Exception	Zoning	Мар	By-law	File Reference
126				
NOT ASSIGN	ED			

Exception	Zoning	Мар	By-law	File Reference
127	R1-D	10, 18, 19	157-2005	S-A-2003-10, Z18/03

i) Location: South of Taunton Road, east of Salem Road

ii) Legal Part of Lots 6 and 7, Concession 3 Description:

- iii) Development Standards:
 - a) Notwithstanding the provisions of the R1-D zone, the minimum lot frontage shall be 11.3 metres;
 - b) Notwithstanding the provisions of the R2-B zone, the maximum *lot* coverage shall be 55% of the area of the *lot*;
 - c) Notwithstanding the provisions of the R1-D and R1-F zones, the maximum *lot coverage* shall be 50% of the area of the *lot*;
 - d) Notwithstanding the provisions of the R1-F zone, the provisions of the R1-D zone shall apply for all *lots* with frontages 11.3 metres or greater;
 - e) Notwithstanding the provisions of the R1-D zone, all *lots* that have a *Front yard* on Williamson Drive shall have a minimum frontage of 12.0 metres.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
128	PE	36, 37	137-2005	Z10/05

i) Location: 147 Westney Road South

ii) Legal Part of Lot 12, Concession 1, Town of Ajax, Part Block N,

Description: Plan M-25

iii) Permitted Uses: A Motor Vehicle Repair Facility shall be permitted (up to

42% of the total Gross Floor Area of all buildings, or 605.0

m², whichever is less).

Exception	Zoning	Мар	By-law	File Reference
128 continued	PE	36, 37	137-2005	Z10/05

- Development Standards:
 - a) No loading doors shall be located within 25.0 metres of the front lot line.
 - b) No parking shall be permitted between a permitted *building* and the *Front Lot Line*.
 - c) The minimum *building height* shall be 6.0 metres.
 - d) One pedestrian entry shall be provided facing Westney Road.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
129	RM4(H)	11	139-2005	OPA05-A7, Z14/05

i) Location: Southwest quadrant of Williamson Drive and Seward Drive

ii) Legal Part of Lot 4, Concession 3, Block 261, Plan 40M-2186 Description:

iii) Interpretation:

For the purposes of this Exception, the *yard*s adjacent to the south *lot line* and the west *lot line* shall be considered as *Rear yards*.

- iv) Development Standards:
 - a) Yard:
 - i) Minimum setback from Williamson Drive:

4.5 m

ii) Minimum setback from Seward Drive

4.55 m

- v) Other:
 - a) Privacy fencing shall not be permitted adjacent to the 'VG' zone. Only ornamental decorative fencing to a maximum *height* of 1.2 metres shall be permitted adjacent to the 'VG' zone.

Exception	Zoning	Мар	By-law	File Reference
130	AC, PE	43	150-2005	Z7/05

i) Location: 460 Bayly Street West

ii) Legal Part of Block N, RP 480, Town of Ajax

Description:

iii) Development Standards

a) Minimum *landscape buffer* adjacent to Westney Road and Bayly 6.0 m Street:

b) Maximum *building height* of a *convenience store*. 5.5 m

c) Minimum *Interior side yard*: 3.0 m

d) Minimum *Rear yard*: 1.0 m

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
131	RM4	30, 31	12-2006	Z18/05

i) Location: 132 Kingston Road West

ii) Legal Part of Lot 10, Concession 2

Description:

iii) Additional Uses: Art Gallery

iv) Other:

a) For the purposes of this Exception, an *Art Gallery* shall be exempt from an on-site parking requirement.

	Exception	Zoning	Мар	By-law	File Reference
30-2013	132	PE	48	119-2006 50-2013	OPA 05-A/8, Z19/05

i) Location: South-west corner of Westney Road South and Clements

Road West

ii) Legal Part of Lots 12 and 13, Concession Broken Front

Description:

iii) Permitted Uses: Notwithstanding the uses permitted within the Prestige

Employment (PE) Zone, only the following uses shall be

permitted:

Accessory Retail Sales Outlet, Commercial School, Light

Manufacturing, Offices, Personal Service Shop, and

Warehouse/distribution centre

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
133	R1-B	39	68-2006	S-A-2005-05, Z13/05

i) Location: Northeast corner of King's Crescent and Rideout Street

ii) Legal Part of Lot 8, Concession 1 now Part 1, RP-575, Block E

Description: and part of Block F, RP-510, Town of Ajax

iii) Interpretation: For the purposes of this Exception, Development Standards

a) 'Yard Requirements' shall only apply to the dwelling

located at 62 Rideout Street and Lot 5.

- iv) Development Standards:
 - a) Yard:

62 Rideout Street

Minimum Lot Frontage:

13.5 m

ii) Minimum Interior *Yard* (east side only):

0.8 m

Exception	Zoning	Мар	By-law	File Reference
133 continued	R1-B	39	68-2006	S-A-2005-05, Z13/05

Lot 5

i) Minimum Exterior Side:

3.0 m

b) Maximum Building Height:

i) Lots 1, 2, 3, 4, 6, 7 and 8 and Block 10 on Draft Plan of Subdivision S-A-2005-05

2 storeys

ii) Lots 5 and 9 on Draft Plan of Subdivision S-A-2005-05

1.5 storeys

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
134 continued	R1-D,	10, 18	66-2009	Z17/05, S-A-2005-08
	R1-F, OS		33-2016	
			42-2018	

i) Location: 1537 Salem Road North

ii) Legal North Part Lot 6, Concession 3 Description:

iii) Development Standards:

a) Minimum Lot Frontage in the 'R1-D' zone:

11.3 m

Exception	Zoning	Мар	By-law	File Reference
135	HE	37	84-2006	OPA 05-A9, Z20/05

i) Location: CN Railway spur line

ii) Legal Part of Part 1 on Plan 40R-20035 being of an irregular shape, 807.2 square metres in area, 95.0 metres in depth,

with 24.3 metres of frontage on Dowty Road, and a northern

limit located parallel to and 2.04 metres south of the

centreline of the spur line.

iii) Additional *Uses*: Upon removal of the Holding (H) symbol, the following

additional *use* is permitted, being the *outdoor storage* associated with an automobile recycling operation, not closer than 1.5 metres from the northerly property boundary.

iv) Other:

- a) Approval from the Regional Land Division committee for consent to sever the subject land and adding the parcel to the abutting property to the south.
- b) The site plan agreement between the Town and the owners be executed which shall include the provision of a 2.4 metre board fence or other barrier devices as approved by the Town.
- c) That a Record of Site Condition be submitted to the Town of Ajax and acknowledged by the Ministry of the Environment.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
136	PE	32, 33,	88-2006	OPA 06-A3,
		39, 40	152-2009	OPA 06-A6,
			50-2013	Z8/06, Z14/06,

i) Location: Lands enclosed by Chambers Drive and Beck Crescent,

known municipally as Nos. 75, 85 and 155 Chambers Drive

and No. 555 Beck Crescent

Exception	Zoning	Мар	By-law	File Reference
136 continued	PE	32, 33, 39, 40	88-2006 152-2009 50-2013	OPA 06-A3, OPA 06-A6, Z8/06, Z14/06,

ii) Legal Block 2, Registered Plan 1454, now Parts 1 to 3, Plan 40R-

Description: 10338

iii) Additional Uses: Research and Development Facility

iv) Prohibited Uses: Drive-Thru Facility, Drive-Thru Restaurant, Motor Vehicle

Rental Establishment, Public Storage Facility, Recreation

Facility, Warehouse/Distribution Centre,

Free-standing forms of the following: Financial Institution, Restaurant, Personal Service Shop, and Service or Repair

Shop

v) Development Standards:

Notwithstanding any other section of this By-law, the following development standards shall apply:

- a) Minimum Lot Coverage:
 - i) Building Area:

20% for all purposes save and except for a *motor vehicle sales* establishment, which shall have a minimum building coverage of the *lot area*. However, in instances where an urban square is provided between the principal building and a street corner the area of the urban square up to an amount not exceeding 5% of the total lot area, **may** be considered as a substitute for Building Area, in lieu of actual building coverage.

- b) Maximum Built Frontage within a *Build-Within Zone*:
 - i) 50% of the *lot frontage* along an arterial or collector road;
 - ii) 40% of the *lot frontage* along a local road; or

Exception	Zoning	Мар	By-law	File Reference
136 continued	PE	32, 33, 39, 40	88-2006 152-2009 50-2013	OPA 06-A3, OPA 06-A6, Z8/06, Z14/06,

iii) Provided that the *building* has a *Gross Floor Area* of at least 3,800 square metres, the minimum built frontage within a *build-within zone* shall apply to at least three points (as measured perpendicular from the adjacent *lot line*) along the street-facing façade of the *building*, where each point is separated by a minimum distance of 35.0 metres as measured along the front and/or *exterior side lot line*.

However, notwithstanding the above, where the *lot* is a *corner lot*, and an urban square is developed between the *principal building* and the street corner, the street frontage of the urban square may be considered equivalent to a length of *building* façade in terms of contributing to the required minimum built frontage.

- c) Front Yard and Exterior Side Yard Build-Within Zones:
 - The required Minimum Built Frontage shall be located between 3.0 metres (minimum) and 12.0 metres (maximum) of the front and exterior side lot lines.
 - ii) In the case of a *corner lot*, a portion of the junction of the front and exterior side walls (i.e., the *building* "corner") shall be built within 3.0 to 12.0 metres of the *daylighting triangle*/corner rounding. An exception to this requirement shall be in the event that an urban square is developed between the *principal building* and the street corner, in which case at least 50% of that part of the perimeter of the urban square which is not adjacent to a street edge or *daylighting triangle*/corner rounding shall abut a *building* façade.

The *Build-Within Zone* does not apply to accessory *buildings* or *structures*, or to *buildings* which by physical necessity are located in the interior of a development site and adjacent only to a private road or *driveway*.

Exception	Zoning	Мар	By-law	File Reference
136 continued	PE	32, 33, 39, 40	88-2006 152-2009 50-2013	OPA 06-A3, OPA 06-A6, Z8/06, Z14/06,

d) Minimum Building Height:

i) For non-corner *buildings* fronting onto 2 storeys and 6.0 m Chambers Drive or Beck Crescent:

ii) For corner *buildings* at any intersection of 2 storeys and 9.0 m Chambers Drive and Beck Crescent

The minimum *building height* requirement as specified in metres shall apply to a minimum area equal to 50% of the *ground floor area* of the *building*, but in all instances shall apply to the entire floor area of the minimum specified upper storey.

e) Minimum Gross Floor Area:

i) Ground floor: 600.0 m²

ii) Second floor: 25% of the *ground floor area* of the *building* or 600.0 m², whichever is greater. In the case of a *banquet*

facility, a minimum second floor area of 300.0 m² shall be required.

Notwithstanding the above noted Minimum Second Floor Area requirements, in cases where the second floor consists of ancillary *office* space in association with a principal *light manufacturing use* or research and development facility, the minimum floor area of the second storey shall be equal to at least 70% of the floor area associated with a ground floor ancillary *office* component.

f) Parking:

i) No parking areas or *driveway* aisles shall be permitted between an adjacent street and any part of the *building* façade within the *buildwithin zone*. Where the *build-within zone* extends along a front and/or *exterior side lot line* between at least three separated points, no parking areas or *driveway* aisles shall be permitted in the *yard* area bounded by the street-facing façade of the *building*, the street, and the two end-points defining the limits of the *build-within zone*.

Exception	Zoning	Мар	By-law	File Reference
136 continued	PE	32, 33, 39, 40	88-2006 152-2009 50-2013	OPA 06-A3, OPA 06-A6, Z8/06, Z14/06,

g) Minimum Floor Space Index (FSI):

0.2

vi) Other:

- a) The development standards identified in sub-section (v) above do not apply to a public utility *building*.
- b) A minimum seating capacity of 25 *persons* shall be provided per *Restaurant*.
- c) Notwithstanding the development standards identified in sub-section (v) above, a *Motor Vehicle Sales Establishment* shall only be permitted subject to the following development standards:

i) Minimum Gross Floor Area:

3,800.0 m²

ii) Minimum Building Height:

3 storeys

iii) Maximum Lot Area:

1.91 ha

- iv) Outdoor vehicular storage areas for new vehicles shall only be permitted in a *rear yard*.
- v) No *outdoor storage* or display of vehicles associated with an ancillary *motor vehicle used sales establishment* shall be permitted.
- vi) No outdoor vehicle storage areas shall be visible from the travelled portion of Highway 401 or Salem Road South.

Where the standards specifically are applicable to *Motor Vehicle Sales Establishments* do not otherwise conflict with the development standards identified in sub-section (v) above, the standards contained in sub-section (v) above shall apply.

Exception	Zoning	Мар	By-law	File Reference
137	PE	39, 40	89-2006 151-2012 50-2013	OPA06-A3, Z8/06, SP10/12

i) Location: Northeast quadrant of the Highway 401/Salem Road

interchange, situated between Highway 401 and Beck Crescent (500, 550 and 600 Beck Crescent), and also comprising a portion of the Highway 401 right-of-way situated directly south of the easterly leg of Beck Crescent

ii) Legal Part of Block 1, Registered Plan 40M-1454, and lands

Description: forming part of the Highway 401 right-of-way

iii) Additional Uses: Research and Development Facility

iv) Prohibited Uses: Drive-Through Facility, Drive-Through Restaurant, *Motor*

Vehicle Rental Establishment, Public Storage Facility, Recreation Facility, Warehouse/Distribution Centre,

Free-standing forms of the following: *Financial Institution*, *Restaurant*, *Personal Service Shop*, and *Service or Repair*

Shop

v) Development Standards:

Notwithstanding any other section of this By-law, the following development standards shall apply:

a) Minimum Gross Floor Area:

i) Minimum Ground Floor Area:

600.0 m²

ii) Minimum Second Floor Area: The second storey shall have a minimum floor area equal to 25% of the *ground floor area* of the *building*, or 600.0 m², whichever is greater. However, in the case of a *banquet facility*, a minimum second floor area of 300.0 m² shall be

required.

Notwithstanding the above noted Minimum Second Floor Area requirements, in cases where the second floor consists of ancillary *office* space in association with a principal *light manufacturing use* or research and development facility, the minimum floor area of the second storey shall be equal to at least 70% of the floor area associated with a ground floor ancillary *office* component.

Exception	Zoning	Мар	By-law	File Reference
137 continued	PE	39, 40	89-2006 151-2012 50-2013	OPA06-A3, Z8/06, SP10/12

b) Minimum Floor Space Index (FSI):

0.2

- c) Minimum Lot Coverage:
 - i) Building Area:

20% for all purposes save and except for a *motor vehicle sales establishment*, which shall have a minimum *building* coverage of 15% of the *lot area*.

d) Minimum Building Height:

2 storeys and 7.5 m

The minimum *building height* requirement as specified in metres shall apply to a minimum area equal to 50% of the *ground floor area* of the *building*, but in all instances shall apply to the entire floor area of the minimum specified upper storey.

- e) Maximum Built Frontage within a *Build-Within Zone*:
 - i) 40% of the lot frontage; or
 - ii) Provided that the *building* has a *Gross Floor Area* of at least 3,800.0 m², shall apply to at least three points (as measured perpendicular from the front lot line) along the street-facing façade of the *building*, where each point is separated by a minimum distance of 35.0 metres as measured along the front lot line.
- f) Front Yard Build-Within Zone:
 - i) The required Minimum Built Frontage shall be located between 2.5 metres (minimum) and 12.0 metres (maximum) of the front *lot line*. However, in the case of a *banquet facility* featuring a porte-cochere located between the front *building* wall and the *front lot line*, a front *yard build-within zone* of between 6.0 metres and 35.0 metres shall apply.

The *Build-Within zone* does not apply to accessory *buildings* or *structures*, or to *buildings* which by physical necessity are located in the interior of a development site and adjacent only to a private road or *driveway*.

Exception	Zoning	Мар	By-law	File Reference
137 continued	PE	39, 40	89-2006 151-2012 50-2013	OPA06-A3, Z8/06, SP10/12

g) Parking:

i) No parking areas or *driveway* aisles shall be permitted between an adjacent street and any part of the *building* façade within the *buildwithin zone*. Where the *build-within zone* extends along a *front lot line* between at least three separated points, no parking areas or *driveway* aisles shall be permitted in the *yard* area bounded by the street-facing façade of the *building*, the street, and the two end-points defining the limits of the *build-within zone*.

An exception to the above noted parking restriction shall be in the event the *building* is used for the purposes of a *banquet facility*, in which case up to a maximum of 20% of the required spaces shall be permitted in the area of the *front yard* between the front wall of the *banquet facility* and the *front lot line*, provided that the spaces are used exclusively for visitor parking and are arranged in a single row.

vi) Other:

- a) The development standards identified in sub-section (v) above do not apply to a public utility *building*.
- b) A minimum seating capacity of 25 *persons* shall be provided per *Restaurant*.

Exception	Zoning	Мар	By-law	File Reference
137 continued	PE	39, 40	89-2006 151-2012 50-2013	OPA06-A3, Z8/06, SP10/12

- c) Notwithstanding the development standards identified in sub-section (v) above, a *Motor Vehicle Sales Establishment* shall only be permitted subject to the following development standards:
 - i) Minimum Gross Floor Area:

3,800.0 m²

ii) Minimum Building Height:

3 storeys

iii) Maximum Lot Area:

1.91 ha

- iv) Outdoor vehicular storage areas for new vehicles shall only be permitted in a *rear yard*.
- v) No *outdoor storage* or display of vehicles associated with ancillary used *motor vehicle* sales shall be permitted.
- vi) No outdoor vehicle storage areas shall be visible from the traveled portion of Highway 401 or Salem Road.
- vii) Where the standards specifically applicable to *Motor Vehicle Sales Establishments* do not otherwise conflict with the development standards identified in sub-section (v) above, the standards contained in sub-section (v) above shall apply.
- d) Interim Non-Compliance With Respect to Built Frontage, *Lot Coverage* and Density (FSI) Requirements:
 - i) <u>Extensions/Expansions of Existing Non-Complying Development:</u>
 - Notwithstanding the Built Frontage, *Lot Coverage* and Density (FSI) requirements within sub-section (v) above, extensions or expansions of *existing* non-complying development (namely, additions to *existing buildings* or the development of new *buildings* on the same site as *existing* development) on development sites larger than 2.0 hectares shall be permitted without amendments to the Zoning By-law with respect to the provisions regulating Built Frontage, *Lot Coverage and Density* (FSI), provided that:
 - (1) The intent of the Official Plan is met; and,

Exception	Zoning	Мар	By-law	File Reference
137 continued	PE	39, 40	89-2006 151-2012 50-2013	OPA06-A3, Z8/06, SP10/12

(2) The building extension or expansion is designed and sited in a manner which demonstrates, to the satisfaction of the Town, that the development of the site is moving toward a greater level of compliance with all applicable regulations of this By-law, and does not preclude or hinder the ability to ultimately achieve compliance. In this regard, a Master Concept Development Plan demonstrating compliance under ultimate build-out conditions shall be submitted for approval by the Town. This plan shall demonstrate that the proposed building extension or expansion shall protect for the ability of progressive intensification on the site to ultimately achieve compliance. It is understood that the Master Concept Development Pan may be amended from timeto-time, in response to the vagaries of the market, but all such amendments shall continue to demonstrate, to the Town's satisfaction, the ability to ultimately achieve compliance in a fashion which maintains the intent of the Official Plan and the requirements of the Zoning By-law.

ii) Phasing of New Development on Vacant Sites:

Notwithstanding the Built Frontage, *Lot Coverage* and Density (FSI) requirements within sub-section (v) above, it is understood that the development of any given property may involve a number of phases before it achieves ultimate build-out. As a result, the density (FSI), built frontage and *lot coverage* provisions contained in this By-law might only be achieved upon the completion of all phases, rather than on a phase-by-phase basis.

Accordingly, in instances where a development on a vacant site larger than 2.0 hectares is proposed to be phased, *building* phases which individually do not comply with the built frontage, *lot coverage* and/or density (FSI) provision of sub-section (v) above shall be permitted without amendment to the Zoning By-law with respect to the provisions regulating Built Frontage, *Lot Coverage* and Density (FSI), provided that a Master Concept Development Plan demonstrating compliance under ultimate build-out conditions is submitted and approved by the Town. Each phase of development undertaken by the proponent shall protect for future phases in accordance with the Master Concept Development Plan. The phasing of development in accordance with the approved Master Concept Development Plan shall be a requirement of any related Site Plan Agreement.

Exception	Zoning	Мар	By-law	File Reference
137 continued	PE	39, 40	89-2006 151-2012 50-2013	OPA06-A3, Z8/06, SP10/12

It is understood that the Master Concept Development Plan may be amended from time-to-time, in response to the vagaries of the market, but all such amendments shall continue to demonstrate, to the Town's satisfaction, the ability to ultimately achieve compliance in a fashion which maintains the intent of the Official Plan and the requirements of the Zoning By-law.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
138	PE	39	92-2006 50-2013	OPA06-A3, Z8/06

i) Location: Northeast corner of Salem Road and Achilles Road

ii) Legal Description:

Part of Lot 6, Concession 1

iii) Additional Uses: Research and Development Facility

iv) Prohibited Uses: Drive-Through Facility, Drive-Through Restaurant, Motor

Vehicle Rental Establishment, Public Storage Facility, Recreation Facility, Warehouse/Distribution Centre; Freestanding forms of the following: Financial Institution,

Restaurant, Personal Service Shop, and Service or Repair

Shop

v) Development Standards:

Notwithstanding any other section of this By-law, the following development standards shall apply:

Exception	Zoning	Мар	By-law	File Reference
138 continued	PE	39	92-2006 50-2013	OPA06-A3, Z8/06

- a) Minimum Gross Floor Area:
 - i) Minimum Ground Floor Area:

600.0 m²

- ii) Minimum Upper Floor Area:
 - (1) Where the minimum required building height is two storeys, the second storey shall have a minimum floor area equal to 25% of the ground floor area of the building, or 600 square metres, whichever is greater. However, in the case of a banquet facility, a minimum second floor area of 300 square metres shall be required
 - (2) Where the minimum required *building height* is three storeys, the second and third storeys shall have a combined minimum floor area equal to 50% of the *ground floor area* of the *building*, or 1,200 square metres, whichever is greater.

Notwithstanding the above noted Minimum Upper Floor Area requirements, in cases where the uppermost storey needed to meet the minimum *building height* requirement consists of ancillary *office* space in association with a principal *light manufacturing use* or research and development facility, the minimum floor area of the upper storey in question shall be equal to at least 70% of the floor area associated with a ground floor ancillary *office* component.

b) Minimum Floor Space Index (FSI):

0.2

- c) Maximum Lot Coverage:
 - i) Building Area:

20% for all purposes save and except for a *motor vehicle sales* establishment, which shall have a minimum building coverage of 15% of the *lot area*. However, in instances where an urban square is provided between the *principal building* and a street corner, the area of the urban square, up to an amount not exceeding 5% of the total *lot area*, **may** be considered as a substitute for *Building* Area, in lieu of actual *building* coverage.

Exception	Zoning	Мар	By-law	File Reference
138 continued	PE	39	92-2006 50-2013	OPA06-A3, Z8/06

- d) Minimum Building Height:
 - Non-corner buildings fronting onto Salem Road or Achilles Road

2 storeys and 9.0 m

ii) Corner *buildings* at the intersection of Salem Road or Achilles Road

3 storeys and 9.0 m

The minimum *building height* requirement as specified in metres shall apply to a minimum area equal to 50% of the *ground floor area* of the *building*, but in all instances shall apply to the entire floor area of the minimum specified upper storey.

- e) Minimum Built Frontage within a Build-Within Zone:
 - i) 50% of the *lot frontage* along an arterial or collector road; or
 - ii) Provided that the *building* has a *Gross Floor Area* of at least 3,800 square metres; shall apply to at least three points (as measured perpendicular from the adjacent *lot line*) along the street-facing façade of the *building*, where each point is separated by a minimum distance of 35.0 metres as measured along the front and/or *exterior side lot line*.

However, notwithstanding the above, where the *lot* is a *corner lot* and an urban square is developed between the *principal building* and the street corner, the street frontage of the urban square **may** be considered equivalent to a length of *building* façade in terms of contributing to the required minimum built frontage.

- f) Front Yard and Exterior Side Yard Build-Within Zone:
 - i) The required Minimum Built Frontage shall be located between 3.0 metres (minimum) and 12.0 metres (maximum) of the front and exterior side lot lines.

Exception	Zoning	Мар	By-law	File Reference
138 continued	PE	39	92-2006 50-2013	OPA06-A3, Z8/06

ii) In the case of a *corner lot*, a portion of the junction of the front and exterior side walls (i.e., the *building* "corner") shall be built within 3.0 to 12.0 metres of the *daylighting triangle*/corner rounding. An exception to this requirement shall be in the event that an urban square is developed between the *principal building* and the street corner, in which case at least 50% of that part of the perimeter of the urban square which is not adjacent to a street edge or sight triangle/corner rounding shall abut a *building* façade.

The *Build-Within zone* does not apply to accessory *buildings* or *structures*, or to *buildings* which by physical necessity are located in the interior of a development site and adjacent only to a private road or *driveway*.

g) Parking:

i) No parking areas or *driveway* aisles shall be permitted between an adjacent street and any part of the *building* façade within the *buildwithin zone*. Where the *build-within zone* extends along a front and/or *exterior side lot line* between at least three separated points, no parking areas or *driveway* aisles shall be permitted in the *yard* area bounded by the street-facing façade of the *building*, the street, and the two end-points defining the limits of the *build-within zone*.

vi) Other:

- a) The development standards identified in sub-section (v) above do not apply to a public utility *building*.
- b) A minimum seating capacity of 25 *persons* shall be provided per *Restaurant*.
- c) Notwithstanding the development standards identified in sub-section (v) above, a *Motor Vehicle Sales Establishment* shall only be permitted subject to the following development standards:
 - i) Minimum Gross Floor Area:

3,800.0 m²

ii) Minimum *Building Height*:

3 storeys

Exception	Zoning	Мар	By-law	File Reference
138 continued	PE	39	92-2006 50-2013	OPA06-A3, Z8/06

iii) Maximum Lot Area:

- 1.91 ha
- iv) Outdoor vehicular storage areas for new vehicles shall only be permitted in a *rear yard*.
- v) No *outdoor storage* or display of vehicles associated with ancillary used *motor vehicle* sales shall be permitted.
- vi) No outdoor vehicle storage areas shall be visible from the traveled portion of Highway 401 or Salem Road.

Where the standards specifically applicable to *Motor Vehicle Sales Establishments* do not otherwise conflict with the development standards identified in sub-section (v) above, the standards contained in sub-section (v) above shall apply.

- d) Interim Non-Compliance With Respect to Built Frontage, *Lot Coverage* and Density (FSI) Requirements:
 - i) <u>Extensions/Expansions of Existing Non-Complying Development:</u>
 - Notwithstanding the Built Frontage, *Lot Coverage* and Density (FSI) requirements within sub-section (v) above, extensions or expansions of *existing* non-complying development (namely, additions to *existing buildings* or the development of new *buildings* on the same site as *existing* development) on development sites larger than 2.0 hectares shall be permitted without amendments to the Zoning By-law with respect to the provisions regulating Built Frontage, *Lot Coverage and Density* (FSI), provided that:
 - (1) The intent of the Official Plan is met; and,
 - (2) The building extension or expansion is designed and sited in a manner which demonstrates, to the satisfaction of the Town, that the development of the site is moving toward a greater level of compliance with all applicable regulations of this By-law, and does not preclude or hinder the ability to ultimately achieve compliance. In this regard, a Master Concept Development Plan demonstrating compliance under ultimate build-out conditions

Exception	Zoning	Мар	By-law	File Reference
			92-2006	
138 continued	PE	39	50-2013	OPA06-A3, Z8/06

shall be submitted for approval by the Town. This plan shall demonstrate that the proposed *building* extension or expansion shall protect for the ability of progressive intensification on the site to ultimately achieve compliance. It is understood that the Master Concept Development Plan may be amended from time-to-time, in response to the vagaries of the market, but all such amendments shall continue to demonstrate, to the Town's satisfaction, the ability to ultimately achieve compliance in a fashion which maintains the intent of the Official Plan and the requirements of the Zoning By-law.

ii) Phasing of New Development on Vacant Sites:

Notwithstanding the Built Frontage, *Lot Coverage* and Density (FSI) requirements within sub-section (v) above, it is understood that the development of any given property may involve a number of phases before it achieves ultimate build-out. As a result, the density (FSI), built frontage and *lot coverage* provisions contained in this By-Law might only be achieved upon the completion of all phases, rather than on a phase-by-phase basis.

Accordingly, in instances where a development on a vacant site larger than 2.0 hectares is proposed to be phased, *building* phases which individually do not comply with the built frontage, *lot coverage* and/or density (FSI) provision of sub-section (v) above shall be permitted without amendment to the Zoning By-law with respect to the provisions regulating Built Frontage, *Lot Coverage* and Density (FSI), provided that a Master Concept Development Plan demonstrating compliance under ultimate build-out conditions is submitted and approved by the Town. Each phase of development undertaken by the proponent shall protect for future phases in accordance with the Master Concept Development Plan. The phasing of development in accordance with the approved Master Concept Development Plan shall be a requirement of any related Site Plan Agreement.

It is understood that the Master Concept Development Plan may be amended from time-to-time, in response to the vagaries of the market, but all such amendments shall continue to demonstrate, to the Town's satisfaction, the ability to ultimately achieve compliance in a fashion which maintains the intent of the Official Plan and the requirements of the Zoning By-law.

Exception	Zoning	Мар	By-law	File Reference
139	PE	39, 40	93-2006	OPA06-A3, Z8/06,
			50-2013	SP20/12, SP8/14, SP7/15
			64-2013	
			10-2016	
			91-2016	

i) Location: East of Salem Road, between Achilles Road and the

Highway 401/CNR corridor

ii) Legal Part of Lot 6, Concession 1

Description:

iii) Additional *Uses*: Research and Development Facility

iv) Prohibited Uses: Drive-Through Facility, Drive-Through Restaurant, Motor

Vehicle Rental Establishment, Public Storage Facility, Recreation Facility, Warehouse/Distribution Centre

Free-standing forms of the following: *Financial Institution*, *Restaurant*, *Personal Service Shop*, and *Service or Repair*

Shop

v) Development Standards:

Notwithstanding any other Section of this By-law, the following development standards shall apply:

- a) Minimum Lot Coverage:
 - i) Building Area:

20% for all purposes save and except for a *motor vehicle sales* establishment, which shall have a minimum building coverage of 15% of the *lot area*.

- b) Minimum Built Frontage within a *Build-Within Zone*:
 - i) 50% of the *lot frontage* along an arterial or collector road; or
 - ii) Provided that the *building* has a *Gross Floor Area* of at least 3,800 square metres; shall apply to at least three points (as measured perpendicular from the adjacent *lot line*) along the street-facing façade of the *building*, where each point is separated by a minimum distance of 35.0 metres as measured along the front and/or *exterior side lot line*.

139 continued PE 39, 40 93-2006 OPA06-A3, Z8/06, 50-2013 SP20/12 SP8/14 SP7/15	Exception	Zoning	Мар	By-law	File Reference
64-2013 10-2016 91-2016	139 continued	PE	39, 40	50-2013 64-2013 10-2016	OPA06-A3, Z8/06, SP20/12, SP8/14, SP7/15

- c) Front Yard and Exterior Side Yard Build-Within Zone:]
 - i) The required Minimum Built Frontage shall be located between 3.0 metres (minimum) and 12.0 metres (maximum) of the *front lot line*.

The *Build-Within zone* does not apply to accessory *buildings* or *structures*, or to *buildings* which by physical necessity are located in the interior of a development site and adjacent only to a private road or *driveway*.

d) Minimum Building Height:

2 storeys and 9.0 m

The minimum *building height* requirement as specified in metres shall apply to a minimum area equal to 50% of the *ground floor area* of the *building*, but in all instances shall apply to the entire floor area of the minimum specified upper storey.

- e) Minimum Gross Floor Area:
 - i) Minimum Ground Floor Area:

600.0 m²

ii) Minimum Second Floor Area:

The second storey shall have a minimum floor area equal to 25% of the *ground floor area* of the *building*, or 600.0 m², whichever is greater. However, in the case of a *banquet facility*, a minimum second floor area of 300 square metres shall be required.

Notwithstanding the above noted Minimum Second Floor Area requirements, in cases where the second floor consists of ancillary *office* space in association with a principal *light manufacturing use* or research and development facility, the minimum floor area of the second storey shall be equal to at least 70% of the floor area associated with a ground floor ancillary *office* component.

f) Minimum Floor Space Index (FSI):

0.2

Exception	Zoning	Мар	By-law	File Reference
139 continued	PE	39, 40	93-2006 50-2013 64-2013 10-2016 91-2016	OPA06-A3, Z8/06, SP20/12, SP8/14, SP7/15

g) Parking:

i) No parking areas or *driveway* aisles shall be permitted between an adjacent street and any part of the *building* façade within the *buildwithin zone*. Where the *build-within zone* extends along a *front lot line* between at least three separated points, no parking areas or *driveway* aisles shall be permitted in the *yard* area bounded by the street-facing façade of the *building*, the street, and the two end-points defining the limits of the *build-within zone*.

vi) Other:

- a) The development standards identified in sub-section (v) above do not apply to a public utility *building*.
- b) A minimum seating capacity of 25 *persons* shall be provided per *Restaurant*.
- c) Notwithstanding the development standards identified in sub-section (v) above, a *Motor Vehicle Sales Establishment* shall only be permitted subject to the following development standards:
 - i) Minimum Gross Floor Area:

3,800.0 m²

ii) Minimum Building Height:

3 storeys

iii) Maximum Lot Area:

1.91 ha

- iv) Outdoor vehicular storage areas for new vehicles shall only be permitted in a *rear yard*.
- v) No *outdoor storage* or display of vehicles associated with ancillary used *motor vehicle* sales shall be permitted.
- vi) No outdoor vehicle storage areas shall be visible from the traveled portion of Highway 401 or Salem Road.

Where the standards specifically applicable to *Motor Vehicle Sales Establishments* do not otherwise conflict with the development standards identified in sub-section (v) above, the standards contained in sub-section (v) above shall apply.

Exception	Zoning	Мар	By-law	File Reference
140 P	PE, PE(H)	40	95-2006 152-2009 50-2013 91-2016	OPA06-A3, Z8/06, SP8/14

i) Location: North and south sides of Achilles Road, east of Salem Road,

west of Carruthers Creek

ii) Legal Part of Lots 5 and 6, Concession 1

Description:

iii) Additional Uses: Research and Development Facility

iv) Prohibited Uses Drive-Through Facility, Drive-Through Restaurant, Motor

Vehicle Rental Establishment, Public Storage Facility, Recreation Facility, Warehouse/Distribution Centre

Free-standing forms of the following: *Financial Institution*, *Restaurant*, *Personal Service Shop*, and *Service or Repair*

Shop

v) Development Standards:

Notwithstanding any other Section of this By-law, the following development standards shall apply:

Exception	Zoning	Мар	By-law	File Reference
140 continued	PE, PE(H)	40	95-2006 152-2009 50-2013 91-2016	OPA06-A3, Z8/06, SP8/14

- a) Minimum Lot Coverage:
 - i) Building Area:

20% for all purposes save and except for a *motor vehicle sales establishment*, which shall have a minimum *building* coverage of 15% of the *lot area*.

- b) Minimum Built Frontage within a *Build-Within Zone*:
 - i) 50% of the lot frontage; or
 - ii) Provided that the *building* has a *Gross Floor Area* of at least 3,800 square metres, shall apply to at least three points (as measured perpendicular from the *front lot line*) along the street-facing façade of the *building*, where each point is separated by a minimum distance of 35.0 metres as measured along the *front lot line*.
- c) Front Yard Build-Within Zone:
 - i) The required Minimum Built Frontage shall be located between 3.0 metres (minimum) and 12.0 metres (maximum) of the *front lot line*.

The *Build-Within zone* does not apply to accessory *buildings* or *structures*, or to *buildings* which by physical necessity are located in the interior of a development site and adjacent only to a private road or *driveway*.

d) Minimum Building Height:

2 storevs and 9.0 m

The minimum *building height* requirement as specified in metres shall apply to a minimum area equal to 50% of the *ground floor area* of the *building*, but in all instances shall apply to the entire floor area of the minimum specified upper storey.

- e) Minimum Gross Floor Area:
 - i) Minimum Ground Floor Area:

600.0 m²

Exception	Zoning	Мар	By-law	File Reference
140 continued	PE, PE(H)	40	95-2006 152-2009 50-2013 91-2016	OPA06-A3, Z8/06, SP8/14

ii) Minimum Second Floor Area:

The second storey shall have a minimum floor area equal to 25% of the *ground floor area* of the *building*, or 600.0 m², whichever is greater. However, in the case of a *banquet facility*, a minimum second floor area of 300 m² shall be required.

Notwithstanding the above noted Minimum Second Floor Area requirements, in cases where the second floor consists of ancillary *office* space in association with a principal *light manufacturing use* or research and development facility, the minimum floor area of the second storey shall be equal to at least 70% of the floor area associated with a ground floor ancillary *office* component.

f) Minimum Floor Space Index (FSI):

0.2

g) Parking:

i) No parking areas or *driveway* aisles shall be permitted between an adjacent street and any part of the *building* façade within the *buildwithin zone*. Where the *build-within zone* extends along a *front lot line* between at least three separated points, no parking areas or *driveway* aisles shall be permitted in the *yard* area bounded by the street-facing façade of the *building*, the street, and the two end-points defining the limits of the *build-within zone*.

vi) Other:

- a) The development standards identified in sub-section (v) above do not apply to a public utility *building*.
- b) A minimum seating capacity of 25 *persons* shall be provided per *Restaurant*.
- c) Notwithstanding the development standards identified in sub-section (v) above, a *Motor Vehicle Sales Establishment* shall only be permitted subject to the following development standards:

Exception	Zoning	Мар	By-law	File Reference
140 continued	PE, PE(H)	40	95-2006 152-2009 50-2013 91-2016	OPA06-A3, Z8/06, SP8/14

i) Minimum Gross Floor Area:

3.800.0 m²

ii) Minimum Building Height:

3 storeys

iii) Maximum Lot Area:

1.91 ha

- iv) Outdoor vehicular storage areas for new vehicles shall only be permitted in a *rear yard*.
- v) No *outdoor storage* or display of vehicles associated with ancillary used *motor vehicle* sales shall be permitted.
- vi) No outdoor vehicle storage areas shall be visible from the traveled portion of Highway 401 or Salem Road.

Where the standards specifically applicable to *Motor Vehicle Sales Establishments* do not otherwise conflict with the development standards identified in sub-section (v) above, the standards contained in sub-section (v) above shall apply.

- d) Interim Non-Compliance With Respect to Built Frontage, *Lot Coverage* and Density (FSI) Requirements:
 - i Extensions/Expansions of *Existing Non-Complying* Development:

Notwithstanding the Built Frontage, *Lot Coverage* and Density (FSI) requirements within sub-section (v) above, extensions or expansions of *existing non-complying* development (namely, additions to *existing buildings* or the development of new *buildings* on the same site as *existing* development) on development sites larger than 2.0 hectares shall be permitted without amendments to the Zoning By-law with respect to the provisions regulating Built Frontage, *Lot Coverage and Density* (FSI), provided that:

Exception	Zoning	Мар	By-law	File Reference
140 continued	PE, PE(H)	40	95-2006	OPA06-A3, Z8/06,
			152-2009	SP8/14
			50-2013	
			91-2016	

- (1) The intent of the Official Plan is met; and,
- The building extension or expansion is designed and sited in a manner which demonstrates, to the satisfaction of the Town, that the development of the site is moving toward a greater level of compliance with all applicable regulations of this By-law, and does not preclude or hinder the ability to ultimately achieve compliance. In this regard, a Master Concept Development Plan demonstrating compliance under ultimate build-out conditions shall be submitted for approval by the Town. This plan shall demonstrate that the proposed *building* extension or expansion shall protect for the ability of progressive intensification on the site to ultimately achieve compliance. It is understood that the Master Concept Development Plan may be amended from timeto-time, in response to the vagaries of the market, but all such amendments shall continue to demonstrate, to the Town's satisfaction, the ability to ultimately achieve compliance in a fashion which maintains the intent of the Official Plan and the requirements of the Zoning By-law.

ii Phasing of New Development on Vacant Sites:

Notwithstanding the Built Frontage, *Lot Coverage* and Density (FSI) requirements within sub-section (v) above, it is understood that the development of any given property may involve a number of phases before it achieves ultimate build-out. As a result, the density (FSI), built frontage and *lot coverage* provisions contained in this By-Law might only be achieved upon the completion of all phases, rather than on a phase-by-phase basis.

Accordingly, in instances where a development on a vacant site larger than 2.0 hectares is proposed to be phased, *building* phases which individually do not comply with the built frontage, *lot coverage* and/or density (FSI) provision of sub-section (v) above shall be permitted without amendment to the Zoning By-law with respect to the provisions regulating Built Frontage, *Lot Coverage* and Density (FSI), provided that a Master Concept Development Plan demonstrating compliance under ultimate build-out conditions is submitted

Exception	Zoning	Мар	By-law	File Reference
140 continued	PE, PE(H)	40	95-2006	OPA06-A3, Z8/06,
			152-2009	SP8/14
			50-2013	
			91-2016	

and approved by the Town. Each phase of development undertaken by the proponent shall protect for future phases in accordance with the Master Concept Development Plan. The phasing of development in accordance with the approved Master Concept Development Plan shall be a requirement of any related Site Plan Agreement.

It is understood that the Master Concept Development Plan may be amended from time-to-time, in response to the vagaries of the market, but all such amendments shall continue to demonstrate, to the Town's satisfaction, the ability to ultimately achieve compliance in a fashion which maintains the intent of the Official Plan and the requirements of the Zoning By-law.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
141	R1-B	28	105-2006	Z20/04

i) Location: South side of Kearney Drive, east of Elizabeth Street

ii) Legal Part of Lots 19, 20 and 21, Registered Plan 68 Description:

iii) Development Standards:

a) Minimum Lot Depth:

32.0 m

b) Maximum Lot Coverage:

45 %

- iv) Other:
 - a) A (H) Holding symbol be placed on the subject lands to be removed upon the following conditions:

Exception	Zoning	Мар	By-law	File Reference
141 continued	R1-B	28	105-2006	Z20/04

- i) That an agreement of purchase and sale be executed between the owner of the subject land and the Town outlining the terms of the sale;
- ii) Approval from the Regional Land Division Committee for severance of the subject land in conformity with this By-law;
- iii) That the owner provide detailed engineering drawings to the satisfaction of the Town, indicating servicing and grading of the proposed *lots*, proposed house siting, and *driveway* locations; and
- iv) That a development agreement between the Town and the owner be executed covering all requirements financial and otherwise including securities for mud deposit.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
142	R1-B(H)	28	105-2006	Z20/04

i) Location: South side of Kearney Drive, east of Elizabeth Street

ii) Legal Part of Lots 19, 20 and 21, Registered Plan 68 Description:

- iii) Other:
 - a) A (H) Holding symbol be placed on the subject lands to be removed upon:
 - i) That an agreement of purchase and sale be executed between the Town and the owner(s) of 55 Kearney Drive outlining the terms of the sale:
 - ii) That the subject land be conveyed by the Town to the owner(s) of 55 Kearney Drive.

Exception	Zoning	Мар	By-law	File Reference
143	R2-B	18, 19	12-2007 33-2016	S-A-2005-04, Z11/05

i) Location: 1409 Salem Road North

ii) Legal Part of Lots 5 and 6, Concession 3 Description:

- iii) Development Standards:
 - a) Minimum Lot Frontage:

i) R2-B zone: 7.0 m

 Street Townhouse *lots* that are located on single-loaded roads, predominately in locations next to the Canadian Pacific Railway right-ofway and adjacent to Salem Road:

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
144	RM5, I-A	16	54-2007	Z6/06

i) Location: 1010 and 1020 Westney Road North

ii) Legal Part Lot 11, Concession 3, RP 40R-20448, Part 4
Description:

iii) Interpretation: For the purpose of this exception, Westney Road North shall

be considered to be the front lot line.

- iv) Development Standards for the lands municipally known as 1010 Westney road North and zoned RM5:
 - a) Minimum Built Frontage Within a Build Within Zone:
 - i) A minimum of 70% of the length of the Build Within Zone along Westney Road North must be occupied by a main front *building* face.
 - ii) A minimum of 50% of the length of the Build Within Zone along Rossland Road West must be occupied by a main front *building* face.

Exception 144 is continued on the next page

6.7 m

Exception	Zoning	Мар	By-law	File Reference
144 continued	RM5, I-A	16	54-2007	Z6/06

- b) Front Yard and Exterior Side Yard Build Within Zone:
 - i) The main front *building* face shall be located in the *Build-Within Zone* as indicated on Schedule 'D' attached hereto.
 - ii) The *Build-Within Zone* does not apply to *Accessory Buildings or Structures*, or to *buildings* which by physical necessity are located in the interior of a development site and adjacent only to a private road or *driveway*.
- c) Minimum Building Height:

4 storeys

- d) Gross Floor Area:
 - i) Minimum Ground Floor Area:

1600.0 m²

- ii) Each of the second, third and fourth storeys shall have a minimum floor area measured between the exterior faces and the exterior walls equal to at least 80% of the *ground floor area*.
- e) Parking:
 - No parking areas or drive aisles shall be permitted between an adjacent street and any part of a building façade.
 - ii) Minimum Parking Space Depth:

5.5 m

iii) Minimum Required Parking:

68 spaces

- f) Accessory building or structures:
 - i) No accessory *buildings* or *structures* shall be permitted between an adjacent street and any part of a *building* façade.
- g) Porch:
 - A porch on the ground floor level can encroach to within a minimum of 2.0 metres from any front and/or exterior side lot line, but in no instance shall any part of a porch encroach within a sight triangle measuring 11.0 metres along Rossland Road West and 13.14 metres along Westney Road North.


Exception	Zoning	Мар	By-law	File Reference
144 continued	RM5, I-A	16	54-2007	Z6/06

- v) Development Standards for the lands municipally known as 1020 Westney Road North and zoned I-A:
 - a) Minimum Interior Side Yard:

5.0 m

b) Minimum Required Parking:

55 spaces



Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
145	VC3(H)	28	38-2008	Z9/06, Z01/08

i) Location: 68 Church Street South

ii) Legal Parts 2 and 3, Plan 40R-5649

Description:

iii) Development Standards:

a) Minimum Width – Aisles (where there is no adjacent 4.0 m parking):

b) Minimum Landscape Buffer:

 i) Next to an Open Space Zone or *lot* developed for single-*use* residential purposes – North Interior Side:

ii) Adjacent to a Type 'B' Arterial Road: 0.8 m

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
146	GC, RM5	33	64-2007 140-2009	S-A-2004-05, Z19/04
			114-2011	

i) Location: South side of Kingston Road East, east of Wicks Drive

ii) Legal North Part of Lot 5, Concession 1 Description:

iii) Maximum Number of Units in the 43 *Multiple Attached Dwellings* 'RM5' zone:

iv) Notwithstanding Section 6.3.1, permitted *uses* in the "GC" zone shall be limited to:

Art Gallery, Commercial School, Day Care Facility, Financial Institution, Library, Medical Clinic, Museum, Office, Personal Service Shop, Restaurant, Unlicensed Accessory Outdoor Patio, and Bed and Breakfast

Exception 146 is continued on the next page.

 $0.55 \, \text{m}$

Exception	on	Zoning Map By-law			File Reference
146 contir	nued	GC, RM5	33	64-2007	S-A-2004-05,
				140-2009	Z19/04
				114-2011	
v) Dev	/elopn	nent Standards	for the lands v	vithin the 'GC'	zone:
a)	Minir	mum <i>Lot Fronta</i>	age along Gale	a Drive:	39.0 m
b)	Minir	mum <i>Lot Depth</i>):		54.0 m
c)	Minir	mum <i>Yard</i> :			
	i)	From Kingston	4.5 m		
	ii) From the west property line:				7.5 m
	iii) From the south property line:				7.5 m
d)	Minimum Lot Area:				2,350.0 m ²
e)	e) Maximum <i>Height</i> :				11.0 m
f)	Minir	mum Parking:	any p	ermitted <i>use</i> or be maintained	b be used in conjunction with the property; 2 of which for parking for people with
g)	Minir	mum <i>Landscap</i>	ed Buffer:		
	i) From Kingston Road				6.0 m
vi) Dev	/elopn	nent Standards	for the lands v	vithin the 'GC'	zone:
a)	Maxi	imum <i>Yard</i> :			
	i)	From Kingston	6.0 m		
	ii)		For dwelling uni	its abutting Gal	ea 3.0 m

Drive and Clarepark Court:

Exception	Zoning	Мар	By-law	File Reference
146 continued	GC, RM5	33	64-2007 140-2009 114-2011	S-A-2004-05, Z19/04

b) Minimum Yard:

i) From the west property line:

7.5 m

ii) From the south property line:

7.5 m

vii) Other:

- a) The minimum required setback shall be 7.5 metres, where a *dwelling unit's* rear wall abuts the "GC" zone and 3.0 metres, where a *dwelling unit's* exterior side wall abuts the "GC" zone.
- b) Private rear yards shall be a minimum of 7.5 metres.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
147	GC(H)	8	107-2007	OPA06-A2, Z5/06

i) Location: Southeast Quadrant of Taunton Road and Ravenscroft Road

ii) Legal Part of Lot 11, Concession 3

Description:

iii) Interpretation: The lands that are subject to this Exception shall be

interpreted as one "lot".

iv) Additional Uses: Building Supply Store, with an accessory Retail Garden

Centre and open staging/outdoor storage area; Retail Food

Store (Supermarket)

v) Development Standards:

Exception	Zoning	Мар	By-law	File Reference
147 continued	GC(H)	8	107-2007	OPA06-A2, Z5/06

- a) Notwithstanding Sections 4.12, 4.21.1, and 6.3.2 of this By-law, for *buildings* within 60.0 metres of Taunton Road, a *building* setback of a minimum of 0.5 metres and a maximum of 4.5 metres shall be permitted from Taunton Road or Ravenscroft Road subject to the following:
 - Pedestrian doorways shall face the abutting street.
 - ii) 20% of the area of each *building* face along the streetline shall be constructed of transparent materials allowing for unencumbered visual access into the *building* at ground level.
 - iii) Each *building* facing the street shall have a hard surfaced pedestrian walkway connected to the abutting sidewalk.
- b) For *buildings* within 60.0 metres of the intersection of Taunton Road and Ravenscroft Road, the following provisions shall apply (measured from the property line):

Minimum Building Height:

2 storevs

ii) Minimum Gross Floor Area:

1.300.0 m²

- c) For all *buildings* within 60.0 metres of Taunton Road, the following provisions shall apply:
 - i) Minimum setback from the easterly *lot* line:

1.0 m

ii) Minimum Gross Floor Area:

450.0 m²

- vi) Other:
 - a) An accessory Retail *Garden Centre* shall only be permitted within 95.0 metres of the southerly property line.
 - b) Notwithstanding Sections 4.12 and 6.3.2 of this By-law, an accessory Retail *Garden Centre* may be permitted within 1.0 metre of Ravenscroft Road.

Exception	Zoning	Мар	By-law	File Reference
147 continued	GC(H)	8	107-2007	OPA06-A2, Z5/06

- c) Notwithstanding Section 5.3.3, for 60 to 90 degree *parking spaces*, the minimum perpendicular width of aisle shall be 6.0 metres.
- d) Notwithstanding Section 5.3.2, the minimum length of a *parking space* shall be 5.7 metres.
- e) Notwithstanding Section 5.10, no additional parking shall be required for permitted *uses* on the second floor of a retail or commercial *building*.

Except as amended here, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
148	GC(H), R2-B	32, 33	122-2007	S-A-2006-02, Z12/06

i) Location: 257 to 319 Kingston Road East

ii) Legal North Part of Lots 5 and 6, Concession 1 and Blocks 14 and

Description: 15, Plan 40M-1608

iii) Maximum Number of Units in the "R2-B" zone:

36 semi-detached dwellings

iv) Permitted *Uses*:

Notwithstanding Section 6.3.1, permitted *uses* in the "GC" zone shall be limited to:

Art Gallery, Commercial Fitness Centre, Commercial School, Convenience Store, Day Care Facility, Drive-Thru Facility, Dry Cleaning Depot, Financial Institution, Funeral Homes, Garden Centre, Hotel, Self Serve Laundromat, Library, Licensed Accessory Outdoor Patio, Medical Clinic, Museum, Office, Personal Service Shop, Place of Worship, Restaurant, Restaurant Drive-Thru, Retail Store, Service or Repair Shop, Unlicensed Accessory Outdoor Patio, Veterinary Clinic

v) Development Standards within the 'GC' zone:

Exception	Zoning	Мар	By-law	File Reference
148 continued	GC(H), R2-B	32, 33	122-2007	S-A-2006-02, Z12/06

- a) Notwithstanding Sections 4.12, 4.21.1, and 6.3.2 of this By-law, for *buildings* within 50.0 metres of Kingston Road, a *building* setback of a minimum of 2.0 metres and a maximum of 6.0 metres shall be required from Kingston Road, or *daylighting triangle*, subject to the following:
 - i) Pedestrian doorways shall face the abutting street.
 - ii) 20% of the area of each *building* face along the street shall be constructed of transparent materials allowing for unencumbered visual access into the *building* at ground level.
 - iii) Each *building* facing the street shall have a hard surfaced pedestrian walkway connected to the abutting sidewalk.
- b) The minimum setback to all other property lines other than the property line along Kingston Road shall be 6.0 metres.
- c) Notwithstanding Sections 4.12, 4.21.1, and 6.3.2 of this By-law, for *buildings* within 50.0 metres of Kingston Road, a *building* setback of a minimum of 2.0 metres and a maximum of 6.0 metres shall be required from Kingston Road, or *daylighting triangle*, subject to the following:
 - i) 1 parking space per 19.0 m² of gross floor area shall be required.
 - ii) Notwithstanding paragraph iv) c) above and Section 5.10, no additional parking shall be required for permitted *uses* on the second floor a retail or commercial *building*.
 - iii) No *parking space* or drive aisle shall be located closer to a property line than 6.0 metres.

vi) Other:

a) A *medical clinic* and an *office use* located within 50.0 metres of Kingston Road must be within a *building* that is a minimum of 2 storeys in *height*.

Exception	Zoning	Мар	By-law	File Reference
148 continued	GC(H), R2-B	32, 33	122-2007	S-A-2006-02, Z12/06

- b) A drive-thru queuing lane shall not be located between the building and any street line.
- c) A maximum of one *Drive-Thru Restaurant* is permitted provided it is within 50.0 metres of Kingston Road and provided it is not within 40.0 metres of a residential zone.
- d) A maximum height of 2 storeys.
- e) Notwithstanding Section 5.3.2, the minimum length of a parking stall shall be 5.7 metres.
- f) Notwithstanding Section 5.13, a building having a gross floor area in excess of 1,000 square metres with more than one (1) unit on the ground floor, shall not be required to provide a loading space subject to the following:
 - Each unit at ground level within the building shall not exceed a maximum gross floor area of 1,000 square metres; and
 - Second floor day care facilities, *medical clinics*, and *office uses* shall be exempt from providing a loading space.

Except as amended here, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
149	R1-D, R1-E, R1-F, R2-A, R2-B, R3, I-A, OS, EP	19, 26, 59, 60	55-2008 27-2021	S-A-2007-03, Z08/07, Z1/21

i) Location: Southwest corner of Rossland Road East and Audley Road

North

ii) Legal Part of Lots 3 and 4, Concession 2 and Part of the Road Description:

allowance Between Lots 4 and 5, Concession 2 (40R-835,

Part 1)

Exception	Zoning	Мар	By-law	File Reference
149 continued	R1-D, R1-E, R1-F, R2-A, R2-B, R3, I-A, OS, EP	19, 26, 59, 60	55-2008 27-2021	S-A-2007-03, Z08/07, Z1/21

iii) Interpretation:

- a) For all *lots*/blocks abutting a *lane* on one side and Audley Road North or an open space zone on the opposite side, the *front yard* shall be the *yard* abutting Audley Road North or the open space zone, and the *front lot line* shall be the *lot line* that divides the *front yard* from Audley Road North or the open space zone. Should an open space zone on any such *lot* also extend along one side of the *lot*, the *yard* abutting the side in question shall be considered to be an *interior side yard*.
- b) For all *through lots*/blocks abutting a public street on one side and a *lane* or public street on the opposite side, the *front yard* shall be the *yard* facing the thoroughfare having the greater right-of-way width.
- iv) Development Standards within all Residential Zones:
 - a) Lot Coverage:
 - i) No minimum or maximum *lot coverage* requirements shall apply to *principal buildings*.
 - b) Maximum Height:

12.5 m

- c) Satellite Dish:
 - i) A maximum of one satellite dish shall be permitted for each residential unit.
- d) Porch Projection:
 - i) The depth of any *porch* projecting from the front or rear exterior wall shall not be less than 1.5 metres, measured from the *building* wall of the *dwelling unit* from which the *porch* projects to the front face of the *porch*.
- e) Daylighting Triangle:
 - i) Minimum setback to a *daylighting triangle*:

 $0.0 \, \text{m}$

Exception	Zoning	Мар	By-law	File Reference
149 continued	R1-D, R1-E, R1-F, R2-A, R2-B, R3, I-A, OS, EP	19, 26, 59, 60	55-2008 27-2021	S-A-2007-03, Z08/07, Z1/21

- ii) Where an entry feature abuts a *daylighting triangle*, the setback shall be 0.0 metres to the *dwelling unit*.
- v) Development Standards within the "R2-A" Zone:

Notwithstanding any other section of this By-law, the following development standards shall apply:

- a) Additional Uses:
 - i) Live-Work Dwelling Unit
 - ii) Additional Uses permitted within a Live-Work Dwelling Unit:
 Convenience Store, Day Care, and Dry Cleaning Depot (excluding self-serve laundry facilities)
- b) Minimum Lot Frontage:

8.3 m

c) Minimum Lot Depth:

20.0 m


- d) Minimum Front Yard:
 - i) 2.4 m to a dwelling unit fronting onto a local or collector road
 - ii) 1.2 m to a dwelling unit fronting onto Audley Road North or an "OS" –"Open Space" Zone
 - iii) 0.9 m to a *platform* in a *front yard* abutting a local or collector road
 - iv) 0.0 m to a *platform* in a *front yard* abutting Audley Road North or an "OS" "Open Space" Zone
 - v) No stairs shall be permitted to encroach within a public road right-ofway or an "OS" – "Open Space" Zone
- e) Minimum Rear Yard:

Exception	Zoning	Мар	By-law	File Reference
149 continued	R1-D, R1-E, R1-F, R2-A, R2-B, R3, I-A, OS, EP	19, 26, 59, 60	55-2008 27-2021	S-A-2007-03, Z08/07, Z1/21

- i) 2.1 m to a dwelling unit, platform or stairs
- ii) 5.0 m to a garage door

f) Other:

- i) No maximum area or maximum *yard* coverage restrictions shall apply to *platforms* accessed from the ground floor. *Platforms* accessed from upper storeys shall have a maximum area of 30.0 m².
- ii) No additional *parking spaces* except those required for the residential component of a Live-Work *Dwelling* Unit shall be required.
- iii) Live-Work *Dwelling Units* shall only be permitted within the cross-hatched area shown on the schedule below.
- iv) Air conditioning units shall not be located in a front yard.
- v) No fencing is to be erected in a *front yard* that abuts Audley Road North or an "OS" :"Open Space" Zone.
- vi) No accessory buildings shall be permitted on any lot.
- vii) *Driveways* shall be permitted to have a maximum width of 5.2 metres.



Exception	Zoning	Мар	By-law	File Reference
149 continued	R1-D, R1-E, R1-F, R2-A, R2-B, R3, I-A, OS, EP	19, 26, 59, 60	55-2008 27-2021	S-A-2007-03, Z08/07, Z1/21

vi) Development Standards within the "R2-B" Zone:

Notwithstanding any other section of this By-law, the following development standards shall apply:

a) Minimum Lot Depth:

20.0 m

- b) Minimum Front Yard:
 - i) 2.4 m to a dwelling unit fronting onto a local or collector road
 - ii) 1.2 m to a *dwelling unit* fronting onto Audley Road North or an "OS" "Open Space" Zone
 - iii) 0.9 m to a platform in a front yard abutting a local or collector road
 - iv) 0.0 m to a *platform* in a *front yard* abutting Audley Road North or an "OS" "Open Space" Zone
 - v) No stairs shall be permitted to encroach within a public road right-ofway or an "OS" – "Open Space" Zone
- c) Minimum Rear Yard:
 - i) 2.1 m to a *dwelling unit*, *platform* or stairs
 - ii) 5.0 m to a garage door
- d) Other:
 - i) No maximum area or maximum *yard* coverage restrictions shall apply to *platforms* accessed from the ground floor. *Platforms* accessed from upper storeys shall have a maximum area of 30.0 m².
 - ii) Air conditioning units shall not be located in a *front yard*.
 - iii) No accessory buildings shall be permitted on any lot.

Exception	Zoning	Мар	By-law	File Reference
149 continued	R1-D, R1-E, R1-F, R2-A, R2-B, R3, I-A, OS, EP	19, 26, 59, 60	55-2008 27-2021	S-A-2007-03, Z08/07, Z1/21

vii) Development Standards within the "R3" Zone:

Notwithstanding any other section of this By-law, the following development standards shall apply:

- a) Additional Uses:
 - i) Back-to-Back Townhouse Dwelling
- b) Minimum *front yard* setback to a garage associated with a Back-to-Back *Dwelling Unit* shall be 5.7 metres.
- c) Minimum Lot Frontage:

i)	Dwelling , Street Townhouse	5.0 m
ii)	Dwelling, Back-to-Back Townhouse	5.5 m

d) Minimum Lot Depth:

i)	Dwelling , Street Townhouse	20.0 m
ii)	Dwelling, Back-to-Back Townhouse	13.0 m

e) Minimum Front Yard

Setback:

i)	To a dwelling unit fronting onto a local or collector road:	2.4 m
ii)	To a <i>dwelling unit</i> fronting onto Audley Road North or an "OS" – "Open Space" Zone	1.2 m
iii)	To a <i>platform</i> in a <i>front yard</i> abutting a local or collector road	0.9 m

iv) To a *platform* in a *front yard* abutting Audley Road North or an "OS" – "Open Space" Zone 0.0 m

v) No stairs shall be permitted to encroach within a public road right-ofway or an "OS" – "Open Space" Zone

Exception	Zoning	Мар	By-law	File Reference
149 continued	R1-D, R1-E, R1-F, R2-A, R2-B, R3, I-A, OS, EP	19, 26, 59, 60	55-2008 27-2021	S-A-2007-03, Z08/07, Z1/21

f) Minimum Rear Yard Setback:

i)	To a Back-to-Back Townhouse Dwelling Unit	0.0 m
ii)	To a dwelling unit, platform or stairs	2.1 m
iii)	To a garage door	5.0 m

g) Other:

- i) No maximum area or maximum *yard* coverage restrictions shall apply to *platforms* accessed from the ground floor. *Platforms* accessed from upper storeys shall have a maximum area of 30.0 m².
- ii) Air conditioning units shall not be located in a *front yard* for *Street Townhouse Dwelling Units*.
- iii) Air conditioning units associated with Back-to-Back *Dwelling Units* shall be located on a *platform* accessed from an upper storey.
- iv) No fencing is to be erected in a *front yard* that abuts Audley Road North or an "OS" :"Open Space" Zone.
- v) The maximum width of a garage door shall not exceed 50% of the frontage of any *lot* within a *Back-to-Back Townhouse Dwelling Unit*.
- vi) No accessory buildings shall be permitted on any lot.
- viii) Development Standards within the "OS" Zone:

Notwithstanding any other section of this By-law, the following development standards shall apply:


- a) Additional Uses:
 - i) Sales Pavilion

Exception	Zoning	Мар	By-law	File Reference
149 continued	R1-D, R1-E, R1-F, R2-A, R2-B, R3, I-A, OS, EP	19, 26, 59, 60	55-2008 27-2021	S-A-2007-03, Z08/07, Z1/21

- ii) Within a converted *sales pavilion* designed and constructed as a permanent convertible *building*:
 - (1) Concession Stand
 - (2) Day Care
 - (3) Community Centre
 - (4) Library
- b) Minimum Front Yard Setback:

6.0 m

- c) Other:
 - i) Additional *uses* shall only be permitted within the hatched area on the schedule below.
 - ii) A *platform* associated with a *sales pavilion* may encroach 3.0 m into the *front yard* and stairs associated with a *platform* may have a minimum setback of 0.0 m.



Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
150	RM5	13	OMB Decision PL051147	18T-90015, OPA90/26D, Z2/90

i) Location: North side of Rossland Road West, west of Riverside Drive,

opposite Bunting Court

ii) Legal Part of Lot 17, Concession 3

Description:

iii) Additional Uses: Dwelling, Apartment

iv) Prohibited Uses: Dwelling, Multiple Attached

v) Development Standards:

Notwithstanding any other Section of this By-law, the following development standards shall apply:

a) Maximum Number of Dwelling Units

70

- b) Front Yard and Exterior Side Yard Build-Within Zone:
 - A minimum of two-thirds of the length of each street-facing façade of a principal building shall be located between 6.0 metres (minimum) and 12.0 metres (maximum) of the front and exterior side lot lines.
 - ii) No portion of the junction of the front and exterior side walls (i.e., the *building* "corner") of a *principal building* shall be built within 6.0 metres of the diagonal of a *daylighting triangle*.
 - iii) The Build-Within Zone does not apply to accessory buildings or structures.
- c) Maximum Building Height:
 - 5 storeys, excluding any roof-top access/amenity enclosure occupying in the aggregate less than 25 percent of the area of the roof of the building on which it is located, provided that a roof-top garden occupying at least 50 percent of the roof area of the building is also provided.
- d) Parking:
 - i) No parking/service areas or *driveway* aisles shall be permitted between an adjacent street and any part of the *building* façade within the *buildwithin zone*.

Exception	Zoning	Мар	By-law	File Reference
150 continued	RM5	13	OMB Decision PL051147	18T-90015, OPA90-/26D, Z2/90

ii) All required off-street standard *parking spaces* shall have a minimum width of 2.7 metres and a minimum length of 5.7 metres.

Parking for this *apartment dwelling* shall require a rate of 1 *parking* space per *dwelling unit*.

e) Landscaped Buffer:

 A landscaped buffer having a minimum width of 6.0 metres shall be provided between any parking/service area and/or driveway aisle and any adjacent road.

vi) Other:

- a) The *lot line* abutting Rossland Road West shall be deemed to be the *front lot line* for the purposes of this By-law.
- b) The ground floor of the *principal building* shall have a minimum clear floor-to-ceiling *height* of 3.3 metres.
- c) Main pedestrian entrances shall be located to face an adjacent street; further, main pedestrian entrances shall be located within 10.0 metres of the *building* corner closest to the road intersection.
- d) A hard-surfaced, non-asphalt pedestrian walkway shall connect street-facing *building* entrances to the adjacent sidewalk.
- e) A minimum of 30% of the vertical area (excluding parapets) of street-facing *building* facades shall be constructed of transparent materials.
- f) Any *principal building* containing more than 30 *apartment dwelling units* shall be LEED (Leadership in Energy and Environmental Design) certified.
- g) A 1.0 metre *interior side yard* setback shall be permitted within the R2-B zone only for the *lots* identified as Blocks 3 and 4 of Draft Plan of Subdivision 18T-90015.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Map	By-law	File Refe	rence
Ελουρίιοι	Zoriirig	Ινιαρ	Dy law	THE REFE	101100
151	151 UC 32 82-2008 OPA			OPA06	-A5,
	Z			Z11/0	06
i) Location	n: 60 \$	Salem Road So	outh		
	(No	rthwest corner	of Salem Road	South and Twill	ey Lane)
ii) Legal		t of Lot 4, 5, 6	and 7, Plan 377	•	
Descript	ion:				
iii) Develop	ment Standard	s:			
a) Mini	mum <i>Front Yar</i>	rd:			
i) F	Front: Abutting	Salem Road			3.0 m
ii) I	nterior Side: Al	outting Twilley I	Lane		3.0 m
iii) I	nterior Side: Al	outting 36 Sale	m Road		7.5 m
iv) F	Rear:				3.0 m
b) <i>Land</i>	dscaped Buffer				
i) 7	i) To any <i>building</i> adjacent to Salem Road				3.0 m
ii) A	Adjacent to Twi	lley Lane and t	he rear (west) լ	property line	3.0 m
iii) 7	Γο any parking	area adjacent t	to Salem Road		6.0 m
c) Mini	mum Total <i>Gro</i>	ss Floor Area o	on the <i>Lot</i> :		600.0 m ²

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
152	PE	32, 39	88-2006	Z8/06, Z14/06,
			152-2009	OPA 06-A3, OPA 06-A6,
			50-2013	

i) Location: Southeast corner of Salem Road South and Chambers

Drive

ii) Legal Part of Block 1, Registered Plan 40M-1454, now Parts 1 to

Description: 3, Plan 40R-19755

iii) Additional Uses: Research and Development Facility

The following *uses*, provided that their combined *Gross Floor Area* does not exceed 1,900.0 m², and that they are located on the ground floor of an *office building* having a minimum *height* of three storeys and a minimum *Gross Floor Area* of 5,574.0 m², situated directly adjacent to the southeast corner of the intersection of Salem Road South and Chambers Drive: *Dry Cleaning Depot* (excluding self-serve laundry facilities), *Motor Vehicle Rental Depot*, and

ancillary Retail Stores.

iv) Prohibited Uses: Drive-Thru Facility, Drive-Thru Restaurant, Motor Vehicle

Rental Establishment, Public Storage Facility, Recreation

Facility, Warehouse/Distribution Centre.

v) Development Standards:

Notwithstanding any other Section of this By-law, the following development standards shall apply:

a) Minimum Lot Coverage:

18%; however, in instances where an urban square is provided between the *principal building* and a street corner, or where a shared pedestrian arcade located between two *buildings* is provided with a direct, dedicated pedestrian link to an adjacent public sidewalk, the area of the urban square and/or the pedestrian arcade, up to an amount not exceeding 5% of the total *lot area*, may be considered as a substitute for *Building* Area, in lieu of actual *building* coverage.

Exception	Zoning	Мар	By-law	File Reference
152 continued	PE	32, 39	88-2006 152-2009 50-2013	Z8/06, Z14/06, OPA 06-A3, OPA 06-A6,

- b) Minimum Built Frontage within a Build-Within Zone:
 - i) 55% of the *lot frontage* along Salem Road;
 - ii) 38% of the *lot frontage* along Chambers Drive;
 - iii) 34% of the lot frontage along Beck Crescent;

However, notwithstanding the above, where an urban square is developed between a *principal building* and a street corner, the street frontage of the urban square may be considered equivalent to a length of *building* façade in terms of contributing to the required minimum built frontage.

- c) Front Yard Build-Within Zone:
 - i) The required Minimum Built Frontage shall be located between 3.0 metres (minimum) and 12.0 metres (maximum) of the front lot line, save and except for a motor vehicle sales establishment fronting along Salem Road South, in which case the maximum limit shall be 15.0 metres.
 - ii) In the case of a corner building, a portion of the junction of the front and exterior side walls (i.e., the building "corner") shall be built within 3.0 to 12.0 metres of the adjacent daylighting triangle/corner rounding. An exception to this requirement shall be in the event that an urban square is developed between a principal building and the street corner, in which case at least 50% of that part of the perimeter of the urban square, which is not adjacent to a street edge or daylighting triangle/corner rounding, shall abut a building façade.

The *Build-Within zone* does not apply to accessory *buildings* or *structures*, or to *buildings* which by physical necessity are located in the interior of a development site and adjacent only to a private road or *driveway*.

d) Minimum Rear Yard:

15.0 m

e) Minimum Building Height:

Exception	Zoning	Мар	By-law	File Reference
152 continued	PE	32, 39	88-2006 152-2009 50-2013	Z8/06, Z14/06, OPA 06-A3, OPA 06-A6,
,	For non-corner Road South	2 storeys and 9.0 m		
,	For non-corner <i>buildings</i> fronting onto Chambers Drive and Beck Crescent			2 storeys and 6.0 m
,	For a corner <i>building</i> at the intersection of Salem Road South and Chambers Drive			3 storeys and 12.0 m
,	For corner <i>buildings</i> at any intersection of Chambers Drive and Beck Crescent			2 storeys and 9.0 m

- v) Notwithstanding clauses i) and ii) above, the following exceptions shall apply:
 - (1) A motor vehicle sales establishment shall have a minimum height of one storey and an upper level office mezzanine area, and 8.0 metres, with a minimum ground floor-to-roof deck height of 7.5 metres. Both the 8.0 metre height requirement as well as the minimum 7.5 metre ground floor-to-roof deck height requirement shall apply to a minimum of 70 percent of the ground floor area of all parts of the motor vehicle sales establishment save and except for an ancillary motor vehicle service centre component, which may have a minimum 6.0 metre height and a minimum 5.5 metre ground floor-to-roof deck height for the entire service centre area, provided that no part of the motor vehicle service centre area is located within 25.0 metres of a public road;
 - (2) Any building having a ground floor area of less than 600 square metres shall have a minimum height of one storey or, in the case of a flat roof, 6.0 metres, in addition to one or more vertical architectural elements which shall cover an area not less than 10 percent of the gross floor area of the building and shall have a minimum height of 9.0 metres.

Exception	Zoning	Мар	By-law	File Reference
152 continued	PE	32, 39	88-2006 152-2009 50-2013	Z8/06, Z14/06, OPA 06-A3, OPA 06-A6,

- vi) For buildings having a minimum height requirement of two storeys, the minimum building height requirement as specified in metres shall apply to an enclosed minimum area, covered or uncovered, equal to 50% of the ground floor area of the building, but in all instances shall apply to the entire floor area of the minimum specified upper storey. For buildings having a minimum height requirement of three storeys, the minimum building height requirement as specified in metres shall apply to an enclosed minimum area, covered or uncovered, equal to 50% of the ground floor area of the building.
- f) Minimum Gross Floor Area:
 - i) Minimum Ground Floor Area:
 - (1) For a maximum of two free-standing buildings provided that said buildings are linked with a neighbouring permitted building by a shared pedestrian arcade.

465.0 m²

(2) All other buildings:

600.0 m²

- ii) Minimum Upper Floor Area:
 - (1) Where the minimum required *building height* is two storeys, the second storey shall have a minimum floor area equal to 25% of the *ground floor area* of the *building*, or 600 square metres, whichever is greater. However, in the case of a *banquet facility*, a minimum second floor area of 300 square metres shall be required.
 - (2) Where the minimum required *building height* is three storeys, the second and third storeys shall have a combined minimum floor area equal to 1.5 times the amount of *ground floor area*.

Exception	Zoning	Мар	By-law	File Reference
152 continued	PE	32, 39	88-2006 152-2009 50-2013	Z8/06, Z14/06, OPA 06-A3, OPA 06-A6,

Notwithstanding clauses 1) and 2) above, in cases where the uppermost storey needed to meet the minimum *building height* requirement consists of ancillary *office* space in association with a principal *light manufacturing use* or research and development facility, the minimum floor area of the upper storey in question shall be equal to at least 70% of the floor area associated with a ground floor ancillary *office* component.

g) Minimum Floor Space Index (FSI):

0.2

h) Minimum Landscaped Buffer along Chambers Drive:

4.5 m

- i) Parking:
 - i) No parking areas or *driveway* aisles shall be permitted between an adjacent street and any part of the *building* façade within the *build-within zone* or any outdoor patio.
 - ii) The parking requirement for any permitted *use* located on the second floor (or subsequent floor) of any multi-unit *building* shall be 1 space per 56.0 m² of *gross floor area*.

vi) Other:

- a) Lot lines that abut Salem Road South, Chambers Drive and Beck Crescent shall be deemed to be the front lot lines for the purposes of this by-law, and lot lines abutting the Highway 401 westbound off-ramp shall be deemed to be the rear lot lines.
- b) The development standards identified in sub-section (v) above does not apply to a public utility *building*.
- c) A minimum seating capacity of 25 *persons* shall be provided per *restaurant*. A maximum of two free-standing *restaurants* shall be permitted on-site, provided that each is linked with a neighbouring permitted *building* by a shared pedestrian arcade.

Exception	Zoning	Мар	By-law	File Reference
152 continued	PE	32, 39	88-2006 152-2009	Z8/06, Z14/06, OPA 06-A3, OPA 06-A6,
			50-2013	

- d) An outdoor patio, where provided in conjunction with a *restaurant*, shall be sited between a street-facing façade and an adjacent street, or at the side of a *restaurant* provided that it is sited no further back from the *front lot line* that the street-facing façade of the *restaurant* itself.
- e) A maximum of three *buildings* containing *motor vehicle* sales *establishments* shall be permitted. Notwithstanding the development standards identified in sub-section (v) above, a *Motor Vehicle Sales Establishment* shall only be permitted subject to the following development standards:
 - i) Minimum *Gross Floor Area*: 2,100.0 m² per *building* used for *motor vehicle sales establishment* purposes, but where two *buildings* containing *motor vehicle sales establishments* are linked by a common roof *structure*, a combined minimum *gross floor area* of 3,000.0 m² is required between the *motor vehicle sales establishments* in the two *buildings*;
 - ii) A maximum combined total of 410 on-site *parking spaces* for all *motor vehicle sales establishments* shall be permitted, provided that the spaces used for vehicular storage are sited no closer than 100.0 metres south of Chambers Drive;
 - iii) Security barriers for an outdoor vehicular storage area or display area shall not include chain link or wire fencing, guardrails, pre-cast concrete barriers, or bollards that are not stone or without ornamental metal exteriors.

Where the standards specifically applicable to *Motor Vehicle Sales Establishments* do not otherwise conflict with the development standards identified in sub-section (v) above, the standards contained in sub-section (v) above shall apply.

- f) The ground floor of *buildings* shall have a minimum clear floor-to-ceiling *height* of 3.3 metres.
- g) A parapet/roof-top wall shall not exceed 1.5 metres in *height*, save and except for a parapet/roof-top wall of any *building* having *frontage* along Salem Road South, in which case the parapet/roof-top wall shall not exceed 2.5 metres in *height*

Exception	Zoning	Мар	By-law	File Reference
152 continued	PE	32, 39	88-2006 152-2009 50-2013	Z8/06, Z14/06, OPA 06-A3, OPA 06-A6,

- h) A minimum of 25% of the vertical area (excluding parapets) of street-facing *building* facades within the *build-within zone* shall be constructed of transparent materials; further, this proportion of transparency shall be maintained, notwithstanding translucent/ opaque treatments that may be directly applied to transparent materials.
- i) Any portion of a front or exterior side *building* wall, excluding a parapet that is located higher than 12.0 metres above the *established grade* shall be subject to a minimum 2.0 metre step-back requirement.
- j) Notwithstanding the definition of "Lot", all lands within the subject Exception shall be considered to be one *lot* for the purposes of this By-law.
- k) Interim Non-Compliance With Respect to Built Frontage, *Lot Coverage* and Density (FSI) Requirements
 - Notwithstanding the Minimum Built Frontage, Minimum *Lot Coverage* and Minimum *Floor Space Index* (FSI) requirements within sub-section (v) above, interim phases of development of the *lot* may be permitted which individually do not comply with the Minimum Built Frontage, Minimum *Lot Coverage*, and Minimum *Floor Space Index* (FSI) requirements of subsection (v) provided that:
 - For each phase of development, a Master Concept Development Plan is provided which demonstrates to the satisfaction of the Town compliance with all provisions of this By-law under *lot* build-out conditions;
 - ii) The parking requirements associated with each particular phase do not require any parking on lands associated with future phases in order to comply with the provisions of this By-law;
 - iii) No additional parking in excess of the minimum parking requirements associated with each particular phase is provided on lands associated with future phases;
 - iv) The ability to achieve *lot* build-out conditions in accordance with the Master Concept Development Plan does not involve a final phase consisting of a site area of less than 6,500.0 m² and that requires more than:

Exception	Zoning	Мар	By-law	File Reference
152 continued	PE	32, 39	88-2006 152-2009 50-2013	Z8/06, Z14/06, OPA 06-A3, OPA 06-A6,

- (1) 30% *building* coverage measured relative to the site area of the final phase; and,
- (2) A *Floor Space Index* of 0.6 measured relative to the site area of the final phase.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
153	R2-B, EP	13	5-2017	18T-90015; OPA90/26D, Z2/90, RL3/14, Z6/14

i) Location: North side of Rossland Road West, west of Riverside Drive,

opposite of Bunting Court

ii) Legal Part of Lot 17, Concession 3

Description:

iii) Development Standards for the 'R2-B' Zone:

a) Notwithstanding any other provisions of this By-law, the provisions in this section shall apply to these lands zoned Residential Two – B (R2-B) Zone, as shown on Schedule 'B' to this By-law:

i) Minimum Lot A minimum lot depth of 24.0 metres is required except for:

- Lot 28: 23 m

- Lot 29, 30, 34 and 36: 22 m

Exception	Zoning	Мар	By-law	File Reference
153 continued	R2-B, EP	13	5-2017	18T-90015; OPA90/26D, Z2/90, RL3/14, Z6/14
		35:	21 m	
		- Lot 3	38:	20 m
ii\	Minimum Soth	ack A mi	nimum cothacl	from an interior side let

ii) Minimum Setback from an Interior Side Lot Line: A minimum setback from an interior side *lot line* shall be 1.2 metres for end units, except for Lot 14 and Lot 15, which is permitted to 1.0 metre.

iii) Minimum Setback from an *Exterior Side Lot Line*: A minimum setback from an exterior side lot line shall be 1.5 metres for Lot 1.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
154	RM4, R1-F,	20	99-2008	OPA07-A4,
	R1-B, EP			S-A-2007-04,
				SP18/07, Z13/07

i) Location: West side of Riverside Drive, north of the East Duffins

Creek, south of Rossland Road West and west of the

Riverside Golf Course

ii) Legal Description: Pat of Lots 14 and 17, Concession 2

iii) Development Standards within the 'RM4' Zone:

a) Maximum Number of Units:

48 Multiple Attached Dwellings

b) Minimum Yard:

i) Front – to a *dwelling unit*: 2.4 m

to an attached garage:5.7 m

ii) Interior Side: 1.2 m

iii) Exterior Side: 2.4 m

Exception	Zoning	Мар	By-law	File Reference
154 continued	RM4, R1-F, R1-B, EP	20	99-2008	OPA07-A4, S-A-2007-04, SP18/07, Z13/07

iv) Rear: 7.5 m

Notwithstanding Section iii) b) iv) above, a maximum room projection of 1.0 metre is permitted into a required *rear yard* provided that the room projection does not exceed 50% of the width of the *dwelling unit*.

c) Road Radius Yard:

1.8 m

- d) Other Development Standards Within the 'RM4' Zone:
 - i) Notwithstanding Section 6.2.2 of Zoning By-law 95-2003, as amended, for the purposes of this development the *lot frontage* for the development block will be Riverside Drive and the minimum *lot frontage* required shall be 168.0 metres. This provision will satisfy the requirement of having frontage onto a public road.
 - ii) Notwithstanding Section d) i) above, for the purposes of this development the internal private road will be deemed to be the *front lot line*, the *front lot line* will be the face of curb at the edge of the private road for the purposes of establishing minimum *yard* setbacks for each *multiple attached dwelling unit*.
 - iii) Notwithstanding Section 4.1.1iv) of Zoning By-law 95-2003, the minimum *exterior side yard* setback shall be 2.4 metres and no accessory *structure* shall be located closer to a private road than the *dwelling unit*.
 - iv) Sections 6.2.3 and 6.2.4 of Zoning By-law 95-2003, as amended, shall not apply.
 - v) A minimum separation of 3.0 metres is required between multiple attached housing blocks within the RM4 Zone.
 - vi) Notwithstanding Section 4.3 of Zoning By-law 95-2003, as amended, a platform shall maintain a minimum exterior side yard setback of 1.2 metres (a yard abutting a private road or public street) and a minimum interior side yard setback of 1.0 metre (a yard between blocks of multiple attached units). Where there is a common property line within a block of multiple attached dwellings, a platform shall maintain a minimum setback of 0.0 metres.

Exception	Zoning	Мар	By-law	File Reference
154 continued	RM4, R1-F,	20	99-2008	OPA07-A4,
	R1-B, EP			S-A-2007-04,
				SP18/07, Z13/07

iv) Development Standards within the 'R1-B' Zone:

a) Maximum Number of Units:

3 Single Detached Dwellings

i) Front – to a *dwelling unit*:

3.0 m

– to an attached garage:

5.7 m

ii) Rear:

Notwithstanding Section 6.2.2 of Zoning By-law 95-2003 as amended, a maximum room projection of 1.0 metre is permitted into a required *rear yard* provided that the room projection does not exceed 50% of the width of the *dwelling unit*.

v) Development Standards within the 'R1-F' Zone:

a) Maximum Number of Units:

2 Single Detached Dwellings

b) Front Yard:

i) Minimum - to a *dwelling unit*:

3.0 m

ii) Maximum - to a dwelling unit:

6.0 m

c) Interior North Side Yard Setback (Lot 52):

i) Minimum: 0.6 metres to dwelling unit and accessory structure

ii) Rear:


Notwithstanding Section 6.2.2 of Zoning by-law 95-2003 as amended, a maximum room projection of 1.0 metre is permitted into a required *rear yard* provided that the room projection does not exceed 50% of the width of the

dwelling unit.

vi) Other Development Standards Within the 'R1-F' Zone:

Exception	Zoning	Мар	By-law	File Reference
154 continued	RM4, R1-F, R1-B, EP	20	99-2008	OPA07-A4, S-A-2007-04, SP18/07, Z13/07

- a) Notwithstanding Section v) b) and c) above, the *lot* hatched below shall be deemed to be legal *non-complying*, although any additions or projections must be in accordance with Zoning By-law 95-2003, as amended.
- b) Notwithstanding Section 4.4.1iii) of Zoning By-law 95-2003, as amended, for the *lot* hatched below a detached garage shall be permitted to be setback a minimum of 5.7 metres from the *front lot line*. Further, a detached garage must maintain a minimum *interior side yard* of 0.6 metres.



vii) Other Development Standards within all zones:

Exception	Zoning	Мар	By-law	File Reference
154 continued	RM4, R1-F, R1-B, EP	20	99-2008	OPA07-A4, S-A-2007-04, SP18/07, Z13/07

- i) Notwithstanding Section 5.3.1 of Zoning By-law 95-2003, as amended, where a garage exceeds a width of 3.6 metres, the minimum garage length shall be 6.0 metres.
- ii) Notwithstanding Section 5.3.2 of Zoning By-law 95-2003, as amended, the width of a *parking space* within a *driveway* shall be a minimum of 2.5 metres, if a structural column is located within a *driveway*.
- iii) Notwithstanding Section 5.3.2 of Zoning By-law 95-2003, as amended, all *parking spaces*, both within a private *driveway* and on a private road, shall be permitted to have a minimum length of 5.7 metres.
- iv) Notwithstanding Section 6.2.2 of Zoning By-law 95-2003, a maximum *driveway* width of 6.0 metres shall be permitted for all units with a double car garage.
- v) A minimum internal garage depth of 6.0 metres shall be required for all double garages.
- vi) Notwithstanding Section 6.2.2 of Zoning By-law 95-2003, as amended, minimum *lot area*, frontage, depth and coverage requirements of the RM4, R1-B and R1-F zones shall not apply.
- vii) A water meter room and a change room must comply with the provisions for accessory *structures* within Section 4.1.1 of Zoning By-law 95-2003, as amended. Notwithstanding this section, the change room can be setback 2.0 metres from the private road.
- viii) *Platforms* are to be permitted within 1.2 metres of a front and exterior *lot line* or street radius.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
155	RM4(H), RM5(H), POS	8	115-2008 40-2018	OPA07-A4. Z15/07, OPA 17-A2 Z2/17

i) Location: Southwest corner of Taunton Road West and Ravenscroft Road

ii) Legal North Part of Lot 12, Concession 3 Description:

iii) Development Standards within the "RM4" and "RM5" zones:

A) Additional Permitted Convenience Store, Day Care Facility,
Uses: Financial Institution, Self Serve Laundromat,
Library, Office, and Personal Service Shop

b) Maximum Number of 1,500 Units:

i) Maximum Number of Units on Parcel "B" as shown on Schedule "B attached to By-law 40-2018.

c) Minimum Number of Seniors Units: 300

d) Minimum Rear Yard: 7.5 m

- e) Maximum Lot Coverage:
 - i) A maximum *lot coverage* of 35% shall be permitted over the entire site
 - ii) Notwithstanding Section iii) e) i) above, gazebos and other outdoor shade *structures* shall be exempt from the calculation of *lot coverage*.
- f) Maximum Height: 24 storeys
- g) Minimum Parking:
 - i) A minimum of 1.5 parking spaces per *unit* and 0.25 of a parking space per unit for visitors
- iv) Other:

Exception 155 is continued on the next page.

389

Exception	Zoning	Мар	By-law	File Reference
155 continued	RM4(H), RM5(H), POS	8	115-2008 40-2018	OPA07-A4. Z15/07 OPA 17-A2 Z2/17

- a) For the purposes of this zoning by-law, the *front lot line* shall be deemed to be Ravenscroft Road.
- b) A maximum of 1,500 units is permitted over the entire site, of which 1,200 may be standard condominiums.
- c) A minimum of 2 *buildings* must be used for special needs housing (senior's apartments).
- d) All *buildings* shall front onto and provide direct pedestrian access to either Ravenscroft Road or Taunton Road West, with the exception of one building identified as Block "E", as shown on Schedule 'C' of by-law 40-2018, on Parcel 'B', which shall be permitted to front onto a private road.
- e) All *buildings* shall provide a minimum landscape buffer of 6.0 metres from Ravenscroft Road and Taunton Road West, with the exception of those buildings included on Parcel 'B' of By-law 40-2018.
- f) All visitor drop-off areas shall be provided at *building* entries, with the exception of those buildings included in Parcel 'B', for which visitor drop off areas may be provided at *building* entries in the first level of underground parking.
- g) Permanent parking, loading, underground parking ramps and service areas are to be located in interior side or *rear yards*.
- h) All garage doors to underground parking areas shall not face Ravenscroft Road or Taunton Road West.
- i) All roof top mechanical units and elevator penthouses shall be fully screened.
- j) All buildings shall have their primary entrances, windows, and signage face either Taunton Road West or Ravenscroft Road, with the exception of the building identified as Block "E", as shown on Schedule 'C' of By-law 40-2018, located on Parcel 'B' which shall be permitted to front onto a private road.

Exception	Zoning	Мар	By-law	File Reference
155 continued	RM4(H), RM5(H), POS	8	115-2008 40-2018	OPA07-A4. Z15/07 OPA 17-A2 Z2/17

- k) The location of any public art must be located at the southwest corner of Taunton Road West and Ravenscroft Road.
- I) Commercial uses shall be limited to the ground floor.
- v) Notwithstanding any other Section of this By-law and Zoning By-law 95-2003, as amended, the following development standards shall apply to Parcel 'B' as shown on Schedule 'B of By-law 40-2018.
 - a) Minimum Setback from the Rear Lot Line:

2.6 m

b) Minimum Setback from the Front Lot Line:


1.4 m

c) Maximum Height:


7 storeys

- d) Parking Requirements
 - A minimum of 1.0 parking space per unit for apartment dwellings and 0.11 parking space per unit for the exclusive use of visitors shall be required.
 - ii) All parking spaces shall have a minimum length of 5.7 metres.

Exception	Zoning	Мар	By-law	File Reference
155 continued	RM4(H), RM5(H), POS	8	115-2008 40-2018	OPA07-A4. Z15/07 OPA 17-A2 Z2/17



Exception	Zoning	Мар	By-law	File Reference
155 continued	RM4(H), RM5(H), POS	8	115-2008 40-2018	OPA07-A4. Z15/07 OPA 17-A2 Z2/17



Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
156	PE(H)	40	95-2006 152-2009 50-2013	Z8/06, OPA 06-A3,

i) Location: North and south sides of Achilles Road, west of Carruthers

Creek

ii) Legal Description: Part of Lot 5, Concession 1

iii) Additional *Uses*: Research and Development Facility, Outdoor Parking

Facility for off-site Automobile Storage affiliated with a *Motor Vehicle Sales Establishment* (90 vehicles maximum)

iv) Prohibited Uses: Drive-Thru Facility, Drive-Thru Restaurant, Motor Vehicle

Rental Establishment, Public Storage Facility, Recreation Facility, Warehouse/Distribution Centre, Free-standing forms of the following: Financial Institution, Restaurant, Personal Service Shop, and Service or Repair Shop.

v) Development Standards:

Notwithstanding any other Section of this By-law, the following development standards shall apply:

a) Minimum Lot Coverage:

i) Building 20% for all purposes save and except for a motor vehicle Area: sales establishment, which shall have a minimum building

coverage of 15% of the lot area.

- b) Minimum Built Frontage within a *Build-Within Zone*:
 - i) 50% of the lot frontage; or
 - ii) Provided that the *building* has a *Gross Floor Area* of at least 3,800.0 m², shall apply to least three points (as measured perpendicular from the *front lot line*) along the street-facing façade of the *building*, where each point is separated by a minimum distance of 35.0 metres as measured along the *front lot line*.
- c) Front Yard Build-Within Zone:

Exception	Zoning	Мар	By-law	File Reference
156 continued	PE(H)	40	95-2006 152-2009 50-2013	Z8/06, OPA 06-A3,

i) The required Minimum Built Frontage shall be located between 3.0 metres (minimum) and 12.0 metres (maximum) of the *front lot line*.

The *Build-Within zone* does not apply to accessory *buildings* or *structures*, or to *buildings* which by physical necessity are located in the interior of a development site and adjacent only to a private road or *driveway*.

d) Minimum Building Height:

2 storeys and 9.0 m

The minimum *building height* requirement as specified in metres shall apply to a minimum area equal to 50% of the *ground floor area* of the *building*, but in all instances shall apply to the entire floor area of the minimum specified upper storey.

e) Minimum *Gross Floor Area*:

i) Minimum *Ground Floor*Area:

600.0 m²

ii) Minimum Second Floor Area:

The second storey shall have a minimum floor area equal to 25% of the *ground floor area* of the *building*, or 600.0 m^2 , whichever is greater. However, in the case of a *banquet facility*, a minimum second floor area of 300.0 m^2 shall be required.

Notwithstanding the above noted Minimum Second Floor Area requirements, in cases where the second floor consists of ancillary *office* space in association with a principal *light manufacturing use* or research and development facility, the minimum floor area of the second storey shall be equal to at least 70% of the floor area associated with a ground floor ancillary *office* component.

f) Minimum Floor Space Index (FSI):

0.2

g) Minimum Landscaped Buffer:

Along Achilles Road:

4.5 m

h) Parking:

Exception	Zoning	Мар	By-law	File Reference
156 continued	PE(H)	40	95-2006 152-2009 50-2013	Z8/06, OPA 06-A3,

i) No parking areas or *driveway* aisles shall be permitted between an adjacent street and any part of the *building* façade within the *buildwithin zone*. Where the *build-within zone* extends along a *front lot line* between at least three separated points, no parking areas or *driveway* aisles shall be permitted in the *yard* area bounded by the street-facing façade of the *building*, the street, and the two end-points defining the limits of the *build-within zone*.

vi) Other:

- a) The development standards identified in sub-section (v) above do not apply to a public utility *building* or in instances where the land is used as an Outdoor Parking Facility for off-site automobile storage affiliated with a *Motor Vehicle Sales Establishment*.
- b) Where the land is used as an Outdoor Parking Facility for off-site automobile storage affiliated with a *Motor Vehicle Sales Establishment*, a *landscaped buffer* having a minimum width of 3.0 metres shall be provided adjacent to an *interior side lot line*.
- c) A minimum seating capacity of 25 *persons* shall be provided per *Restaurant*.
- d) Notwithstanding the development standards identified in sub-section (v) above, a *Motor Vehicle Sales Establishment* shall only be permitted subject to the following development standards:

i) Minimum Gross Floor Area:

3,800.0 m²

ii) Minimum Building Height:

3 storeys

iii) Maximum Lot Area:

1.91 ha

- iv) Outdoor vehicular storage areas for new vehicles shall only be permitted in a *rear yard*.
- v) No *outdoor storage* or display of vehicles associated with ancillary used *motor vehicle* sales shall be permitted.

Exception	Zoning	Мар	By-law	File Reference
156 continued	PE(H)	40	95-2006 152-2009 50-2013	Z8/06, OPA 06-A3,

vi) No outdoor vehicle storage areas shall be visible from the traveled portion of Highway 401 or Salem Road.

Where the standards specifically applicable to *Motor Vehicle Sales Establishments* do not otherwise conflict with the development standards identified in sub-section (v) above, the standards contained in sub-section (v) above shall apply.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
157	UC	31	37-2009	SPA2/05, Z2/08

i) Location: North side of Kingston Road West, west of Harwood

Avenue North, municipally known as 30 Kingston Road

West

ii) Legal Description: Plan 40M-1518, Block 118

- iii) Accessory Use:
 - a) A seasonal *Garden Centre* having a maximum area of 1,689 square metres is permitted as an *accessory use* in association with a *retail store*.
 - b) Such *Garden Centre* shall only be operational between March 1st and August 31st within every calendar year.
 - c) A minimum of 504 *parking spaces* must be provided on site during the operation of the seasonal *Garden Centre*.
 - d) A minimum of 573 *parking spaces* must be provided on site when the seasonal *Garden Centre* is not operational.

Exception	Zoning	Мар	By-law	File Reference
158	RM5	31	58-2009	OPA08-A3, Z5/08, SP08/09

i) Location: 216, 228 and 240 Old Harwood Avenue and the rear

portion of 200 Old Harwood Avenue

ii) Legal Lots 13, 14 and 15 on Registered Plan 401

Description:

iii) Development Standards:

Notwithstanding any other provision of this By-law, the provisions in this section shall apply to those lands zoned Residential Multiple Five Zone (RM5):

a) Minimum Lot Frontage:

80.0 m

b) Maximum Gross Floor Area:

16,500.0 m²

c) Maximum number of units:

175

- iv) Other:
 - a) No less than 50% of the wall of the main building facing the front lot line shall be within the minimum and maximum front yard setback requirements.
 - b) Minimum number of parking spaces

0.55 spaces/unit

c) Minimum number of *loading spaces* required:

0

- d) Loading doors shall not face a street or shall be screened.
- e) Minimum setback of a canopy from the *front lot line*:

2.0 m

- f) Section 5.6 shall not apply.
- g) All garbage shall be fully enclosed in a designated storage area within a main *building(s)* on the site. *Outdoor storage* of garbage is prohibited.

Exception	Zoning	Мар	By-law	File Reference
159	I-A	10	72-2009	SP36/05, Z10/06

i) Location: 1964 Salem Road North

ii) Legal Part of Lot 7, Concession 3

Description:

iii) Development Standards:

Notwithstanding any other provision of this By-law, the provisions in this section shall apply to those lands zoned Institutional -A ("I-A"):

a)	Minimum Lot Frontage: 130						
b)	Minimum Front Yard:	6.0 m					
c)	Maximum Front Yard:	9.0 m					
d)	Minimum Interior Side Yard:	40.0 m					
e)	Minimum Exterior Side Yard: (Taunton Road East)	4.0 m					
f)) Maximum <i>Exterior Side Yard</i> (Taunton Road East) 11.0						
g)	Minimum <i>Rear Yard</i> : 70.0 m						
h)	Maximum <i>Height</i> : 14.0 m						
i)	Minimum Landscape Buffer:						
	i) Along south <i>lot line</i> : 4.0 n						
	ii) Along west <i>lot line</i> : 3.0 m						
	iii) Along north <i>lot line</i> : 6.0 m						
	iv) Along east <i>lot line</i> : 3.0 m						
j)	Maximum Gross Floor Area:	8,750.0 m ²					

iv) Development Standards for an Accessory Building:

Except	ion	Zoning	File Reference			
159 conti	inued	d I-A 10 72-2009 SP36/05 Z10/06				
a)	Mini	mum <i>Exterior</i>	<i>Side Yard</i> : (Tau	nton Road Eas	t) 5.0 m	
b)	Max	imum <i>Exterior</i>	Side Yard (Tau	nton Road Eas	t) 6.0 m	
c)	Mini	mum <i>Rear Ya</i>	rd:		3.0 m	
d)	Max	imum <i>Rear Ya</i>	ard:		4.0 m	
e)	Max	imum <i>Height</i> :			8.0 m	
f)	Mini	mum Landsca	pe Buffer:			
	i)	Along south Id	ot line:		4.0 m	
	ii)	Along west lo	t line:		3.0 m	
	iii)	Along north Ic	t line:		6.0 m	
	iv)	Along east lot	line:		3.0 m	
g)	Max	imum <i>Gross F</i>	loor Area:		8,750.0 m ²	
v) De	velopr	ment Standard	s for an Access	ory <i>Building</i> :		
a)	Mini	mum <i>Exterior</i>	<i>Side Yard</i> : (Tau	nton Road Eas	t) 5.0 m	
b)	Max	imum <i>Exterior</i>	Side Yard (Tau	nton Road Eas	t) 6.0 m	
c)	Mini	mum <i>Rear Ya</i>	rd:		3.0 m	
d)	Max	imum <i>Rear Ya</i>	ard:		4.0 m	
e)	Max	Maximum <i>Height</i> : 8.0 m				
f)	Max	Maximum <i>Gross Floor Area</i> : 260.0 m ²				
vi) Ot	her:					
a)	 The lot line abutting Salem Road North shall be deemed to be the Front Lot Line; 					
Excepti	on 159	is continued o	on the next page			

Exception	Zoning	Мар	By-law	File Reference
159 continued	I-A	10	72-2009	SP36/05, Z10/06

- b) A dormitory shall be permitted as an accessory use to a school.
- c) Maximum number of dormitory rooms

20

d) Minimum number of required parking spaces

350

- e) Loading doors shall not face a street.
- f) Height requirements shall not apply to ornamental towers.
- g) All garbage shall be fully enclosed in a designated storage area within a main *building(s)* on the site. *Outdoor storage* of garbage is prohibited.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
160	R1-E, R1-F, R2-B, EP	15	61-2010	S-A-2007-05, Z14/07

i) Location: West side of Ravenscroft Road, east of the Duffins Creek,

north of the Driscoll Drive/Harty Crescent, and south of the

Hydro One corridor

ii) Legal Part of Lot 13, Concession 3

Description:

- iii) Development Standards:
 - a) Development Standards within the 'R1-E' zone:

i) Maximum Lot Coverage

50%

ii) Maximum *Driveway* Width:

6.0 m

iii) Maximum Garage Width

5.6 m

Exception	Zoning	Мар	By-law	File Reference
160 continued	R1-E, R1-F, R2-B, EP	15	61-2010	S-A-2007-05, Z14/07

iv) Maximum Curb Cut Width:

6.0 m

- v) Other:
 - (1) Notwithstanding Section 5.3.1 of Zoning By-law 95-2003, as amended, a minimum internal garage dimension of 5.5 metres in width and 6.0 metres in length shall also be permitted.
 - (2) Notwithstanding Section 3.0 of Zoning By-law 95-2003, as amended, the definition of *Lot Frontage*, specifically for the purposes of measuring *lot frontage* for the *lots* cross-hatched on the diagram below, are to be measured by a line 21.0 metres back from and parallel to the chord of the *lot frontage*, and for the purpose of this paragraph, the chord of the *lot frontage*, is a straight line joining the two points where the *side lot lines* intersect the *front lot line*.



- (3) Notwithstanding the first paragraph of Section 6.2.4 of Zoning Bylaw 95-2003, as amended, this section shall not apply.
- (4) Notwithstanding the second paragraph of Section 6.2.4 of Zoning By-law 95-2003, as amended, the maximum *front yard* setback shall be 25.0 metres measured from the front of the *principal building* to the *front lot line*. All of the remaining provisions within this paragraph shall apply.
- b) Development Standards within the 'R1-F' zone:
 - i) Maximum Lot Coverage

50%

Exception	Zoning Map		By-law	File Reference			
160 continued	R1-E, R1-F, R2-B, EP	15	61-2010	S-A-2007-05, Z14/07			
ii) Minimum Exterior Side Yard: 0.6 metre to an attached porch and 1.2 metres to a dwelling unit when flanking Ravenscroft Road (the setback is to be taken from the west side of the buffer block)							
c) Deve	c) Development Standards within the 'R2-B' zone:						
i)	Minimum Exter Yard:	m R ta	0.6 metre to an attached <i>porch</i> and 1.2 metres to a <i>dwelling unit</i> when flanking Ravenscroft Road (the setback is to be taken from the west side of the buffer block)				
ii)	ii) Minimum <i>Interior Side</i> Yard:			een units where not mmon wall or garage.			
Except as amended herein, all other provisions of this By-law, as amended, shall apply.							

Exc	eption	Zoning	Мар	By-law	File Reference	
161		PE	43	106-2010	Z1/10, SP8/10	
i) Location: 365 Bayly Street Westii) Legal Part of Block A, Plan M-26 (40R-9315, Parts 2 to 5)						
	Description:					
iii)	Addition Permitte	ed Use: Rep	Motor Vehicle Used Sales Establishment, Motor Vehicle Repair Facility shall be permitted as an accessory use to a Motor Vehicle Used Sales Establishment			
Except as amended herein, all other provisions of this By-law, as amended, shall apply.						

Exception	Zoning	Мар	By-law	File Reference
162	PE	9	105-2010	SP36/06, Z2/09

i) Location: 1801 and 1901 Harwood Avenue North

ii) Legal Part of Lot 8, Concession 3

Description:

iii) Additional Uses: Convenience Store, Retail Store

iv) Development Standards:

a) Parking:


Notwithstanding Section 5.10.2, parking shall be provided at a ratio of 1 space per 21.5 m² of *gross floor area* for all permitted *uses*.

v) Other

- a) An individual *retail store* and/or *convenience store* shall not exceed a total floor area of 500.0 m².
- b) The cumulative floor area for all *retail store* and *convenience store uses* shall not exceed a total floor area of 2,790.0 m².
- c) No more than 1,878.0 m² of the total *gross floor area* of *Building* A shall be occupied by *retail stores* or *convenience stores* until *Building* B and the associated parking area has been constructed as identified on Schedule 'C' attached hereto.
- d) No change in land use is permitted on the subject lands unless a Certificate of Occupancy is issued by the Town.

Exception	Zoning	Мар	By-law	File Reference
162 continued	PE	9	105-2010	SP36/06, Z2/09

Schedule 'C'



Exception	Zoning	Мар	By-law	File Reference
163	R1-D, RM5, PE, EP, OS, POS	18, 19	73-2011 30-2015	Z1/05, OPA 05-A1, S-A-2005-01
			70-2015	

i) Location: North of Rossland Road, east of Spitty Road, west of Carruthers Creek, and south of the CPR Rail line

ii) Legal Part of Lots 5 and 6, Concession 3 Description:

- iii) Interpretation:
 - a) For the purposes of this exception, the *front lot line* for any through or *corner lot* within a 'PE' 'Prestige Employment' Zone shall be deemed to be Rossland Road East or Salem Road. Where a *lot* has frontage on both Rossland Road East and Salem Road, the *front lot line* shall be deemed to be Rossland Road East.
 - b) Parcels of tied land zoned Residential Multiple Five Zone (RM5) for *Multiple Attached, Dwelling* in a common element condominium bordered by Salem Road North and Dolphin Lane or Harper-Hill Drive and Dolphin Lane or Dolphin Lane and Graywardine Lane are deemed to be lots with two *Front Yards*.
 - c) Section 4.9 of Zoning By-law 95-2003, as amended, shall not apply to lands zoned Residential Multiple Five zone (RM5) for *Multiple Attached, Dwelling* in a common element condominium.
- iv) Additional *Uses*: Convention Centres and Research and Development on a *lot* which is zoned 'PE' 'Prestige Employment'

An education and training facility for children with special needs on a *lot* fronting the east side of Salem Road which is zoned 'PE' – 'Prestige Employment'

Motor Vehicle Gas Bar, Motor Vehicle Washing Establishment – Automatic, and Convenience Store with a total gross floor area not to exceed 500 square metres on a lot which is zoned 'PE' – 'Prestige Employment' provided that the lot is located in the northwest corner of Rossland Road East and Salem Road.

Outdoor storage shall only be permitted on a lot located west of Salem Road provided such lot does not have frontage on Rossland Road East. Outdoor storage shall be prohibited in any yard facing Salem Road or within 70.0 metres of the eastern lot line of the J. Clarke Richardson

Exception	Zoning	Мар	By-law	File Reference
163 continued	R1-D, RM5, PE, EP, OS, POS	18, 19	73-2011 30-2015 70-2015	Z1/05, OPA 05-A1, S-A-2005-01 S-A-2013-01, SP4/14, Z3/14

Additional *Uses* continued:

and Notre Dame secondary *school* lands. *Outdoor storage* shall otherwise be permitted in a *side yard* or *rear yard* in accordance with Section 6.4.1 and 6.4.3.1 ii).

One *motor vehicle repair facility* that is limited to conducting minor automotive running repairs comprising a maximum floor area of 350 square metres and no more than two vehicle entry doors providing access to four vehicle bays shall only be permitted on a *lot* which is zoned 'PE' — Prestige Employment located on the east side of Salem Road as illustrated on Schedule 'D' to this By-law.

- v) Development Standards for the 'RM5' Zone:
 - a) Minimum Lot Frontage:

4.8 m

b) Minimum Lot Depth:

22.0 m

- c) Minimum Setback from *Front Lot Line* for *Dwelling Unit* located within Blocks referenced below and illustrated in Schedule 'C':
 - i) Blocks 1 to 6 (inclusive) fronting onto Salem Road North: 3.0 m
 - ii) Blocks 1 to 7 (inclusive) fronting onto Dolphin Lane: 3.7 m
 - iii) Blocks 6 and 7 fronting onto Harper-Hill Drive: 3.0 m
 - iv) Blocks 8 to 10 (inclusive) fronting onto Dolphin Lane: 2.4 m
 - v) Blocks 8 to 10 (inclusive) fronting onto Graywardine Lane: 2.2 m
 - vi) Blocks 11 to 16 (inclusive) fronting onto Graywardine Lane: 2.5 m
- d) Maximum Setback from *Front Lot Line* for *Dwelling Unit* located within Blocks referenced below and illustrated in Schedule 'C':

Exception Zoning Map			By-law	File Refe	rence		
163 contin	nued	R1-D, RM5,	18, 19	73-2011	Z1/05, OPA 05-A1,		
		PE, EP, OS		30-2015	S-A-200	5-01	
	70-2015 S-A-2			S-A-2013-01 Z3/14	•		
	i) Blocks 1 to 6 (inclusive) fronting onto Salem Road North:						
	ii) I	Blocks 6 and 7	(inclusive) fron	ting onto Harpe	er-Hill Drive:	4.3 m	
e)	Mini	mum Setback f	rom Interior Lo	t Line:			
	i) Between all horizontally attached <i>dwelling units</i> :					0.0 m	
	ii) For all end units:					1.2 m	
f)	f) Minimum Setback from <i>Exterior Lot Line</i> : 1.0 m					1.0 m	
g)	Mini	Minimum Setback from <i>Rear Lot Line</i> : 4.7 m					
h)	Maximum <i>Lot Coverage</i> for Parcels of Tied Land (POTL) associated with Blocks reference below and illustrated in Schedule 'C':						
	i) l	Blocks 1 to 6 (ir	nclusive):			55%	
	ii) l	Blocks 7 to 10 (inclusive):			78%	
	iii) I	Block 11:				70%	
	iv) I	Blocks 12 to 16	(inclusive):			60%	
i)	Max	imum Height:				12.5 m	
j)	Max	imum Garage \	Nidth:			6.2 m	
k)	Othe	er Developmen	t Standards:				
	i) Minimum separation between each <i>Multiple Attached</i> 2.4 m <i>Dwelling</i> block:						
	ĺ						

TOWN OF AJAX ZONING BY-LAW 95-2003 Office Consolidation November 1, 2023

Exception	Zoning	Мар	By-law	File Reference
163 continued	R1-D, RM5,	18, 19	73-2011	Z1/05, OPA 05-A1,
	PE, EP, OS		30-2015	S-A-2005-01
			70-2015	S-A-2013-01, SP4/14, Z3/14


- iii) The maximum *Driveway Width* shall not exceed the exterior dimensions of the *private garage*.
- iv) Accessory buildings or structures shall not be permitted in a Side Yard.
- v) Notwithstanding the Minimum Setback from the *Front Lot Line* and *Exterior Side Lot Line* under Section 4.3 (Platforms) the following shall apply:
 - Platforms may extend 3.0 metres out from main building wall, but not closer to a *front lot line* or exterior *lot line* than 1.0 metre.
 - All other provisions under Section 4.3 (Platforms) shall apply.
- vi) A 1.2 metre height decorative metal fence shall be located in *Front Yards* adjacent to Salem Road North and Harper-Hill Drive. The decorative metal fence shall be setback 2.0 metres from the *Front Lot Line* abutting Salem Road North and Harper-Hill Drive.
- vii) Only fencing approved pursuant to SP4/14 is permitted.
- viii) Lands zoned Private Open Space (POS) shall be permitted to erect buildings or structures and alter soil or topography in order to construct a private parkette pursuant to SP4/14.

vi) Other:


a) Only 92 *Multiple Attached Dwelling* Units are permitted on Part 1, Plan 40R-27607.

Exception	Zoning	Мар	By-law	File Reference
163 continued	R1-D, RM5, PE, EP, OS	18, 19	73-2011 30-2015	Z1/05, OPA 05-A1, S-A-2005-01
	, , , -		70-2015	S-A-2013-01, SP4/14, Z3/14





163 continued R1-D, RM5, 18, 19 73-2011	Z1/05, OPA 05-A1,
PE, EP, OS 30-2015	S-A-2005-01
70-2015	S-A-2013-01, SP4/14, Z3/14



Exc	exception Zoning Map By-law		File Reference				
	164 RM4 18 74-2011 SP					SP11/08, Z3/08	
i)	Lo	oad West, approximately enue North					
ii)) Legal Block 159, Plan 40M-1829 Description:						
iii)	De	velop	ment Standard	s:			
	Notwithstanding any other provisions of this By-law, the provisions in this section shall apply to those lands zoned 'Residential Multiple Four' Zone - 'RM4'.						
	a) Minimum Lot Frontage: 45.0 m						
	b)	b) Minimum setback to the parking garage:					
		i) f	rom the Front L	_ot Line:		0.0 m	
		ii) f	rom the Easter	ly <i>Interior Side</i>	e Lot Line:	0.0 m	
			iii) from the Westerly <i>Interior Side Lot Line</i> abutting 2.0 m Durham Condominium Plan 160:				
		iv) from the Westerly <i>Interior Side Lot Line</i> abutting the rear lot lines of the lots fronting onto Smales Crescent:					
		v) f	rom the <i>Rear L</i>	ot Line:		4.5 m	
	c) Minimum setback to the Apartment Dwelling:						
		i) from the Front Lot Line:					
		ii) f	7.0 m				
		,	rom the Weste Durham Condo	•	<i>le Lot Line</i> abutt 160	ng 11.0 m	

iv) from the Westerly *Interior Side Lot Line* abutting the

rear lot lines of the lots fronting onto Smales Crescent:

Exception 164 is continued on the next page.

150.0 m

Exception	Zoning	Мар	By-law	File Reference
164 continued	RM4	18	74-2011	SP11/08, Z3/08

v) from the Rear Lot Line:

30.0 m

- d) No Apartment Dwelling shall be closer to the rear lot line than 30.0 metres.
- e) Maximum Lot Coverage:

20 %

f) Maximum Height:

47.0 m

g) Minimum Landscape Buffer:

i) along north *lot line*:

7.0 m

ii) along south lot line:

8.0 m

iii) along east lot line:

 $0.0 \, \text{m}$

iv) along west *lot line*:

2.5 m

h) Maximum Gross Floor Area:

32,000.0 m²

i) Maximum Number of Units:

220

- iv) Other:
 - a) Minimum number of parking spaces:
 - i) 1.11 spaces per unit for the exclusive use of the occupants in addition to 0.25 space per unit for the exclusive use of visitors
 - b) Minimum number of *loading spaces*:

1

- c) Minimum width of a drive aisle adjacent to no *parking* spaces:
- 6.7 m
- d) Servicing and loading doors shall not face a street unless they are fully screened from public view through architectural screening, berming, or a combination of both of these treatments.
- e) Section 5.6 shall not apply.
- f) All garbage shall be fully enclosed in a designated storage area within a principle *building(s)* on the site. *Outdoor storage* of garbage is prohibited.

Exception	Zoning	Мар	By-law	File Reference
165	R1-D, R1-B	24	30-2011	S-A-2010-01, Z4/10

i) Location: Southwest corner of Magill Drive and Old Harwood Avenue

ii) Legal Part of Lot 9, Concession 2 and Part of Lot 1, Plan 435 Description:

iii) Development Standards:

Notwithstanding Section 6.2.2 of this by-law, the following development standards shall apply:

a) Development Standards within the 'R1-D' Zone

i) Minimum Lot Depth:

24.2 m

b) Development Standards within the 'R1-B' Zone

i) Minimum Exterior Side Yard:

2.0 m

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
166	CR, EP	4	43-2011	18T-89058, Z17/89

i) Location: 239 and 299 Fifth Concession Road

ii) Legal North Part of Lot 6, Concession 4 and North Part of Lot 6, Description: Concession 4 (40R-13510, Parts 1 to 5)

iii) Development Standards:

Notwithstanding Section 6.2.2 of Zoning By-law 95-2003, as amended, the following zone standards shall apply:

a) Lot 3:

i) Minimum Lot Frontage:

40.0 m

ii) Minimum East Interior Side Yard Setback:

3.0 m

Exception	Zoning	Мар	By-law	File Reference
166 continued	CR, EP	4	43-2011	18T-89058, Z17/89

b) Lot 6:

i) Minimum Lot Frontage: 45.0 m

c) Lot 7:


i) Minimum Lot Depth: 99.0 m

ii) Minimum Rear Yard Setback: 7.5 m

d) Retained:

i) Minimum Lot Frontage:

40.0 m



iv) Other:

a) Section 2.4 vi) of the Town of Ajax Zoning By-law 95-2003, as amended, shall not be applicable.

Exception	Zoning	Мар	By-law	File Reference
167	UC	32	58-2011	SPA11/10, Z2/10

i) Location: 150 Kingston Road East

ii) Legal South Part of Lot 6 and 7, Concession 2, NOW Part 3 on

Description: 40R-14918 and Part 6 on 40R-15728

iii) Additional Uses: Motor Vehicle Gas Bar as an accessory use to a Retail

Warehouse

iv) Development Standards associated with a Motor Vehicle Gas Bar:

a) Minimum Setback from the *Front Lot Line*:

i) Kingston Road Eastii) Ringer Road330.0 m

b) Minimum Setback from the *Interior Side Lot Line*:

i) West Interior Side Lot Line: 78.0 m
 ii) East Interior Side Lot Line: 20.0 m
 c) Minimum Setback from the Exterior Side Lot Line: 7.5 m

d) Minimum Setback from the *Rear Lot Line*: 9.0 m

e) Maximum *Gross Floor Area*: 15.0 m²

f) Maximum *Height*: 3.0 m

v) Other:

- a) A maximum of one *Motor Vehicle Gas Bar* is permitted.
- b) Notwithstanding the maximum *height* requirement herein, canopies over gas pumps may be permitted to a maximum *height* of 5.5 metres.
- c) Minimum required parking of 4.58 spaces per 100.0 m² of gross floor area

Exception	Zoning	Мар	By-law	File Reference
168	EP, OS, I-A, NC, R1-D, R1-F, R2-B, R1-D, R1-F, POS	13, 14	90-2011 79-2013 108-2014	S-A-2008-01, Z4/08,

i) Location: North side of Rossland Road West, west of Church Street

North

ii) Legal Part of Lot 15 and 16, Concession 3 Description:

iii) Development Standards:


Notwithstanding Section 6.2.2 of this By-law, the following development standards shall apply:

a) Lands within the 'R1-D' and 'R1-F' zone:

i) Maximum Lot Coverage:

50%

b) *Lots* created within Blocks 121 and 122 on Draft Plan of Subdivision S-A-2008-01, as shown within the cross-hatched area on the schedule below, shall have minimum *Lot Frontages* of 7.0 metres.



- c) Lands within the 'NC' zone shall permit *Apartment Dwellings* on the upper floor of a building with ground level neighbourhood commercial uses.
- d) A minimum *Gross Leasable Floor Area* for a building in the 'NC' 500 m² Zone:

Exception	Zoning	Мар	By-law	File Reference
169	RM4	30	43-2013	Z5/11 SPA11/11

i) Location: Northeast corner of Kingston Road West and Chapman Drive

ii) Legal Part of Block 114, Plan 40M-1489 NOW Part 87, RP 40R-

Description: 24069

iii) Additional Uses: Dwelling, Stacked

- iv) Development Standards:
 - a) Notwithstanding any other section of this By-law, the following development standards shall apply:
 - i) Platforms: Height Above Finished Ground Level More than 1.2 metres:
 - Minimum setback from the Exterior side lot line
 Kingston Road West:
 - Minimum setback from the *Front lot line* 1.0 m Chapman Drive:
 - b) Notwithstanding Section 5.3.2, the following development standards shall apply:
 - i) Minimum length of all required off-street parking 5.7 m except those within a *private garage*:
 - ii) Minimum perpendicular width of aisle with no adjacent parking: 6.7 m
 - c) Section 5.6 shall not apply.
 - d) Notwithstanding Section 5.10.1 the following off-street parking requirement shall apply:
 - i) Minimum: 1.11 spaces per unit for exclusive *use* of the occupants in addition to 0.25 spaces per unit for exclusive *use* of visitors
 - e) Notwithstanding Section 5.3.2, the following development standards shall apply:
 - i) Minimum length of each off-street *parking space* for 5.7 m

 Persons with Disabilities:

Exception	Zoning	Мар	By-law	File Reference
169 continued	RM4	30	43-2013	Z5/11 SPA11/11

f) Notwithstanding Section 6.2.2, the following development standards shall apply:

	•	
i)	Minimum Lot Frontage:	35.0 m
ii)	Minimum setback from the Front lot line	1.70 m
	- Chapman Drive	
iii)	Minimum setback from the Rear lot line	4.10 m
	- East Lot Line:	
iv)	Minimum setback from the Exterior side lot line	2.60 m
	– Kingston Road West:	
v)	Minimum setback from the Interior side lot line	3.40 m

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
170	UC	32	93-2012	OPA11-A3, Z3/11, SP3/12

i) Location: 36 Salem Road South

- North Lot Line:

ii) Legal Part of Lot 4, Plan 377, (40R-20189, Part 5)

Description:

iii) Additional Uses: Restaurant, Take-Out

iv) Prohibited Uses: Banquet Facility, Drive-Thru Facility, Funeral Home, Hotel,

Library, Licensed Accessory Outdoor Patio, Motel, Motor

Vehicle Rental Depot, Place of Assembly, Place of

Entertainment, Place of Worship, and Drive-Thru Restaurant

	_				
Exception	Zoning	Мар	By-law	File Reference	
170 continued	UC	32	93-2012	OPA11-A3, Z3/11, SP3/12	
v) Develo	pment Standard	ls:			
	nstanding any ot rds shall apply:	her section of t	his By-law, the	following development	
a)	Minimum Lot F	rontage:		22.0 m	
b)	Minimum Setba	ick from the Fro	ont Lot Line:	3.0 m	
c)	Minimum Setba	Minimum Setback from the Interior Side Lot Lines:			
	i) Setback fro	i) Setback from South <i>Lot Line</i> :			
	ii) Setback fro	1.2 m			
d)	Minimum Setba	23.0 m			
e)	Minimum Built <i>Lot Frontage</i> (Front Wall): 89%				
f)	Minimum <i>Gross Floor Area</i> : 420.0 m ²				
g)	Minimum Buildi	ng Height:		6.0 m	
h)	Landscaped Bu	ıffer:			
	i) Along Sou	th <i>Lot Line</i> :		1.2 m	
	ii) Along Wes	3.0 m			
	iii) Along East	3.0 m			
	iv) Along North <i>Lot Line</i> :				
vi) Other:					
a)	Minimum Parki	ng Space Dept	h:	5.7 m	
b)	Minimum Numb	per of <i>Parking</i> S	Spaces:	15	

Maximum *Gross Floor Area* for a *Restaurant, Take-Out*:

Exception 170 is continued on the next page.

140.0 m²

Exception	Zoning	Мар	By-law	File Reference
170 continued	UC	32	93-2012	OPA11-A3, Z3/11, SP3/12

- d) 30% of the area of the east, north and west *building* elevations shall be constructed of transparent materials allowing unencumbered visual access into the *building*.
- e) The principal entrance to the *building* from all tenancies shall be from Salem Road South. All principal entrances must be fully accessible at all times.
- f) A *Restaurant, Take-Out use* shall be located in the south portion of the *building* and any kitchen/food preparation area shall be located along the southern wall of the *building*.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
171	RM6	32, 39	145-2012	18T-95041, 18T-95041(RL2/10) SP12/10, C-A-2012-03, Z2/12

i) Location: 1 – 77 Cooperage Lane

ii) Legal Block 27, 40M-2466

Description:

iii) Interpretation: Section 4.9 of Zoning By-law 95-2003, as amended, shall not

apply to the development of the subject lands for 58 multiple

attached dwellings.

iv) Development Standards:

In the event that Block 27 is developed for 58 *multiple attached dwellings* pursuant to SP12/10, the following development standards shall apply:

a) Maximum Number of Multiple Attached Dwellings:

58

Exception	Zoning	Мар	By-law	File Reference
171 continued	RM6	32, 39	145-2012	18T-95041, 18T-95041(RL2/10) SP12/10, C-A-2012-03, Z2/12

b) Minimum Yard Setbacks for each parcel of land associated with a *multiple* attached dwelling:

) Front Yard (abutting Cooperage Lane): 1.0 m

ii) Interior Side Yard: 0.0 m

iii) Exterior Side Yard: 0.0 m

iv) Rear Yard (opposite the front yard): 0.0 m

c) Other Development Standards for each parcel of land associated with a *multiple attached dwelling*:

i) Minimum Lot Frontage: 4.5 m

ii) Maximum Lot Coverage:

100 %

iii) A minimum separation of 3.0 metres is required between each *multiple attached dwelling* block.

Exception	Zoning	Мар	By-law	File Reference
172	GE	43	67-2013	OPA12-A1 Z3/12, SP19/12

Location: 384 Finley Avenue i)

Part of Block A, Plan M26 40R-9315, Part 7 & 8 and 40Rii) Legal

Description: 6894, Part 1

Additional *Uses*: Funeral Home, Funeral Visitation Centre, Crematorium iii)

iv) Development Standards:

> Notwithstanding any other section of this By-law, the following development standards shall apply:

a) Minimum Number of Parking Spaces

143

b) Maximum Total Gross Floor Area:

1.200 m²

c) Maximum Number of Cremators:

3

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference		
173	EP, RM6	9	52-2013	C-A-2012-06		
				S-A-2012-02		
				SP21/12, Z4/12		
i) Location: Southeast corner of Taunton Road East and Harwood Avenue North						

ii) Legal Part Lot 9 Concession 3 Pickering, Part 1 on 40R24556 and Description:

Part Lot 9 Concession 3 Pickering, Parts 2, 3 and 4 on

40R24556 (Permanent Closing by By-law as in DR507321)

iii) Interpretation: Section 4.9 of Zoning By-law 95-2003, as amended, shall

not apply to the development of the subject lands for 84

multiple attached townhouse dwellings.

iv) Development Standards:

In the event that Block 1 is developed for 84 multiple attached townhouse dwellings pursuant to SP21/12, the following development standards shall apply:

Exception	Zoning	Мар	By-law	File Refere	ence		
173 continued	EP, RM6	9	52-2013	C-A-2012	-06		
				S-A-2012	12-02		
				SP21/12, Z	2 4/12		
a) Maximum Number of Multiple Attached Townhouse Dwellings:							
,	ne Standards for Itiple attached to	•		ed with a			
i)	Front Yard:						
	- To a dwell	ling unit fronting	g onto a private	park:	2.5 m		
		- To a <i>dwelling unit</i> fronting onto Harwood Avenue North or onto an Environmental Protection (EP) Zone:					
	- To a dwell driveway:	2.0 m					
	- To a <i>dwelling unit</i> fronting onto an internal road – to be measured from the side of the sidewalk closest to a multiple attached dwelling:						
	- To any att	To any attached garage:					
ii)	Interior Side Y	Interior Side Yard: 1.5 m between blocks and 0 between attached dwell					
iii)	Exterior Side Y	1.4 m					
iv)	Rear Yard:	6.0 m					
v)	Road Radius Y	1.2 m					
vi)	Minimum Lot F	rontage:			5.8 m		
vii)	Maximum <i>Buil</i> d	ding Height:			12.0 m		

Exception	Zoning	Мар	By-law	File Reference
173 continued	EP, RM6	9	52-2013	C-A-2012-06 S-A-2012-02
				SP21/12, Z4/12

- c) Other Development Standards Within the RM6 Zone:
 - i) A minimum separation of 3.0 metres is required between each multiple attached dwelling block within the RM6 zone.
 - ii) A minimum setback of 0.0 metres between multiple attached dwellings within the same block of units.
 - iii) Notwithstanding Section 4.1.1 iv) of Zoning By-law 95-2003, the minimum exterior side yard setback shall be 2.5 metres and no accessory *structure* shall be located closer to a private road than the *dwelling unit*.
 - iv) No accessory structures or fences (other than decorative metal fences along the Environmental Protection (EP) zone boundary, Harwood Avenue North, and the southerly private *driveway*) are permitted within the *front yard* adjacent to Harwood Avenue North or the Environmental Protection (EP) zone boundary or any *front yard* adjacent to the private internal roadway, with the exception of the water meter/mail kiosk *building*, which shall maintain a minimum setback of 5.0 metres from the southerly private *driveway* or internal private road.
 - v) A minimum setback between a multiple attached dwelling and a railway right-of-way shall be 30.0 metres.
 - vi) Notwithstanding Section 5.3.2 of Zoning By-law 95-2003, as amended, the minimum width of a parking space within a private driveway shall be 2.5 metres if a structural column is located within the driveway. The minimum length shall be 5.7 metres.

Exception	Zoning	Мар	By-law	File Reference
174	R1-B, EP	13	65-2013	Z1/13, LD11/2013 to LD19/2013

i) Location: 960 Riverside Driveii) Legal Lot 12, Plan M-1157 Description:


iii) Development Standards:

a) Maximum Lot Coverage:

45 %

b) Minimum Lot Depth:

Lots 1, 2 and 3 created through Land Division Applications LD11/2013 to LD19/2013, as shown within the shaded area on the map below, shall have minimum Lot Depths of 28.5 metres for lots 1 and 2; and 32.5 metres for lot 3




Exception	Zoning	Мар	By-law	File Reference
174 continued	R1-B, EP	13	65-2013	Z1/13, LD11/2013 to LD19/2013

iv) Other:

- a) The minimum width of the attached front *porch* shall be not less than the following, whichever is less:
 - i) 2.0 metres;
 - ii) The entire width of the habitable portion of the *dwelling*, measured from the nearest exterior wall of an attached *private garage* to the opposite exterior side wall of the *principal building*.
- b) Notwithstanding Section 6.2.2; Section 6.2.4 Front Yard and Exterior Yard Requirements 6.2.4 shall apply.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exc	eption	Zoning	Мар	By-law	File Reference		
1	175 RM6 (H		11	17-2020	OPA19-A1		
					Z1/19		
i)	Location:		nthwest corner of Taunton Road East and Audley Road th 593 Taunton Road East				
ii)	ii) Legal Part of Lot 3, Concession 3, Part 1, Registered Plan 40R-2467; Block 251, Registered Plan 40M-2186; and Part of Block 255, Registered Plan 40M-2186				40M-2186; and Part of		
iii)	Interpreta	ŕ	For the purposes of determining setbacks, Taunton Road shall be deemed the <i>Front Lot Line</i> , Audley Road shall be deemed the <i>Exterior Side Lot Line</i> , the west property line shall be deemed the <i>Interior Side Lot Line</i> , and the south property line shall be deemed the <i>Rear Lot Line</i> .				
			The Yard abutting Block 1 and the south property line (Rear Lot Line) shall be deemed the Rear Yard. For the purposes of this Exception, the Rear Yard shall be divided amongst the individual Dwelling Units within Block 1.				



Exception	Zoning	Мар	By-law	File Reference				
175 continu	ed RM6 (H)	11	17-2020	OPA19-A1				
	, ,			Z1/19				
,	,							
,	•		•	e Six (RM6) Zone:				
a)	Maximum Numb	_						
	::\	Multiple Attache		8				
b)	Minimum Setba	Back-to-Back St		use 88				
5)	:\	nits/Platforms (p		6.2 m				
	::\	Underground parking garage						
c)								
ŕ	i) Dwelling U	nits/Platforms (p	orch)	1.3m				
	,	Underground parking garage 0.9						
d)	Minimum Setback from <i>Interior Side Lot Line</i> :							
•				als 4 40.0 ma				
	,	nits/Platforms (p	•					
	ii) Dwelling U	nits/Platforms (p	orch) within Blo	cks 2 and 3 2.0 m				
	iii) Dwelling U	Dwelling Units/Platforms (porch) within Block 1						
	iv) Undergrou	Underground parking garage 2.0 m						
	v) Steps lead	Steps leading to or from a <i>Platform (porch)</i>						
e)	Minimum Setba	ck from <i>Rear Lot</i>	Line:					
	i) Dwelling U	<i>nits</i> within Block	1	7.5 m				

Exception		Zoning	Мар	By-law	File Reference		
175 con	ntinued	RM6 (H)	11	17-2020	OPA19-A1 Z1/19		
f)) Mir	imum Setback	from <i>Daylightir</i>	ng Triangle:			
	i)	Dwelling Uni	ts within Block	4	4.1 m		
	ii)	Platforms (po	orch) within Blo	ock 4	3.3 m		
	iii)	Dwelling Uni	ts within Block	6	4.6 m		
	iv)	Platforms (po	orch) within Blo	ock 6	3.5 m		
	v)	Underground	l parking garag	je	0.0 m		
9	g) Mir	imum Setback	s between <i>Dwe</i>	elling Units:			
	i)	Setback betv	veen Block 2 a	nd 3	7.3 m		
	ii) Setback between Block 5 and 6				3.0 m		
h	h) Maximum <i>Height</i> :				3-storeys/12.8 m ⁽¹⁾		
i)	i) Maximum <i>Lot Coverage</i> :				40 %		
vi) C	vi) Other:						
Exception 175 is continued on the next page.							

Exception	Zoning	Мар	By-law	File Reference		
175 continued	RM6 (H)	11	17-2020	OPA19-A1 Z1/19		
-\ N4:	a) Minimum Daukinan 4.5 amana manunit fan tha avaluaina na af					

a) Minimum Parking:

1.5 spaces per unit for the exclusive use of occupants in addition to 0.25 spaces per unit for the exclusive use of visitors (*Dwellings, Multiple Attached*); 1.02 spaces per unit for the exclusive use of occupants in addition to 0.25 spaces per unit for the exclusive use of visitors (*Dwelling, Back-to-Back Stacked Townhouse*); or a minimum of 131 total parking spaces, whichever is greater

b) Minimum Private *Driveway* Length:

6.0 m

c) Minimum Private *Driveway Width*:

2.7 m

d) Minimum Private Road Width

7.0 m

e) Minimum Two-Way Drive Aisle Width:

6.7 m

- f) Air conditioning units shall be screened from public view through architectural screening, landscaping, or a combination of these treatments.
- g) Notwithstanding Section 4.3 of Zoning By-law 95-2003, as amended, as it relates to *porches*, the maximum area of a *porch* associated with a *Dwelling Unit* shall be 6.1 m².
- h) Accessory buildings or structures shall be permitted within common outdoor amenity spaces areas. The provisions of Section 4.1.1 of Zoning By-law 95-2003, shall not apply to such accessory buildings or structures.
- i) Accessory buildings or structures shall be permitted in the Rear Yard of Block 1. Notwithstanding the lot coverage and gross floor area provisions of Section 4.1.1 v) of Zoning Bylaw 95-2003 or the Maximum Lot Coverage provision set out in Section v) i) herein, the maximum gross floor area of all accessory buildings or structures in the Rear Yard for each individual Dwelling Unit within Block 1 shall be no greater than 10.0 m².

Exception 175 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
175 continued	RM6 (H)	11	17-2020	OPA19-A1 Z1/19

j) Notwithstanding Section 4.3 of Zoning By-law 95-2003, the following shall apply to any *platform* in the *Rear Yard* for each individual *Dwelling Unit* within Block 1:

i) Maximum Area: 50% of the *Rear Yard* associated with each individual *Dwelling Unit*

ii) Minimum Setback from Rear Lot Line for Platforms:

Platforms with a height between finished ground level and 1.8 m 1.2 m

- Platforms with a height more than 1.2 m

iii) Minimum Setback from *Interior Side Lot Line* (*platform* associated with most westerly *Dwelling Unit*):

iv) Minimum Setback from *Exterior Side Lot Line* (*platform* associated with most easterly *Dwelling Unit*):

Except as amended herein, all other provisions of Zoning By-law 95-2003, as amended, shall apply.

4.0 m

⁽¹⁾ The *height* requirements shall include mechanical penthouses.

Exception	Zoning	Мар	By-law	File Reference
176	R3, RM6	46	25-2014	Z15/05 S-A-2005-06
			81-2021	Z2/19, S-A-2019-01, and
				RL1/19 (S-A-2005-06)

i) Location: Lands generally bounded by Shoal Point Road, Bayly Street

East, Clayton Road and Leney Street.

ii) Legal Part of Lot 4, Range 3, Broken Front Concession, NOW Part Description: 1 on Registered Plan 40R-13460 and Part of Lot 4, Range 3,

1 on Registered Plan 40R-13460 and Part of Lot 4, Range 3, Broken Front Concession, NOW Part 2 on Registered Plan

40R-30300.

iii) Interpretation: Section 4.9 of Zoning By-law 95-2003, as amended, shall

not apply to lands zoned Residential Multiple Six Zone (RM6) for *Multiple Attached, Dwelling* in a common element

condominium form.

iv) Development Standards for Residential Three Zone (R3):

a) Notwithstanding Section 6.2.2, Zone Standards, the following development standards shall apply in a Residential Three Zone (R3):

i) Minimum Lot Frontage:

7.2 m

ii) Minimum Lot Depth:

28.0 m

- v) Development Standards for Residential Multiple Six Zone (RM6):
 - a) Notwithstanding Section 6.2.2, Zone Standards, the following development standards shall apply in a Residential Multiple Six Zone (RM6):
 - In the event that a common element condominium is developed on lands zoned Residential Multiple Six Zone (RM6) for *Multiple Attached*, *Dwelling* the zone standards under the Residential Two B Zone (R2-B) shall apply to all parcels of tied land (POTL) and associated dwelling units with the exception of the following development standards:

Exception 176 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference	
				Z15/05	
176 continued	R3, RM6	46	25-2014	S-A-2005-06	
			81-2021	Z2/19, S-A-2019-01, and	
				RL1/19 (S-A-2005-06)	
	- Minimum Se	tback from a F	ront Lot 3	3.0 m to Dwelling Unit	
	Line:			6.0 m to Attached Garage	
	- Minimum Se Line:	tback from a R	ear Lot 7	.0 m	
	- Maximum Lot Coverage:			0%	
	- Maximum Height:			2 m	

ii) That the development of lands zoned RM6 Zone shall be designed to support dwelling units with principal entrances, porches, steps and windows that front directly onto a public road and onto the portion of a private road that is parallel (window road) to a public road.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

	Exception	Zoning	Мар	By-law	File Reference	
	177	R3, RM6	46, 61, 62	24-2014	Z16/05, S-A-2005-07	
i) Location: South side of Bayly Street Ea east of Shoal Point Road					oproximately 200 metres	
	ii) Legal Description:		rth Part of Lot 4, Range 3, Broken Front Concession, W Part 1 to 6, Registered Plan 40R-6831			

iii) Interpretation: Section 4.9 of Zoning By-law 95-2003, as amended, shall

not apply to lands zoned Residential Multiple Six Zone (RM6) for *Multiple Attached, Dwelling* in a common element

condominium form.

- iv) Development Standards for Residential Three Zone (R3):
 - a) Notwithstanding Section 6.2.2, Zone Standards, the following development standards shall apply in a Residential Three Zone (R3):

Exception 177 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
177 continued	R3, RM6	46, 61, 62	24-2014	Z16/05, S-A-2005-07

i) Minimum Lot Frontage:

7.2 m

ii) Minimum Lot Depth:

28.0 m

- v) Development Standards for Residential Multiple Six Zone (RM6):
 - a) Notwithstanding Section 6.2.2, Zone Standards, the following development standards shall apply in a Residential Multiple Six Zone:
 - i) In the event that a common element condominium is developed on lands zoned Residentail Six Zone (RM6) for *Multiple Attached*, *Dwelling* the zone standards under the Residential Two – B Zone (R2-B) shall apply to all parcels of tied land (POTL) and associated *dwelling units*.

Exception	Zoning	Мар	By-law	File Reference		
178	PE, EP	33, 40, 60, 61	28-2021	Z5/20 SP8/20		
i) Location: Southwest corner of Kingston Road and Audley Road extending west to Carruthers Creek, municipally known as 537 Kingston Road East						
Description: Between		een Lots 4 and	5, Concession	the Road Allowance 1, Geographic Township al Municipality of Durham		
All c		II of PIN: 26453-0683				
	All of	of PIN: 26453-0718				
Exception 178 is continued on the next page.						

Exception	Zoning	Мар	By-law	File Reference
178 continued	PE, EP	33, 40, 60, 61	28-2021	Z5/20 SP8/20

iii) Interpretation:

The following yard and *lot line* interpretation shall apply: the yard and *lot line* abutting Kingston Road shall be deemed to be a *front yard* and *front lot line*; the yard and *lot line* abutting the future Chambers Drive right-of-way shall be deemed to be a *front yard* and *front lot line*; the yard and *lot line* abutting the future Audley Road right-of-way and eastern development limits (Environmental Protection (EP) Zone) shall be deemed to be the exterior side yard and exterior side *lot line*; and the yard and *lot line* abutting the western development limits (EP Zone) shall be deemed to be the *interior side yard* and *interior side lot line*.

iv) Development Standards:

The following development standards shall only apply in the event that a warehouse/distribution centre is developed on the lands:

- a) Notwithstanding Section 5.4 iv) and v) of Zoning By-law 95-2003, as amended, the following shall apply:
 - i) A maximum of one (1) row of parking, regardless of tenure (visitor or employee i) parking), shall be permitted in the *front yard* abutting the future Chambers Drive extension.
 - ii) A maximum of five (5) rows of parking, regardless of tenure, shall be permitted in the *front yard* abutting Kingston Road, provided such spaces are screened from public view through architectural screening, landscaping, or a combination of these treatments.
 - iii) A maximum of three (3) rows of parking, regardless of tenure, shall be permitted in the *exterior side yard* abutting the future Audley Road extension, provided such spaces are screened from public view through architectural screening, landscaping, or a combination of these treatments.
- b) Notwithstanding Section 5.13.3 of the Zoning By-law 95-2003, as amended, loading spaces shall be permitted in the *interior* and *exterior side yards* only. Any loading spaces located in the *exterior side yard* shall be screened from public view through architectural screening, landscaping, or a combination of these treatments.

Exception 178 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
178 continued	PE, EP	33, 40, 60, 61	28-2021	Z5/20 SP8/20

c) Notwithstanding Section 6.4.3.1 i) of Zoning By-law 95-2003, as amended, truck and trailer storage shall be permitted in the *interior* and *exterior side* yards only. Truck and trailer storage shall be screened from public view through architectural screening, landscaping, or a combination of these treatments. No other *outdoor storage* shall be permitted.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
179	EP, RM6	9	53-2015	C-A-2012-04
				S-A-2012-01
				SP16/12, Z6/07

i) Location: Southwest corner of Taunton Road West and Harwood

Avenue North

ii) Legal Con 3 N Pt Lot 9 NOW RP 40R11178 Part 1, 2

Description:

iii) Interpretation: Section 4. 9 of Zoning By-law 95-2003, as amended, shall

not apply to the development of the subject lands for 27

multiple attached townhouse dwellings.

iv) Development Standards:

In the event that Block 1 is developed for 27 multiple attached townhouse *dwellings* pursuant to SP16/12, the following development standards shall apply:

a) Maximum Number of Multiple Attached Townhouse *Dwellings*:

b) Zone Standards for each parcel of land associated with a multiple attached town house *dwelling*:

Exception 179 is continued on the next page.

27

Exception	Zoning	Мар	By-law	File Reference
179 continued	EP, RM6	9	53-2015	C-A-2012-04 S-A-2012-01 SP16/12, Z6/07

- i) Front Yard:
 - To a *dwelling unit* fronting onto an internal road to 4.0 m be measured from the middle of the rolled curb to the front face of the *porch*:
 - To any attached garage: 5.7 m
- ii) Interior Side Yard: 1.5 m between blocks and 0.0 m between attached dwellings

iii) Exterior Side Yard:
iv) Rear Yard:
v) Road Radius Yard:
vi) Minimum Lot Frontage:
vii) Maximum Building Height:
2.0 m
7.5 m
1.2 m
1.2 m
12.0 m

- c) Other Development Standards Within the RM6 Zone:
 - i) A minimum separation of 3.0 metres is required between each *multiple attached dwelling* block within the RM6 zone.
 - ii) A minimum *interior side yard* setback of 0.0 metres between *multiple attached dwellings* with the same block of units.
 - iii) Notwithstanding Section 4.1.1 iv) of Zoning By-law 95-2003, the minimum *exterior side yard* setback shall be 2.5 metres and no accessory structure shall be located closer to a private road or public road than the *dwelling unit*.
 - iv) Air conditioning units shall only be located in a rear yard.

Exception	Zoning	Мар	By-law	File Reference
180	PE, EP	18, 25	51-2016	Z1/09

i) Location: 1 Rossland Road East

ii) Legal Parts 11, 12, 13 and 15 of Plan 40R-28659 Description:

iii) Interpretation: The lands that are subject to this Exception shall be

interpreted as one lot.

The lot lines that abut either Rossland Road or Harwood Avenue shall be deemed as front lot lines. The lot lines along the eastern and southern portion of the subject lands shall be deemed the rear lot lines, and the balance of the lot lines

shall be deemed to be interior side lot lines.

Iv) Additional *Uses*: Retail Store, including a Supermarket; Outdoor Display and

Sales Area; Convenience Store; Garden Centre

V) Prohibited Uses: Motor Vehicle Rental Establishment, Motor Vehicle Sales

Establishment, Motor Vehicle Service Centre, Public Storage

Facility, Sports Arena, Funeral Home

Vi) Development Standards:

- a) Notwithstanding Sections 4.12, 4.21.1 and 6.4.2 of By-law 95-2003, the following will apply:
 - For Buildings within 50 metres of Rossland Road and 50 metres of Harwood Avenue:
 - A Front Yard Building setback of a minimum of 0.5 metres and a maximum of 6 metres on Rossland Road; and
 - A Front Yard Building setback of a minimum of 6 metres and a maximum of 9 metres on Harwood Avenue

Exception 180 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
180 continued	PE, EP	18, 25	51-2016	Z1/09

- ii) At least one building abutting Rossland Road and at least one building abutting Harwood Avenue will comprise a minimum building height of two functional storeys. Any other building(s) abutting Rossland Road will have massing comprised of a corner feature with a minimum height of 11.0 metres with the balance of the building facades at a minimum height of 8.0 metres. Any other building(s) abutting Harwood Avenue will have massing comprised of a corner feature with a minimum height of 9.0 metres with the balance of the building facades at a minimum height of 7.0 metres. For the purposes of this development standard, building height will be measured from the finished grade at the customer entrance near the street to the top of the building parapet.
- iii) The following provisions shall apply to any *building* abutting Rossland Road or Harwood Avenue:
 - Entrances: At least one customer entrance or patio will be on or within 3 metres of the street facing wall of each *building*.
 - Windows: Sixty (60) percent of the length of the building façade facing and directly abutting the public street will be transparent glass between the heights of 0.9 metres to 2.4 metres above the finished floor elevation.
 - Pedestrian Circulation: a continuous internal private pedestrian walkway system will be provided from the perimeter public sidewalk to the customer entrances. Weather protection features will be provided for customer entrances for any Buildings with two functional storeys; and
- iv) The following provisions shall apply to all other buildings:
 - Pedestrian Circulation: A continuous internal private pedestrian walkway system will be provided from the perimeter public sidewalk to the customer entrances.
 - Maximum Gross Leasable Floor Area for a Supermarket:

5.000 m²

Exception 180 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
180 continued	PE, EP	18, 25	51-2016	Z1/09
	- Maximum <i>Area</i> for a Supermark		2,000 m ²	
		Total <i>Gross Le</i> for <i>Retail Stor</i>		7,700 m ²
	- Minimum s <i>Line</i> :	setback from <i>R</i>	ear Lot	1.5 m
 Minimum setback from Interior Side Lot Line: 			terior <i>Side</i>	1.5 m
- Minimum <i>Landscape Buffer</i> (Rossland Road and Harwood Avenue):			wood	6.0 m between any parking area or drive aisle and any bublic street
<i>Gros</i> squa	 b) Minimum Loading Space Requirements: Gross Floor Area of building from 1,000 square metres up to and including 2,300 square metres: 			None required
c) Minimum Built Frontage:				
-	Rossland Road	l:		36%
-	Harwood Aven	ue:		30%

- d) Notwithstanding Section 5.10, no additional parking shall be required for permitted non-retail uses on the second floor of any building.
- e) Notwithstanding Section 4.12.1 ii), *Buildings*, sidewalks, *Outdoor Patios* and landscape structures including trellises shall be permitted within the required *Landscape Buffer*.
- f) Sections 4.2 and 5.4 iv) do not apply.

Exception 180 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
180 continued	PE, EP	18, 25	51-2016	Z1/09

- g) Drive-thru: Any drive-thru queuing lane for a building abutting a public street shall abut a building façade that is the furthest from the public street.
- h) Notwithstanding the Minimum Built Frontage requirement within sub-section (c) above, it is understood that the development may involve a number of phases before it achieves ultimate build-out. As a result, the Minimum Built Frontage contained in this By-law may only be achieved upon the completion of all phases, rather than on a phase-by-phase basis. Accordingly, in instances where the development is proposed to be phased, building phases that individually do not comply with the Minimum Built Frontage requirement within sub-section (c) above, shall be permitted without amendment to the Zoning By-law with respect to the provision regulating Minimum Built Frontage.
- i) The queuing lane for a *Drive-Thru Restaurant* shall comprise a minimum of 10 vehicle spaces before the service window and a minimum of 1 vehicle space after the service window.

Exception	Zoning	Мар	By-law	File Reference
181 continued	RM6, EP	15	88-2015	S-A-2015-01 SP1/15
				Z1/15

i) Location: 484 Rossland Road West

ii) Legal PCL 244-3, SEC 40M-1677; PT BLK 244 PL 40M-1677 PT 1 Description: 40R-13932; AND PT LT 13 CON 3 PICKERING PT 1, 40R-

7002; AND PT RDAL BTN 2 & 3 PICKERING PTS 5 – 8, 40R-

16707; PT LT 13 CON 2 PICKERING; PT LT 14 CON 2 PICKERING BEING A TRAVELLED RD LYING BTN CHURCH ST AND PTS 3 & 4, 40R-16707 AND LOTS 1 – 4, 40R-16707;

AJAX (PIN 26408-0161 (LT))

iii) Interpretation: Section 4.9 of Zoning By-law 95-2003, as amended, shall not

apply to the development of the subject lands for 41 multiple

attached townhouse dwellings.

iv) Development Standards:

In the event that Block A is developed for 41 multiple attached townhouse *dwellings* pursuant to SP1/15, the following development standards shall apply:

 a) Maximum Number of Multiple Attached Townhouse Dwellings: 41

- b) Units fronting/facing Rossland Road West shall be considered double fronting units, and shall be deemed to have two front *yards*.
- c) Zone Standards for each parcel of land associated with a multiple attached townhouse *dwelling*:
 - i) Front Yard (Rossland Road Units):

- To Rossland Road Minimum : 2.5 m

Maximum: 3.5 m

- Minimum *Front Yard* to private internal road:

- To dwelling unit: 4.7 m

- To *porch*: 2.7 m

- To attached garage: 6.0 m

Exception 181 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference	
181 continued	RM6, EP	15	88-2015	S-A-2015-01	
				SP1/15	
				Z1/15	
ii)	Minimum <i>Front</i>	Yard (Internal	Units):		
	- To dwelling	g unit:		4.3 m	
	- To <i>porch</i> :				
	- To attached garage:				
iii)	iii) Minimum <i>Interior Side Yard</i> :				
	- Between blocks:				
	- Between attached <i>dwellings</i> :				
iv)	Minimum <i>Exter</i> i	ior Side Yard:		1.2 m	
v)	v) Minimum <i>Rear Yard</i> :				
vi)	5.1 m				
vii)	12.0 m				
viii) Maximum Lot Coverage (for individual Parcels of Tied Land (POTL)):					
,	Setback to dayl road:	ighting triangle	es along the priv	vate 0.0 m	

- d) Other Development Standards Within the RM6 Zone:
 - i) No accessory *structures* or fences (other than decorative metal fences) are permitted within the *front yard* adjacent to Rossland Road West or any *front yard* adjacent to the private internal roadway.
 - ii) Platforms of any height above finished grade shall maintain a minimum setback of 4.5 metres from the *rear lot line*.

Excep	otion	Zoning	Мар	By-law	File Reference
18	2	RM6, OS, EP	14, 15	109-2014	C-A-2014-01, S-A-2014-01, OPA14-A1 SP4/12, Z9/95
i) Lo	ocation	Wes Wes		h Street North,	north of Rossland Road
,	egal escripti		3 Pt Lot 14 NC	W RP 40R895	2 Part 1 to 4
iii) In	terpreta	station: Section 4.9 of Zoning By-law 95-2003, as amended, shall not apply if the lands are developed for <i>multiple attached dwellings</i> accessed by a common private street system.			ed for <i>multiple attached</i>
iv) D	evelopr	ment Standards	s:		
а) Fron	nt Yard:			
	,	To a <i>dwelling unit</i> fronting onto Church Street North or a private street as measured from the curb line:			
	ii)	To attached ga	ırages:		
		- Garages on double fronted <i>multiple attached</i> 0.0 m dwellings facing a private street:			ched 0.0 m
		 All other at street: 	All other attached garages facing a private 5.7 m street:		
b) Inter	rior Side Yard:			
	i)	1.5 m and 0.0 m between attached dwellings			3
	ii)	1.2 metres adjacent to the common amenity area			
С) Exte	terior Side Yard: 2.0 m			
d) Rea	Rear Yards for units not double-fronted: 7.0 m			
е) Roa	d Radius <i>Yard</i> :			3.0 m
Exception 182 is continued on the next page.					

Exception	Zoning	Мар	By-law	File Reference
182 continued	RM6, OS, EP	14, 15	109-2014	C-A-2014-01, S-A-2014-01 OPA14-A1, SP4/12, Z9/95

f) Minimum Lot Frontage:

7.5 m

g) Maximum Building Height:

12.0 m

- v) Other Development Standards Within the RM6 Zone:
 - a) A minimum separation of 3.0 metres is required between each multiple attached townhouse dwellings block within the RM6 zone.
 - b) Notwithstanding Section 4.1.1 iv) of Zoning By-law 95-2003, no accessory *structure* shall be located closer to a private street than the *dwelling unit*.
 - c) Notwithstanding Section 5.3.1 of Zoning By-law 95-2003, as amended, a minimum internal garage dimension of 5.18 metres in width and 6.0 metres in length for double car garages abutting the valley.
 - d) No accessory *structures* are permitted within the *front yard* adjacent to Church Street North or any *front yard* adjacent to the private street.
 - e) A water meter / amenity *building*, shall be permitted with a minimum setback of 5.0 metres from the internal private street.
 - f) A maximum of 12 accessory apartments are permitted provided such accessory apartments are only above attached garages of end units within a block of double-fronted townhouse dwellings subject that each dwelling provides for a minimum of 3 off-street parking spaces.

Exception	Zoning	Мар	By-law	File Reference
183	EP, R1-B, R1-D	13, 20	99-2015	C-A-2014-02, S-A-2014-01 SP9/14, Z4/14

i) Location: Southeast corner of Riverside Drive and Rossland Road

West

ii) Legal Lot 1, 2, 3 and 4, 40M-1263

Description:

iii) Interpretation: Section 4.9 of Zoning By-law 95-2003, as amended, shall

not apply to the development of the subject lands for 48

single detached dwellings within the R1-D zone.

iv) Development Standards for the R1-B Zone:

a) Maximum Number of Single Detached *Dwellings* within the R1-B Zone:

8

b) Zone Standards for each lot within the R1-B Zone:

i) Minimum Lot Depth:

31.5 m

ii) Minimum Lot Frontage:

15.0 m

iii) Maximum Lot Coverage:

45 %

v) Development Standards for the R1-D Zone:

In the event that the condominium block is developed for 48 single detached *dwellings* pursuant to SP9/14, the following development standards shall apply:

a) Maximum Number of Single Detached *Dwellings* within the R1-D Zone:

48

- b) Zone Standards for each parcel of land within the R1-D Zone:
 - i) Front Yard:

 To a dwelling unit fronting onto an internal road – to be measured from the middle of the rolled curb to the front face of the porch:

4.5 m

Exception 183 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
183 continued	EP, R1-B, R1-D	13, 20	99-2015	C-A-2014-02, S-A-2014-01 SP9/14, Z4/14

To any attached garage:

6.0 m

ii) Interior Side Yard:

1.2 metres one side and 0.3 metres on the other side with an aggregate separation of 1.2 metres between *dwellings*.

iii) Exterior Side Yard:

1.8 metres measured from either the middle of the rolled curb to the exterior wall of the *dwelling* abutting a private road or to the exterior *lot line* abutting Riverside Drive.

iv) Rear Yard:

7.0 m

v) Road Radius Yard:

1.2 m

vi) Minimum Lot Frontage:

11.3 m

vii) Maximum Building Height:

12.0 m

- c) Other Development Standards Within the R1-B and R1-D zones:
 - i) A minimum separation of 1.2 metres is required between each single detached *dwelling* within the R1-B and R1-D zones.
 - ii) Air conditioning units shall only be permitted in a rear yard.
 - iii) A minimum width of the attached front *porch* shall be not less than the following, whichever is less: 2.0 metres or the entire width of the habitable portion of the *dwelling*, measured from the nearest exterior wall of an attached *private garage* to the opposite exterior side wall of the *principal building*.
 - iv) Notwithstanding Section 5.3.1 of Zoning By-law 95-2003, as amended, the minimum required *parking space* dimension for a double car garage within the R1-B and R1-D zones shall be a minimum width of 5.5 metres and a minimum depth of 6.0 metres.

Exception	Zoning	Мар	By-law	File Reference
184	R2-B, EP	13	21-2016	S-A-2015-04
				C-A-2015-04
				OPA15-A4
				SP17/15, Z8/15

i) Location: North side of Rossland and east of Urfe Creek, directly north

of the intersection of Rossland Road West and Riverside

Drive

Part of Lot 17, and Road Allowance between Lots 16 and 17 ii) Legal Description:

(Closed by By-law P122182), Concession 3 (Pickering), in

the Town of Ajax, Regional Municipality of Durham.

Section 4.9 of Zoning By-law 95-2003, as amended, shall not Interpretation:

apply to the development of the subject lands for 14 semi-

detached dwellings.

iv) Permitted Uses: Semi-detached Dwellings

v) Development Standards:

In the event that Block 1 is developed for 14 semi-detached dwellings pursuant to SP17/15, the following development standards shall apply:

a) Maximum Number of Semi-detached dwellings:

14

6.0 m

b) Zone Standards for each parcel of land associated with a multiple attached townhouse dwelling:

Minimum Lot Depth: 22.0 m

ii) Minimum Drive Aisle Width:

iii) Front Yard (Private Lane – Street 'A')

Minimum: 2.9 m To dwelling unit:

Maximum: 4.6 m

To dwelling units 1 and 14: Minimum: 1.2 m

Minimum: 6.0 m To attached garage:

Exception 184 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference	
184 continued	R2-B, EP	13	21-2016	S-A-2015-04 C-A-2015-04 OPA15-A4 SP17/15, Z8/15	
iv)	Minimum Interi	or Side Yard:			
	- Between u	ınits:		0.0 m	
	- End units:			1.2 m	
	Minimum Exterior Side Yard (Rossland Road):				
	- To dwelling	1.9 m			
	- Unit 14:		1.4 m		
	- To porch:		1.0 m		
vi)	Minimum Rear				
	- All units	6.0 m			
	- Unit 6:			5.5 m	
vii)	Minimum Lot F	rontage:		6.0 m	
viii)	viii) Maximum <i>Building Height</i> :			11.0 m	
	Maximum Lot 0 Parcels of Tied		50%		
x)	x) Minimum <i>Porch</i> Size:			Depth: 1.2 m	
		Width: 2.7 m			
Exception 184 is continued on the next page.					

Exception	Zoning	Мар	By-law	File Reference
184 continued	R2-B, EP	13	21-2016	S-A-2015-04
				C-A-2015-04
				OPA15-A4
				SP17/15, Z8/15

- c) Other Development Standards Within the R2-B Zone:
 - i) No accessory buildings or structures, or fences (other than decorative metal fences and the required Water Meter Building) are permitted within the exterior side yard adjacent to Rossland Road West or any front yard adjacent to the private internal roadway.
 - ii) Platforms of any height above finished grade shall maintain a minimum setback of 4.5 metres from the rear lot line.
 - iii) Maximum Driveway Width:

3.3 m

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference	
185	CE(H), EP	62	74-2018	OPA11-A1, Z1/11 SPA4/14, LD005/2011	
i) Location:	South of Bayly Street East, on the west side of Lake Ridge Road South				
ii) Legal Descriptio		Part of Lot 1, Range 3, Broken Front Concession			
iii) Permitted	asso	Cemetery, Administrative and Maintenance Buildings and associated parking, and Burial Buildings including columbarium, mausoleum, and niche buildings.			
iv) Zone Sta	iv) Zone Standards for lands zoned CE:				
a) Miniı	Minimum Setback from East Property Line: 15.0 n				
b) Miniı	b) Minimum Setback from North Property Line: 15.0 r				

Exception 185 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
185 continued	CE(H), EP	62	74-2018	OPA11-A1, Z1/11 SPA4/14, LD005/2011

c) Minimum Setback from West Property Line:

15.0 m

d) Minimum Setback from South Property Line:

18.5 m

- e) Notwithstanding Section iv) c) above, the existing greenhouse structure, which is to be repurposed for cemetery purposes, shall be permitted to be setback a minimum of 3.0 metres from the west property line.
- v) Other Development Standards within the CE Zone:
 - a) In-ground burials or burial buildings with the exception of in-ground cremation burials forming a component of a Memorial / Nature Trail (as defined), or cremation burials contained within landscape features such as benches, decorative rocks, etc., shall not be permitted to be located within the any of the minimum required setbacks as noted in Section iv) of this bylaw.
 - b) A nature trail shall be permitted within the 15 metre setback from the east, north and west property lines and may include such features as benches, nature viewing areas, and other native and non-invasive landscaped elements or features.
- vi) Other Development Standards within the EP Zone:
 - a) In-ground burials or burial buildings shall not be permitted to be located within any of the minimum required setbacks as noted in Section iv) of this by-law.
 - b) A *Memorial/Nature Trail* (as defined), shall be permitted within the 18.5 metre setback form the south property line and may include such features as benches, nature viewing areas, and other native and non-invasive landscaped elements or features.
 - c) No in-ground burials of any sort (including cremated remains) shall be permitted within the Environmental Protection (EP) Zone.

Exception	Zoning	Мар	By-law	File Reference
186				
RESERVED				

Exception	Zoning	Мар	By-law	File Reference
187	PE	36	50-2017	Z5/16
Superseded by Exception 214 established through by-law 45-2023				

Exception	Zoning	Мар	By-law	File Reference
188	R1-D, R1-E	15, 16	67-2016	18T-95004
			27-2021	S-A-2002-01
				Z2/15, S-A-2014-02
				22, 10, 0 7, 2011 02

i) Location: South of Williamson Drive West, west of Bellinger Drive and

east of Searell Avenue

ii) Legal Part of Lot 12, Concession 3, Block 132 and 134, Plan 40M-

Description: 2345, and Block 92, Plan 40M-2266

iii) Development Standards:

a) Minimum Lot Depth: 23.5 m

Exception 188 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
188 continued	R1-D, R1-E	15, 16	67-2016	18T-95004
			27-2021	S-A-2002-01
				Z2/15, S-A-2014-02

b) Maximum *Lot Coverage*:

50%

iv) Other:

- a) Daylighting triangle within any residential zone shall not be less than 3.0 metres.
- b) Notwithstanding Section 6.2.4 Front Yard and Exterior Yard Requirements, for lots flanking the south side of Williamson Drive West zoned "Residential One 'D' (R1-D)", and "Residential One 'E' (R1-E)", the following shall apply:

Development Standard	Minimum Setback from Exterior Side Lot Line
Dwelling unit on street side with a sidewalk	1.7 m
Attached garage on street with a sidewalk	1.7 m
Platform on street side with a sidewalk	0.7 m

- c) The maximum width of a double garage in "Residential One-'D' (R1-D)" zone shall not exceed 6.1 metres.
- d) The maximum width of a garage in the "Residential One-'E' (R1-E)" zone shall not exceed 5.0 metres.
- e) Notwithstanding any other provision of this By-law, minimum width of a garage on a corner lot in the R1-D and R1-E zone with a lot frontage greater than 12.0 metres shall not exceed 6.1 metres.
- f) Notwithstanding Section 5.3.1, "Required Parking Spaces within Private Garages", all required parking spaces within a private garage shall have a minimum width of 2.7 metres and a minimum depth of 5.7 metres free of any obstructions. Where more than one required parking space is provided within a private garage, all subsequent parking spaces provided shall have a minimum width of 2.5 metres.
- g) The maximum building setback requirements within Section 6.2.4 of this By-law may be measured from the front face of a porch, provided the minimum area of the porch is 4.5 square meters.

Exception	Zoning	Мар	By-law	File Reference
189	R1-D, OS	9	6-2017 59-2017	Z3/16 S-A-2016-01

i) Location: Lands bound by Westney Road North to the west and Fenn

Street and Schoolbridge Street to the east, north and south

of 1733 Westney Road North

ii) Legal Part of Lot 10, Concession 3
Description:

iii) Development Standards for Double-Fronted *Dwellings* that are zoned R1-D:

a) Minimum Lot Depth:

31.0 m

b) Minimum Setback from Westney Road North:

i) To an attached *porch*:

2.5 m

ii) To the front face of the *principal building*:

4.5 m

c) Minimum Setback from Fenn Street and Schoolbridge Street:

i) To an attached *porch*:

2.0 m

ii) To the front face of the *principal building*:

4.5 m

iii) To the attached garage:

6.1 m

- d) Minimum Setback from Interior Side Lot Line:
 - i) A minimum of 0.6 metres on one side and a minimum of 1.2 metres on the other side with a minimum aggregate separation of 1.8 metres between each *dwelling*.

Exception	Zoning	Мар	By-law	File Reference
190	R1-A	9	6-2017 59-2017	Z3/16 S-A-2016-01

i) Location: 1733 Westney Road North

ii) Legal Description: Part of Lot 10, Concession 3, Part 1, 40R-11580

iii) Development Standards for 1733 Westney Road North (Westglen House):

a) Minimum Lot Area: 1,900 m²

b) Minimum Lot Frontage: 51.24 metres onto Westney Road North and 6.5 metres onto Schoolbridge Street

c) Minimum Setbacks:

i) To the West (Westney Road North):

ii) To the North: 14.5 m

iii) To the South: 19.0 m

iv) To the East: 8.5 m

d) 1733 Westney Road North will be accessed by the established driveway from Westney Road North with a secondary driveway access from Schoolbridge Street.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

4.0 m


Exception	Zoning	Мар	By-law	File Reference
191	PE, GE	41, 42	27-2017	SP10/16, Z4/16

i) Location: 707 Bayly Street West

ii) Legal Description:

Part Lot 14, Range 3, Broken Front Concession, Township of Pickering, Parts 11, 12 and 13, Plan 40R26054 Together With An Easement Over Part Lot 14, Range 3, Broken Front Concession, Township of Pickering, Parts 1, 2, 3, 4, 5, 6, 7 and 8, Plan 40R26054 As In DR865120 Subject to An Easement In Gross Over Part 2, Plan 40R26277 As In DR890439 Town of Ajax

- i) Section 2.4 vi) shall not apply to the subject lands.
- iv) Development Standards for the 'PE' Zone:
 - a) Notwithstanding Section 6.4, no buildings shall be permitted within the hatched area identified below. The lands shall only be used for a drive aisle, sidewalks and landscaping.



Exception 191 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
191 continued	PE, GE	41, 42	27-2017	SP10/16, Z4/16

- v) Development Standards for the 'GE' Zone:
 - a) One fuel storage tank and associated fuel dispensing unit shall be permitted provided that it is located no closer than 70 metres to an Environmental Protection (EP) Zone.
 - b) Notwithstanding Section 6.4.3.1 (ii), *Outdoor Storage* shall be permitted within a compound that is not closer than 46.0 metres from the Bayly Street right-of-way, subject to the following requirements by:
 - i) A 6.0 metre wide landscape buffer is provided along the northerly limits of the property in the GE zone used for outdoor storage;
 - ii) a 2.4 metre high solid fence is provided in the 6.0 metre landscape buffer between any outdoor storage area and the northerly lot line;
 - iii) a 2.4 metre high solid wood fence between the eastern parking lot and the western compound, 27 metres from the northern lot line;
 - iv) a 2.4 metre high solid wood fence along the western interior side lot line, 48 metres southward from the northwestern corner of the property;
 - v) a 1.8 metre fence containing screening with a ratio of voids to solids not greater than 50% along the western interior side lot line, from the end of the 2.4 metre high solid fence to the southern lot line.
 - c) All other *Outdoor Storage* provisions outlined in Section 6.4.1 and 6.4.3 shall apply.
 - d) All garbage and waste is to be stored within the *principal building* or *accessory buildings*.
- vi) Accessory Building and Structures in the 'GE' Zone:

Exception 191 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
191 continued	PE, GE	41, 42	27-2017	SP10/16, Z4/16

- a) Notwithstanding Section 4.1.1:
 - i) Accessory Building or Structures shall be permitted to occupy a maximum of 15% of the lot area to a maximum gross floor area of 400 m².
 - ii) Accessory buildings shall not exceed a height of 6.2 metres above finished ground level.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
				C-A-2016-01
192	R1-D	39	86-2017	S-A-2015-03
				SP2/16, Z7/15

i) Location: West side of Kings Crescent at Parry Rpad formerly known

as 85 Kings Crescent

ii) Legal Part 1 of 40R-29489 Description:

- iii) Interpretation:
 - a) Section 4.9 of Zoning By-law 95-2003, as amended, shall not apply to the development of the subject lands for 35 single detached dwellings.
 - b) For the purposes of this by-law, the term POTL shall mean a Parcel of Tied Land within the meaning of the Condominium Act, S.O. 1998, c. 19, as amended from time to time.
- iv) Development Standards:

In the event that Part 1 of 40R-29489 is developed by means of a Common Elements Plan of Condominium for the purpose of 35 Single Detached Dwellings, the following standards shall apply:

Exception 192 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
				C-A-2016-01
192 continued	R1-D	39	86-2017	S-A-2015-03
				SP2/16, Z7/15

a) Maximum number of Single Detached Dwellings:

35 dwellings

b) Zone Standards for each POTL associated with a single detached dwelling in the R1-D Zone:

i)	Minimum Lot Frontage for each POTL:	11.0 m
ii)	Minimum Lot Depth for each POTL:	25.0 m
iii)	Maximum Lot Coverage for each POTL:	50%
iv)	Minimum Front Yard for each POTL:	
	 To a dwelling unit fronting onto a private condominium roadway: 	4.5 m

- To a *porch*: 2.5 m
- To stairs leading to or from a *porch*: 1.5 m
- To an attached garage: 6.0 m
- v) Minimum Interior Side Yard for each POTL:
 - 0.6 metres on one side and 0.6 metres on the other side with a minimum aggregate separation of 1.2 metres for all units within the interior area bounded on the north, south and west by the private condominium road.
 - 0.6 metres on one side and 1.2 metres on the other side with a minimum aggregate separation of 1.8 metres for all other units.
- vi) Minimum Exterior Side Yard for each POTL:
 - 4.5 metres to the exterior side lot line adjacent to Kings Crescent for POTL's 1, 17, 18, and 35 and 2.0 metres to the private condominium roadway for POTL's 9 and 26 to a single detached dwelling.
 - 2.5 metres to a *porch* and 1.5 metres to stairs on POTL's 1, 17, 18 and 35.

Exception 192 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
				C-A-2016-01
192 continued	R1-D	39	86-2017	S-A-2015-03
				SP2/16, Z7/15

1.0 metre to porch and 0.3 metres to stairs on POTL's 9 and 26

vii) Minimum RearYard for each POTL:

6.0 m

viii) Maximum Dwelling Height:

11.0 m

- c) Other Development Standards within the R1-D Zone, which would apply to each POTL:
 - i) Air conditioning units shall only be located in a *rear yard* of a POTL.
 - ii) Notwithstanding the definition of *Building Storey* and Section 3 iv) b) v) above, single detached dwellings on POTL 1, 17, 18 and 35, respectively shall be a maximum of 1 ½ storeys in height. The ½ storey component shall be defined to be 75% of the maximum area of the storey beneath, inclusive of garage.
 - iii) That the required water meter building/postal kiosk be setback a minimum of 1.0 metre for all property lines and that it not exceed a gross floor area of 15 m².

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
193	NC, RM6	15	84-2017	OPA 15-A1, Z3/15, SP6/15

i) Location: South of Rossland Road West, east of Harkins Drive

ii) Legal Block 243, Plan 40M-1677 Description:

iii) Interpretation: Section 2.4 vi) shall not apply to the subject lands.

iv) Development Standards for the 'NC' Zone:

a) Additional Permitted Uses:

Exception 193 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
193 continued	NC, RM6	15	84-2017	OPA 15-A1, Z3/15, SP6/15

- i) Retail Store, Restaurant
- b) Notwithstanding Section 6.3.2 the following standards shall apply:

i) Minimum *Front Yard* Setback: 2.0 m

ii) Minimum Interior Side Yard Setback: 5.0 m

iii) Minimum Exterior Side Yard Setback: 1.0 m

- c) Notwithstanding Section 5.3.2 the following standards shall apply:
 - i) A parking rate of 1 space per 36 m² be applied.
 - ii) A minimum length of parking spaces within the NC 5.7 m Zone:
- v) Development Standards for the 'RM6' Zone:
 - a) Notwithstanding Section 6.2.2 the following standards shall apply:

Minimum *Front Yard* Setback: 2.0 m

ii) Minimum Rear Yard Setback: 2.63 m

iii) Maximum Lot Coverage Setback: 40%

- vi) Other:
 - a) An individual *retail store* and an individual *restaurant* is permitted provided that they respectively do not exceed a maximum *gross leasable floor area* of 250.0 m².
 - b) Notwithstanding Section 4.12 *Landscape Buffers*, a minimum *Landscape Buffer* of 2.0 metres is required if adjacent to Type B Arterial Road.
 - c) Air conditioning units for the commercial component shall only be permitted on the roof of the building and screened from public view.
 - d) Air conditioning units for the residential townhouses shall only be permitted in a rear yard (where one exists), or on a balcony.
 - e) Air conditioning units shall not be permitted on any portion of a lot that is immediately adjacent to Rossland Road or the private internal road.

Exception 193 is continued on the next page.

Exception	Zoning	Мар	By-law	File Reference
193 continued	NC, RM6	15	84-2017	OPA 15-A1, Z3/15, SP6/15

- f) Air conditioning units for the residential townhouses shall only be permitted in a rear yard (where one exists), or on a balcony.
- g) Air conditioning units shall not be permitted on any portion of a lot that is immediately adjacent to Rossland Road or the private internal road.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
194	RM6, EP	14, 15	10-2018	OPA 16-A1, Z6/16, SP5/16 S-A-2016-01, C-A-2016-01

i) Location: East side of Church Street North, north of Rossland Road West

ii) Legal Con 3 (Pickering) Pt Lot 14 NOW RP 40R29414 Part 1 and Description: 2, in the Town of Ajax, Regional Municipality of Durham

- iii) Interpretation:
 - a) Section 4.9 of Zoning By-law 95-2003, as amended, shall not apply if the lands are developed for multiple attached dwellings accessed by a common private street system.
 - i) Front Yard:
 - To a dwelling unit fronting onto Church Street

 North or a private street as measured from the

 curb line:
 - To attached garages:
 - Garages on double fronted multiple attached dwellings facing a private street
 All other attached garages facing a private street

Exception 194 is continued on the next page.

3.0 m

Exception	Zoning	Мар	By-law	File Reference
194 continued	RM6, EP	14, 15	10-2018	OPA 16-A1, Z6/16, SP5/16 S-A-2016-01, C-A-2016-01

- ii) Interior Side Yard:
 - 1.5 m and 0.0 m between attached dwellings
 - 1.2 m adjacent to the common amenity area or park

iii) Exterior Side Yard: 2.0 m

iv) Rear Yards for units not double-fronted: 7.0 m

v) Maximum Lot Coverage: N/A

vi) Road Radius *Yard*: 1.7 m

vii) Minimum Lot Frontage: 7.49 m

viii) Maximum *Building Height*:

12.0 m

- iv) Other Development Standards Within the RM6 Zone:
 - a) A minimum separation of 3.0 metres is required between each multiple attached townhouse dwellings block within the RM6 zone.
 - b) Notwithstanding Section 4.1.1 iv) of Zoning By-law 95-2003, no accessory *structure* shall be located closer to a private street than the *dwelling unit*.
 - c) Notwithstanding Section 5.3.1 of Zoning By-law 95-2003, as amended, a minimum internal garage dimension of:
 - 5.48 metres in width and 5.99 metres in length for double car garages.
 - 3 metres in width and 6.5 metres in length for single car garages
 - d) A maximum of 8 accessory apartments are permitted provided such accessory apartments are only above attached garages of end units within a block of double-fronted townhouse dwellings subject that each dwelling provides for a minimum of 3 off-street parking spaces.
 - e) No accessory structures are permitted within the front yard adjacent to Church Street North or any front yard adjacent to a private street.
 - A water meter / amenity building, shall be permitted with a minimum setback of 3.0 metres from the internal private street.
 - f) A water meter / amenity building, shall be permitted with a minimum setback of 3.0 metres from the internal private street.

Exception	Zoning	Мар	By-law	File Reference		
195	R2-B, RM6	24	27-2018	OPA 16-A3, Z8/16, SP8/16		
				S-A-2016-03, C-A-2016-03		
i) Location:	Sout Road		f Old Harwood	Avenue and Grayson		
ii) Legal Descripti		Lots 19, 20, 21, 22, 23 and 24, Plan 507, in the Town of Ajax, Regional Municipality of Durham				
iii) Permitted	itted <i>Uses</i> : Double-fronted street townhouses, multiple-attached (b townhouses, and are permitted within the RM6 Zone.			,		
iv) Interpreta	not a (bloc town	Section 4.9 of Zoning By-law 95-2003, as amended, shall not apply if the lands are developed for double-fronted (block) street townhouses and/or multiple-attached (block) townhouse and <i>semi-detached dwellings</i> accessed by a common private roadway.				
v) Developr	nent Standards	within the RM	6 Zone:			
a) Fron	a) Front Yard (Minimum):					
i)	To a <i>dwelling ι</i> Avenue or a pr curb line:	•				
ii) To all attached garages: 6			6.0 m			
Exception 195 is continued on the next page.						

Exception	Zoning	Мар	By-law	File Reference
195 continued	R2-B, RM6	24	27-2018	OPA 16-A3, Z8/16, SP8/16 S-A-2016-03, C-A-2016-03

- b) Interior Side Yard (Minimum):
 - i) 1.25 m and 0.0 m between semi-detached dwellings
 - ii) 1.5 m and 0.0 m between multiple-attached townhouse dwellings
 - iii) Multiple-attached townhouse dwelling (Unit 20) must maintain a minimum setback from the south property line of 4.3 m.
- c) Exterior Side Yard (Minimum):
 - i) 1.8 m for *semi-detached dwellings* and multiple attached townhouse dwellings
- d) Rear Yard (Minimum):
 - i) 7.5 m for multiple attached townhouse *dwellings*
- e) Lot Coverage (Maximum): 50% of the entire condominium block
- f) Minimum Road Radius *Yard*:

1.3 m

- g) Minimum Lot Frontage:
 - i) 7.0 m for semi-detached dwellings
 - ii) 4.75 m for multiple-attached townhouse *dwellings*
- h) Maximum Building Height:

11.0 m

- vi) Other Development Standards Within the RM6 Zone:
 - a) A minimum separation of 3.0 metres is required between each double-fronted (block) street townhouse and/or multiple attached townhouse block within the RM6 Zone and a minimum of 2.5 metres is required between each semi-detached dwelling within the RM6 Zone.
 - b) Notwithstanding Section 4.1.1 iv) of Zoning By-law 95-2003, no accessory structures shall be located closer to a public road or private roadway than the *dwelling unit*.

Exception	Zoning	Мар	By-law	File Reference
195 continued	R2-B, RM6	24	27-2018	OPA 16-A3, Z8/16, SP8/16 S-A-2016-03, C-A-2016-03

- c) Notwithstanding Section 6.2.4 of Zoning By-law 95-2003, platforms adjacent to Old Harwood Avenue must maintain a minimum setback of 1.8 metres, while all other platforms must maintain a minimum setback of 3.0 metres from a private roadway, with the exception of semi-detached dwelling, as they may have a minimum setback of 0.7 metres to a platform adjacent to a private roadway.
- d) No accessory structures are permitted within the front yard adjacent to Old Harwood Avenue or any front yard adjacent to the private roadway.
- e) A water meter/amenity building, shall be permitted with a minimum setback of 7.5 metres from the south property line and a minimum setback of 3.3 metres from west property line (Old Harwood Avenue).
- f) Air conditioning units for double-fronted (block) street townhouses shall be located along the private side of the development and located either on the roof of the townhouse or underneath the second floor balcony located on the private side of the development. All other units shall have air conditioning units located within a rear yard.
- vii) Development Standards within the R2-B Zone:
 - a) Front Yard (Minimum):
 - i) 4.5 m to the dwelling:
 - ii) 6.0 m to the garage:
 - a) Interior Side Yard (Minimum):
 - i) 1.75 m and 0.0 m street townhouses
 - b) Exterior Side Yard (Minimum):

1.2 m

c) Rear Yard (Minimum):

7.0 m

d) Lot Coverage (Maximum)

50%

Exception	Zoning	Мар	By-law	File Reference
195 continued	R2-B, RM6	24	27-2018	OPA 16-A3, Z8/16, SP8/16 S-A-2016-03, C-A-2016-03

e) Lot Frontage (Minimum)

7.0 m

f) Building Height (Maximum):

11.0 m

- viii) Other Development Standards Within the R2-B Zone:
 - a) Air conditioning units shall be located in the *rear yard*.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
196	PE(H), PE/AC(H)	25	44-2018	Z9/16
i) Location: Nort East			f Salem Road I	North and Kerrison Drive
, ,		•		Road Allowance between

Lots 6 and 7, Concession 2 (Closed by By-law No. 800 as in Description:

P122182), Geographic Township of Pickering, Part 1, Plan

40R27854, Town of Ajax

iii) Permitted Uses Motor vehicle gas bar, convenience store, motor vehicle in the "AC" zone:

washing establishment (automatic), as accessory uses to a

motor vehicle gas bar

iv) Prohibited Uses: Drive-thru facility, motor vehicle service centre

In the "AC" zone:

- v) Notwithstanding Section 6.4.1 of Zoning By-law 95-2003, as amended, the following uses are also permitted in the "PE" zone: convention centres, research and development, and stormwater management facilities.
- vi) Other Permitted Uses and Prohibitions in the "PE" zone:
 - a) For those lots or blocks that do not abut Salem Road and/or Rossland Road, any "GE" Zone use, as described in Section 6.4.1 may be permitted.

Exception	Zoning	Мар	By-law	File Reference
196 continued	PE(H), PE/AC(H)	25	44-2018	Z9/16

- b) Outside storage shall not be permitted in any yard facing Salem Road and/or Rossland Road. Outdoor storage shall otherwise be permitted in accordance with Section 6.4.1.
- vii) Additional Development Standards in the "PE" zone:

a) Minimum Lot Area:

0.2 ha

b) Minimum Interior Side Yard:

3.5 m

- viii) Notwithstanding Section 6.3.2 of Zoning By-law 95-2003, as amended, the following development standards shall also apply to the "AC" zone for Service Stations and Associated Ancillary *Uses*:
 - a) Where an automobile washing facility is proposed:

i) Minimum Net Site Area:

0.60 ha

- b) Where an automobile washing facility is not proposed:
 - i) Minimum Net Site Area:

0.30 ha

c) Maximum Net Site Area with or without an automobile washing facility:

0.68 ha

Exc	eption	Zoning	Мар	By-law	File Reference		
1	197	RM6(H)	17	30-2019	OPA18-A1		
					Z2/18		
					SP6/20		
i)	Locatio		outh side of Rossland Road West, immediately east of filler's Creek				
ii)	Legal Description:		Blocks 152 and 153, Plan 40M-1829; Road Allowance between Lots 8 & 9, Concession 2, Pickering being Harwood Avenue North, Between Rossland Road East and Block 153 on Plan 40M-1829; and Part Lot 8, Concession 2, Pickering as in Pl31499 except Pl43269, CO62311, CO130852, CO51308, CO165975 & Plan 459 and Part 1 on 40R-21617, Town of Ajax				
iii)	Permitted Uses:		Multiple attached (back-to-back stacked townhouses) are permitted within the RM6 Zone				
iv)	Interpretation:		For the purposes of determining setbacks, Rossland Road shall be deemed the front lot line.				
v)	Develo	pment Standa	rds within the RI	M6 Zone:			
	a)	Front Yard (N	linimum):		3.0m		
	b)	Exterior Side	Side Yard (Minimum):		3.0m		
	c)	Interior Side	de Yard (Minimum):		4.0m		
	d)	Rear Yard (M	d (Minimum):		6.0m		
	e)	Lot Coverage	(Maximum):		40%		
	f) Height (Maximum): As measured from establish top of the rooftop enclosure			d grade to the	4 storeys or 15.5m, whichever is less		
	g)	Encroachme	nts:		s and stairs may encroach e required Front and Rear		

Exception 197 is continued on the next page.

yards up to 3.0 metres.

Exception	Zoning	Мар	By-law	File Reference
197 continued	RM6(H)	17	30-2019	OPA18-A1
				Z2/18
				SP6/20

h) Parking (Minimum):

i) Residents 1 space per unit

ii) Visitors 0.25 spaces per unit

vi) Other Development Standards Within the RM6 Zone:

a) Notwithstanding subsection 45.1.3 of the Planning Act, subsequent to Council approval of the development applications, the applicant can apply for a minor variance application provided, that the height and density shall not increase.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
198	RM6	55	53-2019	OPA17-A3
			25-2020	Z7/17
				SP13/17

i) Location: 925-937 Finley Avenue

ii) Legal Description: Block E, Plan M-1137

iii) Permitted Uses: Multiple attached (back-to-back townhouses) are

permitted within the RM6 Zone

Exception	Zoning	Мар	By-law	File Reference
198 continued	RM6	55	53-2019	OPA17-A3
			25-2020	Z7/17
				SP13/17

iv) Interpretation:

- a) Notwithstanding the registration of a condominium plan and creation of POTLs (Parcels of Tied Land), the zone provisions will apply to the block as a whole.
- b) Section 4.9 Frontage on a Public Road, of Zoning By-law 95-2003, as amended, shall not apply if the lands are developed as multipleattached (back-to-back) townhouses accessed by a common private roadway.
- v) Development Standards within the RM6 Zone:

a)	Lot Frontage (Minimum) for each townhouse unit:	7.1m
b)	Minimum Setback from West Property Line (Finley Avenue):	5.0m to building 3.5m to porch
c)	Minimum Setback from North Property Line (Burden Crescent):	4.5m to building 2.5m to porch

- d) Minimum Setback from Sidewalk abutting Internal Private Road:
- 5.5m to building 3.5m to porch
- e) Minimum Setback from South Property Line:

3.0m

f) Lot Coverage (Maximum):

38%

g) Height (Maximum):

3 storeys or 12.5m, whichever

is less

- vi) Other Development Standards Within the RM6 Zone:
 - a) A minimum separation of 5.75m is required between Blocks 1 and 2 within the RM6 Zone

Exception	Zoning	Мар	By-law	File Reference
198 continued	RM6	55	53-2019	OPA17-A3
			25-2020	Z7/17
				SP13/17

- b) A water meter/amenity *building*, shall be permitted with a minimum setback of 2.4 metres from the east property line and a minimum setback of 6.2 metres from north property line (Burden Crescent).
- c) Notwithstanding subsection 45.1.3 of the Planning Act, subsequent to Council approval of the development applications, the applicant can apply for a minor variance application provided, that the height and density shall not increase.
- d) No accessory structures or platforms shall be permitted excluding front porches.
- e) Air conditioning units shall only be permitted on the roof of the porch and screened from public view.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
199	DCA/MU	38, 44	59-2019	Z1/18 S-A-2018-01

i) Location: 167 Hunt Street and 225 Monarch Avenue

ii) Legal Description: Block U and Part of Block V on Registered Plan 480

iii) Development Standards:

a) Minimum Setback from Rear Lot Line (Public Lane):

i) Single-Use Residential – Dwelling, Live-Work 6.0m (1) Units (fronting Monarch Ave)

Exception	Zoning	Мар	By-law	File Reference	
199 continued	DCA/MU	38, 44	59-2019	Z1/18 S-A-2018-01	
	et 6.0 m ⁽¹⁾				
b)	Lot Coverage:				
	i) Buildings covered b above gro	•			
c)	Maximum Height:				

- i) Single-Use Residential Dwelling, Live-Work 4 storeys/14.0m Units
- ii) Single-Use Residential Dwelling, Street 4 storeys/13.6m Townhouse
- d) Notwithstanding Section 6.9.4, Private Garage and Driveway Requirements, bullet point c), the following shall apply:
 - i) For Single-Use Residential Dwelling, Live-Work Units:In all instances, where access to a rear-facing, attached private garage is provided via a rear lane or private road, the garage portion of the dwelling unit may project a maximum of 5.3 metres from the rear wall of the dwelling unit, provided that if the projection is 2.0 metres or greater, a platform directly above and adjoining the projecting portion of the garage shall be provided.
 - ii) Single-Use Residential Dwelling, Street Townhouse:In all instances, where access to a rear-facing, attached private garage is provided via a rear lane or private road, the garage portion of the dwelling unit may project a maximum of 7.2 metres from the rear wall of the dwelling unit, provided that if the projection is 2.0 metres or greater, a platform directly above and adjoining the projecting portion of the garage shall be provided.

Exception	Zoning	Мар	By-law	File Reference
199 continued	DCA/MU	38, 44	59-2019	Z1/18 S-A-2018-01

(1) In instances where more than one-third of the units, in a dwelling are located on a through lot or on a lot abutting a public street on one side and an Open Space Zone on the opposite side, the dwelling shall be designed such that all units are double front units, and there is no rear yard as defined in Section 3. For double front units on a through lot, the front yard shall be the yard facing the public street having the greater right-of-way width or, if the rights-of-way are equal, the yard without a parking space in the yard or private garage vehicle door facing onto the yard. For double front units on a lot abutting a public street on one side and an Open Space Zone on the opposite side, the front yard shall be the yard facing abutting the Open Space Zone. In both instances, the yard located opposite the yard deemed to be the front yard shall have a minimum depth of 3.0 metres, although a porch may further encroach a maximum of 1.5 metres into the yard.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
200	DCA/MU	38, 44	59-2019	Z1/18 S-A-2018-01

i) Location: 167 Hunt Street and 225 Monarch Avenue

ii) Legal Description: Block U and Part of Block V on Registered Plan 480

- iii) Development Standards:
 - a) Front Yard Build -Within Zone and Exterior Side Yard Build-Within Zone:
 - i) Single-Use Residential Dwelling, Street 1.3 6.0 / 6.0m (1) Townhouse
 - b) Minimum Setback from Rear Lot Line:

Exception	Zoning	Мар	By-law	File Reference
200 continued	DCA/MU	38, 44	59-2019	Z1/18
				S-A-2018-01

 Single-Use Residential – Dwelling, Street Townhouse

5.9m

- c) Lot Coverage:
 - Buildings (including underground parking covered by landscaped open space, and above ground parking structures)

35% min.

- d) Notwithstanding Section 6.9.5, Porches/Platforms, bullet point iv), the following shall apply:
 - Finished Ground Level to 0.6 m:
 Exterior Side Yard Build-Within Zone Setbacks

1.2 - 6.0m

ii) More than 0.6 m and less than 1.2 m:

1.2 - 6.0m

Exterior Side Yard Build-Within Zone Setbacks

Where the range is shown as "x-y", x is the minimum yard setback, y is the maximum yard setback, and no parking space in the yard or private garage door facing onto the yard shall be permitted. Where the range is shown as "x-y/z", x is the minimum yard setback, y is the maximum yard setback in instances where no parking space in the yard or private garage vehicle door facing onto the yard is proposed, and z is the maximum front yard setback in instances where a parking space in the front yard or private garage vehicle door facing onto the front yard is

Proposed. In all instances, where a private garage vehicle door is proposed facing onto the front yard, the vehicle door face shall not be setback from the front lot line 1.5 metres more than the value of **z**, nor shall a private garage project beyond the front face of the dwelling unit.

Exception	Zoning	Мар	By-law	File Reference
201	R3	39, 45	05-2022	OPA18-A3
				Z5/18
				S-A-2018-01

i) Location: 459, 467, and 473 Porte Road

202, 214, 230, 240 and 2950 Bayly Street East

ii) Legal Registered Plan 386 Part Lots 1, 2 and 3 Description:

- iii) Interpretation:
 - a) In the Residential Three (R3) Zone, for all lots/blocks abutting a Public Lane on one side and an Open Space (OS) zone on the opposite side, the Front Yard shall be the Yard abutting the Open Space (OS) zone, and the Front Lot Line shall be the Lot Line that divides the Front Yard from the Open Space (OS) zone.
 - b) In the Residential Three (R3) Zone, for all lots/blocks abutting a Public Street on one side and a Public Lane on the opposite side, are deemed to be lots/blocks with two Front Yards.
- iv) Development Standards within the Residential Three (R3) Zone:
 - a) Minimum Lot Depth
 - b) Minimum Setback From Front Lot Line to Dwelling Unit fronting:
 - i) Open Space (OS) zone: 2.4 m
 - ii) Local Road: 2.4 m
 - c) Minimum Setback from Rear Lot Line to Dwelling Unit fronting:
 - i) Public Lane 0.9 m
 - d) Minimum Setback from Rear Lot Line to attached 6.0 m Garage:
 - e) Maximum Lot Coverage: 70 %
 - f) Maximum Height: 12.0 m

Exception 201 is continued on the next page.

20 m

Exception	Zoning	Мар	By-law	File Reference
201 continued	R3	39, 45	05-2022	OPA18-A3
				Z5/18
				S-A-2018-01

- v) Other:
 - a) Notwithstanding the Minimum Setback from the Front Lot Line under Section 4.3, Platforms, the following shall apply:
 - i) Minimum Setback from Front Lot Line (fronting an 0.9 m Open Space Zone):
 - ii) Minimum Setback from Front Lot Line (fronting a 0.9 m Local Road):
 - iii) All other provisions under Section 4.3, Platforms, shall apply.
 - b) Minimum Setback from a Daylighting Triangle: 0.0 m
 - c) Accessory Buildings or structures shall not be permitted in any Yard.
 - d) Air conditioning units shall not be located in a Yard abutting an Open Space (OS), a Front Yard, and an Exterior Side Yard.

Exce	ption	Z	oning	Мар	By-law	File Reference		
20	02		RM6	39, 45	05-2022	OPA18-A3 Z5/18 S-A-2018-01		
i)	Locat	on:	459, 467, and 473 Porte Road					
			202,	214, 230, 240 a	and 2950 Bayly	Street East		
ii)	Legal Descr	iption:	Regis	stered Plan 386	Part Lots 1, 2	and 3		
iii)	Interp	retation	abutt the o	the Residential Multiple Six (RM6) Zone, for all lots/blocks butting a Public Street on one side and a Private Lane on e opposite side, are deemed to be lots/blocks with two ront Yards.				
iv)	Additi		Dwell	Dwelling, Back-to-Back Townhouse,				
	Uses:		Dwell	velling, Stacked Townhouse				
v)	Devel	opmen	it Standar	ds:				
	a) [Owelling	g, Multiple	e Attached				
	ij) N	1inimum L	ot Frontage:		6.0 m		
	ii) M	1inimum L	ot Depth:		20.0 m		
	ii	Ĺ	Minimum Setback from Front Lot Line to Dwelling Unit fronting:					
		-	Lord D	rive:		3.0 m		
		-	Danks	Ridge Drive:		3.0 m		
		-	Private	e Lane:		3.0 m		
	i	,	Minimum Setback from Front Lot Line to 6.0 attached Garage:			6.0 m		
	٧	,	Minimum Setback from Interior Side Lot Line:					
Exce	- Between Units: 0.0 m Exception 202 is continued on the next page.							

Exception	Zoning	Мар	By-law	File Reference	
202 continued	RM6	39, 45	05-2022	OPA18-A3 Z5/18	
				S-A-2018-01	
	- End	Jnits:		1.2 m	
Vi	i) Minimum Line:	Setback from E	xterior Side Lot	1.2 m	
Vi	ii) Minimum	Setback from R	ear Lot Line:	6.0 m	
Vi	iii) Maximum	Lot Coverage:		70 %	
ix	κ) Maximum	Height:		12.0 m	
x) Maximum	Garage Width:		3.9 m	
xi	i) Maximum	Driveway Width	3.9 m		
xi	ii) Maximum	Curb Cut Width	3.9 m		
Xi	the buildir	Notwithstanding any other provision in this by-law, any portion of the building above the first storey may project in to the front yard up to 1.0 m from a private lane or public road.			
b) D	welling, Back-t	o-Back Townho	use:		
i)	Minimum	Lot Frontage:		6.4 m	
ii)) Minimum	Lot Depth:		12.0 m	
iii	,	Setback from F Jnit fronting a P		2.4 m	
iv	,	Minimum Setback from Front Lot Line to attached Garage:			
v) Minimum Line:	Minimum Setback from Interior Side Lot Line:			
		ween Units: d Units:		0.0 m 1.2 m	
Vi		Setback from E	xterior Side Lot		
Exception 202 is continued on the next page.					

Exception	Zoning	Мар	By-law	File Reference		
202 continued	RM6	39, 45	05-2022	OPA18-A3		
				Z5/18		
				S-A-2018-01		
vii)	Minimum S	Setback from R	ear Lot Line to	0.0 m		
VII)	Dwelling U		ear Lot Line to	0.0 111		
viii) Maximum l	_ot Coverage:		80 %		
ix)	Maximum I	Height:		12.0 m		
x)	Maximum (Garage Width:		3.9 m		
xi)	Maximum I	Oriveway Width	n:	3.9 m		
xii)	Maximum (Curb Cut Width	:	3.9 m		
xiii)	the building	Notwithstanding any other provision in this by-law, any portion of the building above the first storey may project in to the front yard up to 1.0 m from a private lane or public road.				
c) Dw	elling, Stacked	ling, Stacked Townhouse:				
i)	containing	Minimum Setback from a Building containing Stacked Townhouse Dwelling Units to the Salem Road South right-of- way:				
ii)	containing		Building nouse Dwelling of Nimmo Lane			
iii)	containing	Minimum Setback from a Building containing Stacked Townhouse Dwelling Units to the back of curb of a Vassello Lane:				
iv)	Townhouse	Setback from a Building containing Stacked 2. Townhouse Dwelling Units to the south property line:				
v)		Minimum Setback between Buildings 3.6 n containing Stacked Townhouse Dwelling				
Exception 202 is continued on the next page.						

Exception	Zoning	Мар	By-law	File Reference	
202 continued	RM6	39, 45	05-2022	OPA18-A3 Z5/18 S-A-2018-01	
vi)		Lot Coverage:		70 %	
vii)		J		13.0 m	
viii	•	Garage Width:		3.9 m	
ix)		Driveway Width		3.9 m	
x)	Maximum	Curb Cut Width	:	3.9 m	
xi)		Setback from at f curb of Vasse		e to 6.0 m	
xii)	building ab	Notwithstanding any other provision in this by-law, a portion of the building above the first storey may project in to the front yard up to 1.8 m from a private lane or public road.			
d) Oth	ner:				
i)	Section 4.9 apply.	Section 4.9 of Zoning By-law 95-2003, as amended, shall not apply.			
ii)		•		the following shall apply to address to the level up to 1.2 m:	
	- Max	imum Area:		57 % of the yard in which it is located	
		mum Setback f It Lot Line and :	May extend 2.5 metres out beyond the main wall, but not closer to the front or exterior lot line than 0.9 metre		
		mum Setback f ior Side Lot Lir		Must meet setback requirements for the zone	
	- All o	- All other provisions under Section 4.3, Platforms shall apply.			
iii)	Minimum S Triangle:	Minimum Setback from a Daylighting 0.0 m Triangle:			
Exception 202 is continued on the next page.					

Exception	Zoning	Мар	By-law	File Reference
202 continued	RM6	39, 45	05-2022	OPA18-A3
				Z5/18
				S-A-2018-01

iv) Minimum Setback from corner rounding to Dwelling Unit:

0.0 m

- v) Accessory Buildings or structures shall not be permitted in any Yard.
- vi) Air conditioning units shall not be located in a Front Yard and an Exterior Side Yard.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference	
203	RM4 (H)	39, 45	05-2022	OPA18-A3	
				Z5/18	
				S-A-2018-01	
i) Location	i) Location: 202, 214 and 2950 Bayly Street East				
ii) Legal Descript	i) Legal Registered Plan 386 Part Lots 1, 2 and 3 Description:				
iii) Addition	litional Uses: Senior Citizens' Apartment, Office (1), Personal Service Shop (1), Retail Store (1),), Retail Store ⁽¹⁾ ,	

iv) Development Standards within the Residential Multiple Four (RM4) Zone:

Restaurant (1) (2)

a)	Front Yard Build-Within Zone (Bayly Street East):	2.0 - 4.5 m
b)	Exterior Side Yard Build Within-Zone (Street 'A' — formerly Porte Road):	2.0 - 4.5 m

c) Minimum Built Frontage:

d)

- Along Bayly Street East	70 %
- Along local road aligned North-South	50 %
Maximum Lot Coverage:	33 %

Exception	Zoning	Мар	By-law	File Reference
203 continued	RM4 (H)	39, 45	05-2022	OPA18-A3
				Z5/18
				S-A-2018-01

e) Minimum Height (3):

2 storeys

f) Maximum Height (4):

6 storeys

g) Minimum Floor Space Index

1.0

- v) Other:
 - a) The principal entrance to a building(s) shall face Bayly Street East or Street 'A' (formerly Porte Road).
- Only permitted on the ground floor of a residential mixed-use building.
- (2) A Restaurant is permitted provided it does not exceed a maximum gross floor area of 140 m²
- (3) The minimum height shall be 2 functional storeys.
- A maximum height of 6 storeys is permitted provided that any portion of the building is set below a 45 degree angular plane measured from the property line of the nearest low density residential property.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
204	RM4 (H)/	39, 45	05-2022	OPA18-A3
	AC (H)			Z5/18
				S-A-2018-01

i) Location: 230, 240 and 2950 Bayly Street East

ii) Legal Registered Plan 386 Part Lots 1, 2 and 3

Description:

Exception		Zoning	Мар	By-law	File Reference		
204 continued RM4 (H)/ AC (H)			, ,	39, 45	05-2022	OPA18-A3 Z5/18 S-A-2018-01	
iii)		er th	ie RM4 Offi	nior Citizens' A ce (1), Persona staurant (1) (2)		o (1), Retail Store (1),	
iv)		er th	al Uses Coi le AC	nvenience Stor	e (3)		
v)		er th		ve-Thru Facility nicle Wash, Aut		e Service Centre, Motor	
vi)	Dev	elop	ment Standard	ls within the Re	sidential Multip	ole Four (RM4) Zone:	
	a)	Min	imum Lot Fron	tage:		33.0m	
	b)		nt Yard Build-V uth):	Vithin Zone (Sa	llem Road	2.0 - 4.5m	
	c)		erior Side Yard eet East):	Build Within-Z	one (Bayly	2.0 - 4.5m	
	d)	Min	imum Built Fro	ntage:			
		i)	Along Bayly S	Street East:		70 %	
		ii)	Along Salem	Road South:		50 %	
	e)	Ma	ximum Lot Cov	erage:		33 %	
	f)	Minimum Height ⁽⁴⁾ : 2 storeys					
	g)	g) Maximum Height ⁽⁵⁾ : 6 storeys					
	h) Minimum Floor Space Index 1.0						
vii)	Dev	elop	ment Standard	ls within the Au	tomobile Comr	nercial (AC) Zone:	
Exc	Exception 204 is continued on the next page.						

Exception	Zoning	Мар	By-law	File Reference
204 continued	RM4 (H)/	39, 45	05-2022	OPA18-A3
	AC (H)			Z5/18
				S-A-2018-01

a) Minimum Lot Frontage:

33.0 m

b) Front Yard Build-Within Zone (Salem Road South):

2.0 -4.5 m

c) Exterior Side Yard Build Within-Zone (Bayly Street East): 2.0 -4.5 m

viii) Other:

- a) The principal entrance to a building(s) shall face a public street.
- Only permitted on the ground floor of a residential mixed-use building.
- ⁽²⁾ A Restaurant is permitted provided it does not exceed a maximum gross floor area of 140 m².
- (3) As an accessory use to a Motor Vehicle Gas Bar.
- (4) The minimum height shall be 2 functional storeys.
- A maximum height of 6 storeys is permitted provided that any portion of the building is set below a 45 degree angular plane measured from the property line of the nearest low density residential property.

Exception	Zoning	Мар	By-law	File Reference
205	R1-D, R1-F, R2-B, RM6	14	44-2021	OPA20-A1 Z1/20 S-A-2020-01

i) Location: 1192 and 1260 Church Street North

ii) Legal Part of Lot 15, Concession 3 Pickering, Part I, Plan 40R-Description: 5609, Town of Ajax, Regional Municipality of Durham

All of PIN: 26408-0032 (LT)

Part of Lot 15, Concession 3 Pickering, Part 2, Plan 40R-

20830,


Town of Ajax, Regional Municipality of Durham

All of PIN: 26408-0358 (LT)

iii) Interpretation:

- a) In the Residential Two 'B' (R2-B) Zone, for all lots/blocks abutting a public street or road on one side and a public lane on the opposite side, the lot line and yard abutting the public street or road shall be the front lot line and front yard and the lot line and yard abutting the public lane shall be the rear lot line and rear yard.
- b) In the Residential Multiple Six (RM6) Zone, double front dwelling units shall be considered those dwelling units which abut a private lane on two sides or abut a private lane on one side and a public street or road on the opposite side. The lot line and yard abutting the portion of a dwelling unit containing an attached garage shall be the rear lot line and rear yard.
- c) Schedule "D" has been included in this Exception as a reference to provide context for the development standards included herein.
- d) Section 4.9 of Zoning By-law 95-2003, as amended, shall not apply to the development of Block A, as illustrated in Schedule "D".

Exception	Zoning	Мар	By-law	File Reference
205 continued	R1-D, R1-F, R2-B, RM6	14	44-2021	OPA20-A1 Z1/20 S-A-2020-01



- iv) Development Standards within the Residential One 'D' (R1-D) Zone:
 - a) Minimum Lot Frontage:

9.0 m

b) Minimum Setback from Rear Lot Line:

7.0 m

c) Maximum Lot Coverage:

50%

Exception	Zoning	Мар	By-law	File Reference
205 continued	R1-D, R1-F, R2-B, RM6	14	44-2021	OPA20-A1 Z1/20 S-A-2020-01

d) Maximum Height:

3-storeys/13.0 m

- e) Notwithstanding the provisions of the R1-D Zone, the zone standards of the R1-F Zone, except as amended herein, shall apply to a *lot* with a frontage of 9.0 metres.
- v) Development Standards within the Residential One 'F' (R1-F) Zone:
 - a) Notwithstanding Section 6.2.4 of Zoning By-law 95-2003, the maximum *front yard* provisions shall not apply to a *dwelling unit* on Lots 4 and 5, as illustrated in Schedule "D".
 - b) Notwithstanding Section 6.2.4 of Zoning By-law 95-2003, the maximum setback provision between the front face of adjacent *dwelling units* shall not apply as it relates to dwelling units on Lots 3 and 4, *dwelling units* on Lots 4 and 5, and *dwelling units* on Lots 5 and 6, as illustrated in Schedule "D".

c) Minimum Setback from *Rear Lot Line*:

7.0 m

d) Maximum Lot Coverage:

50%

e) Maximum Height:

3-storeys/13.0 m

- f) The following development standards shall apply to all *lots* with frontages of 11.0 metres or greater:
 - i) Maximum Garage Width:

5.6 m

ii) Maximum Driveway Width:

5.6 m

iii) Maximum Apron and Curb Cut Width:

5.6 m

- vi) Development Standards within the Residential Two 'B' (R2-B) Zone:
 - a) Minimum Lot Frontage:

4.5 m

Exception	Zoning	Мар	By-law	File Reference
205 continued	R1-D, R1-F, R2-B, RM6	14	44-2021	OPA20-A1 Z1/20 S-A-2020-01

b) Minimum Setback from *Front Lot Line:*

i) Dwelling unit

3.0 m

ii) Platform

1.5 m

- c) Maximum Setback from Front Lot Line:
 - i) 7.5 metres, as measured from the front face of the *dwelling unit*.
 - ii) There shall be no maximum setback for *dwelling units* within Blocks 18 and 19, as illustrated in Schedule "D".
 - iii) A *dwelling unit* shall not be setback more than 3.0 metres from the front face of an adjacent *dwelling unit* which fronts on the same *public street or road.*
- d) Minimum Setback from Rear Lot Line:
 - i) Dwelling unit/platform

3.0 m

ii) Attached garage

6.0 m

- e) Minimum Setback from Exterior Site Lot Line:
 - i) Dwelling unit/attached garage

2.0 m

ii) Platform

1.0 m

- f) Minimum Setback from *Interior Side Lot Line:*
 - i) 0.0 metres between *dwelling units* and 1.2 metres for end *dwelling units*.
- g) Maximum Lot Coverage:
 - i) No maximum lot coverage requirements shall apply.
- h) Maximum Height:

3-storeys/14.0 m

Exception		Zoning	Мар	By-law	File Referen	се	
205 continued		R1-D, R1-F, R2-B, RM6	14	44-2021	OPA20-A1	1	
			TYZ-D, TYIVIO			Z1/20	
						S-A-2020-0)1
	i)	Ma	aximum Garage	e Width:			4.3 m
	j)	Ma	aximum <i>Drivew</i>	ay Width:			4.0 m
	k)	Ma	aximum <i>Apron</i> a	and <i>Curb Cut</i> V	Vidth:		4.0 m
	l)	Att	ached garages	and <i>driveway</i> s	s shall be locate	ed in <i>rear yards.</i>	
vii)	Deve	lopr	nent Standards	within the Res	sidential Multipl	e Six (RM6) Zone.	
	<i>multip</i> follow	ole a ving	attached dwellir	ngs within a coutandards shall	mmon element apply to each F	", is developed with s condominium, the Parcel of Tied Land	
	a)	Mi	nimum <i>Lot Froi</i>	ntage:			
		i)	Doub	le front <i>dwellin</i> g	g units		4.5 m
		ii)	All oth	ner <i>dwelling un</i>	its		5.2 m
	b)	Mi	nimum <i>Lot Dep</i>	oth:			10.5 m
	c)	Mi	nimum Setback	k from <i>Front Lo</i>	t Line:		
		i)	Dwell	ing unit		3.0 m	
		ii)	Platfo	orm		1.5 m	
		iii)	Attac	hed garage			6.0 m
	d) Minimum Setback from Rear Lot Line:						
		i)	Doub	le front <i>dwellin</i> g	g units		
			-	Dwelling unit/	platform		2.7 m
- Attached garage						6.0 m	
Exc	ception	า 20	5 is continued	l on the next p	oage.		

Exception		Zoning	Мар	By-law	File Reference		
205 continu	ıed	R1-D, R1-F,	14	44-2021	OPA20-A1		
		R2-B, RM6			Z1/20		
					S-A-2020-01		
	ii)	All otl	ner <i>dwelling un</i>	its	6.0 m		
e)	Mi <i>Lir</i>	nimum Setbacผ <i>าe:</i>	from <i>Exterior</i>	Side Lot	2.0 m		
f)	Mi	nimum Setbacl	c from Interior S	Side Lot Line:			
	i)	dwei	0.0 metres between <i>dwelling units</i> and 1.0 metre for end <i>dwelling units</i> , with a minimum aggregate setback between <i>dwelling units</i> of 2.4 metres.				
	ii)	0.0 elem	metres for e ents.	nd <i>dwelling un</i>	its abutting common		
g)	Ma	aximum <i>Lot Co</i>	verage:				
	i)	No n	naximum <i>lot co</i>	verage require	ments shall apply.		
h)	Ma	aximum <i>Height:</i>			3-storeys/14.0 m		
i)	Ma	aximum <i>Drivew</i>	ay Width:				
	i)	Doul	ole front dwellir	ng units	4.0 m		
	ii)	All o	ther <i>dwelling ui</i>	nits	3.2 m		
j)	j) The existing <i>detached dwelling</i> located on 1260 Church Street North an additional permitted <i>use</i> in the RM6 Zone.				Church Street North is		
	i)	Minii	mum setback fr	om roundabou	t right-of-way: 0.4 m		
	ii)	All o	ther zone stand	dards of the RM	16 Zone shall apply.		
	iii)	be le strud	All existing accessory buildings or structures are deemed to be legal non-complying. Any future accessory buildings or structures shall be subject to the provisions of Section 4.1.1 of Zoning By-law 95-2003.				

Exception	Zoning	Мар	By-law	File Reference
205 continued	R1-D, R1-F, R2-B, RM6	14	44-2021	OPA20-A1 Z1/20 S-A-2020-01

viii) Other:

- a) Minimum Setback from *Daylighting Triangle* (*public* street, road or lane and private lane):
- 0.0 m

b) Minimum Private Lane Width:

6.7 m

- c) No *accessory buildings* or *structures* are permitted on any *lots*/blocks in the R2-B Zone.
- d) No accessory *buildings or structures* are permitted on any POTL for double front *dwelling units* in the RM6 Zone.
- e) Accessory buildings or structures shall be permitted within common elements. The provisions of Section 4.1.1 of Zoning By-law 95-2003 shall not apply to such accessory buildings or structures.
- f) Notwithstanding Section 4.3 of Zoning By-law 95-2003, the Maximum Area provision for *platforms* more than 1.2 metres in *height* above finished ground level shall not apply. Except as amended herein, all other provisions shall apply to all lots/blocks and POTLs, as applicable.
- g) Air conditioning units shall be screened from public view through architectural screening, landscaping or a combination of these treatments.
- h) No individual direct vehicular access to a *dwelling unit* shall be permitted from Church Street North.
- i) No fences (other than decorative metal fences) shall be permitted within a *front yard* facing Church Street North.
- j) No steps shall be permitted to encroach within a public right-of-way.

Exception	Zoning	Мар	By-law	File Reference
206	LC	48	74-2021	OPA20-A3
				Z4/20
				SP6/21

i) Location: 253 and 255 Lake Driveway West

ii) Legal Part of Block 1, Plan 40M-1 486, Parts I to 3, Plan 40R-1

Description: 6777,

Town of Ajax, Regional Municipality of Durham

All of PIN: 26462-0096 (LT) All of PIN: 26462-0221 (LT)

Part of Block 1, Plan 40M-1 486, Part 4, Plan 40R-1 6777,

Town of

Ajax, Regional Municipality of Durham

All of PIN: 26462-0220 (LT)

iii) Additional Apartment dwelling (without ground floor commercial uses),

Permitted Uses: stacked townhouse dwelling

iv) Interpretation: The following lot line and yard interpretation shall apply for

the subject lands: the north *lot line* and *yard* abutting such shall be deemed to be the *rear lot line* and *rear yard;* the east *lot line* and *yard* abutting such shall be deemed to be an *interior side lot line* and *interior side yard;* the west *lot line* (the development limits adjacent to the Environmental Protection (EP) Zone) and *yard* abutting such shall be deemed to be an *interior side lot line* and *interior side yard;* the south *lot lines* (abutting Town-owned lands) and *yards* abutting such shall be deemed to be *interior side lot lines* and *interior side yards*; and the *lot line* and *yard* abutting Lake Driveway West shall be deemed to be the *front lot line*

and front yard.

v) Development Standards:

The following development standards shall only apply to an *apartment dwelling* (without ground floor commercial uses) and *stacked townhouse dwellings*:

a) Minimum Setback from *Front Lot Line*:

i) Apartment dwelling

ii) Underground parking garage 2.9 m

Exception 206 is continued on the next page.

2.9 m

Exception	า	Zoning	Мар	By-law	File Reference			
206 continu	ıed	LC	48	74-2021	OPA20-A3			
					Z4/20			
			SP6/21					
b)	Mi	nimum Setbacl	from East <i>Int</i> e	erior Side Lot L	ine:			
	i)	Apartment	dwelling		10.0 m			
	ii)	Undergrou	nd parking gara	age	6.0 m			
c)	Mi	nimum Setbacl	from West Int	erior Side Lot L	.ine:			
	i)	Apartment	<i>dwelling</i> /parkir	ng garage	3.0 m			
	ii)	Undergrou	nd parking gara	age	3.0 m			
	iii)	Stacked to	wnhouse dwell	ing	3.0 m			
d)	Mi	nimum Setbacl	nimum Setback from South <i>Interior Side Lot Line</i> :					
	i)	Stacked to	wnhouse dwell	7.0 m				
	ii)	Platform as dwelling	ssociated with s	use 4.8 m				
	iii)	Undergrou	nd parking gara	7.0 m				
e)	Mi	nimum Setbacl	from <i>Rear Lo</i>	t Line:				
	i)	Apartment	dwelling	5.0 m				
	ii)	Undergrou	nd parking gara	3.0 m				
f)	Mi	nimum <i>Floor Space Index</i> (FSI):						
g)	Ma	ximum <i>Height</i> :						
	i)	Apartment	Apartment dwelling 8-					
	ii)	Stacked townhouse dwelling 3-storeys/14.0 m (1)						
Exception 206 is continued on the next page.								

Exception	Zoning	Мар	By-law	File Reference
206 continued	LC	48	74-2021	OPA20-A3
				Z4/20
				SP6/21

h) Minimum Ground Floor *Height* (ground floor of apartment dwelling):

4.5 m

- i) Maximum Gross Floor Area:
 - i) No maximum gross floor area requirements shall apply.
- j) Maximum Lot Coverage:

65%

k) Minimum Parking:

1.0 space per *dwelling unit* for the exclusive use of occupants in addition to 0.25 spaces per *dwelling unit* for the exclusive use of visitors

I) Minimum Two-Way Drive Aisle Width:

6.5 m

m) Minimum Number of Required Loading Spaces:

Notwithstanding Section 5.13 of Zoning By-law 95-2003, as amended, a minimum of 1.0 *loading space* is required. All other applicable provisions of Section 5.13 shall apply to such *loading space*.

- n) Accessory buildings or structures shall only be permitted within common outdoor amenity spaces. The provisions of Section 4.1.1 of Zoning By-law 95-2003 shall not apply to such accessory buildings or structures.
- o) Minimum Amount of Amenity Space:

i) Indoor Amenity Space

2.0 m² per dwelling unit

ii) Outdoor Amenity Space

2.0 m² per dwelling unit

p) Notwithstanding Section 4.12 of Zoning By-law 95-2003, a minimum landscaped buffer of 3.0 metres shall be required adjacent to all interior side lot lines and the rear lot line. A drive aisle may be permitted to encroach into the required landscaped buffer adjacent to the east interior side lot line to ensure adequate space for vehicle maneuvering.

Exception	Zoning	Мар	By-law	File Reference
206 continued	LC	48	74-2021	OPA20-A3
				Z4/20
				SP6/21

- q) Air conditioning units shall be screened from public view through architectural screening, landscaping or a combination of these treatments.
- The maximum *height* (measurement included in metres) shall be measured to the tallest point of the *building*.

Except as amended herein, all other provisions of this By-law, as amended, shall apply.

Exception	Zoning	Мар	By-law	File Reference
207	UC	31	47-2022	OPA18-A2
				Z6/18
				SP2/20

i) Location: 27, 29, and 31 Harwood Avenue South

ii) Legal Description: Lots 92, 93 and 94, Plan 377, Town of Ajax, Regional

Municipality of Durham All of PIN: 26452-0017 (LT) All of PIN: 26452-0019 (LT)

iii) Permitted Uses: Art gallery, commercial fitness centre, commercial

school, convenience store, day care facility, dry cleaning

depot, financial

institution, hotel, self serve laundromat, library, licensed accessory outdoor patio ⁽¹⁾, medical clinic, office, personal service shop, place of assembly, place of entertainment, place of worship, restaurant, retail store, unlicensed accessory outdoor patio, apartment dwelling ⁽²⁾ seniors citizens' apartment, nursing home, and

parking lot.

(1) A *licensed accessory outdoor patio* is permitted provided that the *licensed accessory outdoor patio* meets the provisions in Section 6.3.1.1 of Zoning By-law

95-2003, as amended.

Exception	Zoning	Мар	By-law	File Reference
207 continued	UC	31	47-2022	OPA18-A2
				Z6/18
				SP2/20

iii) continued Permitted Uses:

(2) Permitted on the upper floors or ground floor of a building with Harwood Avenue facing ground level commercial uses.

iv) Interpretation:

Schedule "D" has been included in this Exception as a reference. The western limits of the right-of-way (ROW) for the private lane, as illustrated in Schedule "D", shall be deemed to be the rear lot line.



v) Development Standards:

The following development standards shall only apply to a residential mixed use building:

a) Maximum Number of *Dwelling Units*:

131

b) Minimum Setback from Front Lot Line:

Exception	Zoning	Мар	By-law	File Reference	
207 continued	UC	31	47-2022	OPA18-A2 Z6/18 SP2/20	
i	i) Residentia	ıl mixed use bu	ilding	0.0 m	
i	ii) Undergrou	ınd parking gar	age	0.0 m	
,	Minimum Setba <i>Line</i> :	ck from South	Interior Side Lo	ot	
i	i) Residentia	ıl mixed use bu	ilding	0.0 m	
i	ii) Undergrou	ınd parking gar	age	0.0 m	
,	Minimum Setba <i>Line</i> :	ck from North	Interior Side Lo	t	
i	i) Residential mixed use building			0.0 m	
i	ii) Underground parking garage 0.0				
e)	Minimum Setba				
i	i) Residential mixed use building			2.0 m	
i	ii) Undergrou	ınd parking gar	$0.0~\mathrm{m}^{~(3)}$		
f)	Minimum Private Lane ROW Width: 8.55 i				
g)	Minimum <i>Ground Floor Area</i> : 600.0				
h)	Minimum Floor Space Index (FSI):			1.25	
i)	Maximum <i>Floor</i>	Space Index (FSI):	4.4	
j)	Minimum Grour	nd Floor <i>Height</i>		3.3 m	
k)	Maximum <i>Height</i> : 10-storeys/37.0 m				
I)	Minimum Parking:			07 spaces per dwelling unit or the exclusive use of ecupants in addition to 0.15 paces per dwelling unit for e exclusive use of visitors and non-residential gross por area	
Exception 207 is continued on the next page.					

Exception	Zoning	Мар	By-law	File Reference
207 continued	UC	31	47-2022	OPA18-A2
				Z6/18
				SP2/20

m) Minimum Two-Way Drive Aisle Width:

6.0 m

- n) Minimum Number of Required Loading Spaces:
 - Notwithstanding Section 5.13 of Zoning By-law 95-2003, as amended, a minimum of 1.0 *loading space* is required. The provisions of Section 5.13.1 shall not apply to such *loading space*.
- Accessory buildings or structures shall only be permitted within common outdoor amenity spaces or private terraces. The provisions of Section 4.1.1 of Zoning By-law 95-2003 shall not apply to such accessory buildings or structures.
- p) Notwithstanding Section 4.21.1 of Zoning By-law 95-2003, a minimum setback of 0.0 metres shall be permitted between any wall of a building containing a door and any *lot line*.
- q) Minimum Landscaped Buffer:
 - i) No minimum *landscaped buffer* requirements shall apply.
- r) Minimum Amount of Amenity Space: 2.0 m² per *dwelling unit* (5)
- s) Individual *retail store* or service commercial uses with a ground floor plate in excess of 4,645.0 m² in size are prohibited.
- (3) The limits of the underground parking garage may encroach into the private lane ROW; however, such limits shall not encroach into the existing easement, legally described as Parts 1 to 8, Plan 40R-201 90.
- (4) The maximum *height* (measurement included in metres) shall be measured to the tallest point of the mechanical penthouse. This mechanical penthouse is not considered a storey and shall not exceed 35% of the floor area of the rooftop.
- (5) The minimum amount of amenity space may consist of any combination of indoor and outdoor amenity space; however, outdoor amenity space shall not include private balconies/terraces accessed through a unit. Private balconies/terraces are in addition to and shall not be allocated to such minimum amenity space requirement.

		_		T			
Exc	eption	Zoning	Мар	By-law	File Reference		
					OPA20-A4		
2	.08	UC (H)	33	50-2022	Z5/17		
					SP8/17		
i)	Locatio	n: 310 King	ston Road Eas	t			
ii)	Legal Descrip :	tion Municipa	ot 5, Concession lity of Durham I: 26411-0017		Town of Ajax, Regional		
iii)	Develop	oment Standard	ls:				
	The following development standards shall only apply to a residential mixed use building:						
	a) N	/laximum Numb	er of <i>Dwelling</i>	Units:	369		
	,	Maximum Commercial/Non-Residential <i>Gross Floor</i> 1,160.0 m ² <i>Area</i> :					
	c) N	Minimum Setback from Front Lot Line:					
	i	Resident	Residential mixed use building 0.0 m				
	ii) Undergro	Underground parking garage 0.0 r				
	d) N	Minimum Setback from West Interior Side Lot Line:					
	i)	Resident	Residential mixed use building 10.0				
	ii) Undergro	Underground parking garage 10				
	e) N	Minimum Setback from East Interior Side Lot Line:					
	i	Resident	Residential mixed use building 4.5 i				
	ii) Undergro	Underground parking garage 4.5 m				
	f) N	Minimum Setback from Rear Lot Line:					

Residential mixed use building

Underground parking garage

Exception 208 is continued on the next page.

i)

ii)

1.5 m

1.5 m

Exception	Zoning	Мар	By-law	File Reference
				OPA20-A4
208 continued	UC (H)	33	50-2022	Z5/17
				SP8/17

g) Minimum Ground Floor Area:

600.0 m²

h) Minimum Floor Space Index (FSI):

1.25

i) Minimum Ground Floor *Height*:

4.0 m

j) Maximum Height:

25-storeys/88.0 m (1)

k) Maximum Tower Floor Plate Size (2):

i) 5th storey: 1,615 m², excluding balconies

ii) storeys 6 to 17: 1,520 m², excluding balconies

iii) storeys 18 to 19: 1,390 m², excluding balconies

iv) 20th storey: 1,370 m², excluding balconies

v) 21st storey: 1,200 m², excluding balconies

vi) 22nd storey: 1,055 m², excluding balconies

vii) 23rd storey: 1,000 m², excluding balconies

viii) 24th storey: 820 m², excluding balconies

I) Minimum Parking: 284 spaces for the exclusive use of

residential occupants in addition to 45

spaces for the exclusive use of residential visitors and commercial/non

residential gross floor area

m) Minimum Number of Required Loading Spaces:

Notwithstanding Section 5.13 of Zoning By-law 95-2003, as amended, a minimum of 2.0 *loading spaces* are required, 1.0 indoor and 1.0 outdoor *loading space*. The provisions of Section 5.13.1 shall not apply to the indoor *loading space*.

Exception	Exception Zoning Map By-law		File Reference	
				OPA20-A4
208 continued	UC (H)	33	50-2022	Z5/17
				SP8/17

n) Minimum Landscaped Buffer:

Notwithstanding Section 4.12.1 of Zoning By-law 95-2003, no minimum *landscaped buffer* is required adjacent to Kingston Road East.

- o) Minimum Amount of Amenity Space:
- 1.88 m² per dwelling unit
- p) Minimum *Dwelling Unit* Requirements:
 - i) A minimum of 50% of all *dwelling units* within a residential mixed use building shall have a barrier-free design, as defined by Provincial standards.
 - ii) A minimum of 34% of all *dwelling units* within a residential mixed use building shall be comprised of family-sized units, more specifically, two plus one bedroom, three bedroom, and four bedroom units.
 - iii) A minimum of 20% of all *dwelling units* within a residential mixed use building shall be affordable rental units, as defined by Provincial policy.
- q) Accessory structures shall only be permitted within common outdoor amenity spaces or private terraces. The provisions of Section 4.1.1 of Zoning By-law 95-2003 shall not apply to such accessory structures.
- r) No steps shall be permitted to encroach within a public right-of-way.
- The maximum *height* (measurement included in metres) shall be measured to the tallest point of the mechanical penthouse.
- (2) The above noted maximum tower floor plate sizes shall apply to a 25-storey residential mixed use building with a 4-storey base building/podium, provided that the minimum *dwelling unit* requirements set out in Section iii) p) herein are met. The above noted maximum tower floor plate sizes apply to all storeys of the tower with a floor plate in exceedance of 800.0 m², excluding balconies.
- (3) The minimum amount of amenity space may consist of any combination of indoor and outdoor amenity space; however, outdoor amenity space shall not include private balconies/terraces accessed through a unit. Private balconies/terraces are in addition to and shall not be allocated to such minimum amenity space requirement.

Exception	Zoning	Мар	By-law	File Reference
209	RM6	37	59-2022	OPA21-A1 Z2/21 SP8/21

i) Location: Southeast corner of Cedar Street and Knapton Avenue

ii) Legal Part of Park, Registered Plan 465, Town of Ajax, Regional

Description: Municipality of Durham

iii) Interpretation Section 4.9 - Frontage on a Public Road, of Zoning By-law 95-

2003, as amended, shall not apply if the lands are developed as back-to-back townhouse dwellings accessed by a private lane.

iv) Additional Dwelling, Back-to-Back Townhouse

Uses:

v) Development Standards:

In the event that the subject lands are developed with back-to-back townhouse dwellings within a common elements condominium, the following development standards shall apply to each Parcel of Tied Land (POTL) associated with a back-to-back townhouse dwelling:

a)	Minimum	13.9 m				
b)	Minimum Lot Frontage:					
c)	Minimum Setback from Front Lot Line:					
	i)	Dwelling Unit/Platform (second storey)	3.1 m			
	ii)	Platform (front porch)	1.8 m			
	iii)	Garage	6.0 m			
d)	Minimum Setback from <i>Exterior Side Lot Line</i> : 2.1 m					
e)	Minimum Setback from <i>Interior Side Lot Line</i> : 0.0 m					
f)	Minimum Setback from <i>Rear Lot Line</i> : 0.0 m					

Exception	Zoning	g Map By-law		File Reference
209 continued	RM6	37	59-2022	OPA21-A1
				Z2/21
				SP8/21

g) Minimum Setback for *dwelling units* abutting common elements:

 $0.0 \, \text{m}$

- h) Maximum Lot Coverage:
 - i) No maximum lot coverage requirements shall apply.
- i) Maximum *Driveway Width*:

3.0 m

j) Maximum Building Height:

3-storeys/12.0 m

- vi) Other:
 - a) Minimum Private *Lane* Width:

6.7 m

- b) Notwithstanding Section 5.3.1 of Zoning By-law 95-2003, all required *parking spaces* within a *private garage* shall have a minimum width of 3.0 metres and a minimum length of 6.0 metres free of any obstruction. A step of not higher than 20.0 centimetres and not deeper than 25.0 centimetres shall be permitted to encroach into the edge of the required *parking space*. In addition, a maximum 0.1 metre encroachment into the edge of the required parking space for a maximum of 20% of the wall length shall be permitted for the purposes of accommodating mechanical works.
- c) Minimum setback from the *daylighting triangle:*

0.8 m

- d) No accessory buildings or structures, notwithstanding air conditioning units, associated with a POTL shall be permitted in any front or side yard.
- All air conditioning units are required to be screened from public view through architectural screening, landscaping or a combination of such treatments.
- f) No fences (other than decorative metal fences) shall be permitted in a *front or side yard*.

Exception	Zoning	Мар	By-law	File Reference
210	RM6	37	59-2022	Z2/21 SPA22/21

i) Location: 3-73 Cedar Street

ii) Legal Part of Park, Registered Plan 465, Town of Ajax, Regional

Description: Municipality of Durham

iii) Interpretation: The front lot line has been deemed to be the westerly lot

line, fronting onto the private lane.

iv) Development Standards:

a) Minimum Setback from *Front Lot Line* (westerly property line): 5.5 m

b) Minimum Setback from *Exterior Side Lot Line* (Cedar Street): 5.9 m

v) Other:

a) Notwithstanding Section 4.1.1 of Zoning By-law 95-2003, as amended, no accessory buildings or structures shall be permitted between an adjacent public street/private lane and any part of a building façade. Each dwelling unit is permitted a maximum gross floor area of 15.m² for accessory buildings or structures. No part of any accessory building or structure shall be located more than 4.5 metres above the established grade.

Exception	Zoning	Мар	By-law	File Reference
211	R1-D	20	14-2023	Z4/22

i) Location: 836 Riverside Drive

ii) Legal Parts 1 and 3, Plan 40R-16883, formerly Part of Lot 13, Plan Description: M-1157

iii) Development Standards:

a) Notwithstanding Section 6.2.2, Zone Standards, for the Maximum *Driveway Width*, Maximum Garage Width, and Maximum *Apron* and Curb *Cut* Width, the following shall apply:

i) Maximum *Driveway* Width:

5.7 m

ii) Maximum Garage Width:

5.7 m

iii) Maximum Apron and Curb Cut Width:

5.7 m


- b) For the lands hatched on the map below:
 - i) Notwithstanding Section 6.2.2, Zone Standards, for the Minimum Setback from Rear Lot Line, the following shall apply:
 - Minimum Setback from the Rear Lot Line:

5.7 m

- ii) Notwithstanding Section 4.3, Platforms, Height Above Finished Ground Level More than 1.2 metres, for the Minimum Setback from *Rear Lot Line*, the following shall apply:
 - Minimum Setback from Rear Lot Line:

2.3 metres

Exception	Zoning	Мар	By-law	File Reference
211 continued	R1-D	20	14-2023	Z4/22



Exception Z		Zoning	Mon	Dy Joy	File Deference		
	сери	OH	Zoning	Мар	By-law	File Reference	
	212		RM4, EP	45, 46	19-2023	OPA21-A3	
						Z5/21	
						SP12/22	
					f D		
i)	Loc	ation:	Sout Road		f Bayly Street E	East and Pickering Beach	
ii)	Leg			•		nt Pickering, PTS 1 & 2 PL	
	Des	scription		18790 save and pt PTS 8 & 9 F		PL 40R21844 save &	
iii)	Inte	erpreta		lot line fronting the <i>front lot lir</i>	•	ch Road shall be deemed	
iv)	Dev	/elopn	nent Standards	:			
	a)	Max	imum number o	of dwelling units	s:		
		i)	Apartment Dwe	elling		199	
		ii)	Multiple Attach	ed Dwelling		4	
	b)	Minii	mum setback fr	om <i>Front Lot L</i>	ine (Pickering I	Beach Road):	
		i)	Apartment Dwe	elling		3.1 m	
		ii)	Underground p	arking structur	е	0.0 m	
	c)	Minii	mum Setback f	rom <i>Exterior Si</i>	ide Lot Line (Ba	ayly Street East):	
		i)	Apartment Dwe	elling		3.3 m	
		ii)	Underground p	arking structur	е	0.0 m	
	d)	Minii	mum Setback f	rom <i>Exterior Si</i>	ide Lot Line (Po	owers Valley Court):	
		i)	Apartment Dwelling 3.0				
		ii)	ii) Multiple Attached Dwelling 3.0				
		iii)	ii) Underground parking structure 0.0 m				
	e)	Minimum Setback from Rear Lot Line:					

Except	ion Zoning Map By-law			File Reference	
212 cont	inued	RM4, EP	45, 46	19-2023	OPA21-A3
					Z5/21
					SP12/22
	i)	Apartment Dwe	lling		2.8 m
	ii)	Multiple Attache	d Dwelling		4.2 m
	iii) Underground parking structure and associated access ramp				
	iv)	Stormwater mar	nagement tank		1.0 m
f)	Max	imum <i>Lot Cover</i>	age:		49%
g)	Max	imum Height:			
	i)	Apartment Dwe	lling		11-storeys/42.0 m ⁽¹⁾
	ii)	Multiple Attache	d Dwelling		3-storeys/14.0 m ⁽¹⁾
v) Oth	ner:				
a)	Mini	mum Setback fro	om the <i>Dayligh</i>	ting Triangle:	0.0 m
b)		conditioning units nitectural screeni		•	c view through tion of these treatments.
c)		Minimum Width of a Two-way Drive Aisle in an 6.2 n Underground Parking Structure:			
d)	Minimum Number of Required Parking Spaces:				
	i)	Apartment Dwell exclusive use of	•	<i>ing spaces</i> per	dwelling unit for the
	ii)	Multiple Attache	s per <i>dwelling unit</i> for the		

- ii) Multiple Attached Dwelling: 2.0 parking spaces per dwelling unit for the exclusive use of residents
- iii) 0.15 parking spaces per dwelling unit for the exclusive use of visitors
- e) Required Parking Spaces Other Than Within Private Garages:

Exception	Zoning	Мар	By-law	File Reference
212 continued	RM4, EP	45, 46	19-2023	OPA21-A3
				Z5/21
				SP12/22

- i) Notwithstanding Section 5.3.2 of Zoning By-law 95-2003, as amended, where the side of a parking space is obstructed, the parking space may have a minimum width of 2.6 metres provided that the obstruction is not located within 1.2 metres of either end of the parking space.
- f) Minimum Number of Required Loading Spaces:
 - i) Notwithstanding Section 5.13 of Zoning By-law 95-2003, as amended, a minimum of 1.0 loading space is required. All other applicable provisions of Section 5.13 shall apply to such loading space.
- g) Accessory Buildings or Structures shall only be permitted within common outdoor amenity spaces. The provisions of Section 4.1.1 of Zoning By-law 95-2003 shall not apply to such Accessory Buildings or Structures.
- h) Minimum Amount of Amenity Space:

i) Indoor amenity space

1.0 m² per dwelling unit

ii) Outdoor amenity space

1.0 m² per dwelling unit

- i) Minimum Setback to a stairwell associated with underground parking structure:
 - i) Front Lot Line:

65 m

ii) Exterior Side Lot Line (Powers Valley Court):

4.0 m

iii) Rear Lot Line:

2.8 m

The maximum height (measurement included in metres) shall be measured from *established grade* to the tallest point of a *building*.

Exception Zoning		Map	By-law	File Reference		
Lxception	Zoning	Ινιαρ	Dy-law	Tile Neierence		
213	UC	31	38-2023	OPA20-A2		
				Z3/20		
i) Location:		_	rwood Avenue	South and and 102 Heron Street		
ii) Legal De	scription:	Lots 88, 89 and 90, Plan 377, Town of Ajax, Regional Municipality of Durham All of PIN: 26452-0014 (LT) All of PIN: 26452-0015 (LT) Part of Lots 100, 101 and 102, Plan 377, Town of Ajax, Regional Municipality of Durham Part of PIN: 26452-0025 (LT) Part of PIN: 26452-0026 (LT) Part of PIN: 26452-0027 (LT)				
iii) Permitted	l Uses:	Art gallery, commercial fitness centre, commercial school, convenience store, day care facility, dry cleaning depot, financial institution, hotel, self serve laundromat, library, licensed accessory outdoor patio (1), medical clinic, office, personal service shop, place of assembly, place of entertainment, place of worship, restaurant, retail store, unlicensed accessory outdoor patio, apartment dwelling(2), senior citizens' apartment, retirement home, and parking lot.				
		provided that	the <i>licensed ac</i> visions in Secti	loor patio is permitted ecessory outdoor patio ion 6.3.1.1 of Zoning By-		
		building provid	ded that ground	ors or ground floor of a d floor units facing mmercial uses.		
iv) Interpreta	ation:	a) For the purposes of this Exception, a senior citizens' apartment, shall mean an apartment building for seniors which may include common facilities for the preparation, serving and consumption of meals, and may also include common areas, indoor and outdoor recreation facilities, and respite care facilities where such uses and activities are provided only for resider				

Exception		Zoning	Мар	By-law	File Reference	
213 continue	ed	UC	31	38-2023	OPA20-A2	
					Z3/20	
iv) Interpretation continued: b) Schedule "D" has been included in this Exception as a reference to illustrate the limits of the right-of-way (ROW) for the private lane; however, such private lane may be subject to change through the Site Plar Application review and approval process. No above grade buildings or structures shall encroach into the private lane ROW; however, the limits of an underground parking garage may encroach into the private lane ROW.					way ⁄ate Plan	
v) Develo	opme	ent Standards:				
The fol	llowi	ng developme	nt standards sh	nall apply:		
a) N	Minir	num Setback f	rom <i>Front Lot L</i>	₋ine:		
ij	i)	Residential m	nixed use <i>build</i>	ing	0.	0 m
i	ii)	Underground	parking garag	e	0.	0 m
b) N	Minir	num Setback f	rom <i>Exterior Si</i>	de Lot Line:		
i))			use <i>building</i> ar etirement home		0 m
ii	i)	Underground	parking garag	е	0.	0 m
c) N	Minir	num Setback f	rom <i>Interior Sic</i>	de Lot Line:		
i))	Residential n	nixed use <i>build</i>	ing	0.	0 m
ii	i)	Senior citizer	ns' apartment/re	etirement home	7.	5 m
ii	ii)	Underground	parking garag	е	0.	0 m
iv	v)		parking garag of the subject la	e (for the easte ands)	rly 7.	5 m
d) N	Minir	num Setback f	rom <i>Rear Lot L</i>	ine:		
i))	Senior citizer	ns' apartment/re	etirement home	13.	6 m
ii	i)	Underground	parking garag	e	1.	0 m
Exception	Exception 213 is continued on the next page					

Exception	Zoning	Мар	By-law	File Reference
213 continued	UC	31	38-2023	OPA20-A2
				Z3/20
e) Minimum Private <i>Lane</i> ROW Width:				8.55 m

f) Minimum Ground Floor Area:

600 0 m²

g) Minimum Floor Space Index (FSI):

1.25

h) Maximum Floor Space Index (FSI):

4.3

i) Minimum Ground Floor Height:

4.0 m

j) Maximum *Height:*

i) Residential mixed use building

12 storeys/45.0 m (3)

ii) Senior citizens' apartment/retirement home

5-storeys/21.5 m (3)

k) Minimum Parking:

1.0 space per *dwelling unit* for the exclusive use of occupants in addition to 0.15 spaces per *dwelling unit* for the

exclusive use of visitors

1.0 space per 28.0 m² of non-residential

gross floor area

I) Minimum Number of Required Loading Spaces:

Notwithstanding Section 5.13 of Zoning By-law 95-2003, as amended, a minimum of 1.0 *loading space* is required. The provisions of Section 5.1 3.1 shall not apply to such *loading space*.

- m) Accessory buildings or structures shall only be permitted within common outdoor amenity spaces and private terraces. The provisions of Section 4.1.1 of Zoning By-law 95-2003 shall not apply to such accessory buildings or structures.
- n) Notwithstanding Section 4.21.1 of Zoning By-law 95-2003, a minimum setback of 0.0 metres shall be permitted between any wall of a *building* containing a door and any *lot line*.
- o) Minimum Landscaped Buffer:
 - i) A minimum *landscaped* buffer of 3.0 metres shall be provided adjacent to the *exterior side lot line*.

Exception	Zoning	Мар	By-law	File Reference
213 continued	UC	31	38-2023	OPA20-A2
				Z3/20

p) Minimum Amount of Amenity Space:

4.3

i) Residential mixed use building


3.0 m² per dwelling unit (4)

- q) Individual *retail store* or service commercial uses with a ground floor plate in excess of 4,645.0 m² in size are prohibited
- r) Minimum Setback from *Daylighting Triangle*:

0.0 m

- (3) The maximum *height* (measurement included in metres) shall be measured to the tallest point of a *building*, which includes, but is not limited to, mechanical penthouses and elevator enclosures.
- The minimum amount of amenity space may consist of any combination of indoor and outdoor amenity space; however, outdoor amenity space shall not include private balconies/terraces accessed through a unit. Private balconies/terraces are in addition to and shall not be allocated to such minimum amenity space requirement.

Schedule "D" to By-Law Number 38-2023



Exception	Zoning	Мар	By-law	File Reference
214	GS (H)	36	45-2023	OPA21-A2 Z4/21

i) Location:

190 Westney Road South

ii) Legal Description:

Part of Block M, Plan M-25, Parts 8 and 9, Plan 40R-18895, Town of Ajax, Regional Municipality of

Durham

All of PIN: 26461-0042 (LT)

iii) Permitted Uses:

Art gallery, commercial fitness centre, commercial school, convenience store ⁽¹⁾, day care facility, dry cleaning depot, financial institution, hotel, library, licensed accessory outdoor patio ⁽²⁾, medical clinic, office, personal service shop, place of assembly, place of entertainment, place of worship, restaurant, retail store ⁽¹⁾, self serve laundromat, unlicensed accessory outdoor patio, apartment dwelling ⁽³⁾, retirement home, and senior citizens' apartment.

- (1) No individual *retail store* or *convenience store* shall exceed a *gross floor area* of 2,000.0 m² in size. Further, *outdoor storage* is not permitted.
- ⁽²⁾ A *licensed accessory outdoor patio* is permitted provided that the *licensed accessory outdoor patio* meets the provisions in Section 6.3.1.1 of Zoning By-law 95-2003, as amended.
- (3) Only permitted on the upper floors of a *building* with ground level commercial uses.
- iv) Development Standards:The following development standards shall apply:

Exception	on	Zoning	Мар	By-law	File Reference
214 contir	nued	GS (H)	36	45-2023	OPA21-A2
					Z4/21
a)	Mini Sou	imum Setback t th):	from <i>Front Lot</i>	Line (Westney	Road
	i)	Residential mi	xed use <i>buildin</i>	g	0.0 m
	ii)	Underground	oarking garage		0.0 m
b)	Mini Cou	imum Setback t ırt):	from <i>Exterior</i> S	ide Lot Line (O	'Brien
	i)		xed use <i>buildin</i> structural colur	<i>ig</i> (ground floor mns)	only, 9.0 m ⁽⁴⁾
	ii)	Underground	oarking garage		0.0 m
c)	Mini	imum Setback t	from <i>Interior Si</i>	de Lot Line:	
	i)	Residential mi	xed use <i>buildin</i>	g	4.5 m
	ii)	Underground	oarking garage		4.5 m
d)	Mini	imum Setback t	from <i>Rear Lot I</i>	_ine:	
	i)	Residential mi	xed use <i>buildin</i>	g (excluding ba	alconies) 9.0 m ⁽⁵⁾

ii) Underground parking garage

 $0.0 \, \text{m}$

e) Minimum Setback from *Daylighting Triangle*:

 $0.0 \, \text{m}$

Minimum Tower Stepback:

The tower ⁽⁶⁾ shall stepback from the face of the base *building*/podium ⁽⁷⁾ a minimum of 2.0 metres. This stepback requirement shall only apply to the portion of the building adjacent to Westney Road South.

In the event that the existing easement is removed and/or reduced in size, the minimum 2.0 metre stepback requirement shall apply to all portions of the building.

g) Maximum Tower Floor Plate Size:

The maximum residential tower floor plate shall be no greater than 800.0 m², excluding balconies.

h) Minimum Tower Separation Distance:

The minimum tower separation distance shall be 25.0 metres from a tower on the same development site, and any tower shall be setback a minimum of 12.5 metres from an interior side lot line.

Exception	Zoning	Мар	By-law	File Reference
214 continued	GS (H)	36	45-2023	OPA21-A2 Z4/21

i) Maximum Building Height:

62-storeys

i) Maximum Base *Building*/Podium *Height*:

10-storeys

j) Minimum Building Height:

55-storeys

i) Minimum Base Building/Podium Height:

8-storeys

(x) Minimum Floor/Storey *Height* (ground floor and 2nd storey):

4.5 m

I) Maximum Floor Space Index (FSI):

15 0.8

m) Minimum *Floor Space Index* (FSI) for Employment/Commercial Uses:

n) Minimum *Gross Floor Area* for a *Retail Store* (Grocery Store):

1,500.0 m²

o) Maximum Lot Coverage:

80%

p) Minimum Amount of Amenity Space:

i) Indoor Amenity Space

2.0 m² per dwelling unit

ii) Outdoor Amenity Space (8)

1.5 m² per dwelling unit

q) Building Occupancy:

No more than 50% of the total residential *dwelling units* shall be occupied until a *retail store*, specifically a grocery store, and a *day care facility* have occupied the *building* and are fully operational.

r) Affordability Requirement:

A minimum of 5% of the total residential *dwelling units* shall be affordable units, as defined by Provincial policy.

s) Unit Size Requirement:

A minimum of 50 residential *dwelling units* shall be three bedroom units or larger.

t) Minimum Parking:

Exception	Zoning	Мар	By-law	File Reference
214 continued	GS (H)	36	45-2023	OPA21-A2 Z4/21

835 spaces, provided that:

- a ridesharing service is implemented and fully operational prior to occupancy of 60% of the total residential *dwelling units*
- a minimum of 730 spaces are provided for the exclusive use of residential occupants and visitors
- a minimum of 80 spaces are provided for the exclusive use of employment/commercial uses
- a minimum of 25 spaces are provided for the exclusive use of a ridesharing service
- u) Minimum Two-Way Drive Aisle Width:

6.7 m

- v) Minimum Number of Required Loading Spaces:
 - Notwithstanding Section 5.13 of Zoning By-law 95-2003, as amended, a minimum of 3.0 *loading spaces* are required. The provisions of Section 5.13.1 shall not apply to such *loading spaces*; however, such *loading spaces* shall be screened from public view.
- w) Accessory buildings or structures shall only be permitted within common outdoor amenity spaces. The provisions of Section 4.1.1 of Zoning By-law 95-2003 shall not apply to such accessory buildings or structures.
- x) Notwithstanding Section 4.21.1 of Zoning By-law 95-2003, a minimum setback of 0.0 metres shall be permitted between any wall of a *building* containing a door and any *lot line*.
- In the event that the existing easement is removed, the minimum setback from the *exterior side lot line* shall be 0.0 metres. In the event that the existing easement is reduced in size, then the minimum setback from the *exterior side lot line* shall be reflective of the size (width) of the easement.
- In the event that the existing easement is removed, the minimum setback from the *rear lot line* shall be 0.0 metres. In the event that the existing easement is reduced in size, then the minimum setback from the *rear lot line* shall be reflective of the size (width) of the easement.
- (6) Tower shall mean the portion of a tall building above the base building/podium.

Exception	Zoning	Мар	By-law	File Reference
214 continued	GS (H)	36	45-2023	OPA21-A2 Z4/21

- Base *building*/podium shall mean the lower portion of a tall *building* from *established grade* to the base of the tower.
- Outdoor amenity space shall not include private balconies/terraces accessed through a unit. Private balconies/terraces are in addition to and shall not be allocated to such minimum amenity space requirement.

SECTION 8: HOLDING PROVISIONS, TEMPORARY USE ZONES, AND INTERIM CONTROL ZONES

8.1 Holding Provisions

Where, on the Schedules to this By-law, a zone symbol is shown followed by the letter (H), for example R1(H), the lands shall only be used for the identified *uses* and the expansion of those *uses* as of the date of adoption of this By-law, until such time as certain conditions have been met.

Council may pass a By-law pursuant to Section 36 of the Planning Act to remove the Holding (H) Symbol, thereby placing the lands in the zone indicated by the zone symbol, when all of the applicable requirements have been met. Zones with Holding Provisions are identified in Section 8.1.1 of this By-law.

8.1.1 List of Holding Provisions

The following holding provisions apply to the properties specified:

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
69-1997	Part Lot 6, Broken Front Concession, Range III Land Owner: Losar Development File Reference: Z12/95	Prior to removing the holding provision, the subject lands may be used in accordance with the provisions of the "A" – Agricultural Zone as outlined in Section 6.6.	 The applicant enter into a development agreement with the Town of Ajax; and The Region of Durham must confirm the availability of full municipal services to the subject lands. 	July 21, 1997
21-1998 131-2012 15-2021	Part of Blocks S and T, Registered Plan M-26 NOW Parts 5, 6, 7, 8 and 9, Plan 40R-11815	Prior to removing the holding provision, the subject lands may be used in accordance with the provisions of the "A" – Agricultural Zone as outlined in Section 6.6.	 The applicant submit a site plan application to the Town for approval; and That the applicant enter into a site 	February 2, 1998 October 9, 2012

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
21-1998 131-2012 15-2021 continued	NOW Parts 15, 17, 18, 19 and 20, Plan 40R-27717 Land Owner: Medallion Developments (Bayly Square) South Limited File Reference: Z8/96, SP18/11, SP3/19		plan/development agreement with the Town.	February 22, 2021
96-1998	Part Lot 6, Broken Front Concession, Range III Land Owner: Losar Investments File Reference: Z4/98	Prior to removing the holding provision, the subject lands may be used in accordance with the provisions of the "A" – Agricultural Zone as outlined in Section 6.6.	 The applicant enter into a development agreement with the Town of Ajax. 	July 20, 1998
88-2001	Lands bounded by Notion Road and Highway 401 Land Owner: Multiple File Reference: Town Initiated	The subject lands shall be developed in accordance with the provisions of Exception 60 of this By-law, as amended.	A site plan agreement shall be prepared to the satisfaction of Town Council	July 19, 2001
56-2003	Part Lot 10, Concession 4, described as Parts 7, 8 and 9, Plan 40R-6127 Land Owner: Catholic Cemeteries File Reference: Z14/01	Prior to removing the holding provision, the subject lands may be used in accordance with the provisions of the "A" – Agricultural Zone as outlined in Section 6.6.	 The applicant shall submit a site plan application and enter into a site plan agreement with the Town of Ajax; The applicant agrees to convey all necessary 	May 26, 2003

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
56-2003 continued			road widenings to the satisfaction of the Town of Ajax and the Region of Durham;	
			The applicant agrees to provide an Edge Management Plan and a detailed planting and landscaping plan to the satisfaction of the Town and the TRCA.	
			 Conservation Authority Permits for fill and bridge crossings for the proposed development; and 	
			 Prior to the commencement of any construction, the applicant shall submit an Environmental Construction Management Plan to the satisfaction of the Town of Ajax. 	
95-2003	Concession I, South Part Lot 5 348 Bayly Street East Land Owner: Runnymede Development Corporation	Prior to removing the holding provision, the subject lands may be used in accordance with the provisions of the "A" – Agricultural Zone as outlined in Section 6.6.	 The landowner has submitted an Environmental Impact Study in accordance with the requirements of the Town's Official Plan; 	July 14, 2003

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
95-2003 continued	File Reference: Town Initiated		and The landowner has satisfied all of the requirements of the Town of Ajax and the Region of Durham.	
95-2003 72-2008	Concession II Part Lot 7 and Part Road Allowance between Lot 6 and 7 Now RP 40R13950 Part 4, 5, and Part 3 Part Land Owner: HDP Canada Industrial Fund I GP, Inc. File Reference: SP6/08	Prior to removing the holding provision, the subject lands may be used in accordance with the provisions of the "A" – Agricultural Zone as outlined in Section 6.6.	 The landowner has submitted an Environmental Impact Study in accordance with the requirements of the Town's Official Plan; and The landowner has satisfied all of the requirements of the Town of Ajax and the Region of Durham. 	July 14, 2003 July 3, 2008
95-2003	Concession I North Part Lot 5 and Part Road Allowance between Lot 4, 5 Now RP 40R9703 Part 1 Part, Part 2, and 3 Land Owner: Runnymede Development Corporation File Reference: Town Initiated	Prior to removing the holding provision, the subject lands may be used in accordance with the provisions of the "A" – Agricultural Zone as outlined in Section 6.6.	 The landowner has submitted an Environmental Impact Study in accordance with the requirements of the Town's Official Plan; and The landowner has satisfied all of the requirements of the Town of Ajax and the Region of Durham. 	July 14, 2003

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	(Conditions for Removal	Date Enacted
82-2004	Part of Lots 88, 89 and 90, Plan M-377			entered into a site plan	June 14, 2004
	Land Owner: Tony Egi, S&B Majestic Properties			agreement with the Town of Ajax.	
	File Reference: Z19/03				
96-2004	Part of Lot 6, Range 3, B.F.C.		ente agre	The applicant has entered into a site plan	July 5, 2004
	Land Owner: Imperial Oil Limited			agreement with the Town of Ajax.	
	File Reference: Z1/04, SP4/04				
123-2004	Plan 40M-1658, Block 263		•	The applicant has entered into a site plan	Sept. 27, 2004
	Land Owner: Elm Developments Ltd.			agreement with the Town of Ajax.	
	File Reference: Z1/04, SP4/04				

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
86-2005	580 Harwood Avenue South (Ajax Pickering Health Centre) Part of Block R, Registered Plan M-26 Land Owner: Ajax Pickering General Hospital File Reference: Z6/05, OPA No. 20	Prior to removing the holding provision, the subject lands may be used in accordance with the provisions of the 'POS' – Private Open Space Zone as outlined in Section 6.7	The landowner has submitted an Environmental Review Study in accordance with the requirements of the Town's Official Plan, together with a site plan satisfactory to the Town which reflects: (a) the recommendations of the above-noted report; and (b) arrangements to preserve the essential core integrity of the woodlot, recognizing that the report may determine that redevelopment of a peripheral portion of the woodlot can be appropriately accommodated while preserving the integrity of the remaining portion.	July 17, 2005

By-law No.	Property Description	Permitted <i>U</i> ses Until Holding Provision Removed	Conditions for Removal	Date Enacted
129-2006	Part of Lots 14 and 15, Plan 401 Land Owner: Ronald Daynard File Reference: Z2/06	Prior to removing the holding provision, the subject lands may be used in accordance with the permitted uses that are in existence as of the date of the passing of this By-law.	 When the four part lots are merged with the lands to the south to create four lots for residential units, that applicant applies and receives approval for exemption for part lot control; and 	Sept 25, 2006
			 The applicant has satisfied all the requirements of the Regional Municipality of Durham and the Town of Ajax. 	
24-2014	North Part of Lot 4, Range 3, Broken Front Concession, NOW Part 1 to 6, Registered Plan 40R-6831 Block 6 on Draft Plan of Subdivision S-A-2005-07 Land Owner: Daste Investments (Bayly) Ltd. File Reference Z16/05,S-A-2005-07	Prior to removing the holding provision, the subject lands may be used for a stormwater management facility or in accordance with the provisions with the Agricultural Zone (A) as out lined in Section 6.6.	 The applicant submit a site plan application to the Town of Ajax for approval. The applicant enter into a site plan/development agreement with the Town of Ajax. 	April 7, 2014 (OMB Decision - Case Nos. PL130454 and PL130455)

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
24-2014	North Part of Lot 4, Range 3, Broken Front Concession, NOW Part 1 to 6, Registered Plan 40R-6831 Block 7 on Draft Plan of Subdivision S-A-2005-07 Land Owner: Daste Investments (Bayly) Ltd. File Reference Z16/05,S-A-2005-07	Prior to removing the holding provision, the subject lands may be used for a stormwater management facility or in accordance with the provisions with the Agricultural Zone (A) as out lined in Section 6.6.	 The applicant submit a site plan application to the Town of Ajax for approval. The applicant enter into a site plan/development agreement with the Town of Ajax. 	April 7, 2014 (OMB Decision - Case Nos. PL130454 and PL130455)
25-2014 81-2021	North Part of Lot 4, Range 3, Broken Front Concession, NOW Part 1 on Registered Plan 40R- 13460, and Part of Lot 4, Range 3, Broken Front Concession, NOW Part 2 on Registered Plan 40R- 30300 Block 5 on Revised Draft Plan of Subdivision RL1/19 (S-A-2005-06) and Block 6 on Draft Plan of Subdivision S-A-2019- 01	Prior to removing the holding provision, the subject lands may be used in accordance with the provisions of the Agricultural Zone (A) as outlined in Section 6.6.	 The applicant submit a site plan application to the Town of Ajax for approval. The applicant enter into a site plan/development agreement with the Town of Ajax. 	March 6, 2014 April 7, 2014 (OMB Decision - Case Nos. PL130454 and PL130455) December 13, 2021

By-law No.	Property Description	Permitted <i>U</i> ses Until Holding Provision Removed	Conditions for Removal	Date Enacted
25-2014 81-2021 continued	Land Owner: Finchrose Development Corporation, and Chieftan (Ajax) Development Corporation Inc. File Reference: Z15/05, S-A-2005-06, Z2/19, S-A-2019-01, and RL1/19, S-A-2005-06			
40-2018	Southwest corner of Taunton Road West and Ravenscroft Road Land Owner: 1613935 Ontario Inc. File Reference: Z2/17, OPA17-A2	Permitted <i>uses</i> shall be those which are in existence as of the date of the passing of this Bylaw.	 That the Applicant enter into a Site Plan Agreement(s) with the Town of Ajax for each of parcels A, B and C as identified in Schedule "B" of this Bylaw. That the Applicant complete all required studies and reports to the satisfaction of the Town of Ajax, Region of Durham, and Toronto and Region Conservation Authority including: 	June 18, 2018

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
40-2018 continued			Functional Servicing Report;	
			Environmental Site Assessment(s);	
			 Soil Investigation and Slope Stability Assessment; 	
			Environmental Impact Study;	
			Traffic Impact Study;	
			Archaeological Assessment(s)	
			 Noise Impact Study 	
			■ That the Applicant shall provide a cash contribution equivalent to the cost of the entire right-of-way of Ravenscroft Road from the southern limit of the Rio Can property to the southern limit of the lands being developed,	

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
40-2018 continued			and that such contribution be provided in part prior to the execution of the site plan agreement associated with Parcel B, as identified on Schedule "B" to this bylaw, on the proportional basis calculated by site area, and that the balance is to be paid prior to the execution of the site plan agreement associated with the development of the second parcel.	
			■ That the Applicant provide payment to Rio Can for its proportionate share for the reconstruction of Ravenscroft Road, and that such contribution be provided in part prior to the execution of the site plan agreement associated with Parcel B, as identified on Schedule "B" to this bylaw, on a proportional basis calculated by site	

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
40-2018 continued			area, and that the balance is to be paid prior to the execution of the site plan agreement associated with the development of the second parcel.	
			■ That the Applicant obtain approval from the Town of Ajax and the Toronto and Region conservation Authority for the construction of the Duffins North Trail from Paulynn Park to Taunton Road.	
			■ That the Applicant design, construct and submit a Letter of Credit to the satisfaction of the Town of Ajax for the cost and construction of the Duffins North Trail from Paulynn Park to Taunton Road West. The design, construction and submission of the letter of credit shall be fulfilled prior to execution of the site plan agreement associated with the first	

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
40-2018 continued			development on any part of the lands subject to this by-law.	
			 Conveyance of lands needed for the realignment of Ravenscroft Road as indicated in the Environmental Assessment to be undertaken for the road reconstruction. 	
			■ That the Applicant convey to the Town of Ajax a 3.0 metre road widening along the west side of Ravenscroft Road from Taunton Road West to the Hydro Corridor.	
			That the Applicant convey to the Toronto and Region Conservation Authority 11.6 ha (28.6 ac) of valleylands associated with the East Duffins watershed.	
			 That the Applicant provide a cash contribution in the 	

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
40-2018 continued			amount of \$200,000.00, indexed from the date of adoption of by-law 115-2008 for the provision of public art at the southwest corner of Taunton Road West and Ravenscroft Road, prior to the development of any part of the lands subject to this by-law, save and except the development of the first 389 apartment units on Parcel B.	
			■ That the Applicant provide not less than 300 units for senior's purposes within the first phase of development, save and except the development of the first 389 apartment units on Parcel B.	
			 That the Applicant construct or provide a contribution equal to 100% of the cost of the implementation of traffic improvements, as may be identified within a 	

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
40-2018 continued			traffic impact study, to the satisfaction of the Town of Ajax.	
		Schedule 'B' to By-law Number 40-	2018	
		Parcel 'C'	© 13 30 00 Meters ()	
			O 15 30 GO Meetine Tourists interesting aggregation promotes the religious of the control of the religious of the control of the religious of the control o	

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
No. 74-2018	South of Bayly Street East, on the west side of Lake Ridge Road South Land Owner: Steeple Hill On The Lake Inc. File Reference: Z11/11, OPA 11/A1, SPA4/14, LD005/2011	Permitted uses shall be those which are in existence as of the date of the passing of this Bylaw.	Cemetery Zone (Holding) – "CE(H)": 1. Submit final versions of all required reports and studies to the Town of Ajax, Region of Durham and the Central Lake Ontario Conservation Authority. 2. A groundwater and surface water	Enacted April 19, 2018 (OMB Decision – Case No. PL170128)
			monitoring program shall be designed to include the following elements: a. Prior to site development, document baseline groundwater and surface water levels and quality on-site and in private water supply wells within 500 m downgradient of the site and 250	
			m up gradient of the northern edge of the area proposed for in- ground non- cremation graves.	

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
74-2018 continued			Monitoring of private water supply wells would be limited to those wells whose owners agree to participate in the monitoring program.	
			b. During site construction, monitor groundwater and surface water levels and quality on-site and in private water supply wells whose owners agree to participate in the monitoring program.	
			c. During the first year following construction and for the subsequent four years of cemetery operations, monitor groundwater and surface water levels and quality on-site. After this initial monitoring period, the results of the monitoring program are to be evaluated	

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
74-2018 continued			by a qualified professional to determine the need for, the length of and the scope of future monitoring following consultation with the Town of Ajax, the Region of Durham, and CLOCA.	
			d. The monitoring programs noted above shall measure groundwater levels using continuous automated water level recorders in selected on-site groundwater monitors and in accessible participating private water wells (as identified in 2(a)).	
			e. The water quality monitoring programs noted above shall include analysis of chemical and microbiological parameters	

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
74-2018 continued			considered indicative of potential cemetery effects.	
			f. The construction, post-construction and operational monitoring programs are to include water quality criteria to which the results of the monitoring program will be compared to evaluate potential effects.	
			Prepare a protocol/program to respond to water well interference complaints.	
			4. Demonstrate that nitrate loading from septic bed adjacent to the west side of the site has been removed or reduced.	
			5. Prepare a program to monitor and report on the quality and characteristics of the	

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
74-2018 continued			soil fill material being imported to the site.	
			6. Enter into a site plan agreement with the Town of Ajax, which includes the finalization of all drawings, reports and studies, submission of securities and insurance certificates, and any other clauses the Town, the Region and CLOCA see appropriate as it relates to the various environmental programs required to operate a cemetery on the subject lands.	
30-2019	Blocks 152 and 153, Plan 40M-1829; Road Allowance between Lots 8 & 9, Concession 2, Pickering being Harwood Avenue North, Between Rossland Road East and Block 153 on Plan 40M-1829; and Part Lot 8, Concession 2, Pickering as in Pl31499 except Pl43269, CO62311,	Prior to removing the holding provision, the subject lands may be used in accordance with the provisions of the 'A' – Agricultural Zone as outlined in Section 6.6.	 That the applicant enter into a development agreement that includes requirements to: Complete reconstruction of the 3.0m multi-use trail along Rossland Road West. Complete the construction of 	May 21, 2019

By-law No.	Property Description	Permitted <i>U</i> ses Until Holding Provision Removed	Conditions for Removal	Date Enacted
30-2019 continued	CO130852, CO51308, CO165975 & Plan 459 and Part 1 on 40R- 21617, Town of Ajax		Smales Drive.	
	Land Owners: 2613628 Ontario Ltd. And Town of Ajax			
	File Reference: Z2/18			
17-2020	Part of Lot 3, Concession 3, Part 1, Registered Plan 40R-2467; Block 251, Registered Plan 40M-2186; and Part of Block 255, Registered Plan 40M-2186 Lands located at the southwest corner of Taunton Road East and Audley Road North Land Owner: Jean Al Gardens Plaza File Reference: Z1/19	Prior to removing the holding provision, the subject lands may be used in accordance with the provisions of the Permanent Countryside (PC) Zone as outlined in Section 6.6.	■ The applicant/future developer prepare and submit a Phase Two Environmental Site Assessment (ESA) and file a Record of Site Condition (RSC) for the subject lands with the Ministry of Environment, Conservation and Parks (MECP). The applicant provide the Town and Regional Municipality of Durham with an acknowledgment from the MECP that the RSC has been filed in the Environmental Site Registry.	May 19, 2020

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
17-2020 continued			 The applicant/future developer submit a Site Plan Application to the Town for approval. 	
			 The applicant/future developer enter into a Site Plan Agreement with the Town. 	
			■ The applicant/future developer complete the construction of a sidewalk extension along the west side of Audley Road North and the re-construction of a multi-use trail along Taunton Road East.	
05-2022	Registered Plan 386 Part Lots 1, 2 and 3 Lands located at the northeast corner of Bayly Street East and Street 'A' (formerly Porte Road) Land Owner: Bayley Salem Developments Limited	Prior to removing the holding provision, the subject lands may be used in accordance with the provisions of the "A" – Agricultural Zone as outlined in Section 6.6.	■ The applicant prepare and submit a Phase Two Environmental Site Assessment (ESA) and a Record of Site Condition (RSC) to the Ministry of Environmental, Conservation and Parks (MECP). The RSC must be to the satisfaction of The Regional Municipality of Durham.	January 24. 2022

By-law No.	Property Description	Permitted <i>U</i> ses Until Holding Provision Removed	Conditions for Removal	Date Enacted
05-2022 continued	File Reference: Z5/18		■ The applicant provide the Town and the Regional Municipality of Durham an acknowledgement from the MECP that the RSC has been filed in the Environmental Site Registry.	
			■ The applicant submit a letter of clearance from the Ministry of Heritage, Sport, Tourism and Cultural Industries to the Region of Durham for the "Stage 1 and 2 Archaeological Assessment," prepared by This Land Archaeology Inc., dated October 11, 2017, and any revisions thereon.	
			 The applicant submit a site plan application to the Town for approval. 	
			 That the applicant enter into a side plan agreement with the Town. 	

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
05-2022	Registered Plan 386 Part Lots 1, 2 and 3 Lands located at the northwest corner of Bayly Street East and Salem Road South Land Owner: Bayley Salem Developments Limited File Reference: Z5/18	Prior to removing the holding provision, the subject lands may be used in accordance with the provisions of the "A" – Agricultural Zone as outlined in Section 6.6.	If the subject lands are to be developed in accordance to the RM4 zone: The applicant prepare and submit a Phase Two Environmental Site Assessment (ESA) AND A Record of Site Condition (RSC) to the Ministry of Environment, Conservation and Parks (MECP). The RSC must be to the satisfaction of The Regional Municipality of Durham. The applicant provide the Town and the Regional Municipality of Durham an acknowledgement from the MECP that the RSC has been filed in the Environmental Site Registry. The applicant submit a letter of clearance from the Ministry of Heritage, Sport, Tourism and Culture	January 24, 2022

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
05-2022 continued			Industries to the Regional of Durham for the "Stage 1 and 2 Archaeological Assessment," prepared by This Land Archaeology Inc., dated October 11, 2017, and any revisions thereon.	
			 The applicant submit a site plan application to the Town for approval. 	
			 That the applicant enter into a site plan agreement with the Town. 	
			If the subject lands are to be developed in accordance to the AC zone:	
			 The applicant submit a letter of clearance from the Ministry of Heritage, Sport, Tourism and Culture Industries to the Region of Durham for the "Stage 1 and 2 Archaeological 	
			Assessment," prepared by This Land Archaeology Inc. dated	

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
05-2022 continued			October 11, 2017, and any revisions thereon;	
			 The applicant submit a site plan application to the Town for approval; 	
			 That the applicant enter into a site plan agreement with the Town. 	
50-2022	310 Kingston Road East	Prior to removing the holding provision, the subject lands may be used in accordance	The applicant/owner enter into an agreement with the Town for the	June 20, 2022
	Part of Lot 5, Concession 2 Pickering, Town of Ajax, Regional Municipality of Durham	with the provisions of the Agricultural (A) Zone as outlined in Section 6.6.	provision of affordable rental dwelling units. Such agreement will address, but not limited	
	All of PIN: 26411-0017 (LT)		to, the applicant's/owner's responsibility for operating the affordable	
	Owner: Promita Holdings Ltd.		rental units, eligibility criteria to occupy an affordable rental unit, affordable rental rates,	
	File Reference: Z5/17		affordability period, and annual auditing and reporting to the Town. The applicant/owner	
			covenants and agrees that the Town may register this agreement	

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
50-2022 continued			against the title to the lands. The applicant/owner provide a clearance letter from the Ministry of Heritage, Sport, Tourism and Culture Industries for the completed archaeological assessments and supporting documentation. The applicant/owner complete the necessary steps to legally establish the proposed access easements with the adjacent landowner (RioCan) and the Town and enter into an agreement with the adjacent landowner (RioCan) as it relates to the proposed shared access. The applicant/owner covenants and agrees that the Town may register this agreement against the title to the lands.	

By-law No.	Property Description	Permitted <i>Uses</i> Until Holding Provision Removed	Conditions for Removal	Date Enacted
79-2022	Parts 1, 2 and 3 on Registered Plan 40R- 21195, Concession 3, Part of Lots 3 and 4 on Registered Plan 40M- 2174, and Concession 3 South Part Lot 3 Now Parts 1, 2 and 3 on Registered Plan 40R- 19840 Lands between Rossland Road East and Carberry Crescent, Mansbridge Crescent, Styles Crescent, and Whitlock Crescent, from the Carruthers Creek tributary to Audley Road North Owner: Medallion Developments (Castlefields) Limited File Reference: Z1/17	Prior to removing the holding provision, the subject lands may be used in accordance with the provisions of the "RM6" Residential Multiple Six Zone as outlined in Section 6.2 and "NC" -Neighbourhood Commercial Zone as outlined in Section 6.3.	 The applicant enter into a Planning Act Section 37 Community Benefits Agreement with the Town no later than September 18, 2022, to the satisfaction of Town. The applicant convey a 0.96 hectare parcel of land located adjacent to Rossland Road East, Hilton Gate, and Styles Crescent for the purposes of a park upon site plan approval of the first parcel/ building of the subject lands, to the satisfaction of the Town. The applicant submit a site plan application to the Town for approval. That the applicant enter into a site plan agreement with the Town. 	September 16, 2022

By-law No.	Property Description	Permitted <i>U</i> ses Until Holding Provision Removed	Conditions for Removal	Date Enacted
45-2023	190 Westney Road South Part of Block M, Plan M-25, Parts 8 and 9, Plan 40R- 18895, Town of Ajax, Regional Municipality of Durham All of PIN: 26461-0042 (LT) Owner: 190 Westney Holdings Ltd. File Reference: Z4/21	Prior to removing the holding provision, the subject lands may be used in accordance with the provisions of the Prestige Employment (PE) Zone as outlined in Section 6.4.	• The applicant/owner enter into an agreement with the Town for the provision of affordable dwelling units. Such agreement will address, but not be limited to, the applicant's/owner's responsibility for operating/implementing the affordable units, eligibility criteria to occupy/purchase an affordable unit, affordable rates/prices, affordability period, and annual auditing and reporting to the Town. The applicant/owner covenants and agrees that the Town may register this agreement against the title to the lands.	September 5, 2023

8.2 Temporary Use Zones

Where on Schedules to this By-law, a zone symbol is shown and followed by the letter (T), for example RU(T), one or more additional *uses* are permitted on the lands noted until the permission granted by the site specific by-law expires. Section 8.2.1 identifies the Temporary *Use* Zones within the Municipality.

8.2.1 List of Temporary Use Zones

By-law 26-2020 41-2020	Date Enacted July 27, 2020 October 19, 2020	Date Permissions Terminate December 31, 2023	Zoning All	File Reference N/A
72-2021	November 22, 2021			

- 1. A Licensed Accessory Outdoor Patio or Unlicensed Accessory Outdoor Patio shall be permitted as an accessory use to a Restaurant and Restaurant, Drive-Thru.
- 2. Notwithstanding section 5.10.2, a *Licensed Accessory Outdoor Patio or Unlicensed Accessory Outdoor Patio* constructed as a result of this Temporary Use By-Law shall be exempt from providing additional parking.
- 3. A Licensed Accessory Outdoor Patio or Unlicensed Accessory Outdoor Patio may be located in a Parking Lot, Parking Space, Drive Aisle, or Landscape Buffer, provided it does not:

Temporary Use for By-laws 26-2020, 41-2020, and 72-2021 is continued on the next page.

By-law	Date Enacted	Date Permissions Terminate	Zoning	File Reference
26-2020 41-2020 72-2021 Continued	July 27, 2020 October 19, 2020 November 22, 2021	December 31, 2023	All	N/A

- a) Occupy more than 4 required parking spaces or 33 percent of the parking spaces required for the *Restaurant* (whichever is greater);
- b) Occupy a Fire Route;
- c) Occupy a required parking space for persons with disabilities;
- d) Obstruct a required loading space; and
- e) Obstruct a Drive Aisle that serves as a required route for ingress/egress to/from the property.
- 4. Notwithstanding Section 6.3.1.1, a *Licensed Accessory Outdoor Patio* constructed in conformity with this Temporary Use By-Law shall be permitted abutting a residential, institutional, or open space zone provided:
 - a) It is located a minimum of 20 metres from the abutting residential, institutional, or open space zone (measured to the property line); or
 - b) There is a building situated between the licensed patio and the residential, institutional or open space zone.

By-law	Date Enacted	Date Permissions	Zoning	File Reference
36-2023	June 19, 2023	Terminate	VC3 (T)	Z1/23
		June 19, 2026		

i) Location: 527 Kingston Road West

ii) Legal Description: Part Lot 9, Registered Plan 11,

NOW Part 1, Registered Plan 40R PLAN 40R-11812

iii) Additional Permitted Uses: Detached Dewelling

iv) Date Enacted: June 19, 2023

v) Date Permission(s) June 19, 2026 Terminate:

Except as amended herein, all other provisions of this By-law, as amended, shall apply

8.3 Interim Control Zones

Where on Schedules to this By-law, a zone symbol is followed by a dash and the letter "I" (for example C4-I), no change in *use* and no construction of any *buildings* or *structures* is permitted until the expiry of the site specific by-law affecting the lands. Lands affected by site specific interim control by-laws are catalogued in Section 8.3.1.

8.3.1 List of Interim Control Zones

There are no interim control zones currently in effect.

SECTION 9: MINISTER'S ZONING ORDERS

Filed with the Registrar of Regulations Déposé auprès du registrateur des règlements

JUL 31 2020

Number (O.Reg.) Numéro (Règl. de l'Ont.)

438/20

Amended by O. Reg. 455/22 (April 29, 2022)

BY-LAW NUMBERS 29-2020 and 86-2022

ONTARIO REGULATION

made under the

PLANNING ACT

ZONING ORDER-TOWN OF AJAX, REGIONAL MUNICIPALITY OF DURHAM

Definitions

1. In this Order,

"accessory", means a use, building or structure that is normally incidental or subordinate to a principal use, building or structure located on the same lot, including but not limited to,

- (a) places of assembly,
- (b) offices,
- (c) coffee shops and restaurants used in conjunction with the other uses on the lot,
- (d) dining facilities,
- (e) medical clinics,
- (f) nursing stations,
- (g) personal service shops,
- (h) recreation facilities,
- (i) retail shops,
- (j) research, development and training facilities,
- (k) daycare facilities,
- adult daycare facilities, and
- (m) community centres;

"long-term care home" has the same meaning as in the *Long-term Care Homes Act*, 2007;

"retirement home" has the same meaning as in the Retirement Homes Act, 2010;

"Zoning by-law" means the Town of Ajax Comprehensive Zoning By-law, 95-2003, as amended.

Application

- **2.** (1) This Order applies to lands in the Town of Ajax, in the Regional Municipality of Durham, in the Province of Ontario, being the lands outlined in red on a map numbered 305 and filed at the Toronto Office of the Ministry of Municipal Affairs and Housing located at 777 Bay Street.
- (2) For the purposes of this Order, the lands described in subsection (1) shall be considered a single lot.
- (3) Despite any future severance, partition or division of the lands described in subsection (1), this Order shall apply as if no severance, partition or division occurred.

Permitted uses

- **3.** Every use of land and every erection, location or use of any building or structure is prohibited on the lands described in section 2, except,
 - (a) a 198-bed capacity long-term care home and accessory uses; and
 - (b) a 320-unit retirement home and accessory uses.

Zoning requirements

- **4.** The zoning requirements for the lands set out in section 2 are as follows:
 - 1. The long-term care home and retirement home referred to in section 3 shall meet the zone standards set out in subsection 6.5.2, I-A Institutional A, of the zoning by-law.
 - 2. Despite paragraph 1, a minimum 30-metre building setback is required from a railway right-of-way.
 - 3. The minimum required parking spaces at the long-term care home is one parking space per three beds in the long-term care home.
 - 4. The minimum required parking spaces at the retirement home is 0.5 parking spaces per unit for residents plus 0.25 parking spaces per unit reserved for visitors
 - 5. In addition to the minimum required parking spaces set out in paragraphs 3 and 4, parking shall be provided for persons with disabilities in accordance with the *Accessibility for Ontarians with Disabilities Act, 2005.*
 - 6. A minimum of two loading spaces shall be provided.
 - 7. The minimum building height is 6 metres.
 - 8. The maximum building height is 12 storeys.
 - 9. The minimum landscaped open space is 25 per cent.
 - 10. Despite the zone standards set out in subsection 6.5.2, I-A Institutional A, of the zoning by-law, the minimum front yard setback and the interior side yard setback are each 6 metres.

Terms of use

- 5. (1) Every use of land and every erection, location or use of any building or structure shall be in accordance with this Order.
 - (2) Nothing in this Order prevents the use of any land, building or structure for any use prohibited by this Order if the land, building or structure was lawfully so used on the day this Order comes into force.
 - (3) Nothing in this Order prevents the reconstruction of any building or structure that is damaged or destroyed by causes beyond the control of the owner if the dimensions of the original building or structure are not increased and its original use is not altered.


(4) Nothing in this Order prevents the strengthening or restoration to a safe condition of any building or structure.

Deemed by-law

6. This Order is deemed for all purposes, except the purposes of section 24 of the Act, to be and to always have been a by-law passed by the council of the Town of Ajax.

Commencement

7. This Regulation comes into force on the day it is filed.



This is map no. 305 referred to in a Minister's Zoning Order Amendment. It shows lands which are located in Part of Lot 8, Concession 3, Town of Ajax, Regional Municipality of Durham.

We are committed to providing accessible customer service (https://www.ontario.ca/page/accessible-customer-service-policy).

On request, we can arrange for accessible formats and communications supports. Please contact MMAH by email (mininfo@ontario.ca) for regulation details. Filed with the Registrar of Regulations Déposé auprès du registrateur des règlements

AUG 28 2020

Number (O.Reg.) Numéro (Règl. de l'Ont.)

475/20

Amended by O.Reg. 261/21 (April 6, 2021)

BY-LAW NUMBERS 30-2020 and 85-2021

ONTARIO REGULATION

made under the

PLANNING ACT

ZONING ORDER-TOWN OF AJAX, REGIONAL MUNICIPALITY OF DURHAM

Definitions

1. In this Order,

"accessory", when used to describe a use, building or structure, means a use,

building or structure that is normally incidental or subordinate to a principal use, building or structure located on the same lot, including but not limited to,

- (a) an above-ground parking structure used in conjunction with the other uses on the lot,
- (b) activity rooms,
- (c) administrative offices,
- (d) coffee shops and restaurants used in conjunction with the other uses on the lot,
- (e) a community facility,
- (f) community gardens,
- (g) dining facilities,
- (h) doctors' offices,
- (i) nursing stations,
- (j) personal service shops used in conjunction with the other uses on the lot, and
- (k) retail shops used in conjunction with the other uses on the lot;

"community facility" means a multi-purpose facility that offers a variety of programs of a medical, therapeutic, recreational, cultural, day care, social, community service, informational or instructional nature, and may include, as a portion of it, a medical clinic if the clinic does not provide for overnight stays;

"long-term care home" has the same meaning as in the *Long-term Care Homes Act*, 2007:

"retirement home" has the same meaning as in the Retirement Homes Act, 2010;

"zoning by-law" means Zoning By-law 95-2003 of the Town of Ajax.

Application

- **2.** (1) This Order applies to lands in the Town of Ajax in the Regional Municipality of Durham, in the Province of Ontario, being the lands identified on a map numbered 263 and filed at the Toronto office of the Ministry of Municipal Affairs and Housing located at 777 Bay Street.
- (2) For the purposes of this Order, the lands described in subsection (1) are considered to be a single lot.

Non-application of s. 41 of the Act, site plan control area

3. Section 41 of the Act does not apply to the lands described in subsection 2(1) of this Order.

Matters that may be dealt with in agreement.

4. Each person who owns all or any part of the lands described in subsection 2(1) shall enter into one or more agreements with the Town of Ajax dealing with the matters listed in subsection 47 (4.4) of the Act.

Permitted uses

- **5.** In addition to the uses permitted by the zoning by-law on the lands described in subsection 2(1), the following uses are permitted:
 - 1. A 320-bed long-term care home.
 - 2. A retirement home.
 - 3. Accessory uses, buildings and structures.

Zoning requirements

- 6. The zoning requirements for the lands described in subsection 2(1) are as follows:
 - 1. The minimum setback from the front lot line is 2.0 metres.
 - 2. The minimum setback from the exterior lot line is 2.0 metres.
 - 3. No minimum front or exterior build-within areas are required.
 - 4. No minimum length of building wall is required to be located within the front or exterior side yard build-within areas.
 - 5. The lot coverage for all buildings, including underground parking covered by landscaped open space and any above-ground parking structure, is a minimum of 25 per cent.
 - 6. The minimum amount of landscaped open space is 10 per cent.
 - 7. The maximum amount of surface parking, driveways, loading and service areas, excluding private roads, is 40 per cent.
 - 8. The minimum amount of development on the lot is a floor space index of 0.9.
 - 9. Parking shall be provided for persons with disabilities in accordance with the requirements under the *Accessibility for Ontarians with Disabilities Act*, 2005.
 - 10. A principal entrance of each long-term care home and retirement home shall face Harwood Avenue or a public street.
 - 11. A minimum of one parking space per four long-term care beds shall be provided.
 - 12. Section 5.4 iii) of the zoning by-law shall apply to the lands described in subsection 2(1).
 - 13. The minimum setback from an interior side lot line and a rear lot line to a parking structure is 3.0 metres.

Terms of use

- **7.** (1) Every use of land and every erection, location and use of buildings or structures shall be in accordance with this Order.
- (2) Nothing in this Order prevents the use of any land, building or structure for any use prohibited by this Order if the land, building or structure is lawfully so used on the day this Order comes into force.
- (3) Nothing in this Order prevents the reconstruction of any building or structure that is damaged or destroyed by causes beyond the control of the owner if the dimensions of the original building or structure are not increased or its original use altered.
- (4) Nothing in this Order prevents the strengthening or restoration to a safe condition of any building or structure.

Deemed by-law


8. This Order is deemed for all purposes, except the purposes of section 24 of the Act, to be and to always have been a by-law passed by the council of the Town of Ajax.

Commencement

8. This Regulation comes into force on the day it is filed.

(Continued on next page)

Part of Lot 9, Range 3, Broken Front Concession Town of Ajax, Regional Municipality of Durham.



Map Description:

This is map no. 263 referred to in a Minister's Zoning Order. It shows lands which are located in Part of Lot 9, Range 3, Broken Front Concession, Town of Ajax, Regional Municipality of Durham.

THIS IS NOT A PLAN OF SUR

Information provided by the Ministry of Munic Affairs and Housing, under licence with Ministry of Natural Resour © 2021, Queen's Printer for Onti Filed with the Registrar of Regulations Déposé auprès du registrateur des règlements

NOV 15 2021

Number (O.Reg.) Numéro (Règl. de l'Ont.)

773/21

BY-LAW NUMBER 84-2021

ONTARIO REGULATION

made under the

PLANNING ACT

ZONING ORDER-TOWN OF AJAX, REGIONAL MUNICIPALITY OF DURHAM

Definitions

1. In this Order,

"Zoning By-law" means the Town of Ajax Zoning By-Law No. 95-2003.

Application

2. This Order applies to lands in the Town of Ajax, in the Regional Municipality of Durham, in the Province of Ontario, being the lands outlined in red on the map numbered 276 and filed at the Toronto office of the Ministry of Municipal Affairs and Housing located at 777 Bay Street.

Prestige Employment Zone

- **3**.(1) This section applies to the lands located in the area shown as the Prestige Employment Zone on the map referred to in section 2.
- (2) Every use of land and every erection, location or use of any building or structure is prohibited on the lands described in subsection (1), except for the uses permitted in the Prestige Employment Zone under the Zoning By-law.
- (3) The zoning requirements for the Prestige Employment Zone set out in the Zoning Bylaw apply to the lands described in subsection (1), with the following exceptions:
 - 1. An accessory retail sales outlet shall not exceed 20 per cent of the total gross floor area of the premises in which it is located.
 - 2. The maximum gross floor area of an accessory retail sales outlet is 500 square metres.
 - 3. A single-unit building containing any of the following shall be permitted only as ancillary to a principal building on a lot:
 - i. A day care facility.
 - ii. A dry cleaning establishment.
 - iii. A financial institution.
 - iv. A personal service shop.
 - v. A restaurant.
 - vi. A restaurant drive-thru.
 - vii. A service or repair shop.
 - viii. A veterinary clinic.

- 4. The maximum gross floor area of a single-unit building is 350 square metres.
- 5. The aggregate ground floor area of all single-unit buildings shall be limited to 15 per cent of the total ground floor area for all buildings on the property.
- 6. A maximum of two rows of parking shall be permitted in the front yard and exterior side yard.
- 7. The combined number of parking spaces in the front yard and exterior side yard shall not exceed 60 per cent of the total number of parking spaces provided.
- 8. Trailer parking for short-term staging shall be permitted only in the interior side yard.

Environmental Protection Zone

- **4.**(1) This section applies to the lands located in the area shown as the Environmental Protection Zone on the map referred to in section 2.
- (2) Every use of land and every erection, location or use of any building or structure is prohibited on the lands described in subsection (1), except for the uses permitted in the Environmental Protection Zone under the Zoning By-law.

Terms of use

- **5.** (1) Every use of land and every erection, location or use of any building or structure shall be in accordance with this Order.
- (2) Nothing in this Order prevents the use of any land, building or structure for any use prohibited by this Order if the land, building or structure was lawfully so used on the day this Order comes into force.
- (3) Nothing in this Order prevents the reconstruction of any building or structure that is damaged or destroyed by causes beyond the control of the owner if the dimensions of the original building or structure are not increased or its original use altered.
- (4) Nothing in this Order prevents the strengthening or restoration to a safe condition of any building or structure.

Deemed by-law


6. This Order is deemed for all purposes, except the purposes of section 24 of the Act, to be and to always have been a by-law passed by the council of the Town of Ajax.


Commencement

7. This Regulation comes into force on the day it is filed.

(Continued on next page)

Part of Lots 13 and 14, Concession 1, Town of Ajax, Regional Municipality of Durham





Map Description:

This is map no. 276 referred to in a Minister's Zoning Order. It shows lands which are located in Part of Lots 13 and14, Concession 1, Town of Ajax, Regional Municipality of Durham. We are committed to providing accessible customer service

(https://www.ontario.ca/page/accessible-customer-service-policy).
On request, we can arrange for accessible formats and communications supports.

Please contact MMAH by email (mininfo@ontario.ca) for regulation details.

THIS IS NOT A PLAN OF SURVEY

Information provided by the Ministry of Municipal Affairs and Housing, under licence with the Ministry of Natural Resources. © 2021, Queen's Printer for Ontario.



SECTION 10: ENACTMENT

10.1 Force and Effect

This By-law shall come into force and effect on the date it is passed by the *Council* of the Corporation of the Town of Ajax subject to the applicable provisions of the Planning Act, R.S.O. 1990, as amended.


10.2 Readings by *Council*

This By-law read a first time and second time on the 14th day of July, 2003.

This By-law read a third time and finally passed on the 14th day of July, 2003.


	MAYOR:
(Municipal Seal)	
	CLERK:
10.3 Certification:	
2003 as enacted by	the foregoing is a true copy of Zoning By-law No. 95-the <i>Council</i> of the Corporation of the Town of Ajax, day of,
	CLERK:

EXPLANATORY NOTES (These Explanatory Notes do not form part of the By-law but are intended for illustrative purposes only.)




BUILDING ENVELOPE






FRONT LOT LINE


ILLUSTRATIONS OF DWELLING TYPES




ILLUSTRATIONS OF TYPES OF DWELLINGS




ILLUSTRATIONS OF BUILDING HEIGHT




DEFINITION OF TYPES OF LOTS





LOT LINE DESCRIPTIONS



PARKING AREA ILLUSTRATION

