


C:\Users\jcapenier\Documents\0126124.00_Enterprise-Dr-Spec_ARC23_jcapenier\ME\18.rvt 5/13/2024 10:35:32 AM



FLOOR PLAN (NEW CONSTRUCTION)
SCALE: 1" = 20'-0"

NOTES:

- GENERAL NOTES:**
- DO NOT SCALE DRAWINGS. FIELD VERIFY EXISTING CONDITIONS.
 - ALL AREAS ADJACENT TO CONSTRUCTION SHALL REMAIN ACCESSIBLE FOR THE USE AND MEET THE REQUIREMENTS FOR ALL LIFE SAFETY CODES AND A.D.A. ACCESSIBILITY CODES AT ALL TIMES.
 - ALL COLUMNS TO BE PAINTED SAFETY YELLOW TO 12' - 0" A.F.F.; COLUMNS LOCATIONS PROVIDED WITH FIRE EXTINGUISHERS TO BE PAINTED RED TO 12' - 0" A.F.F. UNLESS NOTED OTHERWISE.

KEY NOTES:

- 6 MIL. POLYETHYLENE VAPOR BARRIER WITH JOINTS LAPPED NOT LESS THAN 6" SHALL BE PLACED BETWEEN THE BASE COURSE OR SUBGRADE AND THE CONCRETE SLAB. OR APPROVED EQUIVALENT METHODS OR MATERIALS SHALL BE USED TO RETARD VAPOR TRANSMITTANCE THROUGH THE FLOOR SLAB.
- ROOF ACCESS LADDER WITH LADDER CLIMBING SYSTEM. LADDER DESIGN AND CONNECTIONS TO BE COMPLETED BY THIRD PARTY SPECIALTY ENGINEER. LADDER CLIMBING SYSTEM TO COMPLY WITH THE APPLICABLE REQUIREMENTS OF THE ANSI/ASSP 7559.6-2016 SPECIFICATIONS AND DESIGN REQUIREMENTS FOR ACTIVE FALL PROTECTION SYSTEMS
- 6" CONCRETE FILLED STEEL BOLLARD; PAINTED SAFETY YELLOW
- 7.5 KW WALL HEATER; SEE MECHANICAL DRAWINGS

LEGEND:

- [A] WALL TYPE
- [##] DOOR TYPE
- [#] GLAZING TYPE
- [##-##] KEY NOTE

KEY PLAN:

DESIGNED	JTC	PROJECT NUMBER	0126124.00
DRAWN	JTC	DATE	04/19/2024
CHECKED	TKB		

LJB Engineering
Building Partnerships
LJBinc.com
(866) 552-3536
info@LJBinc.com

KELLEY CONSTRUCTION INC.
12550 Lake Station Place - Louisville, KY 40299
rlatham@kelleyconstruction.com - 502-438-4784

NICKLIES ENTERPRISE DRIVE SPEC
6701 & 6707 ENTERPRISE DRIVE
LOUISVILLE, KY 40214

REV	DATE	RELEASED FOR
B	05/13/24	100% CD
A	04/19/24	60% CD

FLOOR PLAN(S)

A101