



SYMBOL	DESCRIPTION
●	TOILET EQUIPMENT FAN
○	EXIT LIGHT WITH BATTERY BACK UP
⊗	ILLUMINATED EXIT SIGN WITH BATTERY BACK UP
⊕	SMOKE DETECTOR INTERCONNECT FIRE CODE
⊖	CARBON MONOXIDE DETECTOR

COMPLIANCE FOR:
 RETAIL SPACE AT
 2980 VETERANS MEMORIAL HIGHWAY
 BOHEMIA, NY
 COUNTY OF SUFFOLK
 MAP # 111-17

JEFFREY T. BUTLER, P.E.
 P.O. BOX 634 SHOREHAM
 631.508.6650 601.717.8933 (FAX)

ENGINEER

JEFFREY T. BUTLER, P.E.

DATE: 11/18/17
 SHEET NO.: 30003

PAGE:
3 of 3

TRAVEL DISTANCE
 NYS BUILDING CODE TABLE 1006.3.1
 FOR OCCUPANCIES "I" AND "B", OCCUPANT LOAD LESS THAN 30, NON-SPRINKLERED
 MAX TRAVEL DISTANCE ALLOWED = 75'
 MAX TRAVEL DISTANCE PROVIDED = 41' AT UNIT 2.

FIRE SEPARATION
 NYS BUILDING CODE TABLE 908.1
 REQUIRED FIRE SEPARATION "A" TO "B" AND "B" TO "B", NON-SPRINKLERED = 0
 FIRE SEPARATION PROVIDED = 1.2 HOURS AS SHOWN