# MIDPOINT

LOGISTICS CENTER

Hillsborough Township, New Jersey

cbre.us/midpoint

**±251,000 SQ. FT.** FOR LEASE





#### **KEY SPECIFICATIONS**

BUILDING FOOTPRINT	251,410 sq. ft.		
BUILDING DIMENSIONS	811' x 310'		
CAR PARKING	±209 spaces		
TRAILER PARKING	±184 spaces		
DRIVE-IN DOORS	1x 14' x 16'		
LOADING DOCKS	25x dock positions are provided. 9'-0" x 10'-0" insulated steel vertical lift overhead doors. 10 additional docks can be added.		
RAIL	Unmatched rail capability. NS can deliver 60 rail cars/day. Interior single or double rail spur. Rebuilt rail can accommodate 286,000 pound cars. 90 car rail storage yard in construction; to be completed by the end of the year.		

Located on Federal Government land. Building Infrastructure Improvements are not subject to township reassessment upon completion. Please visit our website at **cbre.us/midpoint** for more information.







### BASE SPECIFICATIONS

BUILDING TYPE	Single-story precast concrete wall construction	FLOOR SLAB	1,000 PSF live load slab, 7" reinforced concrete
CLEAR HEIGHT	36' minimum clear height	FIRE PROTECTION	ESFR fire suppression system shall be provided in accordance with local codes. Fire extinguishers shall be provided as required by the local fire marshal. Fire hose allowance shall be 250 GPM
BAY SIZE	Interior: 50' x 50' Speed Bays: 60'		
LOADING DOCKS	35,000 lb. mechanical pit leveler Dock bumpers	MECHANICAL	Wall mounted, gas-fired unit heaters
	Dock weather seals at each dock location Dock light (LED) with power receptacles	LIGHTING	LED lamps throughout 25 Foot candle (FC) at 36" above floor 2x4 low-profile LED lights with
CODE/ADA COMPLIANCE	The building shall meet all local and national building codes and current		motion sensors designed for 25fc at 36' above finished floor
OFFICE SPACE	ADA codes  TBD	ELECTRICAL SERVICE	PSE&G as primary electric service provider: 2,500 Amps, 480/277 V
OUTSIDE STORAGE	Available; location to be determined	FIRE ALARM	U/L listed and certified addressable Class A supervised non-coded multi- zone central station fire alarm system.
TRUCK COURT	±60' concrete apron on both sides of the building	SANITARY SERVICE	A 6" sanitary sewer service shall be provided at each tenant entrance
PAVEMENT	Light duty pavement at car parking areas comprised of a 95% compacted approved sub base, 4" compacted DGA, 2" base course and 1.5" top course	DOMESTIC WATER	A 2.5" water service shall be provided at each tenant entrance

## **MIDPOINT**

#### LOGISTICS CENTER

Hillsborough Township, New Jersey

cbre.us/midpoint



#### **BEN SHAPIRO**

SENIOR VICE PRESIDENT +1 732 509 2824 ben.shapiro@cbre.com

#### **ROBERT PINE**

SENIOR VICE PRESIDENT +1 732 509 2830 robert.pine@cbre.com

#### MIDPOINT LOGISTICS CENTER | cbre.us/midpoint

CBRE

© 2023 CBRE, Inc. All rights reserved. This information has been obtained from sources believed reliable but has not been verified for accuracy or completeness. CBRE, Inc. makes no guarantee, representation or warranty and accepts no responsibility or liability as to the accuracy, completeness, or reliability of the information contained herein. You should conduct a careful, independent investigation of the property and verify all information. Any reliance on this information is solely at your own risk. CBRE and the CBRE logo are service marks of CBRE, Inc. All other marks displayed on this document are the property of their respective owners, and the use of such marks does not imply any affiliation with or endorsement of CBRE. Photos herein are the property of their respective owners. Use of these images without the express written consent of the owner is prohibited.