

OCCUPANT LOAD							
COMPARTMENT	"GROSS" OR "NET" FLOOR AREA-SF SECTION 1004 - FBC	SF PER OCCUPANT TABLE 1004.1.1 - FBC	OCCUPANT LOAD TABLE 1004.1.1 - FBC	EXIT WIDTH REQUIRED TABLE 1005.1 - FBC		EXIT WIDTH PROVIDED TABLE 1005.1 - FBC	
				LEVEL (.2)	STAIR (.3)	LEVEL	STAIR
STORAGE	3,755	300	13	36" MIN		36" MIN	
BUSINESS	13,158	100	132	36" MIN		36" MIN	
TOTAL	16,913		PREVIOUS 136 NEW 145				

NOTE: ALL EXTERIOR DOORS TO RECEIVE PANIC HARDWARE.

NEW CLASS ABC FIRE EXTINGUISHER, PROVIDED & INSTALLED BY A PROFESSIONALLY CERTIFIED FIRE SAFETY EQUIPMENT DEALER.

NOTE: NEW CONSTRUCTION AND TENANT SPACE TO BE 100% ADA COMPLIANT.

NOTE: BACKUP LIGHTING TO HAVE 1.5 HOURS OF USE & AN AVERAGE OF IFT CANDLE AT ANY POINT, AND NOT LESS THAN \$\frac{1}{2}\$FT CANDLE ALONG THE PATH OF EGRESS.

NOTE: LESS THAN 300 OCCUPANTS - NO VOICE EVAC SYSTEM REQUIRED.

OCCUPANCY KEY

OFFICE A118 OFFICE A117 OFFICE A116 OFFICE A114 5'-10" 13'-4" OFFICE OFFICE A120 A115 A119 STORAGE OFFICE OFFICE R105 A112 OFFICE SUPPLIES <u>~</u> |9'-4 1/2"| 17'-0 1/2" 9'-4 1/2" 9'-4 1/2" 9'-4 1/2" 900'-0" CONFERENCE ROOM CONFERENCE STORAGE LP. OFFICE LP. OFFICE | LP. OFFICE | LP. OFFICE A113 A110 A103 A105 A104 R108 **EXISTING DOOR -**8'-4 1/2" 9'-4 1/2" **DEMO AND INFILL** 27'-11" **EXISTING 1-HR** RATED SEPARATION — EXISTING 2-HR RATED SEPARATION -0 0 EXISTING OFFICE EXISTING OFFICE TRAINING ROOM
R109 **NEW INFILL AT OVERHEAD** DOOR WITH 2-HR RATED SEPARATION -EXISTING WAREHOUSE BUILT IN SHELVING 18" DEEP X 8'0" —— EXISTING OFFICE WAREHOUSE EGRESS
W/ EXIT SIGN AND OFFICE R111 OFFICE R110 **EMERGENCY** LIGHTING DOOR **EXISTING 2-HR** LOCATION 9'-9" 4'-6" RATED SEPARATION EXIT 72" EXIT 36"

LIFE SAFETY PLAN

PROJECT NORTH 100 North Laura Street, Suite 800 Jacksonville, Florida 32202

Office: (904) 242-6788
Email: hello@contentmodern.com
License: AA-26002270

.1

James P. Blythe Florida License # AR 94452

CONSULTANTS

LOCATION

PETTICOAT SCHMITT
OFFICE ADDITION TO
EXISTING BUILDING
6380 PHILIPS HWY
JACKSONVILLE
FLORIDA

DATE

PERMIT DOCUMENTS 3.30.16

06.15.16 Permit Revision #1
01.20.17 Permit Revision #2
03.09.18 Permit Revision #3

Project # 1523

Drawn by BJH

Checked by JPB

Copyright Content 2016

SHEET scale: as noted

scale: as noted

LS 1.01

LIFE SAFETY PLANS