

OFFICE OF THE STATE ENGINEER
COLORADO DIVISION OF WATER RESOURCES
818 Centennial Bldg., 1313 Sherman St., Denver, Colorado 80203
(303) 866-3581

1229

WELL PERMIT NUMBER 289177
DIV. 1 WD 1 DES. BASIN MD

APPLICANT

CANDY ACRES LTD
705 WESTWARD LANE
PALMER LAKE, CO 80133-

(719) 481-6770

APPROVED WELL LOCATION

ADAMS COUNTY
NW 1/4 SW 1/4 Section 22
Township 2 S Range 58 W Sixth P.M.

DISTANCES FROM SECTION LINES

1459 Ft. from South Section Line
650 Ft. from West Section Line

UTM COORDINATES (Meters, Zone: 13, NAD83)

Easting: 596617 Northing: 4412748

PERMIT TO CONSTRUCT A WELL

ISSUANCE OF THIS PERMIT DOES NOT CONFER A WATER RIGHT

CONDITIONS OF APPROVAL

- 1) This well shall be used in such a way as to cause no material injury to existing water rights. The issuance of this permit does not ensure that no injury will occur to another vested water right or preclude another owner of a vested water right from seeking relief in a civil court action.
- 2) The construction of this well shall be in compliance with the Water Well Construction Rules 2 CCR 402-2, unless approval of a variance has been granted by the State Board of Examiners of Water Well Construction and Pump Installation Contractors in accordance with Rule 18.
- 3) Approved pursuant to CRS 37-92-602(3)(b)(II)(A) as the only well on a tract of land of 40 acre(s) described as the NW 1/4 of the SW 1/4, Sec. 22, Twp. 2 South, Rng. 58 West, 6th P.M., Adams County, more particularly described on the attached exhibit A.
- 4) The use of ground water from this well is limited to the watering of livestock on a farm or ranch.
- 5) The total depth of the well shall not exceed 35 feet or the depth to the first confining clay/shale series, whichever comes first.
- 6) The pumping rate of this well shall not exceed 15 GPM.
- 7) The return flow from the use of this well must be through an individual waste water disposal system of the non-evaporative type where the water is returned to the same stream system in which the well is located.
- 8) This well shall be constructed not more than 200 feet from the location specified on this permit.

[Signature] 8-20-12

APPROVED
JLV

[Signature: Dirk Wolfe]
State Engineer

DATE ISSUED 08-20-2012

By *[Signature]*

EXPIRATION DATE 08-20-2014

Receipt No. 3656027

[illegible]

Geotechnical Services Branch Consultation

Evaluator: Jolene Mackay

Receipt No: 3656027

Location: NW¼, SW¼, Section 22, Township 2 South, Range 58 West, 6th P.M.

Aquifer(s) Requested: Source at depth of 40 feet and full interval please!

Request:

Consultation

Recommendations: Source @ 40 feet is Laramie-Fox Hills, unless

well construction is open to alluvium.

Alluvium to 35 feet

Laramie-Fox Hills interval 35 and 150 feet below
ground surface.

Reference: 276417

Special Permit

Conditions:

Geologist Signature: ED Patton

Date: 8/20/12

Report Date: 8/20/2012

Bedrock Aquifer Evaluation Determination Tool

Denver Basin Aquifer - Specific Location Determination Tool

Applicant: CANDY ACRES LTD

Receipt No: 3656027

Evaluated By: JLV

Location: NW 1/4 of SW 1/4 of Sec. 22, T.2S, R.58W. (1459 SSL, 650 WSL)

Basin Designation: Location is within the UNKNOWN Designated Ground Water Basin.

Ground Surface Elevation: 4900 Feet

Number of Acres: 40

Warning! The depth intervals estimated in this area may vary from actual conditions due to lack of data and/or structural complexity.

AQUIFER	ELEVATION (ft)		NET SAND	DEPTH TO (ft)		ANNUAL APPROP. (A- F)	STATUS
	Bot.	Top		Bot.	Top		
Upper Dawson	--	--	--	--	--	--	--
Lower Dawson	--	--	--	--	--	--	--
Denver	--	--	--	--	--	--	--
Upper Arapahoe	--	--	--	--	--	--	--
Lower Arapahoe	--	--	--	--	--	--	--
Laramie-Fox Hills	4680	4910	148.7	220	-10	8.92	NNT

NOTE: 'E' indicates a location is at an aquifer boundary and the values may be more approximate.

COLORADO DIVISION OF WATER RESOURCES
DEPARTMENT OF NATURAL RESOURCES
1313 SHERMAN ST., RM 818, DENVER, CO 80203
phone - info: (303) 866-3587 main: (303) 866-3581
fax: (303) 866-3589 http://www.water.state.co.us

RESIDENTIAL

Note: Also use this form to apply for livestock watering.

Water Well Permit Application

Review instructions on reverse side prior to completing form.
The form must be completed in black or blue ink or typed.

1. Applicant Information

Name of applicant

CANDY ACRES, LTD

Mailing address
705 WESTWARD LAKE

City PALMER LAKE State CO Zip code 80133

Telephone # 719-481-6770 E-mail (optional)

2. Type Of Application (check applicable boxes)

- ☒ Construct new well ☐ Use existing well
☐ Replace existing well ☐ Change or increase use
☐ Change source (aquifer) ☐ Reapplication (expired permit)
☐ Other:

3. Refer To (if applicable)

Well permit # Water Court case #

Designated Basin Determination #

Well name or #

4. Location Of Proposed Well

County NW SW
Section 22 2S 58

Distance Ft. from ☐ E ☐ W direction
Well # check if well address is same as in item 1.

Optional: GPS well location information in UTM format. GPS unit settings are as follows:

Format must be UTM
☐ Zone 12 or ☒ Zone 13
Units must be Meters
Datum must be NAD83
Unit must be set to true north
Was GPS unit checked for above? ☒ YES
Easting: 0596617
Northing: 4412748
Remember to set Datum to NAD83

5. Parcel On Which Well Will Be Located

(PLEASE ATTACH A CURRENT DEED FOR THE SUBJECT PARCEL)

A. You must check and complete one of the following:

- ☐ Subdivision: Name
Lot Block Filing/Unit
☐ County exemption (attach copy of county approval & survey):
Name# Lot #
☐ Parcel less than 35 acres, not in a subdivision, attach a deed with metes and bounds description recorded prior to June 1, 1972, and a current deed
☐ Mining claim (attach a copy of the deed or survey): Name#
☒ Square 40 acre parcel as described in item 4
☐ Parcel of 35 or more acres (attach a metes and bounds description or survey)

B. # of acres in parcel 40 C. Are you the owner of this parcel?
☒ YES ☐ NO (if no - see instructions)

D. Will this be the only well on this parcel? ☒ YES ☐ NO (if no - list other wells)

E. State Parcel ID# (optional):

Office Use Only

Form GWS-44 (06/2006)

RECEIVED

JUL 06 2012

WATER RESOURCES
STATE ENGINEER
COLO

6. Use Of Well (check applicable boxes)

See instructions to determine use(s) for which you may qualify

- ☐ A. Ordinary household use in one single-family dwelling (no outside use)
☐ B. Ordinary household use in 1 to 3 single-family dwellings:
Number of dwellings: _____
☐ Home garden/lawn irrigation, not to exceed one acre:
area irrigated _____ sq. ft. ☐ acre
☒ C. Livestock watering (on farm/ranch/range/pasture)

7. Well Data (proposed)

Minimum pumping rate 15 gpm Annual amount to be withdrawn 3 acre-feet
Total depth 40 feet Aquifer Alluvium

8. Water Supplier

Is this parcel within boundaries of a water service area? ☐ YES ☐ NO
If yes, provide name of supplier:

9. Type Of Sewage System

- ☐ Septic tank / absorption leach field
☐ Central system: District name:
☐ Vault: Location sewage to be hauled to:
☐ Other (attach copy of engineering design and report)

10. Proposed Well Driller License # (optional): 1229

11. Signature Of Applicant(s) Or Authorized Agent

The making of false statements herein constitutes perjury in the second degree, which is punishable as a class 1 misdemeanor pursuant to C.R.S. 24-4-104 (13)(a). I have read the statements herein, know the contents thereof and state that they are true to my knowledge.

Sign here (Must be original signature)
CANDY ACRES, LTD
Michael J. Stasica - General Partner
Print name & title
MICHAEL J. STASICA - GENERAL PARTNER
Date 07/05/2012

Office Use Only

USGS map name DWR map no. Surface elev. 4900

NW SW
22 2S 58W
1459'S 650'W

Receipt area only

WE ✓
WR ✓
CWCB ✓
TOPO ✓
MYLAR ✓
SB5 ✓

Transaction #: 3656027
Date: 7/6/2012 1:16:20 PM
Transaction Total: \$100.00
CHECK #5413 \$100.00

DIV 1 WD 1 BA MD