



PROJECT NAME: Von Quintus

SITE ADDRESS: 10613 S Hwy 183, Austin, TX 78747

APPRAISAL DISTRICT: 301202 – Zen 183 Qozb LLC (45.93 ac)

TOTAL: 45.93 ac

JURISDICTION: City of Mustang Ridge, Texas; Travis County

**UTILITIES** 

WATER: CCN: 11029 Creedmoor Maha WSC (Water Supply Corporation)

Nearest infrastructure: Nearest existing waterline runs along the SW portion of the tract alongside HWY 183 (diameter varies). Water is

provided by Creedmoor Maha WSC

WASTEWATER: CCN: Not within a CCN. Nearest: 20636 (City of Austin)

Nearest infrastructure: no existing wastewater lines. There is an existing discharge location just northwest of the site according to the TCEQ Wastewater Outfalls viewer. The permit for this outfall is associated with Crossroads Industrial Park WWTF (0.01 MGD)

Coordination for extending services is needed

STORM/DRAINAGE: Detention ponds shall be designed to reduce post-development

peak rates of discharge to existing pre-development peak rates of discharge for the 2, 10, 25, and 100-year storm events at each point

of discharge from the project or development site

WATER QUALITY: Will not be required

GAS: According to the Texas Railroad Commission GIS Map, there are no

gas lines onsite

ELECTRIC: Electric service is provided by Pedernales Electric Cooperative

Power lines run along 1500' of Von Quintus Road SE side of tract

Power lines run along 680' of S Hwy 183 SW side of tract

Power lines running across the tract (A title survey will need to be

completed to verify the associated easement)







**ENVIRONMENTAL** 

AQUIFER: The Site is not within any of the Edward's Aquifer zones

NWI STREAMS/PONDS: There are approximately 1,050' of potentially jurisdictional streams

on site as well as one (4.4 ac) pond according to the National

Wetlands Inventory (NWI) online viewer (jurisdictional determination

needed)

STREAM BUFFERS: Not applicable in Mustang Ridge

TREE MITIGATION: Not applicable in Mustang Ridge

PARKLAND: Not applicable in Mustang Ridge

SITE CHARACTERISTICS

SLOPES: The site has 1-2% slopes running from southwest to northeast

FLOODPLAIN: No floodplain on site

SOILS: According to the USDA Soil Survey, approximately 58% of the tract is

Hinesburg Sandy Loam (HNB) and approximately 42% of the tract is

Hilton Gravelly Loam (HNC2)

All of these soil types fall within Hydrologic Soil Group A which

means that they have high infiltration rates

**TRANSPORTATION** 

EXISTING ACCESS: Hwy 183 (TxDOT):

• Frontage: +/-680' of Hwy 183 Frontage Road along the

southwestern portion of the property

ROW: 65'

Driveways: One driveway

Culverts or other access hinderances

Von Quintus Rd

 +/-1500' of Von Quintus Frontage Road alongside the southeastern portion of the property





November 20, 2025

Driveways: None

SECONDARY ACCESS: There is not a concern regarding secondary access

FUTURE THOROUGHFARES: There is no City of Mustang Ridge published thoroughfare plan

Travis County Blueprint does not show any impacts to the tract

ZONING

EXISTING ZONING: Existing Zoning → Commercial

FUTURE LAND USE: No City of Mustang Ridge published Future Land Use Map

MISCELLANEOUS: Emergency Service District: Travis County ESD No. 11 and Travis

County ESD No. 15

ISD: Del Valle







## **OVERVIEW**

**NET DEVELOPABLE:** 

The streams on site will need to be reviewed to confirm they are not jurisdictional. There was some grading/quarrying onsite that began in 2021 based on Google Earth imagery. Further field evaluation will be needed to confirm there is no environmental concern related to the development of the site. Assuming that the stream and pond onsite are shown to not be jurisdictional, all 45.93ac are developable



## **MORE INFORMATION**



**GRAY CIVIL:** 

Seth Mearig, P.E. Kristal Harris, P.E. SMearig@gray-civil.com KHarris@gray-civil.com