

City of Huntington

Steve Williams, Mayor

City Council

Mike Shockley, Chairperson

Tyler Bowen
Todd Sweeney
Tia “Fix” Rumbaugh
Teresa Johnson
Holly Smith Mount

Patrick D. Jones
Dale Anderson II
DuRon Jackson
Bob Bailey

Barbara Miller, City Clerk

Planning Commission

Brian Gallagher, Chairman

Mayor Steve Williams
Ursulette Ward
Stephanie Vlahos Bryant
Holly Smith Mount

Sarah Walling
Gerry Holley
Carl Eastham
Charles Shaw

Board of Zoning Appeals

Jaqueline Proctor, Chairperson

Dan Earl
Gina Browning
Steven Yates

Sara Loftus
Isabel Cross
Sherry Houck

Historic Preservation Commission

Dr. Nicholas Frieden

Liza Caldwell
Donna Rumbaugh

Christina Bailey

[Vacant], Planning and Development Director
Breanna Shell, Director of Planning
Janney Lockman, Planner
Jim Insko, Public Works Director
Scott Damron, City Attorney

Enacted: December 14, 1998

Last Update: June 16, 2023

City of Huntington

Jean Dean, Mayor

City Council

Reverend Larry Patterson, Chairman

James Ritter
Robert Bailey
Chuck Polan
Mary Neely
Dr. Calvin "Cal" Kent

Frances Jackson
Burlen W. Ellis
A.F. "Bo" Bobersky
Philip Cline
Renee Maass

Ann Shaye, City Clerk

Planning Commission

C. Robert Schwab, Chairman

Mayor Jean Dean
Sidney Polan
Allen Lucas
Kevin McClain

Rev. Larry Patterson
Paul Riedel
Charles Spurlock
Richard Thompson

Board of Zoning Appeals

P. Michael Shaver, Chairman

James Insko
Parker Ward

Dr. Sandra Joseph
David Daugherty

Historic Preservation Commission

John Hankins
Edward Tucker

Charles Lewis
Sandra Duncan

Dr. Allan Gould

Cathy Burns, Development and Planning Director

Richard Dixon, Planning Director

George McClennen, Public Works Director

Jendonnae Houdyschell, City Attorney

Kelly Ratanamalaya, Planning Technician

Mullin & Lonergan Associates, Inc.
Pittsburgh-Philadelphia, Pennsylvania

Enacted: December 14, 1998

Chapter 13 Zoning Ordinances

Table of Contents

ARTICLE 1313 - ZONING PURPOSES AND AUTHORITY	10
Section 1313.01 Short Title.....	10
Section 1313.02 Purposes	10
Section 1313.03 Authority	10
Section 1313.04 Use of Property.....	10
Section 1313.05 Effective Date.....	10
Section 1313.06 Statement of Consistency	10
Section 1313.07 Building Code	11
ARTICLE 1315 – DEFINITIONS AND MEASUREMENTS	13
Section 1315.01 Interpretation of Words	13
Section 1315.02 Meaning of Words.....	13
(A).....	13
(B).....	15
(C).....	18
(D).....	20
(E).....	22
(F).....	23
(G).....	25
(H).....	25
(I).....	27
(J).....	27
(K).....	27
(L).....	28
(M).....	30
(N).....	32
(O).....	33
(P).....	33
(Q).....	35
(R).....	35
(S).....	37
(T).....	41
(U).....	43
(V).....	43
(W).....	43
(X).....	43
(Y).....	44
(Z).....	45
Section 1315.03 Measurements and Exceptions	47
Section 1315.04 Lot Dimensions	47
Section 1315.05 Lot Coverage	48
Section 1315.06 Building Setbacks.....	48
Section 1315.07 Building Height	53
Section 1315.08 Transparency	55

Section 1315.09	Building Orientation and Pedestrian Access	58
ARTICLE 1317 - ESTABLISHMENT OF DISTRICTS AND ZONE MAP		60
Section 1317.01	Establishment of Zoning District	60
Section 1317.02	Official Zoning Map.....	60
Section 1317.03	District Boundaries.....	60
Section 1317.04	Interpretation of District Boundaries.....	61
Section 1317.05	Procedure Relating to Annexed or Vacated Areas	61
ARTICLE 1319 – APPLICATION OF REGULATIONS		63
Section 1319.01	Use of Property.....	63
Section 1319.02	Effect of Establishment of Districts	64
ARTICLE 1320 – PERMITTED USES.....		66
Section 1320.01	General Provisions	66
Section 1320.02	Table of Permitted Uses	66
Section 1320.03	Use Determination and Unlisted Uses	67
Section 1320.04	Permitted Uses.....	68
ARTICLE 1321 - R-1 AND R-2 RESIDENCE DISTRICT		73
Section 1321.01	Purpose	73
Section 1321.02	Development Requirements	73
Section 1321.03	Supplementary Regulations.....	73
ARTICLE 1323 - R-4 RESIDENCE DISTRICT		76
Section 1323.01	Purpose	76
Section 1323.02	Development Requirements	76
Section 1323.03	Supplementary Regulations.....	77
ARTICLE 1325 - R-5 RESIDENCE DISTRICT		79
Section 1325.01	Purpose	79
Section 1325.02	Development Requirements	79
Section 1325.03	Supplementary Regulations.....	80
ARTICLE 1327 - C-1 NEIGHBORHOOD COMMERCIAL DISTRICT		82
Section 1327.01	Purpose	82
Section 1327.02	Development Requirements	82
Section 1327.03	Supplementary Regulations.....	83
ARTICLE 1329 - C-2 HIGHWAY COMMERCIAL DISTRICT		88
Section 1329.01	Purpose	88
Section 1329.02	Development Requirements	88
Section 1329.03	Supplementary Regulations.....	89
Section 1329.04	General Circulation Design Standards	89
ARTICLE 1331 - C-3 CENTRAL BUSINESS DISTRICT		91
Section 1331.01	Purpose	91
Section 1331.02	Development Requirements	91
Section 1331.03	Supplementary Regulations.....	92
ARTICLE 1333 - I-1 LIGHT INDUSTRIAL AND COMMERCIAL DISTRICT		94
Section 1333.01	Purpose	94
Section 1333.02	Development Requirements	94
Section 1333.03	Supplementary Regulations.....	95
Section 1333.04	Performance Standards.....	95
ARTICLE 1334 - I-2 HEAVY INDUSTRIAL DISTRICT		98
Section 1334.01	Purpose	98
Section 1334.02	Development Requirements	98
Section 1333.03	Supplementary Regulations.....	99

Section 1334.04	Performance Standards.....	99
ARTICLE 1335 - PLANNED UNIT DEVELOPMENT	102
Section 1335.01	Purpose.....	102
Section 1335.02	Qualification for Filing as a PUD.....	102
Section 1335.03	Incentives for Planned Unit Developments.....	102
Section 1335.04	Requirements for Planned Unit Developments.....	103
Section 1335.05	Approval Process.....	103
Section 1335.06	PUD Review Committee.....	104
Section 1335.07	Final Plan.....	104
Section 1335.08	Approval Criteria for Planned Unit Developments.....	106
ARTICLE 1337 - SPECIAL ZONING DISTRICTS	109
Section 1337.01	Purpose.....	109
Section 1337.02	B&O Right-of-Way Special Zoning District.....	109
ARTICLE 1339 - H-1 HISTORIC PRESERVATION DISTRICT OVERLAY	112
Section 1339.01	Purpose.....	112
Section 1339.02	Scope.....	112
Section 1339.03	Permitted Uses and Bulk and Area Regulations.....	112
Section 1339.04	Design Standards for New Construction.....	113
Section 1339.05	Design Guidelines for Architectural Restoration.....	114
Section 1339.06	Design Guidelines for Storefronts.....	115
ARTICLE 1340 – OUTDOOR DINING	117
Section 1340.01.	- Planning department rules and regulations under article.....	117
Section 1340.02.	- Compliance with federal, state and local laws and regulations.....	117
Section 1340.03.	- Nondiscrimination/right to limit or deny admission or service.....	117
Section 1340.04.	- Definitions.....	117
Section 1340.05.	- Permit process.....	118
Section 1340.06.	- Standards for outdoor dining areas.....	119
Section 1340.07.	- Additional requirements.....	120
Section 1340.08.	- Denial or revocation of permit.....	120
Section 1340.09.	- No Grandfather Provision.....	121
Section 1340.10.	- Severability.....	121
Section 1340.99.	- Penalty.....	121
ARTICLE 1341 - GENERAL REGULATIONS	123
Section 1341.02	Bars, Brewpubs, and Restaurants Serving Alcoholic Beverages.....	123
Section 1341.04	Lots.....	123
Section 1341.05	Permitted Accessory Uses in All Districts.....	123
Section 1341.06	Permitted Accessory uses to Business and Institutional Uses.....	124
Section 1341.07	Temporary Uses.....	124
Section 1341.08	Drive-thru Restaurant.....	125
Section 1341.09	Day Care (Child or Adult).....	125
Section 1341.10	Car Wash.....	125
Section 1341.11	Auto Service Station and Repair Shop.....	125
Section 1341.12	Communications Tower or Antennae, Commercial.....	126
Section 1341.13	Day Care Center as Accessory Use to a Residential Use.....	130
Section 1341.14	Religious Use.....	131
Section 1341.15	Self-Storage Development.....	131
Section 1341.16	Swimming Pool - Household.....	131
Section 1341.17	Swimming Pool, Non-household.....	131
Section 1341.18	Composting - as a principal or accessory use.....	132

Section 1341.19	Fences, Walls, and Screens	132
Section 1341.20	Recycling Collection Center	134
Section 1341.21	Garage Sale (See definition in Article 1315)	134
Section 1341.22	Home Occupation.....	134
Section 1341.23	Factory Built Housing	136
Section 1341.24	Satellite Dish Antenna.....	137
Section 1341.28	Heliport.....	137
Section 1341.29	Cemetery	138
Section 1341.30	Junk Yards and Salvage Centers	138
Section 1341.31	Mineral Extraction, Borrow Pit, Top Soil Removal, and their Storage Areas 138	
Section 1341.32	Manufactured / Mobile Home Park.....	138
Section 1341.33	Oil and Gas Extraction	139
Section 1341.34	Commercial Recreational Facilities (Outdoors)	139
Section 1341.39	Penal or Correctional Institution	139
Section 1341.40	Adult Uses	139
Section 1341.41	Tattoo Parlors	140
Section 1341.42	Massage Therapy.....	140
Section 1341.44	Hospital	140
Section 1341.47	Limited Video Lottery and Keno Establishments	140
Section 1341.48	Single-family Attached / Townhouse Dwellings	142
Section 1341.49	Self-Storage, Indoors.....	142
Section 1341.50	Nanobrewery as Accessory Use to a Residential Use.	142
Section 1341.51	Redevelopment of Closed School, Public Building, Community Center, or Church	142
Section 1341.52	Indoor Shooting Range.....	155
Section 1341.53	Animal Boarding and Training.....	155
Section 1341.54	Fuel Sales.....	156
Section 1341.55	Smoke Shops/Tobacco Store.....	156
ARTICLE 1343 - OFF-STREET PARKING, LOADING AND UNLOADING REGULATIONS		
.....		146
Section 1343.01	General Regulations	146
Section 1343.02	General Circulation, Parking, and Loading Area Location Standards	146
Section 1343.03	Schedule of Off-street Parking and Loading Requirements	146
Section 1343.04	Parking Requirement Reductions.....	151
Section 1343.05	Automobile Parking Area Design Requirements	152
Section 1343.06	Handicapped Parking Standards.....	153
Section 1343.07	Bicycle Parking Standards.....	155
Section 1343.08	Location and Design of Driveways	156
Section 1343.09	Off-street Loading Area, Berth Sizes	158
Section 1343.10	Location and Access of Loading Areas, Berths	158
Section 1343.11	Waiver of Parking and Off-street Loading and Unloading Requirements.	159
ARTICLE 1345 - SIGN REGULATIONS AND SITE LIGHTING.....		161
Section 1345.01	Purpose	161
Section 1345.02	General Sign Regulations.....	161
Section 1345.03	Prohibited Signs	162
Section 1345.04	Exemptions.....	163
Section 1345.05	Nonconforming Signs	163
Section 1345.06	Sign Measurement.....	164

Section 1345.07	Signs Permitted in Individual Zoning Districts	165
Section 1345.08	Additional Standards for Changeable Copy Signs	166
Section 1345.09	Additional Standards for Electronic Message Centers	167
Section 1345.10	Additional Standards for Free-standing Signs	167
Section 1345.11	Additional Standards for Suspended or Projecting Signs	168
Section 1345.12	Additional Standards for Wall Signs	168
Section 1345.13	Additional Standards for Window Signs	169
Section 1345.14	Temporary Signs	169
Section 1345.15	Off-premise Signs (Billboards)	169
Section 1345.16	Lighting	171
Section 1345.17	Severability	171
ARTICLE 1347 - LANDSCAPING		173
Section 1347.01	Purpose	173
Section 1347.02	Landscape Plan	173
Section 1347.03	Site Protection and General Planting Requirements	173
Section 1347.04	Street Trees	174
Section 1347.05	Buffering	174
Section 1347.06	Parking Lot Landscaping	175
ARTICLE 1349 - REGULATION OF THE FLOODPLAIN AREA AND PONDING BASINS		177
Section 1349A	GENERAL PROVISIONS	177
Section 1349B	INTERPRETATIONS AND DEFINITIONS	178
Section 1349C	ESTABLISHMENT OF THE SPECIAL FLOOD HAZARD AREA	187
Section 1349D	UTILIZATION OF THE SPECIAL FLOOD HAZARD AREA	189
Section 1349E	CRITERIA FOR BUILDING AND SITE PLAN APPROVAL	191
Section 1349F	SPECIFIC REQUIREMENTS	197
Section 1349G	ADMINISTRATION	204
Section 1349H	APPEALS, VARIANCES, AND PENALTIES	208
Section 1349I	GOVERNMENT ACTIONS	210
Section 1349J	SEVERABILITY AND MUNICIPAL LIABILITY	211
ARTICLE 1351 - PLAN REVIEW		214
Section 1351.01	General	214
Section 1351.02	Information Required	214
Section 1351.03	Planner Review	215
Section 1351.04	Construction Drawings Binding	215
Section 1351.05	Performance Guarantee	215
Section 1351.06	Code Official/Planning Staff Coordination	216
Section 1351.07	Planning Commission Review	216
ARTICLE 1353 - HUNTINGTON HISTORIC PRESERVATION COMMISSION		218
Section 1353.01	Establishment	218
Section 1353.02	Definitions	218
Section 1353.03	Commission Membership	218
Section 1353.04	Meetings	218
Section 1353.05	Powers and Authority	219
Section 1353.06	Creation of Historic Preservation Districts	220
Section 1353.07	Review of Proposed Alterations	220
Section 1353.08	Variances	222
Section 1353.09	Exceptions	223
Section 1353.10	Appeals	223

Section 1353.11	Restrictions on use of Certified Historical Landmarks Outside Historical Preservation Districts	223
Section 1353.12	Interagency and Intergovernmental Cooperation	223
ARTICLE 1355	- NONCONFORMING USE SPECIFICATIONS	225
ARTICLE 1357	- FILING FEES	228
ARTICLE 1359	- CONDITIONAL USE, REQUIREMENTS AND PROCEDURE	230
Section 1359.01	Procedures	230
ARTICLE 1361	- BOARD OF ZONING APPEALS	233
ARTICLE 1363	- AMENDMENTS	236
1363.01	MODIFICATIONS OF COMPREHENSIVE PLAN; PROCEDURE	236
1363.02	GENERAL PROVISIONS.....	236
1363.03	AUTHORITY AND PROCEDURES.....	237
1363.04	APPLICATION PROCEDURES.....	237
ARTICLE 1365	- VALIDITY.....	240
ARTICLE 1367	- REMEDIES AND PENALTIES.....	242
Section 1367.01	Purpose	242
Section 1367.02	Remedies	242
Section 1367.03	Penalties	242

ARTICLE 1313
ZONING PURPOSES
AND AUTHORITY

ARTICLE 1313 - ZONING PURPOSES AND AUTHORITY

Section 1313.01 Short Title

This Ordinance and Ordinances supplemental or amendatory thereto, shall be known and may be cited as the "Zoning Ordinance of the City of Huntington, West Virginia".

Section 1313.02 Purposes

This Ordinance is enacted pursuant to a Comprehensive Plan for the following purposes:

- A. To promote, protect, and facilitate one (1) or more of the following: the public health, safety, morals, general welfare, coordinated and practical community development, proper density of population, civil defense, disaster evacuation, airports, and national defense facilities; and the provision of adequate light and air, police protection, vehicle parking and loading space, transportation, water, sewerage, schools, public grounds, and other public requirements.
- B. To prevent one (1) or more of the following: overcrowding of land; blight; danger and congestion in travel and transportation; loss of health; life or property from fire; flood; panic; or other dangers.

Section 1313.03 Authority

This Ordinance is enacted pursuant to the authority contained in the Urban and Rural Planning and Zoning Act, Chapter Eight of the Code of West Virginia, as amended, and in accordance with the Charter of Huntington, West Virginia, 1960.

Section 1313.04 Use of Property

No building, land area, or water body shall hereafter be used or occupied and no building or part thereof shall be erected, altered, or relocated unless in conformance with the regulations herein specified for the Zoning District in which it is located. The use or occupation of any building, land area, or water area, or part thereof, which is not specifically permitted by any rule or regulation of the ordinance, is a violation of this ordinance.

Section 1313.05 Effective Date

This Ordinance shall take effect on the day of enactment.

Section 1313.06 Statement of Consistency

This Ordinance is enacted with consideration for the natural and manmade environment of the City, the character of this community, its various parts and the suitability of the various parts for particular uses and structures. Furthermore, this Ordinance is enacted in accordance with an overall program, the *City of Huntington Comprehensive Plan*.

Section 1313.07 Building Code

The City of Huntington, in accordance with State code, has enacted a Building Code. The Building Code and this Zoning Ordinance are complimentary and the requirements of each document must be considered with the most restrictive applying.

ARTICLE 1315
DEFINITIONS AND
MEASUREMENTS

ARTICLE 1315 – DEFINITIONS AND MEASUREMENTS

Section 1315.01 Interpretation of Words

For the purpose of this Ordinance, certain terms and words used herein shall be interpreted or defined as follows:

1. Words used in the present tense shall include the future.
2. Words used in the singular shall include the plural.
3. Words used in the plural shall include the singular.
4. The word "person" includes a profit or non-profit corporation, company, partnership, individual or an association of individuals.
5. The word "lot" includes the words "plot" or "parcel."
6. The terms "shall" and "will" are always mandatory.
7. The word "may" is permissive.
8. The words "used" or "occupied" as applied to any land or building shall be construed to include the words "intended, "arranged" or "designed" to be used or occupied.
9. The word "building" includes the word "structure".
10. Unless otherwise specified, all distances shall be measured horizontally.
11. The masculine shall include the feminine.

Section 1315.02 Meaning of Words

Unless otherwise stated, the following words shall, for the purpose of this Ordinance have the following meanings:

(A)

ACCESSORY STRUCTURE - A structure detached from a principal building on the same lot and customarily incidental and subordinate to the principal building. Examples include, but are not limited to: private garage, carport, tennis court, basketball backboard, household swimming pool, volleyball court, gazebo, storage shed, greenhouse, children's playhouse and children's play equipment.

ACCESSORY USE - A use customarily incidental and subordinate to the principal use and located on the same lot with such principal use. For examples of "Accessory Use," see "Accessory Structure."

ADULT BOOKSTORE - Any commercial establishment in which is offered for sale as a substantial or significant portion of its stock in trade video cassettes, movies, books, magazines or other periodicals or other media which are distinguished or characterized by their emphasis on nudity or sexual conduct or on activities which if presented in live presentation would constitute adult entertainment.

ADULT BUSINESS - An adult bookstore, commercial movie theater or movie house, or other adult entertainment as defined herein. In the event that an activity or business which might fall under a use category other than adult business is combined with and/or includes activities which constitute an adult bookstore, adult movie theater or movie house or adult entertainment as defined herein, then such activity or business shall constitute an adult business and shall be governed by those provisions

in this ordinance applicable to any other use category.

ADULT ENTERTAINMENT - A commercial establishment providing, either as a sole use or in connection with or in addition to other uses, entertainment consisting of any exhibition, display, or dance which involves the exposure to view of any portion of the female breast below the top of the areola, male genitals, female genitals, or the pubic hair, anus, or cleft of the buttocks of any person or male genitals in a discernibly turgid state even if completely and opaquely covered.

ADULT MOVIE THEATER OR MOVIE HOUSE (including adult mini-theaters or adult arcades) - Any commercial establishment to which the public is permitted or invited, where for any form of consideration, films, motion pictures, video cassettes, slides or similar photograph reproductions are regularly shown depicting actual acts of masturbation, sexual intercourse, oral copulation, sodomy or displaying human genitals in a state of sexual stimulation, arousal, or tumescence, or depicting excretory functions as part of or in connection with any of the activities set forth in this section.

ADULT USE – Shall be a term that includes “Adult Bookstore,” “Adult Business,” “Adult Entertainment,” or “Adult Movie Theater or Move House.”

AGRICULTURAL USE - Any portion of land used for agriculture including horticulture truck gardening, floriculture, trees, grain, forage crops, or any use of the same general character, but not the raising of livestock.

ALLEY - A public service way providing a secondary means of public access to abutting property and not intended for general traffic circulation.

ALTERATION - Any change, addition, or modification in construction or occupancy of a structure.

ALTERATION, STRUCTURAL - Any change in the supporting members of a building such as bearing walls, columns, beams, or girders, or in the dimensions or configurations of the roof or exterior walls.

ANIMAL BOARDING AND TRAINING - A facility for the boarding, raising, grooming, selling, training, or other animal husbandry activities for dogs, cats, or other animals for financial or other compensation.

ANIMAL HOSPITAL/CLINIC - A use or structure intended or used primarily for the testing and treatment of animals on an emergency or outpatient basis; synonymous with veterinary hospital. This may or may not include grooming and boarding of animals.

ANTENNA, STANDARD - A device, partially or wholly exterior to a building, that is used for receiving and /or transmitting short-wave or citizens band radio frequencies or for receiving television, radio or similar frequencies, but not including a satellite dish antennae or a commercial communication antennae. This includes any accessory supporting structures.

AREA, BUILDING - The total of the exterior areas taken on a horizontal plane at the main floor of the principal building and all accessory buildings, exclusive of uncovered porches, terraces, and steps.

AREA, LOT - The total area within the lot lines.

ASSISTED LIVING OR CONGREGATE HOUSING – A facility which use does not meet the definition of single/household unit, boarding or dormitory housing, group residential facility, or group residential home but meets one of the following definitions:

- a. **ASSISTED LIVING HOUSING** – Any residential facility, residence, or place of accommodation, however named, available for four or more residents for the express or implied purpose of having personal assistance or supervision, or both, provided to any residents therein who are dependent upon the services of others by reason of physical or mental impairment and who may also require nursing care at a level that is not greater than limited or intermittent nursing care. Other names for this definition include but are not limited to nursing homes, convalescent home, or convalescent hospital.
- b. **CONGREGATE HOUSING** - A residence for four or more elderly persons (age 60 and older) within which are provided living and sleeping rooms, meal preparation, laundry services, and room cleaning. Congregate housing may also provide other services, such as transportation for routine social and medical appointments and counseling. Other names for this definition include retirement home or retirement community.

AUTO SERVICE STATION AND REPAIR SHOP - Any structure or premises used primarily for the servicing and repair of motor vehicles. May include minor repair work – including not limited to, oil changes, replacement of tires, and replacement of batteries – and major repair work – including but not limited to motor replacement, body and fender repair, or spray painting.

AUTOMOTIVE AND OTHER VEHICLES SALES - Any building or land used for the display, sale or rental of new or used motor vehicles in operable condition. Such use may also include the display, sale, or rental of motorcycles, mopeds, or other motorized two or three-wheeled vehicles. Auto services and repairs are a permitted accessory use.

(B)

BANQUET HALLS OR CONFERENCE CENTERS - Facilities or buildings available for lease by private parties that may include kitchen facilities for the preparation or catering of food, the sale of alcoholic beverages for on-premises consumption during scheduled events not open to the public, and/or outdoor gardens, decks, or reception facilities.

BAR - Premises used primarily (gross revenue from alcoholic beverages sale are greater than one-half of total revenue) for sale or dispensing of alcoholic beverages by the drink for on site consumption, and where food may be available for consumption on the premises as accessory to the principal use.

BAR, NEIGHBORHOOD – A bar that shall not exceed two thousand (2,000) square feet of floor area. See also “bar”.

BASE FLOOD -The flood which has been selected to serve as the basis upon which the flood plain management provisions of this and other ordinances have been prepared; for purposes of this ordinance, the 100-year flood.

BASEMENT - A space having one-half or more of its floor-to-ceiling height above the average adjoining grade and with a floor-to-ceiling height of not less than six and one-half feet. However, for

the purposes of flood plain management a basement is any area of the building having its floor subgrade (below ground level) on all sides.

BED AND BREAKFAST OR TOURIST HOUSE - A house or portion thereof, where short term lodging rooms and meals are provided. The operator of the house shall live on the premises or in adjacent premises.

BEDROOM - A private room planned and intended for sleeping, separable from other rooms by a door, and accessible to a bathroom without crossing another bedroom.

BILLBOARD - See SIGN, BILLBOARD.

BLOCK - A unit of land bounded by streets or by a combination of streets and public land, railroad rights-of-way, waterways, or any other barrier to the continuity to development.

BLUE ROOF - A roof of a building that is designed explicitly to provide initial temporary water storage and then gradual release of stored water, typically rainfall, as part of a storm water management system.

BOARD - The Board of Zoning Appeals of the City of Huntington.

BOARDING HOUSE - A residential use in which: a) two or more individual rooms that do not meet the definition of a dwelling unit are rented for habitation or b) a dwelling unit that includes greater than the permitted maximum number of unrelated persons. A boarding house shall not include a use that meets the definition of hotel, dormitory, motel, life care center, personal care center, group residential facilities, or nursing home. A college fraternity or sorority house used as a residence shall be considered a type of boarding house. A boarding house may either involve or not involve the providing of meals to residents. This use shall only involve renting living accommodations for minimum periods of five consecutive days.

BREW PUB - A restaurant which includes the brewing of beer or the fermentation of wine or cider as an accessory use for sale at the same premises of not more than 5,000 barrels per year for either consumption on premises or sold directly to the consumer. (A barrel is equivalent to 31 U.S. gallons.)

BUFFER YARD - A strip of land that a) separates one use from another use or feature, and b) is not occupied by any building, parking, outdoor storage or any use other than open space or approved pedestrian pathways. A buffer yard may be part of the minimum setback distance, but land within an existing or future street right-of-way shall not be used to meet a buffer yard requirement.

BUILD-TO LINE – An imaginary line parallel to a right-of-way line, created when the minimum setback and maximum setback for building facades are the same.

BUILD-TO ZONE – An area of the lot bounded by interior side and/or corner side lot lines and two imaginary lines, which are parallel or radial to a right-of-way line and correspond to the minimum and maximum setback for the façade of a principal building.

BUILDING - Any structure having a roof supported by columns or walls and intended for the shelter, housing or enclosure of any individual, animal, process, equipment, goods or materials of any kind or

nature. When separated by party walls, without any opening through walls, each portion of a building shall be considered a separate structure.

BUILDING CODE - The Building Code of the City of Huntington as adopted by article 1711 of the Huntington Codified Ordinances.

BUILDING COVERAGE - The horizontal area measured within the outside of the exterior walls of the ground floor of all principal and accessory buildings on a lot.




Figure 1315.A

BUILDING HEIGHT - The vertical distance measured from the average elevation of the finished grade of the structure to a point on the structure as determined by the regulations within Section 1315.07 Building Height.

BUILDING LINE - A line parallel to the street line that passes through the point of the principal building nearest the front lot line. See SETBACK.

BUILDING PERMIT - A permit signed by the code official stating that proposed improvement, development, or use compare with the provisions of this ordinance and the Building Code.

BUILDING, PRINCIPAL - A building in which is conducted the principal use of the lot on which it is located. Where a part of an accessory building is attached to the principal building in a substantial manner, as by a roof, such accessory building shall be considered a part of the principal building, provide that a carport shall not be considered a part of the principal building.

BUILDING WIDTH - The horizontal measurement between two structural walls of one building that are generally parallel, measured in one general direction that is most closely parallel to the required lot width. For a townhouse, this width shall be the width of each dwelling unit.

BUSINESS - The engaging in the purchase, sale, barter or exchange of goods, wares, merchandise or services; the maintenance or operation of offices, or recreational and amusement enterprises for profit.

(C)

CARPORT - An open space for the storage of one or more vehicles in the same manner as a private garage, which may be covered by a roof supported by columns or posts except that one or more walls may be the walls of the main building to which the carport is an accessory building or extension.

CARWASH - A building or lot that has its primary purpose as washing vehicles and may include self-service facilities or automatic washing facilities.

CEMETERY - Land used for the burial of the dead and dedicated for cemetery purposes, including columbariums, mausoleums and mortuaries when operated in conjunction with and within the boundary of such cemetery.

CERTIFICATE OF APPROPRIATENESS - A certificate issued by the Huntington Historic Preservation Commission indicating its approval of plans for additions to a landmark, building, structure or site; removal or demolition of a landmark, building, structure or site; or new construction within a designated historic district zone.

CERTIFICATE OF OCCUPANCY - A certificate signed by the code official as defined by city ordinances stating that the occupancy and use of land or a building or structure complies with the provisions of this ordinance and the Building Code.

CHARITABLE ORGANIZATIONS - As regards "exempt" tax status, such includes: Corporations, and any community chest, fund, or foundation, organized and operated exclusively for religious, charitable, scientific, testing for public safety, literary, or educational purposes, or to foster national or international amateur sports competition (but only if no part of its activities involve the provision of athletic facilities or equipment), or for the prevention of cruelty of children or animals, no part of the net earnings of which inures to benefit of any private shareholder or individual, no substantial part of the activities of which is carrying on propaganda, or otherwise attempting, to influence legislation.

CHILD CARE CENTER – See “Day Care, Child or Adult.”

CLEAR-SIGHT TRIANGLE - The triangular area formed by two intersecting street centerlines and a line interconnecting points established on each centerline and further described by section 1341.03 of this ordinance.

CODE OFFICIAL - The officer or other designated authority charged with the administration and enforcement of this Code, the Building Code, or other pertinent city development codes.

COMMERCIAL COMMUNICATIONS TOWER/ANTENNAE - A structure, partially or wholly exterior to a building, used for transmitting or retransmitting electronic signals, such as but not limited to antenna used for transmitting commercial radio or television signals or cellular telephone communications. This shall not include a standard antenna.

COMMERCIAL GREENHOUSE - A building used for the growing, storage, and sale of legal garden plants, shrubs, trees, or vines for retail or wholesale sales. Greenhouses that are part of a larger agricultural use shall be considered accessory to the principal agricultural use of the land.

COMMERCIAL RECREATIONAL FACILITIES (INDOORS) - Facilities that are not owned or operated, in whole or in part, by the City, County, State, or a non-profit agency, and which are open to the general public for a fee that shall include, but is not limited to: roller blade rental, billiard parlors, ice skating rinks, indoor swimming pools, and other similar businesses. All activities take place within an enclosed building. May include incidental alcohol sales.

COMMERCIAL RECREATIONAL FACILITIES (OUTDOORS) - Land or facilities that are not owned or operated, in whole or in part, by the City, County, State, or a non-profit agency, and which are open to the general public for a fee that shall include, but is not limited to: pay-to-play athletic fields, golf courses, outdoor swimming pools, amusement parks, racetracks, and other similar businesses. May include incidental alcohol sales.

COMMISSION - The Planning Commission of the City of Huntington.

COMMON OPEN SPACE - A parcel or parcels of land or an area of water suitable for recreational purposes or a combination of such land and water within a development site and designed and intended for the use or enjoyment of residents of the development, not including streets, off-street parking areas, and areas set aside for public facilities. Common open space shall be substantially free of structures, but may contain such improvements as are in the development plan as finally approved and as are appropriate for the recreation of residents.

COMMON WALLS - A common wall, also known as a party wall, is a dividing partition between two adjoining buildings.

COMMUNICATIONS NETWORK FACILITY, HEADEND, OR HUB – A building used for housing telecommunication equipment for receiving and distributing communications for internet or intranet, phone, television, or similar services. The building and site is often characterized by features such as satellite dishes, large telecommunication lines (either aerial or underground) such as phone line, cable line, fiber optic, or similar communication lines. The building may be staffed or unstaffed and is typically surrounded by some type of security fencing. A network facility, headend, or hub may be an accessory use to another principal use and located on the same lot. Principal uses may include radio or television stations, hospitals, or government offices and facilities.

COMMUNITY CENTER - A building (1) used for recreational, social, educational, and/or cultural activities, open to the public or a designated part of the public, and (2) owned or operated by a public, non-profit group or agency, or for-profit agency that provides services to the residential area. This does not include retail, personal, or professional services.

COMPREHENSIVE PLAN - The Comprehensive Plan for the City of Huntington, West Virginia.

CONDITIONAL USE - Uses that are publicly operated and those uses traditionally affected with a public interest and those uses entirely private in character but of such an unusual nature that their operation may give rise to unique problems with respect to their impact upon neighboring property and public facilities. Also called “Special Permit.”

CONDOMINIUM - An estate in real property consisting of an undivided interest in common with other purchasers in a portion of a parcel of real property, together with a separate interest in space in a residential building, such as an apartment. A condominium may include, in addition, a separate interest in other portions of such real property. A condominium is an ownership arrangement, not a land use; therefore, it is allowed in any district and under the same restriction as the land uses that it comprises. A condominium shall not negate lot nor other requirements intended to provide adequate light, air, and privacy.

CONVENTIONAL SUBDIVISION - A subdivision in which all or most of a plot or parcel is divided into lots and streets with little or no area reserved as common open space.

CRAFT PRODUCTION FACILITY (MICROBREWERY / MICRODISTILLERY / MICROCIDERY) - A facility in which beer, wine, or other alcoholic beverages are brewed, fermented, or distilled for distribution and consumption, and which possesses the appropriate license from the State of West Virginia. On premise production includes more than 500 barrels per year. Tasting rooms for the consumption of on-site produced beer, wine, or distilled products are permitted on premises as an accessory use. Retail sales are also permitted in hand-capped or sealed containers in quantities up to one-half barrel or 15.5 gallons sold directly to the consumer.

CULTURAL INSTITUTIONS - Public or private facilities use for display, performance, or enjoyment of heritage, history, or the arts. This use includes, but is not limited to, museums, libraries, art performance venues, cultural centers, and interpretative sites but does not include “theaters.”

(D)

DAY CARE (CHILD OR ADULT) - A facility administering to the needs of infants, toddlers, pre-school children, and school children outside of school hours, by persons other than their parents or guardians, custodians, or relatives by blood, marriage or adoption for any portion of the 24 hour day in a building other than the child's own home. This use may include, but is not limited to, after school programs, office day care centers and principal structures used for only day care/nursery school programs. This term may also include adult day care centers where persons other than children, family members, or guardians care for adult for a portion of a 24-hour day in a building other than the adult's home.

DECK - A constructed open area, usually attached to or part of and with direct access to or from, a building.

DENSITY - A measure of the number of dwelling units which occupy, or may occupy, an area of land.

DEVELOPER - The legal or beneficial owner or owners of a lot or of any land included in a proposed development including the holder of an option or contract to purchase, or other persons having enforceable proprietary interests in such land.

DEVELOPMENT - The division of a parcel of land into two or more parcels; the construction, reconstruction, conversion, structural alteration, relocation or enlargement of any structure; any mining, excavation, landfill or land disturbance, and any use or extension of the use of land.

DEVELOPMENT PLAN - A drawing, including a legal or site description, of the real estate involved which shows the location and size of all existing and proposed lots, building, structures, and yards; location and dimension of the building lines and easements; widths and lengths of all entrances and exits to and from said real estate; location of all adjacent or adjoining streets; all of which presents a unified or organized arrangement of streets, lots, buildings and public and service facilities and other improvements such as landscape development, and public parking areas, all of which shall have a functional relationship to the real estate comprising the planned development and to the use of properties immediately adjacent thereto.

DISABLED (HANDICAPPED) – Any person who has a physical or mental impairment which substantially limits one or more major life activities or a record of such impairment or being regarded as having such an impairment. A physical or mental impairment includes, but is not limited to, diseases and conditions such as orthopedic, visual, speech, and hearing impairments, cerebral palsy, autism, epilepsy, muscular dystrophy, multiple sclerosis, cancer, heart disease, diabetes, HIV infection, developmental disabilities, mental illness, drug addiction (other than addiction caused by current illegal use of a controlled substance), and alcoholism.

DISTRIBUTION FACILITIES - A use where goods are received and/or stored for delivery to the ultimate customer or user at remote locations.

DISTRICT OR ZONING DISTRICT - An area constituted by or pursuant to this ordinance and delineated by text and map as to location, extent, nature, and contents.

DORMITORY - A residential use in which: a) two or more individual rooms that do not meet the definition of a dwelling unit are rented for habitation or b) a dwelling unit that includes greater than the permitted maximum number of five (5) unrelated persons. A dormitory house shall not include a use that meets the definition of hotel, motel, group residential facilities, or assisted living and congregate housing. A college fraternity or sorority house used as a residence shall be considered a type of dormitory.

DRIVE-IN OR DRIVE-THRU - An establishment which by design, physical facilities, service, or by packaging procedures encourages or permits customers to receive services, obtain goods, or be entertained while remaining in their motor vehicles. Includes “Drive-Through.”

DWELLING - A building or portion thereof, used primarily as a place of abode for one or more human beings, but not including hotels, motels, lodging or boarding houses, or tourist homes as defined in this ordinance.

DWELLING TYPE:

- (1) **RESIDENTIAL CONVERSION UNIT** - To be considered a conversion, any proposed alteration must be confined to the interior of an already existing structural shell. Any proposal to extend the sides or increase the height of an existing structure or to alter the foundation shall not be considered a conversion and shall be required to meet the appropriate provisions established in that district for that particular use.
- (2) **SINGLE-FAMILY ATTACHED / TOWNHOUSE** - A one-family dwelling attached to two or more one-family dwellings by common vertical or "party" walls and also referred to as row houses.

- (3) SINGLE-FAMILY DETACHED - A dwelling unit which is designed for and occupied by not more than one-family and surrounded by open space or yards.
- (4) SINGLE-FAMILY DUPLEX - Two dwelling units accommodating two families which are attached side by side through the use of adjoining walls, and having one side yard adjacent to each dwelling unit.
- (5) ACCESSORY DWELLING UNIT – An accessory dwelling unit, also known as a carriage house or garage apartment, is a small building typically designed for a dwelling unit or a home occupation that may be above a garage at ground level.
- (6) MULTI-FAMILY DWELLING UNITS - Any building or structure having more than two dwelling units.
- (7) MANUFACTURED HOME - A dwelling unit fabricated in an off-site manufacturing facility for installation or assembly at the building site, bearing a label certifying that it is built in compliance with the Federal Manufactured Housing Construction and Safety Standards Act of 1974 (42 USC 5401, et seq.), which became effective June 15, 1976. The structure shall be transportable in one or more sections, built on a permanent chassis, and designed for use with or without a permanent foundation when connected to the required utilities. The term "manufactured home" does not include a "recreational vehicle".
- (8) MODULAR HOME - A factory-fabricated, transportable building consisting of two or more sections designed to be incorporated at a building site on a permanent foundation into a permanent structure, to be used for residential purposes and which bears a seal of compliance with regulations of the International Residential Code one and two-family building code or the International Building Code and other building codes adopted by the City of Huntington by ordinances.
- 9) MOBILE HOME - A transportable, factory-built home, designed to be used as a year-round residential dwelling and built prior to the enactment of the Federal Manufactured Housing Construction and Safety Standards Act of 1974, which became effective June 15, 1976

DWELLING UNIT – A single unit of one or more rooms providing complete, independent living facilities for one family including permanent provisions for living, sleeping, and eating, and kitchen and bathroom facilities but not including a tent, cabin, hotel, motel, recreational vehicle, or other temporary or transient structure or facility. See “Kitchen” and “Family/Household Unit”.

(E)

EDUCATIONAL INSTITUTION - Public or parochial pre-primary, primary, grade, high, preparatory school or academy; junior college, college or university, if public or founded or conducted by or under the sponsorship of a religious or charitable organization.

E-CIGARETTE – An electrical or electronic device that provides a smoke, vapor, fog, mist, gas or aerosol suspension of nicotine or another substance that, when used or inhaled, simulates the activity of smoking. The term e-cigarette includes, but is not limited to, a device that is composed of a heating element, battery or electrical or electronic circuit, or a combination of heating

element, battery and electrical or electronic circuit, which works in combination with e-cigarette liquid to produce an inhalable product. The term e-cigarette includes, but is not limited to, any so designed, or similarly designed, product that is manufactured, distributed, marketed or sold as an e-cigarette, e-cigar, e-pipe or under any other name or descriptor. The term “simulates the activity of smoking”, in the context of this definition, means replicating, mimicking or reproducing an experience similar to inhaling, or otherwise drawing into the mouth or nose, or exhaling the smoke or combustion product of burning tobacco or any other product or material that can be used in a similar fashion.

E-CIGARETTE LIQUID – Any of the liquids or liquid mixtures used in e-cigarettes and is also known as e-juice, e-fluid, e-liquid, vape juice, or e-liquid product. E-cigarette liquid includes e-cigarette liquid mixing kits and e-cigarette liquid mixing kit components. When used in, or with, an e-cigarette, e-cigarette liquid is vaporized or otherwise converted into an inhalable product. E-cigarette liquid may or may not include, without limitation, propylene glycol, vegetable glycerin, nicotine from any source or flavorings.

EXISTING MANUFACTURED HOME PARK OR SUBDIVISION - A manufactured home park or subdivision for which the construction of facilities for servicing the lot on which the manufactured homes are to be affixed (including, at a minimum, the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads) is completed before the effective date of this ordinance.

EXPANSION TO AN EXISTING MANUFACTURED HOME PARK OR SUBDIVISION - The preparation of additional sites by the construction of facilities for servicing the lot on which the manufactured homes are to be affixed (including the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads).

(F)

FAMILY/HOUSEHOLD UNIT –All persons living in the same household who are related by birth, marriage, or adoption. Additionally, family refers to the following:

1. An individual, or two (2) or more persons related by blood, marriage, or adoption, living together in a dwelling unit.
2. A group of not more than five (5) unrelated people living together as a single housekeeping unit in a dwelling unit sharing common facilities as considered reasonably appropriate for a family related by blood, marriage, or adoption. For a household unit for the disabled (See **DISABLED** in definitions), a single staff person may reside on the premises and shall not be included in the total number of occupants. Any additional staff shall be included in the total number of occupants. (For household unit for **DISABLED**, see also **GROUP RESIDENTIAL FACILITY**).

FENCE - An artificially constructed barrier of any material or combination of materials erected to enclose or screen areas of land.

FINANCIAL INSTITUTIONS - Establishments engaged in deposit banking. Banks and financial institutions may include, but are not limited to, commercial banks, loan or mortgage companies, stockbrokers, savings institutions, credit unions, and other similar uses.

FIREARMS SALES ESTABLISHMENTS - An establishment engaged in the sale, manufacture for sale, or repair of fire arms, ammunition and ammunition components, and hunting or shooting equipment.

FLAG – Any fabric or other flexible material attached to or designed to be flown from a flagpole or similar device.

FLEA MARKET - An occasional or periodic sales activity held within a building, structure, or open area where groups of individual sellers offer goods, new and used, for sale to the public, not to include private garage sales.

FLOOD - A general and temporary inundation of normally dry land areas.

FLOOD PLAIN - 1) A relatively flat or low land area adjoining a river, stream, or watercourse which is subject to partial or complete inundation; 2) an area subject to the unusual and rapid accumulation or run-off of surface waters from any source.

FLOODWAY - The channel of a river or other watercourse and the adjacent land area that must be reserved to discharge the base flood without increasing the water surface elevation of that flood more than one foot at any point.

FLOOD PROOFING - Any combination of structural and non-structural additions, changes or adjustments to structures which reduce or eliminate flood damage to real estate or improved real property, water and sanitary facilities, structures, and their content.

FLOOR AREA, GROSS - The sum of the gross horizontal areas of the several floors of a building measured from the exterior face of exterior walls or from the centerline of a wall separating two buildings, but not including interior parking spaces, loading space for motor vehicles, or any space where the floor-to-ceiling height is less than six feet.

FLOOR AREA, GROUND - The square foot area of a residential building within its largest outside dimensions computed on a horizontal plane at the ground floor level exclusive of open porches, breeze-ways, terraces, garages, and exterior stairways.

FLOOR AREA, NET - The total of all floor areas of a building, excluding stairwells and elevator shafts, equipment rooms, interior vehicular parking or loading; and all floors below the first or ground floor, except when used or intended to be used for human habitation or service to the public.

FLOOR AREA RATIO - The gross floor area of all buildings on a lot divided by the lot area.

FRATERNITY OR SORORITY - See "Boarding House".

FRONTAGE - That side of a lot abutting on a street; the front lot line.

FRONT YARD - See "Yard, Front."

FUEL SALES – An establishment that sells unleaded and diesel gasoline or any other fuel used in vehicles.

FUEL STORAGE - The storage of unleaded or diesel gasoline, or other similar fuels, in large

quantities for distribution, industrial use, or other similar activities not related to the retail sale of fuel.

(G)

GARAGE, PRIVATE - An enclosed building for the storage of one or more motor vehicles. No business, occupation or service shall be conducted in a private garage that is accessory to a dwelling, except as may be allowed as a home occupation.

GARAGE SALE - The accessory use of any lot for the occasional sale or auction of only common household goods and furniture and items of a closely similar character.

GOVERNING BODY - The City Council of the City of Huntington, West Virginia.

GRADE - The degree of rise or descent of a sloping surface.

GRADE, FINISHED - The completed surfaces of lawns, walks, and roads brought to grades as shown on official plans or designs relating thereto.

GREEN ROOF – A roof of a building that is partially or completely covered with vegetation and a growing medium, planted over a waterproofing membrane.

GROUP RESIDENTIAL FACILITY - A facility which is owned, leased, or operated by a behavioral health service provider which provides residential services and supervision for six (6) to twelve (12) individuals who are disabled as defined within this ordinance and has not more than three staff persons who reside on the premises, is licensed by the Department of Health and Human Resources, and complies with the state Fire Commission for residential facilities.

(H)

HALFWAY HOUSE - A licensed home for inmates on release from more restrictive custodial confinement or initially placed in lieu of such more restrictive custodial confinement, wherein supervision, rehabilitation, and counseling are provided to mainstream residents back into society, enabling them to live independently. Such placement is pursuant to the authority or consent of the West Virginia Department of Corrections. This use shall be subject to the rules and regulations for the dwelling unit type for which the persons are housed in, to include the limitation of the number of persons permitted to live within a dwelling unit type.

HAZARDOUS MATERIAL - Hazardous material includes but is not limited to explosives and blasting agents, compressed gases, flammable and combustible liquids, flammable solids, organic peroxides, oxidizers, pyrophoric materials, unstable (reactive) materials, water-reactive solids and liquids, cryogenic fluids, highly toxic and toxic materials, radioactive materials, corrosives, carcinogens, irritants, sensitizers, and other health hazards. Hazardous material is also waste material including but not limited to poisons, pesticides, herbicides, acids, caustics, pathological wastes, radioactive materials, flammable or explosive materials, and similar harmful chemicals and wastes which require special handling and must be disposed of in a manner which conserves the environment and protects the public health and safety.

HEIGHT - See "Building, Height Of."

HELIPORT - An area, either at ground level or elevated on a structure, licensed or approved for the loading and takeoff of helicopters, and including auxiliary facilities such as parking, waiting room, fueling and maintenance equipment.

HISTORIC STRUCTURE -

1. Listed individually in the National Register of Historic Places (a listing maintained by the Department of Interior) or preliminarily determined by the Secretary of the interior as meeting the requirements for individual listing on the National Register;
2. Certified or preliminarily determined by the Secretary of the Interior as contributing to the historical significance of a registered historical district or a district preliminarily determined by the Secretary to qualify as a registered historic district;
3. Individually listed on a state inventory of historic places in states with historic preservation programs which have been approved by the Secretary of the Interior; or
4. Individually listed on a local inventory of historic places in communities with historic preservation programs that have been certified either:
 - a. By an approved state program as determined by the Secretary of the Interior; or,
 - b. Directly by the Secretary of the Interior in states without approved programs.

HOME OCCUPATION - A routine, accessory and customary non-residential use conducted by a resident within or administered from a portion of a dwelling or its permitted accessory.

HOMEOWNERS ASSOCIATION - A community association, other than a condominium association which is organized in a development in which individual owners share common interests in open space or facilities.

HOSPITALS - An institution providing health services primarily for human in-patient medical/surgical care for the sick or injured and including related facilities such as laboratories. The use may also include out-patient departments, training facilities, central service facilities and staff offices that are an integral part of the facility and goes beyond general care typically administered within a doctor's office.

Types of hospitals include general, mental, chronic disease, and allied special hospitals such as cardiac, contagious disease, maternity, orthopedic, cancer and the like.

HOTEL/INN - A building or buildings including rooms rented out to persons as clearly transient and temporary living quarters. Any such use that customarily involves the housing of persons for periods of time longer than 30 days shall be considered a "boarding house" and shall meet the requirements of that use. A hotel, motel or inn may include a restaurant, nightclub, newsstand or tavern, provided that such uses are clearly accessory to the principal use of overnight accommodations.

HOUSEHOLD PET - Animals that are customarily kept for personal use or enjoyment within the home. Household pets shall include but not be limited to domestic dogs, domestic cats, domestic tropical birds, and rodents.

HOUSEHOLD UNIT – See “Family/Household Unit.”

(I)

ILLUMINATED SIGN - See "SIGN, ILLUMINATED".

IMPERVIOUS COVERAGE – The percentage of a property that is covered with non-infiltrating material. This includes all structures, roofed areas, slabs, and paving material.

IMPROVEMENT LOCATION PERMIT - See "Building Permit".

INDOOR SHOOTING RANGE - An indoor facility in which the supervised discharging of firearms is authorized by city permit along with other related activities such as the sale of legal firearms, legal ammunition and targets and the instruction of the use of firearms.

INDUSTRY - Those fields of economic activity including forestry, fishing, hunting, trapping; mining; construction; manufacturing; transportation, communication, electric, gas and sanitary services; and wholesale trade.

INSTITUTIONAL USE - A non-profit or quasi-public use or institution such as a church, library, public, or private school, hospital, or municipally owned or operated building, structure or land used for public purpose.

(J)

JUNKYARD OR SALVAGE CENTERS - Land or buildings used for one of the following operations:

1. The purchase, sale, exchange, storage, baling, packaging, disassembly, or handing of waste, used materials, or secondhand materials including, but not limited to, batteries, scrap iron and other old scrap ferrous or non-ferrous materials, metals, paper, rubber tires, tires, debris or waste, electronic parts, and bottles;
2. The dismantling or wrecking of motor vehicles or trailers, or the storage, sale or dumping of dismantled, or partially dismantled, obsolete, or wrecked vehicles or their parts;
3. The storage, keeping, buying or selling of wrecked, scrapped or dismantled motor vehicles or motor parts. The presence on any lot or parcel of land of two or more motor vehicles, which, for a period exceeding 30 days, have not been capable of operating under their own power and from which parts have been removed for reuse or sale, shall constitute a vehicle or automotive wrecking or salvage yard; or
4. A service that provides towing or conveyance of a wrecked, inoperable, disabled, or illegally parked motor vehicle in conjunction with one of the above services.

(K)

KITCHEN - Any room or portion of a room principally used, intended, or designed to be used for

cooking or the preparation of food. The presence of a range (or cooktop and oven), shall be considered as establishing a kitchen. The meaning of “kitchen” shall exclude a bar or butler’s pantry.

(L)

LABORATORY - A building or group of buildings in which are located facilities for scientific research, investigation, testing, or experimentation, but not facilities for the manufacture or sale of products, except as incidental to the main purpose of the laboratory.

LANDOWNER - The legal or beneficial owner or owners of land including the holder of an option or contract to purchase (whether or not such option or contract is subject to any condition), a lessee if he is authorized under the lease to exercise the rights of the landowner, or other person having a proprietary interest in land.

LAUNDRY AND CLOTHES CLEANING ESTABLISHMENT TYPES:

1. **LAUNDROMAT** - An establishment providing self-service laundry equipment, typically coin-operated, for use on the premises. This does not include dry cleaning services.
2. **LAUNDRY AND DRY CLEANING PICK-UP** – An establishment providing dry cleaning and laundry pickup services, but where no dry cleaning and laundering are done on the premises.
3. **LAUNDRY AND DRY CLEANING SERVICE** – An establishment providing dry cleaning and laundering services where dry cleaning and laundering are done on the premises.

LIGHTING:

1. **DIFFUSED** - That form of lighting wherein the light passes from the source through a translucent cover or shade.
2. **DIRECT OR FLOOD** - That form of lighting wherein the source is visible and the light is distributed directly from it to the object to be illuminated.
3. **INDIRECT** - That form of lighting wherein the light source is entirely hidden, the light being projected to a suitable reflector from which it is reflected to the object to be illuminated.

LIMITED VIDEO LOTTERY/KENO ESTABLISHMENT - Any establishment offering limited video lottery/Keno forms of entertainment. This shall include any establishment which requires a license from the West Virginia Lottery Commission to operate. See also **LIMITED VIDEO LOTTERY/KENO, INCIDENTAL**.

LIMITED VIDEO LOTTERY/KENO, INCIDENTAL – Any establishment offering limited video lottery/Keno forms of entertainment incidental to other non-residential permitted uses such as a restaurant, as long as the space dedicated for such entertainment and services does not exceed 30% of the gross floor area of the establishment. This establishment requires a license from the West Virginia Lottery Commission to operate.

LIVE/WORK UNITS - A use that combines a commercial activity allowed in the zoning district with a residential living space for the owner of the commercial business, or the owner's employee, and that person's household. The unit is also where the resident owner or employee of

the business is responsible for the commercial activity performed.

LOADING SPACE - An off-street space or berth used for the loading or unloading of commercial vehicles.

LODGE, PRIVATE CLUB, OR SOCIAL HALL - A facility for the use of a membership organization or association with elected officers and directors, pursuant to a charter or bylaws, that excludes the general public from its premises and holds property for the common benefit of its members. The following shall also apply:

1. A lodge or private club may not charge a temporary membership fee in order to allow non-members to enter or use the premises.
2. A lodge or private club may serve meals for members and their guests only. Alcohol service for members and guests is only permitted with a Conditional Use permit for a Bar.

LOT - A designated parcel, tract or area of land established by a plat, subdivision, or as otherwise permitted by law and to be used, developed or built upon as a unit. See Figure 1315.C.

LOT AREA - The total area within the lot lines of a lot, excluding any street rights-of-way.

LOT, CORNER - A lot or parcel of land abutting upon two or more streets at their intersection, or upon two parts of the same street forming an interior angle of less than 135 degrees. See Figure 1315.C.




Figure 1315.C

LOT COVERAGE - The area of a site covered by buildings, impervious surfaces, or roofed areas, excluding allowed projecting eaves, balconies, and similar features.

LOT DEPTH - The average horizontal distance between the front and rear lot lines. For lots where the front and rear lot lines are not parallel, the lot depth should be measured by drawing lines from the front to rear lot lines, at right angles to the front lot line, every ten feet and averaging the length of these lines. See Figure 1315.C.

LOT, FLAG - A lot not fronting on or abutting a public road and where access to the public road is a narrow, private right-of-way. See Figure 1315.C.

LOT, FRONTAGE - The length of the front lot line measured at the street right-of-way line. See Figure 1315.C.

LOT, INTERIOR - A lot other than a corner lot or through lot. See Figure 1315.C.

LOT LINE - A line of record bounding a lot which divides one lot from another lot or from a public or private street or any other public space.

LOT LINE, FRONT - The lot line separating a lot from a street right-of-way. A corner or through lot shall have two front lot lines.

LOT LINE, REAR - The lot line opposite and most distant from the front lot line; or in the case of triangular or otherwise irregularly shaped lots, a line ten feet in length entirely within the lot, parallel to and at a maximum distance from the front lot line.

LOT LINE, SIDE - Any lot line other than a front or rear lot line. See Figure 1315.C.

LOT OF RECORD - A lot which exists as shown or described on a plat or deed which is recorded in the Office of the Clerk of the County Court of either Cabell or Wayne County.

LOT, THROUGH - A lot which fronts upon two parallel streets, or which fronts upon two streets which do not intersect at the boundaries of the lot. See Figure 1315.C.

LOT WIDTH - The horizontal distance between the side lines of a lot measured at right angles to its depth along a straight line parallel to the front lot line at the minimum required building setback line. See Figure 1315.C.

LOWEST FLOOR - The lowest floor of the lowest enclosed area (including basement). An unfinished or flood resistant enclosure, usable solely for parking of vehicles, building access or storage in an area other than a basement area is not considered a building's lowest floor; provided, that such enclosure is not built so as to render the structure in violation of the applicable non-elevation design requirements of this ordinance.

(M)

MANUFACTURED HOMES – See “Dwelling Type.”

MANUFACTURED / MOBILE HOME PARK - A manufactured home park for which the construction of facilities for servicing the lots on which the manufactured homes are to be affixed including at a minimum, the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads.

MANUFACTURING AND PRODUCTION (HEAVY OR OUTDOORS) - An establishment engaged in manufacturing, assembly, fabrication, packaging or other industrial processing of products primarily from extracted or raw materials, or the bulk storage and handling of such products and materials, or an industrial establishment having potential to produce dust, smoke, fumes, glare, odors or vibration beyond its lot line. Such use shall also include any manufacturing or assembly facility that requires outdoor storage areas that exceed 10,000 square feet in area or 30% of the principle structure square footage, whichever is greater.

MANUFACTURING AND PRODUCTION (INDOORS) - The manufacturing, processing, fabrication, packaging, or assembly of products within a fully enclosed structure where odor, light, dust, smoke, fumes, or vibrations is not noticeable from the adjacent properties. This use type shall not include establishments that provide electroplating, metal stamping or forging, or vehicle processing. Manufacturing and production indoors may also include incidental storage, sales, and distribution of such products. See also “manufacturing and production (heavy or outdoors)” and “manufacturing and production with caustic or hazardous materials.”

MANUFACTURING AND PRODUCTION WITH CAUSTIC OR HAZARDOUS MATERIALS - An establishment that is defined as a “manufacturing and production (heavy or outdoors)” use above but that also utilizes caustic or hazardous materials as may be defined by the City. See "Hazardous Material".

MANUFACTURING AND SALES, ARTISAN – The manufacturing, processing, fabrication, packaging, or assembly of products within a fully enclosed structure which includes retail sales for the products produced within the same structure. Retail sales may include products produced offsite. No processes or equipment may be used that creates heat, glare, dust, smoke, fumes, odors, or vibration beyond its lot line. Retail space may be included on site and shall be located at the primary entrance of the structure.

MARINA - A facility for storing, servicing, fueling, berthing, and securing and launching of private pleasure craft that may include the sale of fuel and incidental supplies for the boat owners, crews, and guests.

MEDICAL CLINIC - A use involving the treatment and examination of patients by state-licensed physicians, dentists, chiropractors, physical therapists, psychologists, social workers, and naturopathic physicians, and other similar state licensed care professionals, provided that no patients shall be kept overnight on the premises. The total gross floor area of the office is in excess of four thousand (4,000) square feet.

MEDICAL OFFICE- A use involving the treatment and examination of patients by state-licensed physicians, dentists, chiropractors, physical therapists, psychologists, social workers, naturopathic physicians, and other similar state licensed care professionals, provided that no patients shall be kept overnight on the premises. The total gross floor area of the office cannot exceed four thousand (4,000) square feet.

MIXED USE BUILDINGS (WITH RESIDENTIAL USES) – A lot or buildings that contains a mixtures of uses that are permitted in the applicable zoning district and where residential dwelling units may be permitted on any floor above the first and/or ground floor.

MOBILE HOME SALES - A lot of facility used for the business of selling or leasing mobile homes but where no mobile home shall be permanently located or used for residential purposes.

MOTEL - A building or series of buildings in which lodging is offered for compensation, and which is distinguished from a hotel primarily by reason of providing direct independent access to, and adjoining parking for, each rental unit.

MOTOR, RAIL, OR AIR FREIGHT TERMINAL - A building or lot where trucks, rail cars, or airplanes can be loaded or unloaded of passengers or goods for transport.

(N)

NANOBREWERY - A facility in which beer is brewed, fermented, and produced in quantities not to exceed 500 barrels per year and which meet the requirements of the zoning district and possess the appropriate license from the State of West Virginia. Tasting rooms for the consumption of on-site produced beer, wine, or distilled products are permitted on premises as an accessory use. Retail sales are also permitted in hand-capped or sealed containers in quantities up to one-half barrel or 15.5 gallons sold directly to the consumer.

NEW CONSTRUCTION - Structures for which the start of construction as herein defined commenced on or after the effect date of this ordinance and includes any subsequent improvements to such structures.

NIGHTCLUB - A place operated for profit, where food may or may not be served for consumption on the premises and one or more forms of amusement are provided or permitted for a consideration that may be in the form of a cover charge or may be included in the price of the food and beverages, or both, purchased by patrons. This use type does not include “adult uses”.

NONCONFORMING LOT - A lot, the area, dimensions or location of which was lawful prior to the adoption, revision or amendment of the zoning ordinance, but which fails by reason of such adoption, revision or amendment to conform to the present requirements of the zoning district.

NONCONFORMING SIGN - Any sign lawfully existing on the effective date of an ordinance, or an amendment thereto, which renders such sign nonconforming because it does not conform to all the standards and regulations of the adopted or amended ordinance.

NONCONFORMING STRUCTURE OR BUILDING - A structure or building the size, dimensions or location of which was lawful prior to the adoption, revision or amendment to a zoning ordinance, but which fails by reason of such adoption, revision or amendment, to conform to the present requirements of the zoning district.

NONCONFORMING USE - A use or activity which was lawful prior to the adoption revision or amendment of a zoning ordinance, but which fails, by reasons of such adoption, revision or amendment, to conform to the present requirements of the zoning district.

NURSING HOME - A facility licensed by the state for the housing and intermediate or fully-skilled nursing care of three or more persons.

(O)

OFFICE(S) - Establishments providing executive, management, administrative, or professional services including, but not limited to, real estate, architecture, legal, travel, employment, advertising, design, engineering, architecture, accounting, and similar uses.

OIL AND GAS EXPLORATION – A hole bored into the earth that produces natural gases and oils that are brought to the surface for further refining and distribution.

100-YEAR FLOOD - A flood that has one chance in 100 or a 1% chance of being equaled or exceeded in any given year.

OPEN SPACE - Any parcel of land or water essentially unimproved and set aside, dedicated, designated or reserved for public or private use or enjoyment, or for the use and enjoyment of owners and occupants of land adjoining or neighboring such open space.

OUTDOOR DINING - Areas on sidewalks (public or private), patios, or other unenclosed areas, excluding vehicular use areas) that are designated for outdoor seating where patrons may be served food and beverage for on-site dining.

OUTDOOR MATERIAL AND SUPPLY BULK SALES - A facility or lot used for the outdoor sales and storage of materials that are to be used for construction or for manufacturing processes and where such uses are the principal use of the lot. Such use may also include the bulk sale of any stored item.

OWNER - The duly authorized agent, attorney, purchaser, devisee, fiduciary or any person having vested or equitable interest in the lot in question.

(P)

PARKING AREA - Any public or private land area designed and used for parking motor vehicles including parking lots, garages, private driveways and legally designated areas of public streets.

PARKING BAY - The parking module consisting of one or two rows of parking spaces and the aisle from which motor vehicles enter and leave the spaces.

PARKING GARAGES – A multi-level structure built either above or below grade and used to provide parking spaces along with adequate drives and aisle, for maneuvering, so as to provide access for entrance and exit for the parking motor vehicles. This may be permitted as a principal use of a lot or as an accessory use in accordance with this Zoning Ordinance.

PARKING LOT – Surface areas used to provide parking spaces along with adequate drives and aisle, for maneuvering, so as to provide access for entrance and exit for the parking of more than two vehicles. This may be permitted as a principal use of a lot or as an accessory use in accordance with this Zoning Ordinance.

PARKING SPACE - A space for the parking of a motor vehicle within a public parking area.

PAWNSHOP - Any business that loans money on deposit of personal property or deals in the purchase or possession of personal property on condition of selling the same back again to the pledger or depositor, or loans or advances money on personal property by taking chattel mortgage security thereon, and takes or receives such personal property.

PERMANENT COSMETICS - A cosmetic technique involving the injection of pigment into the skin as a means of producing designs that resemble makeup, such as eyebrows, eye-lining and other permanent enhancing colors to the skin of the face, lips and eyelids.

PERSON - Any individual or group of individuals, corporation, partnership, association or other entity, including state and local governments and agencies.

PERSONAL SERVICE - An establishment that provides a service oriented to personal needs of the general public and which does not involve primarily retail or wholesale sales or service to businesses. Personal services include barber and beauty shops, permanent cosmetics, massage therapy, photography studios, shoe repair shops, household appliance repair shops, dry cleaning and laundry, and other similar establishments.

PET STORE/PET SERVICES –A retail sales establishment primarily involved in the sale of domestic animals, such as dogs, cats, fish, birds, and reptiles, excluding exotic animals and farm animals such as horses, goats, sheep, and poultry. May also include the sale of supplies, and accessory services such as: boarding, grooming, and/or training services.

PLACE - An open, unoccupied, officially designated space other than a street or alley, permanently reserved for use as the principal means of access to abutting property.

PLANNED UNIT DEVELOPMENT - A development of land that is under unified control and is planned and developed as a whole in a single development operation or programmed series of development stages. The development may include streets, circulation ways, utilities, buildings, open spaces, and other site features and improvements.

PLAT - A map or chart indicating the subdivision or re-subdivision of land, either filed or intended to be filed for record.

PONDING BASIN - A designated area to store excess storm run off or stream water.

PORCH - A roofed open area, which may be screened, usually attached to or part of and with direct access to or from, a building.

PORTE-COCHERE (COACH DOOR) – A roofed structure that extends from a building over a driveway, providing an entryway and protection from the weather.

PRINCIPAL BUILDING - The building in which the principal use of a lot is conducted. Any building that is physically attached to a principal building shall be considered part of that building.

PRINCIPAL USE - A dominant use(s) or main use on a lot, as opposed to an accessory use.

PRINCIPALLY ABOVE GROUND - Where at least 51 percent of the actual cash value of a structure, less land value, is above ground.

PRIVATE SCHOOL - Private primary, grade, high, preparatory school or academy, but not including trade or business schools.

PUBLIC PARK AND RECREATIONAL FACILITIES - Any park or recreational facility that is owned or managed, in whole or in part, by the City, County, State, or a non-profit agency, that requires grading of the land, construction of facilities, lighting, or is developed for athletic fields, tennis courts, swimming pools, skate parks, disc golf, and other similar outdoor facilities.

PUBLIC RIGHT-OF-WAY - Land reserved for use as a road, street, alley, crosswalk, pedestrian way or other public purpose.

PUBLIC USE OR BUILDING - Buildings, structures, or facilities used by a government agency or similar public agency for administrative or service purposes including, but not limited to, fire stations, police stations, government offices, and other similar uses.

PUBLIC UTILITY INSTALLATIONS - The erection, construction, alteration, or maintenance by public utilities or municipal departments or commissions, of underground or overhead gas, electrical, steam, or water transmission or distribution systems, including poles, wires, mains, drains, sewers, pipes, conduits, cables, fire alarm boxes, police call boxes, traffic signals, hydrants, transmission towers or poles, and other similar equipment and accessories in connection therewith, reasonably necessary for the furnishing of adequate service by such public utility or municipal departments or commissions or for the public health or safety or general welfare.

(Q)

Reserved.

(R)

RADIO AND TELEVISION STATIONS - Facilities used to produce, operate, or develop radio or television programs for distribution through various telecommunication formats.

RECREATIONAL VEHICLE - A vehicle which is:

- a. Built on a single chassis.
- b. Four hundred square feet or less when measured at the largest horizontal projection.
- c. Designed to be self-propelled or permanently towable by a light duty truck.
- d. Designed primarily not for use as a permanent dwelling, but as temporary living quarters for recreational, camping, travel or seasonal use.

RECYCLING COLLECTION CENTER - A use for collection and temporary storage of more than 500 pounds of common household material for recycling, but that does not involve processing or recycling other than routine sorting, baling and weighing of materials. This term shall not include the indoor storage of less than 500 pounds of household recyclables and their customary collection, which is a permitted by-right accessory use in all zoning districts, without additional regulations. A recycling collection center is also a permitted by-right accessory use to a public or private primary or

secondary school, a religious use, a city-owned use, an emergency services station or a college or university.

RELIGIOUS USES - Buildings, synagogues, churches, religious retreats, monasteries, seminaries and shrines used primarily for religious and spiritual worship and that are operated for non-profit and non-commercial purposes. A religious use may include one dwelling unit as an accessory use for housing of employees of the religious use and their family. If a religious use is primarily residential in nature, it shall be regulated under the appropriate dwelling type.

REPAIR SHOP - Shops for the repair of appliances, watches, bicycles and other household items.

RETAIL SALES AND SERVICES - Establishments primarily engaged in the sale of goods and materials to the general public. Retail commercial uses may include, but are not limited to, bookstores, antique stores, convenience stores, bakeries, grocery stores, and other similar uses.

RETAIL SALES AND SERVICES, NEIGHBORHOOD – A retail and services establishment that shall not exceed a building footprint of six thousand (6,000) square feet. See also “retail sales and services”.

RESTAURANT - An establishment whose principal business is the selling or dispensing of food and beverages to the customer in a ready to consume state, in individual servings. Restaurants may include seating for on-site dining or may be for carry-out but shall not include the provision or dispensing, for on-site consumption, any fermented malt beverage, malt beverage, special malt, vinous, or spirituous liquors.

RESTAURANT SERVING ALCOHOLIC BEVERAGES - An establishment whose principal business is the selling or dispensing of food and beverages to the customer in a ready to consume state, in individual servings that includes the provision or dispensing, for on-site consumption, any fermented malt beverage, malt beverage, special malt, vinous, or spirituous liquors. Restaurants with alcoholic beverages contain only on-site dining. Carry-out services may be provided for food and non-alcoholic beverages. The gross revenue from alcoholic sales shall not exceed 50-percent of total gross revenue.

RIGHT-OF-WAY - Land reserved for the public or others for use as a street or other purpose. Unless otherwise stated, "right-of-way" shall mean the existing street right-of-way.

(a) **RIGHT -OF-WAY, EXISTING OR LEGAL** - The line separating a lot from the established official street right-of-way that either the city or the state will own after the completion of any proposed land use or development of a use under this ordinance.

(b) **RIGHT-OF-WAY, FUTURE OR ULTIMATE** - Land that is dedicated or is required to be defined or reserved for future dedication for uses as a street and for related public improvements. The terms "ultimate right-of-way", "right-of-way reserved for future dedication", and "future right-of-way" shall have the same meaning.

RIGHT-OF-WAY LINES - The lines that form the boundaries of a right-of-way.

(S)

SATELLITE DISH ANTENNA OR SATELLITE ANTENNA - A ground-based reflector, usually parabolic in shape, that receives electronic signals from a satellite. This term shall also include any pedestal or attached structure.

SCHOOL - A facility that provides a curriculum of elementary and secondary academic instruction, including kindergartens, elementary schools, middle schools, and high schools.

SELF-STORAGE DEVELOPMENT - A building or group of buildings divided into individual separate access units which are rented or leased for the storage of personal and small business property.

SELF-STORAGE, INDOORS - A structure containing separate, individual and private storage spaces of varying sizes that are leased or rented by individual lease for varying periods of time, with the use contained within one building and the storage bays accessed primarily from the interior of the building.

SETBACK - The required minimum horizontal distance between the building line and the related front, side, or rear property line.

SHELTER/MISSION - A facility whose general purpose is to provide temporary food, clothing or sleeping arrangements to persons, families, or parts of families on a temporary occupancy who are homeless or displaced. Short term counseling during stay may also be provided. The shelter shall have appropriate supervisory personnel. Such facility must meet all applicable standards of the department of health, State Fire Marshal, and any other federal, state, county or city agency which has regulatory power over the said facility.

SHOPPING CENTER - A group of three or more retail business and service uses on a single site with common parking facilities.

SIGN - Any object, device, display, painting, decal, or structure, or part thereof, situated outdoors or indoors, which is used to advertise, announce, identify, inform, display, direct, or attract attention to an object, person, institution, organization, business, product, service, event or location by any means, including words, letters, figures, design, symbols, fixtures, colors, illumination, or projected images, including all associated brackets, braces, supports, wires, and structures, which is displayed for informational or communicative purposes. See Figure 1315.D.

SIGN, ANIMATED OR MOVING - Any sign or part of a sign which changes physical position by any movement or rotation or which gives the visual impression of such movement or rotation.

SIGN AREA - The entire face of a sign and any framing, trim or molding, but not including the supporting structure.

SIGN, AWNING, CANOPY OR MARQUEE - A sign that is mounted or painted on, or attached to, an awning, canopy, or marquee that is otherwise permitted by ordinance. See Figure 1315.D.

SIGN, BANNER - A temporary sign composed of cloth, canvas, plastic, fabric or similar lightweight, non-rigid material that can be mounted to a structure with cord, rope, cable, or a

similar method or that may be supported by stakes in the ground.

SIGN, BLADE - A temporary sign that is constructed of cloth, canvas, plastic fabric or similar lightweight, non-rigid material and that is supported by a single vertical pole mounted into the ground or on a portable structure.

SIGN, BILLBOARD OR OFF-PREMISE - A sign which directs attention to a business, commodity, service or entertainment conducted, sold or offered at a location other than the premises on which the sign is located. The following shall not be considered an off-premise sign: Directional or official sign authorized by law, real estate signs, or on-premise signs.

SIGN, CHANGEABLE COPY - A sign which is designed to be changed on a regular basis usually consisting of interchangeable letters, numbers, and/or logos.

SIGN, COMMERCIAL MESSAGE – one where the message concerns goods or services offered for consideration by a person or entity engaged in a profit-oriented business, includes any written representation, emblem, graphic, logo, symbol or other display that names, advertises or references a business, operator, product, service or other for-profit activity.

SIGN, CONSTRUCTION - A temporary sign erected on the premises on which construction is taking place, during the period of such construction, indicating the names of the architects, engineers, landscape architects, contractors or similar artisans, and the owners, financial supporters, sponsors, and similar individuals or firms having a role or interest with respect to the structure or project.




Figure 1315.D

SIGN, DIRECTIONAL - Signs limited to directional messages, principally for pedestrian or vehicular traffic, such as "one-way", "entrance", and "exit".

SIGN, ELECTRONIC MESSAGE BOARDS - an electrically activated display whose variable message and/or graphic presentation can be electronically programmed. These signs include displays using incandescent lamps, LEDs, LCDs, or a flipper matrix.

SIGN, FACE - The area or display surface used for the message and visible in one direction at one time.

SIGN, FLASHING - Any directly or indirectly illuminated sign which exhibits changing natural or artificial light or color effects by any means whatsoever.

SIGN, FREE STANDING - Any nonmovable sign not affixed to a building.

SIGN, GOVERNMENTAL - A sign erected and maintained pursuant to and in discharge of any governmental functions, or required by law, ordinance or other governmental regulation.

SIGN, LIGHT POLE BANNER - A temporary banner or sign that is designed to be attached to a permanent light pole or other pole structure, and where the temporary sign element can be changed without modifying the permanent structure.

SIGN, PORTABLE MESSAGE CENTER - A sign not permanently affixed to the ground, building, or other structure, which may be moved from place to place, including, but not limited to, signs designed to be transported by means of wheels. Such signs may include changeable copy or electronic message boards.

SIGN, SIDEWALK - A freestanding sign which is ordinarily in the shape of an "A," "T" or some variation thereof, which is readily moveable, and is not permanently attached to the ground or any structure.

SIGN, SUSPENDED OR PROJECTION - a two-side sign that projects outward from the exterior wall of a structure.

SIGN, TEMPORARY - are signs not affixed to a permanent structure in any permanent way. Such signs are usually constructed with material not intended to be permanent or material susceptible to damage through exposure to ordinary weather or seasonal changes.

SIGN, VEHICULAR OR TRAILER - A sign permanently or temporarily attached to or placed on a vehicle or trailer and used primarily as a stationary sign.

SIGN, WALL - a sign that is painted to, attached flat to or mounted away from, but parallel to, any exterior wall of a structure.

SINGLE-FAMILY DWELLING - See DWELLING, SINGLE FAMILY.

SITE PLAN - A plan, prepared to scale, showing accurately and with complete dimensions, the boundaries of a site and the location of all buildings, structures, uses, and principal site development features proposed for a specific parcel of land. Site development features include sanitary sewers,

drainage, grading, pavement, walkways, electric lines, communication lines, water lines, gas lines, adjacent roadway, and landscaping features.

SMOKE SHOP/TOBACCO STORE – Any business that sells at retail tobacco, tobacco products, vape products, e-cigarette devices, vape juice, e-cigarettes, e-cigarette liquids or tobacco paraphernalia; provided, however, that any grocery store, supermarket, convenience store or similar retail use that only sells conventional cigars, cigarettes, vape products, e-cigarettes or tobacco as less than 25% of retail sales shall not be defined as a “smoke shop and tobacco store”.

SPECIAL PERMITS – See “Conditional Use.”

SPECIAL SCHOOL - Any school which has as its primary purpose the instruction, care and rehabilitation of typical or exceptional children or adults such that the usual statutory educational requirements expressly or implicitly do not apply.

START OF CONSTRUCTION - For other than new construction or substantial improvements under the Coastal Barrier Resources Act, Pub. Law 97-348, includes substantial improvements, and means the date the building permit was issued, provided the actual start of construction, repair, reconstruction, rehabilitation, addition, placement or other improvement was within 180 days of the permit date. The actual start means either the first placement of permanent construction of a structure on a site, such as the pouring of the slab or footings, the installation of piles, the construction of columns, or any work beyond the stage of excavation; or the placement of a manufactured home on a foundation. Permanent construction does not include land preparation, such as clearing, grading and filling; nor does it include excavation for a basement, footings, piers, or foundations or the erection of temporary forms; nor does it include the installation on the property of accessory building, such as garages or sheds not occupied as dwelling units or not part of the main structure. For a substantial improvement, the actual start of construction means the first alteration of any wall, ceiling, floor or other structural part of a building whether or not that alteration affects the external dimensions of the building.

STORY - That portion of a building included between the surface of any floor and the surface of the floor next above it, or if there be no floor above it, then the space between any floor and the ceiling next above it.

STORY, HALF - That portion of a building under a sloping gable, hip, or gambrel roof, the wall plates on at least two opposite exterior walls of which are not more than three feet above the floor level of such half-story.

STORY, HEIGHT OF - The vertical distance from top to top of two successive tiers of beams or finished floor surfaces; and, for the topmost story, from the top of the floor finish to the top of the ceiling joists or, where there is no ceiling, to the top of the roof rafters.

STREET - Includes street, avenue, boulevard, road, highway, freeway, parkway, lane, alley, viaduct, and any other ways used or intended to be used by vehicular traffic or pedestrians whether public or private.

STRUCTURAL ALTERATION - Any change in either the supporting members of a building, such as bearing walls, columns, beams and girders, or in the dimensions or configurations of the roof or exterior walls.

STRUCTURE - A combination of materials to form a construction for use, occupancy, or ornamentation whether installed on, above, or below the surface of land or water. However, regarding flood plain management a structure is a walled and roofed building, including a gas or liquid storage tank, that is principally above ground, as well as a manufactured home.

SUBSTANTIAL DAMAGE - Damage of any origin sustained by a structure whereby the cost of restoring the structure to its before damaged condition would equal or exceed 50 percent of the market value of the structure before the damage occurred.

SUBSTANTIAL IMPROVEMENT - Any repair, reconstruction, rehabilitation, addition or other improvement of a structure, the cost of which equals or exceeds 50 percent of the market value of the structure before the start of construction of the improvement. This term includes structures which have incurred "substantial damage", as defined herein, regardless of the actual repair work performed. The term does not, however, include either:

1. Any project for improvement of a structure to correct existing violations of state or local health, sanitary or safety code specifications which have been identified by the local code enforcement official and which are the minimum necessary to assure safe living conditions, or
2. Any alteration of a "historic structure", provided that the alteration will not preclude the structure's continued designation as a "historic structure".

SWIMMING POOL, HOUSEHOLD - A manmade area with walls of manmade material intended to enclose water at least 30 inches deep for recreational bathing or swimming and that is intended to serve the residents of only one dwelling unit and their occasional guests.

SWIMMING POOL, NON-HOUSEHOLD - A manmade area with walls of manmade material intended to enclose water at least 30 inches deep for recreational bathing or swimming and that does not meet the definition of a "household" swimming pool. This includes: 1) a "semi-public" pool that serves only residents of a development or members of a club and their occasional guest or 2) a "public" pool intended to serve the general public.

(T)

TATTOO PARLOR - Any building, room, space or portion thereof that provides services for the creation of an indelible mark, figure, work, or graphic illustration upon a human body by the insertion of pigment under the skin or by the production of scars. For the purposes of the Zoning Ordinance, facilities offering permanent cosmetics shall not be considered Tattoo Parlors.

TEMPORARY STRUCTURE - A structure without any foundation or footings and which is removed when the designated time period, activity, or use for which the temporary structure was erected has ceased.

TEMPORARY USE - A use established for a fixed period of time with the intent to discontinue such use upon the expiration of the time period.

TOBACCO PARAPHERNALIA – Any equipment, device, or instrument that is primarily designed or manufactured for the smoking, chewing, absorbing, dissolving, inhaling, snorting,

sniffing, or ingesting by any other means into the body of tobacco, tobacco products, or other controlled substances. Items or devices classified as tobacco paraphernalia include, but are not limited to, the following pipes, punctured metal bowls, bongs, water bongs, e-cigarettes, electronic cigars, electronic hookahs, electronic bongs and electronic pipes, whether manufactured, distributed, marketed or sold as an electronic cigarette, electronic cigar or electronic pipe, e-cigarette juice, buzz bombs, vaporizers, hookahs, and devices for holding burning material. Lighters and matches shall be excluded from the definition of tobacco paraphernalia. This definition shall not apply to medical treatments prescribed or administered by medical professionals.

TOBACCO PRODUCT – Any product in leaf, flake, plug, liquid, or any other form, containing nicotine derived from the tobacco plant, or otherwise derived, which is intended to enable human consumption of the tobacco or nicotine in the product, whether smoked, chewed, absorbed, dissolved, inhaled, snorted, sniffed, or ingested by any other means. For the purposes of this chapter, the term “tobacco product” excludes any product that has been specifically approved by the United States Food and Drug Administration (FDA) for sale as tobacco/smoking cessation product or for other medical purposes, where such product is marketed and sold solely for such an approved purpose.

TOWING SERVICES - A service that provides towing or conveyance of a wrecked, inoperable, disabled, or illegally parked motor vehicle. May include the storage or keeping of wrecked, inoperable, or impounded vehicles. Towing Services shall not include the storage, buying, or selling of scrapped or dismantled motor vehicles or motor parts.

TRADE OR BUSINESS SCHOOL - Secretarial or business school or college when not publicly owned or conducted by or under the sponsorship of a religious, charitable or non-profit organization; or a school conducted as a business enterprise for teaching instrumental music, dancing, barbering or hair dressing, drafting or for the teaching of industrial or technical arts.

TRAILER (TRAVEL AND RELATED CAMPING AND RECREATIONAL EQUIPMENT) - Shall include travel trailers, pickup coaches, motorized homes and recreational equipment as follows:

- (a) **TRAVEL TRAILER** - A portable structure built on a chassis, designed to be towed and used as a temporary dwelling for travel, recreational and vacation purposes, and permanently identified as a travel trailer by the manufacturer of the trailer.
- (b) **PICKUP COACH OR RECREATION VEHICLE** - A structure designed primarily to be mounted on a pickup or other truck chassis with sufficient equipment to render it suitable for use as a temporary dwelling for travel, recreational and vacation purposes.
- (c) **MOTORIZED HOME OR RECREATION VEHICLE** - A portable dwelling designed and constructed as an integral part of a self-propelled vehicle.
- (d) **BOAT** - A vessel designed to travel on water.
- (e) **BOAT TRAILER** - A trailer designed to haul a boat as defined above.

TRANSFER STATIONS FOR SOLID WASTE - A facility where solid waste from collection vehicles is consolidated and temporarily stored for subsequent transport to a permanent disposal site.

(U)

Reserved.

(V)

VARIANCE - A modification of the specific requirements of this ordinance granted by the board of zoning appeals in accordance with the terms of this ordinance for the purpose of assuring that no property, because of special circumstances applicable to it, shall be deprived of privileges commonly enjoyed by other properties in the same vicinity and district.

VISITABILITY – A movement to change home construction practices so that new homes — not merely those custom-built for occupants who currently have disabilities — offer a few specific features making the home easier for mobility-impaired people to live in and visit. Such features include a level access at grade, a slab raised foundation, and an accessible bathroom on the ground floor.

(W)

WAREHOUSES - A business establishment primarily engaged in the storage of merchandise, goods, and materials, not including any storage classified as self-storage. May include both commercial and private warehousing. Neither manufacturing nor production shall occur.

- (a) Light Warehousing – Smaller scale warehousing typically used as off-site storage for a related business where heavy trucking activity and nuisances such as dust, noise, and odors are rare and the storage is either indoors or completely screened from view. Light Warehousing does not include “Self-Storage, Indoors.”
- (b) Traditional Warehousing – Warehousing where regular trucking activity occurs and characterized by loading berths less than 45 feet in length, indoor loading docks, 2 or less external loading bays with berths of 45 feet or greater in length, or railroad loading docks and the storage is either indoors or completely screened from view.
- (c) Heavy Warehousing - Facilities characterized by extensive warehousing with 100,000 square feet of building footprint or larger, 3 or more external loading bays with berths of 45 feet or greater in length, frequent heavy trucking activity, or open storage of material.

WHOLESALE BUSINESSES - An establishment primarily engaged in the selling and/or distributing of merchandise or other goods to retailers or to industrial, commercial, institutional, or professional business users, or to other wholesalers rather than to the general public.

(X)

Reserved.

(Y)

YARD - An open space that lies between the principal or accessory building or buildings and the nearest lot line. Such yard is unoccupied and unobstructed from the ground upward except as may be specifically provided in the zoning ordinance. See Figure 1315.E.

YARD DEPTH - The shortest distance between a lot line and a yard line.


YARD, FRONT - A space extending the full width of the lot between any building and the front lot line, and measured perpendicular to the building at the closest point to the front lot line. Such front yard is unoccupied and unobstructed from the ground upward, with the exception of permitted encroachments. See Figure 1315.E.

YARD LINE - A line drawn parallel to a lot line at a distance there from equal to the depth of the required yard.


YARD, REAR - A space extending across the full width of the lot between the principal building and the rear lot line, and measured perpendicular to the building to the closest point of the rear lot line. See Figure 1315.E.

YARD, REQUIRED - The open space between the lot line and the buildable area within which no permanent structure shall be located with the exception of permitted yard encroachments. See Figure 1315.E.


YARD, SIDE - A space extending from the front yard to the rear yard between the principal building and the side lot line measured perpendicular from the side lot line to the closest point of the principal building. See Figure 1315.E.



CORNER LOT EXAMPLES



INTERIOR LOT EXAMPLES



ODD-SHAPED LOT EXAMPLES

REQUIRED YARDS


 BUILDING (ZONING) ENVELOPE
(TWO DIMENSIONAL)

Figure 1315.E

(Z)

ZONE OR ZONING DISTRICTS - A specifically delineated area or district within which regulations and requirements uniformly govern the use, placement, spacing and size of land and buildings.

ZONING - A legal and administrative process whereby a municipality divides its territory into districts and applies to each district a number of regulations to control the use of land, the height and bulk of buildings, and the area of ground built upon.

ZONING MAP - The map or maps, which are a part of this zoning ordinance, and delineate the boundaries of the zone districts.

ZONING ORDINANCE OR THIS ORDINANCE - The zoning ordinance enacted December 14, 1998, as amended.

Section 1315.03 Measurements and Exceptions

The purpose of this section is to provide the definitions and standards to which most elements within this code are measured. In addition, this section also establishes which elements may be exempted from certain measured requirements, in addition those also established within the zoning districts and Article 1341, General Regulations.

Section 1315.04 Lot Dimensions

- A. Lot Area. Lot area is measured as the total area contained within the boundary lines of a lot, excluding any right-of-ways.
- B. Lot Width. Lot width is measured as the horizontal distance between side lot lines along the front lot line, with the following exception:
 - 1. On a lot which is on a cul-de-sac or which has a curved front lot line, the setback line is used to measure lot width.
 - 2. On a corner lot, the lot width is measured on front yard property line that is parallel to the front façade. If there is no principal structure, the lot width is measured along the front lot line along the principal right-of-way.
 - 3. Flag lots shall measure the lot width only on the larger portion of the lot referred to as the flag portion.
- C. Lot Depth. Lot depth is measured as the horizontal distance from the midpoint of the front lot line to the midpoint of the rear lot line of a lot, with the following exceptions:
 - 1. Corner lots measure the lot depth as follows:
 - a. If there is no principal structure, the lot depth is measured perpendicular to front lot line along the principal right-of-way.
 - b. If there is a principal structure, the lot depth is measured perpendicular to the front lot line parallel to the front façade of the principal structure.
 - 2. On a flag lot, only the flag portion, the larger area of the lot at the end of a narrow strip that begins at the front lot line, is used to measure depth.
 - 3. On a lot accessed by an access easement, the easement is not used to measure the lot depth.




Figure 1315.A: Example of a lot and lot measurements

Section 1315.05 Lot Coverage

- A. Building Coverage. Building coverage is measured by dividing the total area of building footprints of all principal and accessory structures by the total lot area.
- B. Impervious Surface. Impervious surface is measured by dividing the total area of the building footprints of all principal and accessory structures and all paved surfaces of the site, by the total lot area, with the following exceptions:
 - 1. When semi-pervious paving is used, it is calculated at a reduced percentage of impervious coverage, as follows:
 - a. Pervious concrete and open grid paving systems are calculated as 50% impervious surface, provided that no barrier to infiltration is installed beneath the material. Open grid pavers must be installed on a sand base, without an impervious liner, to qualify.
 - b. Other types of pervious surfaces, such as permeable pavers, porous asphalt, or gravel-crete, are credited based upon field performance data and coefficients of permeability provided by the manufacturer.
 - 2. When a green or blue roof is installed, the area of the building that includes the green or blue roof is calculated as 50% impervious surface.
- C. Lot Coverage. The percentage of a lot that is covered by buildings, roofed areas, or impervious surfaces, excluding the following:
 - 1. Balconies in accordance with Section 1315.06
 - 2. Eaves in accordance with Section 1315.06
 - 3. Similar features as determined by the Planner

Section 1315.06 Building Setbacks

Building setbacks are the required minimum horizontal distance between the building line and the related front, side, or rear property line. This section outlines most of the key information needed to determine setbacks and exceptions.

- A. Required Yards. A required yard is the area of a lot that must be maintained clear of permanent structures, with the exception of the following permitted encroachments:
 - 1. Accessory Structures. Accessory structures may encroach upon required side and rear yards up to three (3) feet from the property line with the following exceptions:
 - a. Garages must be setback five (5) feet from all property lines and be located in the rear yard unless site features such as topography or other barriers prevent access. In the event that a garage cannot be located in the rear yard, it may be located in the side yard.
 - b. Carports must be located in the rear yard unless site features such as topography or other barriers prevent access. In the event that a carport cannot be located in the rear yard, it may be located in the side yard.
 - 2. Building Features. Certain building features may encroach upon the required yards up to three (3) feet from any property line as follows:
 - a. An accessibility ramp may encroach upon any required yards to the extent necessary to perform its proper function.
 - b. A balcony may encroach on any yard up to eight (8) feet.
 - c. A bay window or turret that is less than ten feet wide may encroach up to three (3) feet into a required yard.

- d. An awning or canopy may encroach up to eight (8) feet upon any required yard with the following exceptions:
 - a. Commercial structures may have awnings or canopies that extend up to the property line.
 - b. Commercial structures may have awnings or canopies that extend onto the public right-of-way with approval from Public Works Director and the Planner.
 - e. A chimney, flue, or smokestack may encroach up to four (4) feet.
 - f. A porch or stoop may encroach up to eight (8) feet upon any required yard, with the following exceptions:
 - a. A stoop of less than eighteen (18) square feet may encroach upon any required yard as long as it remains at least one (1) foot from all property lines.
 - g. A porte-cochere (coach door) may encroach upon any side or rear yard.
 - h. Architectural features such as sills, cornices, eaves, roofs, overhangs, or similar features may encroach up to four (4) feet into any yard.
 - i. Site features such as ornamental lighting, lamp posts, and lawn decorations, such as benches, statues, birdbaths, sculptures, or similar elements approved by the Planner.
3. Fences and Walls. Fences and walls may encroach upon required yards in accordance with Section 1341.19.
 4. Pedestrian and Cyclist Facilities. Pedestrian or cyclist facilities, such as sidewalks, multi-use paths, and bicycle parking, may encroach upon required yards.
 5. Signs. Signs may encroach upon required yards in accordance with Section 1345.
 6. Vehicle Parking. Vehicles parking, including driveways and drive aisles, may encroach upon any required yard in accordance with Section 1343 and the provisions within each district.




Figure 1315.B: Example of setbacks and buildable area

- A. Corner Lots. A setback area equal to the minimum front yard setback shall be provided along all portions of a corner lot abutting any public street with the following exceptions:
 1. Residential Structures. Where the applicant proves to the satisfaction of the

Planning Director that the provisions of a smaller setback of a different yard for a residential building will conform with the clearly prevailing yard pattern on numerous existing developed adjoining lots fronting on the same street. The yard directly opposite the front door of the house shall be the designated rear yard.

- B. Prevailing Front Yard Setback Line. The prevailing front yard setback line is the mean front yard line of all principal buildings along a block face and which are located in the same zone, except as follows:
1. Where less than 25% of the combined lot widths along a block face consist of lots that are improved with principal buildings, the prevailing front yard line will be determined by the Planner.
 2. Where one or more adjacent properties, located on the same block face as the subject property, vary from the mean front yard setback line by at least 10 feet, the prevailing front yard line will be determined by the Planner.
 3. When determining the prevailing front yard line, the Planner must consider the following criteria:
 - a. The prevailing front yard line is consistent with the intended development pattern of the zone.
 - b. The prevailing front yard line is harmonious with adjacent development.
 - c. The prevailing front yard line allows for adequate light and air for the subject property and adjacent properties.
 - d. The recommended setback for a residential use only structure is a minimum setback of 20% of the lot depth and a maximum setback of 30% of the lot depth.
- C. Corner Lot Vision Clearance
1. A triangular area as described in this Section shall be graded and shall be kept free of sight obstructions between a height of three (3) feet and twelve (12) feet above the established street grade, including structures, non-transparent fences, vegetation and signs, but not including sign posts of less than one foot in width or utility posts or the trunks of trees.
 2. This sight distance shall be shown on development plans submitted to the City and be shown on any plan required to be recorded. Such triangle shall serve as a permanent setback line for all such visual obstructions and shall be binding upon present and future owners of the land.
 3. The sight triangle shall be measured at the intersection of the right-of-way lines, and the triangular space is determined by a diagonal line connecting two points measured 15 feet along each of the street right-of-way lines. This requirement may be reduced to 8 feet in commercial zones.
- D. Side and Rear Yard Exceptions. The required side or rear yard setbacks may be reduced by the following exceptions:
1. One-half of an alley abutting a side or rear yard may be included in required setbacks.
- E. Prevailing Side Yard Setback Line. The prevailing side yard setback line is the mean side yard line of all principal buildings along a block face and which are located in the same zone.
1. The required side yard may be reduced where the applicant proves to the satisfaction of the Planning Director that the provision of a smaller side yard setback will conform to the prevailing side yard pattern of the developed lots fronting the same street. In no event shall the required side yard be reduced to less than three (3) feet unless permitted by the district.

F. Build-To and Façade Measurements

1. **Build-To Percentage.** The build-to percentage specifies the percentage of the width of the building façade, measured along the adjacent right-of-way line, which must be located within a build-to zone or along a build-to line. The following are exceptions to the build-to percentage:
 - a. An arcade, forecourt, or plaza frontage is counted as meeting the required build-to percentage.
 - b. An alcove, entry door recess, or recessed upper-story balcony not wider than 16 feet in width is counted as meeting the build-to percentage.
 - c. A chamfered corner or beveled edge of a building, designed to achieve corner visibility on a corner lot or driveway entrance, is counted as meeting the build-to percentage as long as it is not more than sixteen (16) feet measured along each of the street right-of-way lines.
2. **Build-To Zone.** A build-to zone is an area of the lot bounded by two imaginary lines, which are parallel to a right-of-way line and correspond to the minimum setback and maximum setback for the façade of a principal building.




Figure 1315.C: Example of a build-to zone

3. **Build-To Line.** A build-to line is an imaginary line parallel to a right-of-way line, created when the minimum setback and maximum setback for the building facades are the same number.



Figure 1315.D: Example of a chamfered corner

- d. Façade articulation, such as window or wall recesses or projections, is counted as meeting the required build-to percentage, so long as the variation goes not exceed 18 inches of depth or projection.
- e. An outdoor dining area is counted as meeting the required build-to percentage, so long as the outdoor dining area is created by the recess of only the ground floor of the building façade, and the recess is no greater than twelve feet in depth from the building façade.




Figure 1315.E: Example of a commercial structure with a built-to line and percentage

4. Façade Bay Width. Façade bay width is the area of a building's façade divided into architecturally distinct vertical sections with similar proportions. Features that divide a building façade into bays are elements such as pilasters, columns, and or changes in wall depths or floor and roof levels. The bays shall be in harmony with each other in terms of scale, proportion, detailing, and design.

Section 1315.07 Building Height

A. Building Height, Feet. When Building height is measured by linear feet, building height is measured as the vertical distance from average ground level to:

1. The peak of a flat roof.




Figure 1315.F: Building height for a flat roof

2. The peak of a gambrel or mansard roof.




Figure 1315.G: Building height for a gambrel or mansard roof

3. The midpoint between the eaves and the ridge in the case of a pitched roof (gable, hip, or shed roof).




Figure 1315.H: Building height for gable, hip, or shed roof

- B. Building Height, Stories. When building height is measured by number of stories, building height is measured as follows:
1. The first story of a structure is measured from the finished ground floor level to the surface of the second floor or, in the case of a one-story building, from the finished ground floor level to the surface of the roof. Each upper story of a structure is measured from the surface of the floor to the surface of the floor above it or, if there is no floor above, from the surface of the floor to the surface of the roof above it.
 2. When building height allows for half-stories, the half-story is calculated as the space under a sloping roof where the line of intersection of roof decking and exterior wall face is no more than five feet above the top floor level.
 3. When a lot slopes downward from the front lot line, additional stories are permitted in addition to the maximum number allowed only on the lower rear portion of the lot.
- C. Building Height Exceptions. The following are exempt from the minimum and maximum building height requirements:
1. Accessory structures, which are governed by the zoning district in which they are located in.
 2. Chimneys, fire escapes, flues, ventilators, and smokestacks.
 3. Cooling towers, grain elevators, gantry cranes, derricks, conveyors, essential mechanical appurtenances, air ducts, or other structures used for a manufacturing or transshipment process.
 4. Cupolas, domes, bell towers, minarets, monuments, spires, steeples, belfries, and ornamental towers, so long as they are not intended for occupancy.
 5. Bulkheads, elevator enclosures, penthouses for elevators and stairways, skylights, scenery lofts, and water tanks, so long as these structures occupy no more than 25% of the total area of the roof.
 6. Green roofs and other facilities used to manage stormwater.
 7. Parapet walls, limited to a height of five (5) feet.
 8. Utilities.
 9. Wireless communication towers, antennas, and ancillary structures, subject to Section 1341.12. Antennas or similar appurtenances mounted on a buildings may not exceed the maximum building height by twenty-five (25) feet.
 10. Train cars, shipping containers, and similar structures when repurposed for permanent use and occupancy. This exception applies only to the minimum height requirement in feet but does not exempt a structure from the minimum number of stories required. The maximum building height still applies.
- D. Finished Ground Floor Height. Finished ground floor height is the vertical distance between the average ground level at the primary entrance and the finished floor height of the building. The following exception shall apply:
1. If the structure is located in a designated floorplain area, in accordance with Article 1349 of this zoning ordinance, the structure may be exempted from Finished Ground Floor Height requirements in order to meet the requirements for structures located in a floodplain.
- E. Story Separation. Story separation is the architectural distinction between the ground floor and the upper stories of the building by doing one of the following on the façade:
1. A horizontal band such as a cornice or soldier course at the top of the first story.

2. Change of wall material at the top of the first story.
3. Change of the color of masonry used at the top of the first story.




Figure 1315.I: Façade and story separation

Section 1315.08 Transparency

- A. Transparency is the required area of a building’s façade to be occupied by fenestrations, also known as windows and doors. Transparency is measured as follows:
1. Ground floor transparency is calculated based on the total façade area located between two (2) feet and eight (8) feet above finished ground floor level.
 2. Upper floor transparency is calculated based on the total façade area located between the surface of any floor to surface of the floor above it or, if there is no floor above, from the surface of the floor to the top of the wall plate.



Figure 1315.J: Ground and Upper Floor Transparency Area

3. Window Transparency Area. The entirety of a window, to the outer extent of the

- frame, may be used to calculate transparency area with the following exceptions:
- a. A mullion or other opaque element between sashes or fixed panes, greater than eight (8) inches in width shall not count for the transparent area of a window. This shall include the separation between transom windows and other windows below them.
4. Door Transparency Area. The entire area of the door, not to include the casing or frame, may be used to calculate transparency area. A transom window above a door shall be included in the area of the door with the following exception:
 - a. The separation between the transom window above the door and the door itself is not greater than eight (8) inches, to include the casing and mullion. If the separation is greater than eight (8) inches, the opaque area between the transom and the door is not included in the calculated transparency area.
 5. Storefront and Curtain Wall Transparency Area. The entire area of a storefront and curtain wall, a non-loadbearing wall that is primarily glass with typically aluminum or wood mullions separating doors and panes of glass, may be used to calculate transparency area with the following exceptions:
 - a. A mullion or other opaque element greater than eight (8) inches within such a wall system shall not count for the transparent area of a storefront or curtain wall.
 - b. If mullions or other opaque elements account for twenty (20) percent or more of the total area of a storefront or curtain wall, the transparency shall be measured based upon the area of each pane of glass not covered by an opaque element and the area of the door itself.




Figure 1315.K: Area of a Window and Door That May be Used to Calculate Transparency; See also Section 1315.08.A.1 - Ground Floor Transparency.

- B. Window Qualifications. For any windows to be included in the transparency calculation, the glazing must meet the following criteria:

1. For ground floor glazing, the glazing must have a minimum 60% Visible Light Transmittance (VLT) and no more than 15% Visible Light Reflectance (VLR).
 2. For upper floor glazing, the glazing must have a minimum of 40% VLT and no more than 15% VLR.
 3. No interior obstructions are permitted to restrict the view to the interior with the exception of displayed merchandise and signs in compliance with Article 1345. Blinds, curtains, or similar window treatments that are easily adjusted to control glare or privacy, as determined by the Planner, do not count as obstructions.
 4. Windows used in bathrooms, restrooms, dressing rooms, locker rooms, or similar spaces as determined by the Planner may have tempered glass, laminated glass, or similar treatments to provide for adequate privacy for those spaces while still allowing for the transmission of light.
- C. **Door Qualifications.** For any door to be included in the transparency calculation, the door must be part of a main entrance, open to and operable by customers or occupants during business hours in the case of a non-residential use, or operable at any time by occupants in the case of residential use.
- D. **Ground Floor Blank Wall Width.** The ground floor blank wall width is measured as any linear dimension of contiguous building wall on the ground floor that does not contain any fenestration.
- E. **Front Façade.** The front façade is the street right-of-way facing façade for a structure. If there are multiple facades that face a street, the front façade will be determined by the Planner based on the following criteria:
1. Which façade faces a more primary street
 2. Where the primary entrance is located
 3. Where hierarchical forms of the building are located to signify a more primary entrance if there are multiple, such as a large canopy covered walkway extending to the street or a large vertical extension of a parapet to signify where the entrance is.
- F. **Corner Side Façade.** The corner side façade is a street right-of-way facing façade on a corner lot that is not the front façade.
- G. **Chamfered Corner or Beveled Edge on Buildings.** A chamfered corner or beveled edge of a building, designed to achieve corner visibility on a corner lot or driveway entrance, shall be measured as follows:
1. If located on the corner of a lot where two right-of-ways intersect, the wall can be measured one of two ways. If the wall contains an entrance that is only for uses and spaces on the upper floor, the wall will be counted as a Corner Side Façade. If the wall contains an entrance that is for ground level uses or spaces, the wall will be counted as a Front Façade.
- H. All fenestrations on the street facing facades must remain transparent to the interior. Windows and doors may not be covered unless for construction with an issued permit, or if the building is vacant and for a period of time until the building is no longer vacant. The covering of windows and doors shall be in compliance with Article 1741 and Article 1743.
- I. **Transparency Exceptions.** Exceptions for transparency are as follows:
1. **Common Walls.** The portion of a structure that is a common wall is exempt from any transparency requirements.

Section 1315.09 Building Orientation and Pedestrian Access

- A. Main Entrance. A main entrance is a principal point of access for pedestrians into a building, prominently visible from the adjacent right-of-way or avenue of approach. To be considered a main entrance, a door must be open to and operable by the general public, for both entering and exiting, during business hours in the case of a non-residential use, or operable at any time by occupants in the case of a residential use. An emergency exit, service door, or similar entryways are not considered a main entrance.
- B. Residential Structures. All residential structures shall be required to have a front door facing the street unless the applicant proves to the satisfaction of the Planner that the prevailing condition of the developed lots fronting the same street would warrant a different orientation.

ARTICLE 1317
ESTABLISHMENT OF
DISTRICTS AND ZONE MAP

ARTICLE 1317 - ESTABLISHMENT OF DISTRICTS AND ZONE MAP

Section 1317.01 Establishment of Zoning District

The following Zoning Districts are hereby established in the City of Huntington:

Residential Districts

- R-1 Single-family Residence District
- R-2 Single-family Residence District
- R-4 Two-family Residence District
- R-5 Multi-family Residence District

Commercial Districts

- C-1 Neighborhood Commercial District
- C-2 Highway Commercial District
- C-3 Central Business District

Industrial Districts

- I-1 General Light Industrial and Commercial District
- I-2 Heavy Industrial District

Overlay Districts

- H-1 Historic Preservation District Overlay

Section 1317.02 Official Zoning Map

The boundaries of the zoning districts hereby established are shown on the Official Zoning Map bearing the date of adoption of this Ordinance. The Official Zoning Map is hereby declared to be a part of this Ordinance, shows the boundaries of and the area covered by the Districts, notations, reference, indications and other matters shown on the Official Zoning Map are as much a part of this Ordinance as if they were fully described herein.

Section 1317.03 District Boundaries

Where uncertainty exists as to the boundaries of any District as shown on the Official Zoning Map, the following rules shall apply:

- A. District boundary lines, unless otherwise indicated on the Map, follow or are parallel to the centerline of streets and streams; and to lot or property lines as they exist on a recorded deed or plan of record in the Clerk of the County Court of either Cabell County or Wayne County at the time of the adoption of this Ordinance.
- B. Where streets, streams, property lines, or other physical boundaries and delineation are not applicable, boundaries shall be determined by the scale shown on the Official Zoning Map.
- C. Where a District boundary is not fixed by dimensions and where it approximately follows lot lines, and where it does not scale more than ten (10) feet therefrom, such lot lines shall be construed to be such boundaries unless specifically shown otherwise.
- D. In un-subdivided land or where a District boundary divides a lot, the location of such boundary, unless the same is indicated by dimensions, shall be determined by the use of the scale appearing on the maps.

Section 1317.04 Interpretation of District Boundaries

In circumstances not covered by Section 1317.03, District Boundaries, the Board of Zoning Appeals shall interpret the intent of the Official Zoning Map as to location of District boundaries.

Section 1317.05 Procedure Relating to Annexed or Vacated Areas

- A. When the City initiates an Ordinance for the annexation of property to the City, the Planning Commission shall prepare an Ordinance to amend this Zoning Ordinance embracing the proposed zoning provisions to be established for such area proposed to be annexed. Procedure on the proposed Ordinance to amend this Ordinance shall progress concurrently with the procedure on the annexation Ordinance in order that the zoning amendment may be adopted by the City Council at the same time as the annexation Ordinance.
- B. Whenever any Street, Place, Alley, Public Way, Railroad Right-of-way, Waterway, or other similar area is vacated by proper authority, the Districts adjoining each side of such Street, Alley, Public Way, Railroad Right-of-way, or similar area shall be extended automatically to the center of such vacation and all area included in the vacation shall then and thenceforth be subject to all appropriate provisions of the extended Districts. In the event of a partial vacation, the adjoining District, or District nearest the portion vacated, shall be extended automatically to include all of the vacated area.

ARTICLE 1319
APPLICATION OF
REGULATIONS

ARTICLE 1319 – APPLICATION OF REGULATIONS

Section 1319.01 Use of Property

- A. No building or land shall be used and no building shall be erected, reconstructed or structurally altered, which is arranged, intended or designed to be used for any purpose other than a use which is permitted and specified in a district in which such building or land is located.
- B. Environmentally Sensitive Lands Regulations. In order to prevent inappropriate development from taking place and to protect persons and property from hazards resulting from the inappropriate development of lands containing environmentally sensitive areas, the environmentally sensitive lands requirements impose a set of regulations in addition to those of the zoning district. The environmentally sensitive lands areas regulations apply to all applications for a zoning permit, a building permit or a land development permit. Any use classified as a permitted use, or special exception in an underlying zoning district may be allowed within the designated zoning district provided that no more than the stated percent of the following types of areas may be altered, regraded, cleared, or built on:
1. Floodplain - subject to Article 1349 of this Zoning Ordinance.
 2. Naturally occurring or manmade lakes; ponds; watercourses; and perennial streams in which water has a definite channel, bed, and banks, and includes any area adjacent thereto subject to inundation by reason of overflow or flood water - 0 percent.
 3. Wetland margins consisting of the area for fifty (50) feet from a wetlands to an uplands integral to the wetlands providing temporary refuge for wetlands fauna during high water episodes, critical habitat for animals dependent upon, but not resident in wetlands, and slight variations of wetland boundaries over time due to hydrologic or climatologic effects- no more than 20 percent.
 4. Steep slopes where the inclination (vertical distance over horizontal distance) is 25 percent or more -no more than 20 percent.
 5. Steep slopes of 15 percent to 25 percent - no more than 30 percent.
 6. Wetlands consisting of those lands in the City subject to inundation of soils which are characteristic and categorized as being Alluvial or High Water Table Soils by the Soil Survey of Cabell County or Wayne County West Virginia prepared by the United States Department of Agriculture (Soil Conservation Service) - 0 percent.
 7. Ponding basins as designated by the Huntington Flood Wall Advisory Board and subject to Article 1349 of this Zoning Ordinance.
- C. Application Procedure. All applications for a zoning permit, a building permit or a land development permit shall include an inventory and analysis of the site. The inventory shall include the total acreage of the tract, to the nearest tenth of an acre, consisting of the environmentally sensitive lands listed in part B of this Section. The following site features shall be inventoried and mapped in sufficient detail to allow evaluation of the inventory by the City relative to the intent of the overlay district.
1. Topographic contours at twenty (20) foot intervals, showing slopes of between 15 percent and 25 percent and slopes of more than 25 percent.
 2. Location of wetlands and areas subject to inundation of soils which are characteristic and categorized as being Alluvial or High Water Table Soils by the Soil Survey of Cabell County or Wayne County West Virginia prepared by the United States Department of Agriculture (Soil Conservation Service).

3. Hydrologic characteristics of the site, including surface water bodies, floodplain, and hydric soils as per the Cabell County Soil Survey and the Wayne County Soil Survey.
4. Vegetation of the site, defining locations and boundaries of woodland area and vegetation associations in terms of species and size.
5. Areas designated as ponding basins by the Huntington Flood Wall Board.

Section 1319.02 Effect of Establishment of Districts

Following the effect date of this Zoning Ordinance:

- A. Any use not permitted by this Zoning Ordinance shall be deemed to be prohibited, unless such use is deemed by the Planning Commission to not be contrary to the spirit of this ordinance.
- B. Where the provisions of this Zoning Ordinance impose greater restrictions than those of any statute, other ordinance, or regulation, the provisions of this Zoning Ordinance shall be controlling. Where the provisions of any statute, other ordinance or regulation impose greater restrictions than this zoning ordinance, the provisions of such statute, other ordinance or regulation shall be controlling.

**ARTICLE 1320
PERMITTED USES**

ARTICLE 1320 – PERMITTED USES

Section 1320.01 General Provisions

Table 1320.A lists the principal uses allowed within all zoning districts with the exception of uses permitted within a Planned Unit Development.

Section 1320.02 Table of Permitted Uses

A. Permitted Uses

1. A “●” in a cell indicates that a use type is allowed by-right in the respective zoning district. Permitted uses are subject to all other applicable standards of this Zoning Ordinance.
2. Permitted uses are approved administratively by the Planner through the site plan review unless subject to additional review (e.g., certificate of appropriateness, alternative equivalent compliance, variance, etc.) and any applicable standards identified in Table 1320.A.

B. Conditionally Permitted Uses

1. A “○” in a cell indicates that a use may be permitted if approved by the BZA through the conditional use review procedure (See Article 1359.). Conditional uses may be subject to use-specific standards as identified in the last column of Table 1320.A. Conditional uses are subject to all other applicable standards of this Zoning Ordinance.
2. The existence or lack of additional use-specific standards in this Zoning Ordinance shall not be implied to be the only standards the use is required to meet. Any conditional use listed in the table shall be subject to the general review standards for all conditional uses established in Article 1359.
3. Conditionally permitted uses are synonymous with Special Permitted Uses in previous versions of the Zoning Ordinance.

C. Prohibited Uses

1. A blank cell indicated that a use is prohibited in the respective zoning district.

D. Use-Specific Standards

The numbers contained in the “Use-Specific Standards” column are references to additional standards and requirements that apply to the use type listed. Standards referenced in the “Use-Specific Standards” column apply in all zoning districts unless otherwise expressly stated.

1. The use-specific standards include site planning, development, and/or operating standards for certain land uses that are permitted or conditionally permitted in Table 1320.A.
2. The land uses and activities covered by this section shall comply with the applicable standards for the specific use in all districts unless otherwise specified, in addition to all other applicable provisions of this Zoning Ordinance.

Section 1320.03 Use Determination and Unlisted Uses

- A.** The Planner shall make the determination if a proposed use is permitted, a conditional use, or a prohibited use under the provisions of this section.
- B.** The Planner may determine that a proposed use is substantially similar to a use that is permitted or a conditional use established in Table 1320.A based on the proposed use activities, character of the business, similarity to existing uses within the city, or information on the use as may be available from third-party land use resources such as documentation from the American Planning Association, Urban Land Institute, or similar organizations. If the Planner finds that the proposed use is substantially similar to a use established in Table 1320.A, the application shall be processed in the same manner as the similar use.
- C.** In finding that a proposed use is similar to a use established in Table 1320.A, the Planner shall make a note of the similar use in the approved application form.
- D.** If the Planner makes the determination that a use is prohibited, the application shall not be processed.
- E.** If the applicant disagrees with the Planner's determination regarding the proposed use, the applicant may choose to take one of the following actions:
 - 1. The applicant may appeal the determination of the Planner to the BZA; or
 - 2. The applicant may present their case to the Planning Commission and/or City Council to request that the city initiate a text amendment to address the proposed use and applicable standards.
- F. Multiple Permitted Uses in a Principal Structure.**
 - 1. Any principal building may contain more than one use and organization. Each use must be permitted or an approved conditional use within the zoning district where it is located.

Section 1320.04 Permitted Uses

The chart in this section lists all permitted uses, conditional uses, and use-specific standards.

Legend	
Permitted Use	●
Conditionally Permitted Use	○
Prohibited Use	

Use Type	Districts									Use-Specific Standards
	R-1 & R-2	R-4	R-5	C-1	C-2	C-3	I-1	I-2	(Reserved)	
Residential										
Single-Family Detached	●	●	●	●	●		○			
Single-Family Duplex		●	●	●	●		○			1323.03
Single-Family Attached (Townhouse)		●	●	●	●	●	○			1341.48
Multi-Family Dwelling Units			●	●	●	●	○			
Home Occupations	●	●	●	●	●	●	●			1341.22
Group Residential Facility			●	●	●	●	●			
Dormitory			●	●	●	●	●			
Assisted Living or Congregate Housing			●	●	●	●	●			
Halfway House			○	○	○	○	○			
Manufactured / Mobile Home Park		○	○		○					1341.32
Live / Work Unit				●	●	●	●			
Residential Flats Above				●	●	●	●			
Lodging										
Boarding House		○	●	●	●	●	●			
Hotel / Inn				○	●	●	○			
Motel					●	○				
Civic / Community										
Cemetery	○	○	○		○		○	●		1341.29
Community Center	○	○	●	●	●	●	●			
Community Garden	○	●	●	●	●	●	●			
Cultural Institutions (Museum, library, cultural center, performance center, etc)	○	○	○	●	●	●	●	●		
Lodge, Private Club, or Social Hall				●	●	●	●	●		1341.02
Municipal or Government Facilities	○	○	○	●	●	●	●	●		
Open Space	○	●	●	●	●	●	●	○		
Penal or Correctional Institution					○	○		○		1341.39

Use Type	R-1 & R-2	R-4	R-5	C-1	C-2	C-3	I-1	I-2	(Reserved)	Use-Specific Standards
Public Park and Recreational Facilities	●	●	●	●	●	●	●	●		
Public Utility Installations	●	●	●	●	●	●	●	●		
Redevelopment of Closed School, Public Building, Community Center, or Church	○	○	○	●	●	●	●	●		1341.51
Religious Uses	○	○	●	●	●	●	●	●		1341.14
School	○	○	○	○	●	●	○	●		
School, Private	○	○	○	○	○	○	○	○		
Shelter / Mission			●			○	○			
Commercial										
Adult Use					○		○			1341.40
Animal Boarding and Training				○	●	●	○	●		1341.53
Animal Hospital / Clinic				○	●	●	○	●		
Auto Service Station and Repair Shop				○	●	○	○	●		1341.11
Automotive and Other Vehicles Sales					●			●		
Banquet Halls or Conference Centers				○	●	●	●	●		
Bar					○	○	○			1341.02
Bar, Neighborhood				○	○	○	○			1341.02
Brewpub				○	●	●	●	●		1341.02
Carwash					●	○	○	●		1341.10
Commercial Greenhouse				○	●		●	●		
Communication Tower / Antennae	○	○	○	○	○	○	○	○		1341.12
Commercial Recreational Facilities (Indoors)			○	○	●	●	●	●		
Commercial Recreational Facilities (Outdoors)			○	○	○	○	○			1341.34
Craft Production Facility (Microbrewery / Microdistillery / Microcidery)				○	○	○	●	●		
Day Care (Child or Adult)	○	○	○	●	●	●	●	●		1341.09 & 1341.13
Drive-In or Drive-Thru				○	●	○	○	●		1341.08
Financial Institutions				●	●	●	●	●		
Firearms Sales Establishments					●	○		●		
Flea Market				○	○	○	●			
Fuel Sales				○	●	○	○	●		1341.54
Funeral Home				●	●	●	●	●		
Hospitals				○	○	○	○			1341.44
Indoor Shooting Range							○			1341.52
Laundromat				●	●	●	●	●		

Use Type	R-1 & R-2	R-4	R-5	C-1	C-2	C-3	I-1	I-2	(Reserved)	Use-Specific Standards
Laundry and Dry Cleaning Pick-Up				●	●	●	●	●		
Laundry and Dry Cleaning Services					●		●	●		
Limited Video Lottery / Keno Establishment					○		○	○		1341.47
Limited Video Lottery / Keno, Incidental					○	○	○	○		1341.47
Manufacturing and Sales, Artisan				●	●	●	●	●		
Medical Clinic				○	●	●	○	●		
Medical Office				●	●	●	●	●		
Mobile Home Sales								●		
Nanobrewery				○	●	●	●	●		1341.50
Offices				●	●	●	●	●		
Offices for Charitable Organizations			○	●	●	●	●	●		
Pawnshop					○	○				
Personal Services				●	●	●	●	●		
Pet Store / Pet Services				●	●	●	●	●		
Radio and Television Stations					●	●		●		
Repair Shop				●	●	●	●	●		
Retail Sales And Services				○	●	●	○	●		
Retail Sales and Services, Neighborhood				●	●	●	●	●		
Restaurant				●	●	●	●	●		
Restaurant Serving Alcoholic Beverages				○	●	●	●	●		1341.02
Self-Storage Development					●		○	●		1341.15
Self-Storage, Indoors					●		○	●		1341.49
Shopping Center				○	●	●	○	●		
Smoke Shop/Tobacco Store				○	●	○	○	●		1341.55
Tattoo Parlor				○	●	○	●	●		1341.41
Trade or Business School				○	●	●	○	●		
Transportation										
Airport								○		
Barge Terminal						○	○	●		
Bus Terminal				○	●	●	○	●		
Heliport						○		○		1341.28
Marina				○	○	○	○	○		
Motor, Rail, or Air Freight Terminal							○	●		
Parking Garage, Private				○	○	●	○	●		
Parking Lot, Off Site				○	○	●	○	●		

Use Type	R-1 & R-2	R-4	R-5	C-1	C-2	C-3	I-1	I-2	(Reserved)	Use-Specific Standards
Railroad				○	○	○	●	●		
Industrial										
Crematories							○	○		
Distribution Facilities							●	●		
Fuel Storage								○		
Communications Network Facility, Headend, or Hub							○	○		
Junk Yard or Salvage Centers							○	○		1341.30
Laboratory					●	●	●	●		
Landfill or Dump								○		
Manufacturing and Production (Heavy or Outdoors)							○	●		
Manufacturing and Production (Indoors)					○		●	●		
Manufacturing and Production with Caustic or Hazardous Materials								○		
Oil and Gas Exploration								○		1341.33
Outdoor Material and Supply Bulk Sales							●	●		
Recycling Collection Center							○	○		1341.20
Towing Services							○	○		
Transfer Stations for Solid Waste								○		
Warehousing, Light							●	●		
Warehousing, Traditional							●	●		
Warehousing, Heavy								●		
Wholesale Business							●	●		

ARTICLE 1321
R-1 RESIDENCE DISTRICT
AND
R-2 RESIDENCE DISTRICT

ARTICLE 1321 - R-1 AND R-2 RESIDENCE DISTRICT

Section 1321.01 Purpose

The purpose of the R-1 and R-2 districts is to establish and maintain areas where the use consists of largely single-family residential use at low densities generally in a range of five to nine units per acre. These areas are to be developed compatible and respectful of the scale, texture and quality of existing housing and related uses.

Section 1321.02 Development Requirements

	R-1 District	R-2 District
Lot		
Lot area (min)	8,400 SF	4,800 SF
Lot width (min/max)	30' / None	30' / 100'
Lot coverage (max)	60%	70%
Building coverage (max)	40%	60%
Setbacks		
Front yard (min/max)	Prevailing Setback (min & max) See 1315.06.B. Or, If less than 25% of the combined lot widths facing a block have principal structures, 20% / 50% of lot depth.	Prevailing Setback (min & max) See 1315.06.B.
Side yards (min total/min each side)	20% of lot width / 5'. See also Section 1315.06.6	20% of lot width / 5'. See also Section 1315.06.6
Rear yard (min)	20'	20'
Building Height		
Building height, principal uses (max)	2 ½ stories / 35'	
Building height, accessory buildings (max)	15'	
Finished ground floor height (min/max)	0'/4'	
Transparency		
Ground floor transparency, front and corner Side facades (min)	20%	
Upper floors transparency, front and corner side facades (min)	15%	
Building Orientation and Pedestrian Access		
Main entrance location (required)	Front facade	Front facade

Section 1321.03 Supplementary Regulations

A. Parking. See Article 1343.

1. Location. Off-street parking areas shall only be permitted in the side or rear yards with the following exceptions:

- i. Prevailing Pattern of Development. If the prevailing pattern of development along a block face, within a distance of no more than five-hundred (500) feet in both directions from the property and located in the same zone, is that there is parking in the majority of front yards, then front yard parking may be permitted.
 - ii. No Improved Alley or Secondary Street Access. If the property has no improved alley access or secondary street access, then front yard parking may be permitted.
 - iii. Front Yard Parking Spaces. Parking spaces in the front yard shall only be located within the driveway and the garage apron.
 - iv. Additional Regulations. The front yard parking must meet all other applicable requirements from Article 1343 and the district regulations.
2. Access. Vehicle access to parking off-street parking areas on lots with alley access shall be from such alley to the maximum extent practicable.

ARTICLE 1323
R-4 RESIDENCE DISTRICT

ARTICLE 1323 - R-4 RESIDENCE DISTRICT

Section 1323.01 Purpose

The purpose of the R-4 district is to establish and provide areas for primarily single-family residential land use at moderate densities of no more than two units per lot. These areas are to be developed compatible and respectful of the scale, texture and quality of existing housing and related uses.

Section 1323.02 Development Requirements

	Single Family Detached	Single Family Duplex	Townhouse
Lot			
Lot area (min)	2,400 SF	3,200 SF	1,600 SF
Lot width (min/max)	30' / 80'	30' / 100'	20'/40'
Lot coverage (max)	80%	80%	80%
Building coverage (max)	60%	60%	60%
Setbacks			
Front yard (min/max)	Prevailing Setback (min & max) See 1315.06.B.	Prevailing Setback (min & max) See 1315.06.B.	Prevailing Setback/Prevailing Setback + 10'; See 1315.06.B.
Build-to percentage, front façade (min)	50%	60%	80%
Side yards (min total/min each side)	20% of lot width / 3'. See also Section 1315.06.6	20% of lot width / 3'. See also Section 1315.06.6	20% of lot width / 5' when not adjacent to another townhouse. 0' when adjacent to another townhouse.
Rear yard (min)	15'	15'	15'
Building Height			
Building height, principal uses (max)	2 ½ stories / 35'		2 ½ stories/ 35'
Building height, accessory buildings (max)	15'		
Finished ground floor height (min/max)	0'4'		
Transparency			
Ground floor transparency, front and corner side facades (min)	20%		20%
Upper floors transparency, front facade and corner side facades (min)	15%		15%
Transparency, all other ground floor and above facades (min)	15%		15%; Common walls shared between buildings are exempt
Building Orientation and Pedestrian Access			
Main entrance location (required)	Front facade		

Section 1323.03 Supplementary Regulations

A. Residential Conversion of Single-Family Detached Dwellings

1. The maximum number of dwelling units after conversion is limited to two (2).
2. Each dwelling unit shall contain within the unit a complete kitchen, toilet and bathing facility; shared facilities shall not be permitted.
3. The appearance of a single-family dwelling unit shall be maintained. For the converted structure necessary changes in the number or placement of windows to provide adequate light and air will be allowed, but shall be minimized; any changes which occur shall be of one manner consistent with the architectural character of the dwelling. No stair cases shall be allowed in the front of buildings to access upper floors.
4. Garbage and refuse pickup and other utility areas shall be provided and shall be located so as not to detract from the aesthetic character of the neighborhood and shall be enclosed and shielded from view by fencing, walls, or shrubbery. Planted material or fences shall meet the standards for buffering of parking areas specified above.
5. Certification of adequate sewer and water services shall be provided by the applicant.
6. Basement or cellar dwelling units shall be permitted only if all exterior walls of the dwelling unit are at least four (4) feet above the average finished grade level of the adjoining ground.

B. Parking. See Article 1343.

1. Location. Off-street parking areas shall only be permitted in the side or rear yards.
2. Access. Vehicle access to off-street parking areas on lots with alley access shall be from such alley to the maximum extent practicable.

C. Signs. See Article 1345.

ARTICLE 1325
R-5 RESIDENCE DISTRICT

ARTICLE 1325 - R-5 RESIDENCE DISTRICT

Section 1325.01 Purpose

The purpose of the R-5 district is to accommodate, in central locations convenient to services and City institutions, higher density multi-family housing consisting of three or more units.

Section 1325.02 Development Requirements

	Single Family Detached	Single Family Duplex	Multi-family Dwellings	Townhouses
Lot				
Lot area (min)	2,400 SF	3,200 SF	3,000 SF	1,600 SF
Lot width (min/max)	30' / 80'	40' / 100'	30' / 200'	20' / 40'
Lot coverage (max)	80%	80%	80%	80%
Building coverage (max)	60%	60%	60%	60%
Setbacks				
Front yard (min/max)	Prevailing Setback (min & max) See 1315.06.B.	Prevailing Setback (min & max) See 1315.06.B.	Prevailing Setback (min & max) See 1315.06.B.	Prevailing Setback / Prevailing Setback + 10'; See 1315.06.B.
Built-to percentage, front façade (min)	50%	60%	60%	80%
Side yards (min total/min each side)	20% of lot width / 3'. See also Section 1315.06.6	20% of lot width / 4'. See also Section 1315.06.6	20% of lot width / 5' plus 2' for each story above 3 stories. See also Section 1315.06.6	20% of lot width / 5' when not adjacent to another townhouse. 0' when adjacent to another townhouse.
Rear yard (min)	15'			20'
Building Height				
Building height, principal uses (max)	3 stories / 35'	3 stories / 35'	5 stories / 55'	3 stories / 35'
Building height, accessory buildings (max)	15'			
Finished ground floor height (min/max)	0'/4'			
Transparency				
Ground floor transparency, front facade (min)	20%		20%	20%
Ground floor transparency, corner side facade (min)	20%		20%	20%
Upper floors transparency, front facade (min)	15%		20%	20%
Upper floors transparency, corner side facade (min)	15%		20%	15%
Transparency, all other ground floor and above facades (min)	15%		15%	15%; Common walls shared between

			buildings are exempt
Building Orientation and Pedestrian Access			
Main entrance location (required)	Front facade		

Section 1325.03 Supplementary Regulations

- A.** A Site Plan shall meet the following requirements, in addition to the requirements set forth in this Ordinance:
 - 1. In the event that more than one building is proposed, they shall be designed to be located so that not more than two (2) buildings are in a straight, unbroken line. Each multi-family use building shall be designed with setbacks or breaks of not less than six (6) feet to all exterior walls for every two (2) building units. Each apartment complex of dwelling units shall have a compatible architectural theme with variations in design to provide attractiveness to the development, which shall include consideration of landscaping techniques, building orientation to the site and to other structures, topography, natural features and individual dwelling unit design, such as varying unit widths, staggering unit setbacks, providing different exterior materials, changing roof lines and roof designs, altering building heights, and changing types of windows, shutters, doors, porches, colors, and vertical or horizontal orientation of the facades, singularly or in combination of each dwelling unit.
- B. Single-Family Conversions.** Regulations found in Section 1323.03 shall apply for Residential Conversions of Single-Family Detached Dwellings.
- C. Parking.** See Article 1343.
 - 1. Location. Off-street parking areas shall only be permitted in the side or rear yards.
 - 2. Access. Vehicle access to off-street parking areas on lots with alley access shall be from such alley to the maximum extent practicable.
- D. Signs.** See Article 1345.

ARTICLE 1327
C-1 NEIGHBORHOOD
COMMERCIAL DISTRICT

ARTICLE 1327 - C-1 NEIGHBORHOOD COMMERCIAL DISTRICT

Section 1327.01 Purpose

The purpose of the C-1 district is to conveniently provide goods and services to the residents of the neighborhoods while maintaining and promoting the sense of community provided by the commercial hub located in the neighborhood.

Section 1327.02 Development Requirements

	Commercial or Mixed-Use	Multi-family Dwellings	All Other Residential Use Only Structures
Lot			
Lot area (min)	2,500 SF	2,500 SF	Article 1325.02
Lot width (min/max)	25' / 160'	25' / 160'	
Lot coverage (max)	100%	90%	
Building coverage (max)	75%	75%	
Setbacks			
Front yard (min/max)	0' / 8'	6' / 18'	Article 1325.02
Build-to percentage, front façade (min)	60%	60%	
Side yard if adjoining a residential district (min)	5'	5'	
Side yard if not adjoining a residential district (min)	0'	0'	
Rear yard (min)	15'	15'	
Building Height			
Building height, principal uses (max)	3 stories / 45'	3 stories / 45'	Article 1325.02
Building height, accessory buildings (max)	15'	15'	
Finished ground floor height (min/max)	0'/2'	0'/4'	
Transparency			
Ground floor transparency, front facade (min)	50%	20%	Article 1325.02
Ground floor transparency, corner side facade (min)	40%	20%	
Ground floor blank wall width, front façade (max)	10'	-	
Ground floor blank wall width, corner side façade (max)	30'	-	
Upper floors transparency, front facade (min)	20%	20%	
Upper floors transparency, corner side facade (min)	20%	20%	
Façade Separation			
Façade bay width, front façade (max)	40'	60'	Article 1325.02
Façade bay width, corner side façade (max)	40'	60'	
Building Orientation and Pedestrian Access			
Main entrance location for non-residential uses (required)	Front facade	-	Article 1325.02
Main entrance location for residential uses (required)	-	Front Façade	
Service entrance	Rear façade or side façade not facing a street	-	

Section 1327.03 Supplementary Regulations

A. Multiple Principal Structures.

Any lot may contain more than one principal structure, provided that each principal structure is located in a manner which will allow the possibility of subdividing the lot in a manner that each structure and resulting lot would conform to the zoning requirements, including frontage on a public street. Where any lot contains more than one principal building, all buildings shall be compatibly designed, whether constructed all at one time or in stages over a period of time.

B. Parking. See Article 1343.

1. Requirement Reduction

- i. The off-street parking requirements related to non-residential uses shall be reduced by 50 percent in the C-1 district for the conversion of existing buildings and new construction provided there is curbside parking along at least 75 percent of the Front Yard(s). If there is less than 75 percent of the Front Yard(s) available for curbside parking, then the off-street parking requirements related to non-residential use shall be reduced by 25 percent.
- ii. The off-street parking requirements related to non-residential use shall be reduced by 2 spaces if there is no curb-cut or driveway in the Front Yard(s) of the property.
- iii. The off street parking requirements related to residential use in a mixed-use building shall be reduced by 20 percent in the C-1 district for the conversion of existing buildings and new construction provided there is curbside parking along at least 75 percent of the Front Yard(s).
- iv. The off-street parking requirements related to non-residential use shall be waived in the C-1 district if there is a public parking lot within 660 feet of the primary entrances for the structure. The distance from primary entrance measured to the parking lot shall be measured along the sidewalk, crosswalks, or other non-vehicular pathways from the center of the entrance to the nearest edge of the parcel in which the public parking lot is located.

2. Parking Location

- i. Vehicle access to off-street parking areas on lots with alley access shall be from such alley to the maximum extent practicable.
- ii. A curb cut for off-street parking shall be no more than 36 linear feet.
- iii. Off-street parking areas shall only be permitted in the side or rear yards.

C. Signs. See Article 1345.

D. Landscaping. See Article 1347.

E. Façade Materials

1. All building walls facing a street, residential district line, or significantly visible from the public right of way shall be suitably finished for aesthetic purposes.
2. Preferred building materials include:
 - i. Brick
 - ii. Decorative Concrete Block
 - iii. Wood
 - iv. Stone
 - v. Architectural metal panels
 - vi. Other natural materials.
3. Prohibited materials on street facing walls include:

- i. Vinyl siding
- ii. Unpainted or painted smooth, gray, non-decorative block
- iii. Metal sheeting on the ground floor facade



Figure 1327.B: On the left, an unpainted, non-decorative gray concrete block. On the right, multiple types of decorative concrete blocks.



Figure 1327.C: On the left, metal sheeting which is prohibited. On the right, architectural metal panels.

F. Outdoor Merchandise

No merchandise, products, waste equipment or similar material or objects shall be displayed or stored outside except for the display of fresh produce or except for merchandise and products displayed in a forecourt during business hours. Temporary displays of merchandise for special promotions or events may be permitted by the Mayor's Office.




Figure 1327.E: An example of various fenestrations along two street facing walls.

- G. Forecourts:** Forecourts may be used in residential buildings to provide entry yards and/or shared garden space. Forecourts may be used in non-residential and mixed-use buildings to provide areas for outdoor dining, display of merchandise while the business is actively open to the public, or entries to individual tenants. Where provided, forecourts shall be a minimum of 12 feet in depth measured from the front of the building but no more than 50 percent of the depth of the structure and 12 feet in width but no more than 60 percent of the total front facade.



Figure 1327.F: An example of a forecourt used as dining space for a ground floor restaurant. Note that the forecourt is mostly enclosed except for on one side by the building.

- H. Arcades:** Arcades may occur in the Front Yard(s) of non-residential and mixed-use buildings for structures in which the second story is built parallel within 1 foot of the Front Yard property line. Where provided, arcades shall be a maximum of 12 feet in depth measured from the Front Yard property line. Arcades may be used for outdoor dining, display of merchandise while the business is actively open to the public, or entry to individual units.



Figure 1327.G: An example of an arcade on a two-story building that is 12 feet deep.

- I. Story Separation:** Buildings over two stories in height must have an architectural distinction between the ground floor and the upper stories of the buildings, such as change of brick color or material with a horizontal band such as a cornice or soldier course separating the change so that the ground floor is distinguished from the other stories above it.




Figure 1327.H: An example of facades of different heights. The two story façade on the left requires no horizontal separation. The three story façade on the right has a horizontal band creating distinction between the ground level and upper floors.

ARTICLE 1329
C-2 HIGHWAY
COMMERCIAL DISTRICT

ARTICLE 1329 - C-2 HIGHWAY COMMERCIAL DISTRICT

Section 1329.01 Purpose

The purpose of the C-2 district is to provide varied professional, personal, and retail services convenient to the neighborhoods in an attractive setting and considerate of traffic safety concerns resulting from location along the major corridors of the City.

Section 1329.02 Development Requirements

	Commercial or Mixed-Use	All Residential Use Only Structures
Lot		
Lot area (min)	2,500 SF	Article 1325.02
Lot width (min)	30'	
Lot coverage (max)	90%	
Building coverage (max)	75%	
Setbacks		
Front yard (min/max)	15' / 75'	Article 1325.02
Build-to percentage, front façade (min)	30%	
Side yard if adjoining a residential district (min)	15'	
Side yard if not adjoining a residential district (min)	5'	
Rear yard (min)	15'	
Building Height		
Building height, principal uses (max)	10 stories / 150'	Article 1325.02
Building height, accessory buildings (max)	20'	
Finished ground floor height (min/max)	0'/2'	
Transparency		
Ground floor transparency, front facade (min)	60%	Article 1325.02
Ground floor transparency, corner side facade (min)	40%	
Ground floor blank wall width, front façade (max)	30'	
Ground floor blank wall width, corner side façade (max)	50'	
Upper floors transparency, front facade (min)	25%	
Upper floors transparency, corner side facade (min)	25%	
Façade Separation		
Façade bay width, front façade (max)	40'	Article 1325.02
Façade bay width, corner side façade (max)	40'	
Building Orientation and Pedestrian Access		
Main entrance location for non-residential uses (required)	Front façade, or side façade facing a parking area on the same lot	Article 1325.02
Main entrance location for residential uses	-	
Service entrance	Rear façade or side façade not facing a street	

Section 1329.03 Supplementary Regulations

A. Multiple Principal Structures

1. Any lot may contain more than one (1) principal structure so long as all requirements of this section are met. Where any lot contains more than one (1) principal building, all buildings shall be compatibly designed, whether constructed all at one time or in stages over a period of time.

B. Parking. See Article 1343.

C. Signs. See Article 1345.

D. Landscaping. See Article 1347.

1. All portions of the property not utilized by buildings or paved surfaces shall be landscaped, utilizing combinations such as landscaped fencing, shrubbery, lawn area, ground cover, rock formations, contours, existing foliage and the planting of conifers and/or deciduous trees native to the area in order to either maintain or re-establish the tone of the vegetation in the area and lessen the visual impact of the structures and paved areas. The established grades on any site shall be planned for both aesthetic and drainage purposes. The grading plan, drainage facilities and landscaping shall be coordinated to prevent erosion and silting, as well as assuring that the capacity of natural or man-made drainage system is sufficient to handle the water generated and anticipated both from the site and contributing upstream areas.

E. Façade Materials

1. All building walls facing a street, residential district line, or significantly visible from the public right of way shall be suitably finished for aesthetic purposes. Preferred building materials include:
 - a. Brick
 - b. Decorative Concrete Block
 - c. Wood
 - d. Stone
 - e. Architectural metal panels
 - f. Other natural materials.
2. Prohibited materials on street and residential district line facing walls include:
 - a. Vinyl siding
 - b. Unpainted or painted smooth, gray, non-decorative block
 - c. Metal sheeting on ground floor façade; this shall include gable ends of one (1) story structures.

Section 1329.04 General Circulation Design Standards

All applications for a zoning permit, a building permit in an area of the City in the C-2 districts shall provide a Traffic Circulation Plan. The plan shall indicate how the traffic and circulation plan for the land development relates to existing and proposed development adjoining the land development, to the site's terrain, the overall design of the land development and the road network of the City.

ARTICLE 1331
C-3 CENTRAL BUSINESS
DISTRICT

ARTICLE 1331 - C-3 CENTRAL BUSINESS DISTRICT

Section 1331.01 Purpose

The purpose of the C-3 district is to ensure continuation of the highly diverse and integrated land uses serving a variety of missions to an assortment of persons. It also serves to provide a cohesive and viable central business district for the City of Huntington, while preventing the intrusion of certain incompatible commercial or industrial uses.

Section 1331.02 Development Requirements

	Commercial or Mixed-Use	Multi-family Dwellings	All Other Residential Use Only Structures
Lot			
Lot area (min)	2,000 SF	2,000 SF	Article 1325.02
Lot width (min/max)	20' / None	30' / 160'	
Lot coverage (max)	100%	100%	
Building coverage (max)	100%	90%	
Setbacks			
Front yard (min/max)	0' / 12'	0' / 18'	Article 1325.02
Build-to percentage, front façade (min)	85%	85%	
Side yard if adjoining a residential district (min)	5'	5'	
Side yard if not adjoining a residential district (min)	0'	0'	
Rear yard (min)	0'	0'	
Building Height			
Building height, principal uses (min)	2 stories / 30'	2 stories / 30'	Article 1325.02
Building height, accessory buildings (max)	25'	15'	
Finished ground floor height (min/max)	0'/2'	0'/4'	
Transparency			
Ground floor transparency, front facade (min)	70%	20%	Article 1325.02
Ground floor transparency, corner side facade (min)	40%	20%	
Ground floor blank wall width, front façade (max)	10'	-	
Ground floor blank wall width, corner side façade (max)	30'	-	
Upper floors transparency, front facade (min)	25%	20%	
Upper floors transparency, corner side facade (min)	25%	20%	
Façade Separation			
Façade bay width, front façade (max)	40'	60'	Article 1325.02
Façade bay width, corner side façade (max)	40'	60'	
--- Chart Continued on Next Page ---			

--- Chart Continued from Previous Page ---			
	Commercial or Mixed-Use	Multi-family Dwellings	All Other Residential Use Only Structures
Building Orientation and Pedestrian Access			
Main entrance location for non-residential uses (required)	Front facade	-	Article 1325.02
Main entrance location for residential uses (required)	Front facade	Front Facade	
Service entrance	Rear façade or side façade not facing a street	-	

Section 1331.03 Supplementary Regulations

A. Multiple Principal Structures

1. Any lot may contain more than one principal structure so long as all requirements of this section are met. Where any lot contains more than one principal building, all buildings shall be compatibly designed, whether constructed all at one time or in stages over a period of time.

B. Parking. See Article 1343.

1. Off Street Parking Waiver. Off-street parking space requirements shall be waived in the C-3 District for the conversion of existing buildings and new construction. However, the standards for building off-street parking greater than the requirements shall still apply.

C. Signs. See Article 1345.

D. Landscaping. See Article 1347.

E. Façade Materials

3. All building walls facing a street, residential district line, or significantly visible from the public right of way shall be suitably finished for aesthetic purposes. Preferred building materials include:
 - g. Brick
 - h. Decorative Concrete Block
 - i. Wood
 - j. Stone
 - k. Architectural metal panels
 - l. Other natural materials.
4. Prohibited materials on street facing walls include:
 - d. Vinyl siding
 - e. Unpainted or painted smooth, gray, non-decorative block
 - f. Metal sheeting

ARTICLE 1333
I-1 LIGHT INDUSTRIAL
AND COMMERCIAL
DISTRICT

ARTICLE 1333 - I-1 LIGHT INDUSTRIAL AND COMMERCIAL DISTRICT

Section 1333.01 Purpose

The purpose of the I-1 district is to provide an area where various light industrial activities can be accommodated without creating undesirable or incompatible situations with surrounding land uses.

Section 1333.02 Development Requirements

	Commercial or Mixed-Use	Multi-family Dwellings	All Other Residential Use Only Structures
Lot			
Lot area (min)	2,500 SF	2,500 SF	Article 1325.02
Lot width (min/max)	25' / None	25' / 160'	
Lot coverage (max)	100%	90%	
Building coverage (max)	90%	75%	
Setbacks			
Front yard (min/max)	0' / 15'	6' / 18'	Article 1325.02
Build-to percentage, front façade (min)	60%	60%	
Side yard if adjoining a residential district (min)	20'	5'	
Side yard if not adjoining a residential district (min)	0'	0'	
Rear yard if adjoining a residential district (min)	20'	15'	
Rear yard if not adjoining a residential district (min)	0'	0'	
Building Height			
Building height, principal uses (max)	5 stories / 55'		Article 1325.02
Building height, accessory buildings (max)	20'		
Finished ground floor height (min/max)	0'2'	0'4'	
Transparency			
Ground floor transparency, front facade (min)	50%	20%	Article 1325.02
Ground floor transparency, corner side facade (min)	40%	20%	
Ground floor blank wall width, front façade (max)	10'	-	
Ground floor blank wall width, corner side façade (max)	30'	-	
Upper floors transparency, front facade (min)	20%	20%	
Upper floors transparency, corner side facade (min)	20%	20%	
Façade Separation			
Façade bay width, front façade (max)	40'	60'	Article 1325.02
Façade bay width, corner side façade (max)	40'	60'	
Building Orientation and Pedestrian Access			
Main entrance location for non-residential uses (required)	Front facade	-	Article 1325.02
Main entrance location for residential uses (required)	-	Front Facade	
Service entrance	Rear façade or side façade not facing a street	-	

Section 1333.03 Supplementary Regulations

A. **Parking.** See Article 1343.

1. Access. Vehicle access to parking off-street parking areas on lots with alley access shall be from such alley to the maximum extent practicable.
2. Location. Off-street parking areas shall only be permitted in the side or rear yards.




Figure 1333.A: An example of side yard and rear yard parking.

B. **Front Yard and Front Façade Requirements**

1. The principal building shall be set back from any street within the range established in this section.
2. Façade Materials: All building walls facing a non-industrial district line, excluding walls facing an alley, shall be suitably finished for aesthetic purposes.

A. Preferred building materials include:

- i) Brick
- ii) Decorative Concrete Block
- iii) Wood
- iv) Stone
- v) Architectural metal panels
- vi) Other natural materials.

B. Prohibited materials on street facing walls include:

- i) Vinyl siding
- ii) Unpainted or painted smooth, gray, non-decorative block
- iii) Metal sheeting

C. **Signs.** See Article 1345.

D. **Landscaping.** See Article 1347.

Section 1333.04 Performance Standards

The requirements herein are intended to provide a basis for determining the compatibility of land uses that may produce measurable adverse environmental effects on their surroundings.

1. Noise. At no point along the property line shall the noise level of continuous sound exceed 80 decibels. Impulsive sound shall not exceed 90 decibels. Additionally at no point in a non-industrial district shall the noise level of any operation or plant (except as otherwise noted herein) be high enough as to be detectable by a person with average hearing ability, unaided by any mechanical or electronic device, at a distance of 100 feet from the building between 9pm and 7am.
 - a. Exemptions. The following shall be exempt from noise performance standards:
 - 1) Noises of construction or maintenance activities from 7 a.m. to 9 p.m.
 - 2) Noises of safety signals, warning devices, and emergency pressure relief valves.
 - 3) Transient noises of moving sources such as transportation vehicles.
 - 4) Other noises not under the direct control of the property user.
2. Vibration. No perceptible vibrations shall be permitted at the property line.
3. Smoke, Particulate Matter and Gases. The emission of smoke, dust, fumes, gases, and similar matter which can cause any damage to human or animal health or vegetation, or to other forms of property, or which can cause any soiling or staining of persons or property at the point beyond the lot line of the use creating the emission is prohibited. Standards concerning such emission shall be in accord with the rules and regulations of the West Virginia Division of Environmental Protection.
4. Odor. No activity or operation shall cause at any time the discharge of toxic or noxious odor beyond the lot line of the lot on which it is located.
5. Glare and Heat. Glare, whether direct or reflected, such as from spot lights or high temperature processes, and as differentiated from general illumination, shall be not visible beyond the lot line of the lot on which the use is located.
6. Fire Hazards. No activity or operation shall be established which fails to meet requirements of Life Safety 101, Fire Code.

ARTICLE 1334
I-2 HEAVY INDUSTRIAL
DISTRICT

ARTICLE 1334 - I-2 HEAVY INDUSTRIAL DISTRICT

Section 1334.01 Purpose

The purpose of the I-2 district is to provide an area where various industrial activities can be accommodated without creating undesirable or incompatible situations with surrounding land uses.

Section 1334.02 Development Requirements

	When Adjoining an Industrial District	When Adjoining a Commercial District	When Adjoining a Residential District
Lot			
Lot area (min)	20,000 SF		
Lot coverage (max)	100%		
Building coverage (max)	90%		
Setbacks			
Front yard (min)	None	15'	25'
Side yard (min)	15'	25'	50'
Rear yard (min)	15'	25'	50'
Building Height			
Building height, principal uses (max)	100 feet	55 feet plus 1 foot for each 1 foot of upper story setback, but no greater than 100 feet in height. See Fig. 1334.A	Maximum building height of the adjacent residential zone plus 1 foot for each 2 feet of upper story setback, but no greater than 100 feet in height. See Fig. 1334.A
Building height, accessory buildings (max)	20'		




Figure 1334.A: An example of stepback requirements.

Section 1333.03 Supplementary Regulations

- A. **Parking.** See Article 1343
- B. **Signs.** See Article 1345
- C. **Landscaping.** See Article 1347

Section 1334.04 Performance Standards

The requirements herein are intended to provide a basis for determining the compatibility of land uses that may produce measurable adverse environmental effects on their surroundings.

1. **Noise.** At no point along the property line from which the noise emanates from shall the noise level of continuous sound exceed 80 decibels. Impulsive sounds shall not exceed 105 decibels.
 - a. **Exemptions.** The following shall be exempt from noise performance standards:
 - 1) Noises of construction or maintenance activities from 7 a.m. to 9 p.m.
 - 2) Noises of safety signals, warning devices, and emergency pressure relief valves.
 - 3) Transient noises of moving sources such as transportation vehicles.
 - 4) Other noises not under the direct control of the property user.
2. **Vibration.** No perceptible vibrations shall be permitted at the property line.
3. **Smoke, Particulate Matter and Gases.** The emission of smoke, dust, fumes, gases, and similar matter which can cause any damage to human or animal health or vegetation, or to other forms of property, or which can cause any soiling or staining of persons or property at the point beyond the lot line of the use creating the emission is prohibited. Standards concerning such emission shall be in accord with the rules and regulations of the West Virginia Division of Environmental Protection.
4. **Odor.** No activity or operation shall cause at any time the discharge of toxic or noxious odor beyond the lot line of the lot on which it is located.
 - a. **Exemptions.** The following shall be exempt from odor performance standards:

- 1) Odors from regular or required maintenance of the facility or site between 7 a.m. and 6 p.m.
5. Glare and Heat. Glare, whether direct or reflected, such as from spot lights or high temperature processes, and as differentiated from general illumination, shall be not visible beyond the lot line of the lot on which the use is located.
6. Fire Hazards. No activity or operation shall be established which fails to meet requirements of Life Safety 101, Fire Code.

ARTICLE 1335
PLANNED UNIT
DEVELOPMENT

ARTICLE 1335 - PLANNED UNIT DEVELOPMENT

Section 1335.01 Purpose

The provisions of this section are intended for special situations in which:

- a. adequate space, light, air, and other objectives of this Code relating to the public health, safety, and welfare can be achieved without the literal application of the detailed zoning and subdivision requirements otherwise applicable, and
- b. special amenities and benefits to the community beyond those required by this and other City ordinances can be achieved by allowing more flexible design than is otherwise permitted by such requirements.

These objectives can be achieved where an area of land is planned for development as an integrated unit and where its design is subject to more detailed review and approval by the City than is normally required. The objective of Planned Unit Development (PUD) is therefore not simply to allow exceptions to otherwise applicable regulations. It is instead to encourage a higher level of design and amenity than it is possible to achieve under the usual land development requirements.

It is accordingly the intent of the City to suspend the application of detailed zoning and subdivision standards as provided herein only where such special amenity is achieved. In this way the City may grant the creative developer a desirable flexibility and at the same time not only protect but enhance the welfare of the residents and other users of a development as well as the rest of the community.

Section 1335.02 Qualification for Filing as a PUD

A Planned Unit Development may be developed in any district subject to the following requirements:

- a. is at least 2 acres in size, and
- b. contains more than 2 detached buildings accommodating principal uses, and
- c. is initially under the same ownership or control.

A Planned Unit Development may be residential, commercial, office, industrial, or a combination thereof. Flexibility to suspend requirements imposed elsewhere is not conferred upon the PUD applicant as a matter of right but is in all cases subject to a finding by the City that the objectives of these provisions will be served thereby.

Section 1335.03 Incentives for Planned Unit Developments

To further a superior level of design and amenity in new development, the following incentives are offered in Planned Unit Developments.

- 1) **Variable Density and Dimensional Zoning Standards**
Standards for minimum lot area, minimum lot area per dwelling unit, lot width, building height, floor area ratio, yard dimensions, off-street parking and loading, landscaping and screening, fences, and signs may vary from those established elsewhere in this ordinance.
- 2) **More Than One Principal Building Per Lot**

In a Planned Unit Development more than one principal building may be located on a lot.

- 3) Variable Subdivision Design Standards
Dimensional and design standards for subdivisions and subdivision improvements such as streets, blocks, sidewalks and parkways, but not improvement construction standards, may vary from those established in the City Subdivision Regulations.
- 4) Mixed Land Uses
Land uses other than those allowed as Permitted or Special Exceptions in the applicable zoning districts may be permitted on up to 30 percent of the net site area of a Planned Unit Development.

Section 1335.04 Requirements for Planned Unit Developments

- 1) Site Plan Review
Whether or not a land subdivision is involved, Preliminary and Final Plans for the development shall be filed and approved by the City in conformance with the provisions of Article 1351 of this Ordinance.
- 2) Required Common Open Space
A minimum of 20 percent of the net site area in residential use in each phase shall be set aside for permanent common open space as defined herein.
- 3) Quality of Design
To be granted the flexibility permitted hereunder, a Planned Unit Development must evidence a level of design and amenity exceeding that typical of conventional development.
Among the features that may evidence such amenity are:
 - a) amount and quality of landscaping
 - b) amount, quality, and interconnectedness of common open space
 - c) provision of pedestrian or bicycle paths separated from streets
 - d) preservation of drainage ways and other natural features
 - e) provision of common recreational facilities
 - f) enclosed, underground, depressed, or outstandingly landscaped parking areas
 - g) varied building setbacks or other measures to reduce monotony in design, and
 - h) other features as determined by the Planning Commission or City Council
- 4) Maintenance of Land Intended For Future Phases
Land designated for future construction phases and other land not intended for immediate improvement shall be landscaped or otherwise maintained with a neat and orderly appearance as specified by the Planning Director.

Section 1335.05 Approval Process

Preliminary Plans and Final Plans for Planned Unit Developments shall be approved only in conformance with Section 18 of Article 5, Chapter 8 of the West Virginia Code and the Approval Criteria provided in Section G of this Article. No Permit for a PUD or phase thereof shall be issued before approval by the City Council of a Final Plan as provided herein.

Section 1335.06 PUD Review Committee

A PUD Review Committee is hereby authorized to review Planned Unit Development filings.

The membership of the Committee shall include the Mayor, the Chairperson of City Council, the Director of Development & Planning, the Planning Director, the Director of Public Works, the Fire Chief, the Chairman of the Board of Zoning Appeals, the Chairman of the Planning Commission, and may include any others appointed thereto by the Mayor. The Committee may seek technical assistance from such other sources as it deems necessary.

The Committee may advise and assist applicants in meeting City objectives but shall have no power to approve or disapprove any filing or in any way restrict the applicant's right to seek formal approval thereof from the Planning Commission and City Council.

The Committee shall, within 30 days after completing its review of any filing, submit to the Planning Commission the complete filing together with a written report noting any deficiencies in compliance with the requirements herein and any recommendations for improvement of the Planned Unit Development to better reflect the objectives of these provisions. A copy of the Committee's report shall also be sent to the applicant.

Section 1335.07 Final Plan

1) Filing of Final Plan

The City Council may approve, conditionally approve, or deny a Final Plan of a Planned Unit Development, or any phase thereof, for which it has approved a Preliminary Plan. The Final Plan may be filed, and may be approved, simultaneously with the Preliminary Plan.

The general terms, conditions, and requirements set forth in a Preliminary Plan, or any phase thereof, approved by the City Council shall not be modified, revoked, or otherwise impaired by action of the City. Except that the City Council may rescind approval of a Preliminary Plan, or any phase thereof, and thereby revoke such terms and conditions, if the applicant has failed to file within 3 years of the date of approval of the Preliminary Plan either a Final Plan in conformance therewith or a revised Plan together with an application for an amendment. The City Council may grant an extension of this time period.

A financial surety shall be submitted with the Final Plan and shall provide for the phasing of the installation and improvement of public or common areas and improvements, open spaces, and amenities in a manner generally proportionate to the number of dwelling units or the amount of non-residential floor space, as applicable, to be built in each phase together with the phases that preceded it.

2) Recording of Final Plan

The Final Plan as approved by the City Council shall be filed with the County Recorder as the Final Plat for the PUD under provisions of the City Subdivision Regulations whether or not the PUD involves any subdivision of land. No

Building Permit shall be issued before the approved Final Plan is recorded. The applicant shall pay all recording costs.

3) Amendments to Approved Plan

Approval of an amendment shall be required for:

- a. any material change, deletion, or addition made to:
 1. an approved Preliminary Plan, or
 2. an approved Final Plan, or for
- b. a Final Plan that does not conform to the Preliminary Plan approved by the City Council.

An applicant seeking approval of an amendment shall file an application therefor with the Planning Director. The application shall describe the amendment sought and provide such other information as the Planning Commission or City Council may require. It shall be accompanied by 10 copies of the proposed amendment and a filing fee.

If the Planning Director determines that the amendment sought is a Minor Amendment as defined herein, he or she shall refer it to the Planning Commission for final action. No public hearing shall be required for a Minor Amendment. An applicant may appeal a decision of the Planning Commission on a Minor Amendment to the City Council.

For amendments other than Minor Amendments, the full Approval Process set forth herein for Preliminary Plans and Final Plans shall be followed.

A Minor Amendment to a Planned Unit Development shall be any change from the previously approved Plan that involves:

1. No change in land use type or housing type, and
2. No change in the location of any structure, off-street parking or loading area, common open space area, or any area or right-of-way to be conveyed to or reserved for a public body, by more than 10 feet in any direction, nor a change in the spacing between any two structures by more than 10 percent, and
3. No change of more than 10 percent in any non-locational quantitative specification of the previously approved Plan, including:
 - a. any dimension of any lot, yard, structure, or pedestrian or vehicular thoroughfare
 - b. any residential density
 - c. amount of common open space acreage
 - d. utility line capacity
 - e. amount of floor area of non-residential development
 - f. amount of land to be conveyed to or reserved for any public body
 - g. size or capacity of any off-street parking or loading area
 - h. amount or dimensions of proposed tree or ground cover, landscaping, or screening, and

4. No other change that causes the development to fall short of meeting the requirements of any applicable zoning district to any greater degree than already provided on the previously approved Plan.

The Planning Commission may disallow Minor Amendment status if a proposed amendment fails to meet the foregoing criteria when it is considered together with one or more Minor Amendments previously approved for the same development.

The Planning Commission or City Council shall approved, conditionally approve, or disapprove an amendment. An amended Final Plan shall be recorded in accordance with the provisions herein governing recording of a Final Plan.

Section 1335.08 Approval Criteria for Planned Unit Developments

In recommending approval or conditional approval of a Preliminary or Final Plan for a Planned Unit Development (PUD), the Planning Commission shall transmit to the City Council written findings of fact that the application meets all of the criteria below, or will meet them when the Commission's conditions are complied with. The City Council shall not be bound by the recommendation of the Planning Commission, but in granting approval or conditional approval, the Council shall also find that all of the following criteria are met or will be met when any conditions to which the approval is made subject are complied with:

- 1) Superior Design
The PUD represents a more creative approach to the unified planning of development and incorporates a higher standard of integrated design and amenity than could be achieved under otherwise applicable zoning district and subdivision regulations, and solely on this basis modifications to the use and design standards established by such regulations are warranted.
- 2) Meets PUD Requirements
The PUD meets the requirements for Planned Unit Developments set forth in this Code, and no modifications to the use and design standards otherwise applicable are allowed other than those permitted herein.
- 3) Consistent With City Plan
The PUD is generally consistent with the objectives of the City Comprehensive Plan as viewed in light of any changed conditions since its adoption.
- 4) Public Welfare
The PUD will not be detrimental to the public health, safety, morals, or general welfare.
- 5) Compatible with Environs
Neither the PUD nor any portion thereof will be injurious to the use and enjoyment of other properties in its vicinity, seriously impair property values or environmental quality in the neighborhood, nor impede the orderly development of surrounding property.
- 6) Natural Features
The design of the PUD is as consistent as practical with the preservation of natural features of the site such as flood plains, wooded areas, steep slopes, natural drainage ways, or other areas of sensitive or valuable environmental character.
- 7) Circulation
Streets, sidewalks, pedestrian ways, bicycle paths, off-street parking, and off-street loading as appropriate to the planned land uses are provided. They are adequate in location, size, capacity, and design to ensure safe and efficient circulation of automobiles, trucks, bicycles, pedestrians, fire trucks, garbage trucks, and snow plows as appropriate

without blocking traffic within the PUD, or unduly interfering with the safety or capacity of adjacent streets.

8) Open Spaces and Landscaping

The quality and quantity of common open spaces and landscaping provided are consistent with the higher standards of design and amenity required of a PUD. The size, shape, and location of a substantial portion of total common open space provided in residential areas render it useable for recreation purposes.

Open space between all buildings is adequate to allow for light and air, access by fire fighting equipment, and for privacy where walls have windows, terraces, or adjacent patios. Open space along the perimeter of the development is sufficient to protect existing and permitted future uses of adjacent property from adverse effects from the development.

9) Covenants

Where individual parcels are to be later sold, adequate provision has been made in the form of deed restrictions, homeowners or condominium associations, or the like for

- a. the preservation and maintenance of any open spaces, thoroughfares, utilities, water retention or detention areas, and other common elements not to be dedicated to the City or another public body
- b. such control of the use and exterior design of individual structures, if any, as is necessary for continuing conformance to the PUD Plan, such provision to be binding on all future ownership.

10) Public Services

The land uses, intensities, and phasing of the PUD are consistent with the anticipated ability of the City, the school system, and other public bodies to provide and economically support police and fire protection, water supply, sewage disposal, schools, and other public facilities and services without placing undue burden on existing residents and businesses.

11) Phasing

Each development phase of the PUD can, together with any phases that preceded it, exist as an independent unit that meets all of the foregoing criteria and all other applicable regulations herein even if no subsequent phase should ever be completed. The provision and improvement of public or common area improvements, open spaces, and amenities -- or the provision of financial sureties guaranteeing their improvement -- is phased generally proportionate to the phasing of the numbering of dwelling units or amount of non-residential floor area.

ARTICLE 1337
SPECIAL ZONING
DISTRICTS

ARTICLE 1337 - SPECIAL ZONING DISTRICTS

Section 1337.01 Purpose

The purpose of this section is to provide special regulations where, due to specific local conditions, the normal district requirements of this ordinance do not adequately provide the most appropriate development options.

Section 1337.02 B&O Right-of-Way Special Zoning District

- A. **Statement of Intent.** The intent of the B&O Right-of-Way Special Zoning District is to recognize the unique development issues related to building construction and land use along the former B&O right of way in the Westmoreland area of the City of Huntington and to promulgate zoning restrictions which will allow property owners the maximum use of their property while protecting the interests of other property owners in the vicinity.
- B. **District Boundaries.** The boundaries of the B&O Right-of-Way Special Zoning District are Bradley Road to the south, Waverly Road to the north, Huntington floodwall to the west, and Camden Road to the east.
- C. **Primary Permitted Uses.**

Table 1337.A: Permitted Uses	Districts
Use Type	B&O
Residential	
Single-Family Detached	●
Home Occupations	●
Civic / Community	
Community Garden	○
Municipal or Government Facilities	○
Public Utility Installations	●
Commercial	
Communication Tower / Antennae	○
Day Care (Child or Adult)	○

- D. **Permitted Accessory Building Uses.**
 1. Accessory uses, such as walks, driveways, curbs, retaining walls, mail boxes, lamp posts, and structures of like nature and trees, shrubs, or plants are permitted in any required yard. Vision clearance shall be maintained on corner lots.
 2. Fences not more than seven (7) feet in height shall be allowed in any side or rear yard. No fence shall be allowed in the front yard.
 3. Accessory buildings, not to exceed 150 square feet, are permitted in any side yard. Such buildings shall not occupy more than 20% of the side yard.
 4. An attached carport may extend ten (10) feet into the required side yard.
 5. Swimming pools may be located in any side yard. A pool with a depth exceeding 24 inches must be surrounded by a fence at least four (4) feet in height.

6. An open porch or deck may be located in the required yard; however, such structure shall not extend more than four (4) feet into a required front or rear yard or ten (10) feet into a side yard.
- E. **Minimum Lot Size.** The minimum lot size within the district shall be 4,800 square feet, with no less than 120 feet lot frontage.
- F. **Height.** No structure shall exceed one (1) story in height.
- G. **Setbacks.** The following minimum setback shall be required. The front yard shall abut Bradley Road, while the Waverly Road frontage shall be considered the rear yard.
 1. Front Yard Setback - 20% of lot depth
 2. Rear Setback - 20% of lot depth
 3. Side Setback - 20 Feet, Each Side
- H. **Parking.** There shall be two (2) off-street spaces per dwelling. Driveway access shall only be permitted from Bradley Road.

ARTICLE 1339
H-1 HISTORIC
PRESERVATION DISTRICT
OVERLAY

ARTICLE 1339 - H-1 HISTORIC PRESERVATION DISTRICT OVERLAY

Section 1339.01 Purpose

The purpose of the H-1 district overlay is to acknowledge the special and unique character of the City of Huntington's historic districts. These districts include the residential and non-residential land uses representing the community's growth and change during the nineteenth and twentieth centuries. The H-1 district overlay is also established to provide special provisions designed to preserve and protect the historical nature of the community, while at the same time encouraging renovation, rehabilitation and new construction compatible with existing aesthetic patterns to promote and continue the revitalization of the City's historic areas. The intent of all standards and guidelines in the H-1 district overlay is to safeguard the heritage of the City by preserving that part of the City which reflects elements of its cultural, social, economic and architectural history and to promote the use of the historic areas for the education, pleasure and welfare of the City and its visitors. Finally, the H-1 district overlay serves to implement Part One, Chapter Five of the Codified Ordinances of Huntington allowing for the preservation and long-term protection of historic structures in the City.

Section 1339.02 Scope

All owners, occupants, tenants and other persons or entities in control or possession of structures must apply for review by the Historic Preservation Commission and issuance of a "Certificate of Appropriateness" prior to any building permit being issued; or in the event no such permit is required, then prior to any work or activity being commenced. This includes the following activities within the H-1 district overlay or on any historic property (including structure and archaeological resource) or for any structure surveyed or identified in the City of Huntington as listed on the National Register. Activities to be regulated by a "Certificate of Appropriateness" include: demolition, relocation, repair, changes in exterior appearance by means of repainting (whether in the same or in a different color), or addition or new signage or exterior lighting; or excavation or ground disturbance. The "Certificate of Appropriateness" is in addition to any other approvals necessitated by the development proposal and as approved by the Planning Director, Planning Commission, or Board of Zoning Appeals.

Application procedures. The procedure for application for a Certificate of Appropriateness for development and redevelopment in the City of Huntington H-1 district overlay including demolition, relocation, repair, changes in exterior appearance by means of repainting (whether in the same or in a different color), or addition or new signage or exterior lighting; or excavation or ground disturbance are outlined in Article 1353 of this Chapter

Section 1339.03 Permitted Uses and Bulk and Area Regulations

The H-1 district overlay imposes a set of requirements in addition to those of the underlying zoning district within those areas determined to be historic resources designated by the Historic Preservation Commission. All applicable use and bulk and area regulations of the underlying zoning district shall apply in addition to the regulations outlined in the additional Sections of this Article. Only land which is identified on the Zoning Map which is in the H-1 Historic Preservation District Overlay is regulated by this section.

Section 1339.04 Design Standards for New Construction

A new building in the H-1 districts overlay should be visually compatible with its neighbors in spacing, setback, massing, materials, roof shape, window divisions and siding emphasis. A new building must not be identical with its neighbors in these respects, but attention shall be given to the immediate architectural environment of the new building. Any new building shall support and enhance a block's design unity and sense of character through consideration of silhouette, spacing, setbacks, proportions, volume/mass, entryway, material/surface, shadow/texture, and style/image. In addition, these guidelines apply only to the parts of the building visible from a public way. Within the City's requirements and the requirements of the Building Code, the designer should have free rein.

- A. Where the underlying zoning is residential the use shall present a residential atmosphere. To accomplish this, new buildings should be compatible in size, scale, and mass with existing buildings.
- B. Rhythms of building spacing should be maintained. In the historic district where there is a pattern of buildings the pattern shall continue.
- C. Front of buildings facing the street. The buildings in Huntington are characterized by their linear appearance. The front of nearly every building faces the street. Although this may not be achievable on every site due to other constraints, architectural treatments can achieve the same effect. Parking should be located at the rear and side of buildings.
- D. Entrances and porches are often the focus of buildings, particularly when they occur on primary elevations. Together with their functional and decorative features such as doors, steps, balustrades, pilasters and entablatures, they can be extremely important in defining the overall character of a building. The porch treatment of new structures shall relate to the porch treatment of existing adjacent structures. Open porches are strongly encouraged, but screened in porches may be acceptable if well-detailed.
- E. The roof, with its shape; features such as cresting, dormers and chimneys; and the size, color and patterning of the roofing material, can be extremely important in defining the building's overall character.

Roof profiles contribute strongly to the character of a street, and new construction shall relate to the predominant roof shape and pitch of existing adjacent buildings. Where flat roofs appear historically, they almost always project beyond the facade line and are frequently supported by brackets. New roofs should follow the traditional types: gabled, gambrel, hipped and mansard. Roofing material shall be unobtrusive and not call attention to itself, except on buildings where pattern is a part of the overall design. Asphalt shingle is acceptable, provided it is a relatively dark shade. Random mingling of shingle shapes and colors should not be permitted, and consideration should be given to whether there is stylistic justification for the use of shaped shingles at all.
- F. The proportion, size and detailing of windows in new construction should relate to that of existing adjacent buildings. Most windows in the City's historic districts have a vertical orientation. Also, wooden double-hung windows are traditional in the City's historic districts.

The use of large picture windows shall not be permitted in domestic structures, nor should any window which is basically horizontal in orientation. Reflective glass is not allowed.

Projecting bay windows with a polygonal plan are appropriate. If a bay window is added, a projecting bay window is preferable to a curving bow window.

- G. Window type and materials are to be compatible with the front facade and the historic and architectural character of the buildings. Exterior storm windows and doors should be visually unobtrusive. Aluminum shall be painted in an appropriate manner.
- H. Stylistic trim using cornices, scroll work, and the like is encouraged. Shutters are appropriate for new structures. Shutters should be paneled or louvered. Plank or board and batten shutters shall not be permitted. Shutters shall not be pierced with sawn initials or other motifs.
Shutters shall be dimensioned to cover the window opening. The height of shutters shall be equal to the distance from the sill to the lintel, and the width of each unit shall be half the width of the frame, all measured on the exterior. Attachment of shutters to the building with hinges is preferable to an immovable mounting.
- I. Exterior materials are to be natural in appearance. For siding of new structures, diagonal and vertical siding are generally unacceptable. Siding of new structures shall have the same directional emphasis as the siding on original structures. Clapboard is the preferred siding material of new buildings. Materials which imitate natural materials may be acceptable. Imitative materials such as asphalt siding, wood-textured metal siding or artificial siding stone or brick should not be used. Four-inch metal siding, when installed and carefully detailed, may be acceptable.
- J. Paint color for a privately-owned building is essentially a personal choice. Several very good books have been published regarding historic paint colors at various periods in American architectural history (including *Century of Color*, published by the American Life Foundation in 1981); it would be desirable if these were consulted prior to choosing a color. Colors should be compatible with the historic district's atmosphere and typical of the period from which the architectural style was developed.

Section 1339.05 Design Guidelines for Architectural Restoration

Restoration of buildings should comply with accepted historic preservation guidelines such as the Secretary of Interior's *Standards for Rehabilitation and Guidelines for Rehabilitating Historic Buildings* and *Preservation Briefs* published by the National Park Service

- A. **Windows and Doors.** Existing windows and doors, including the window sash, glass, lintels, frames, molding, shutters, and steps, should be retained and repaired whenever possible. If a new window or door must be used, it should be of a material compatible with the front facade. Changing the size or arrangement of windowpanes, muntins, and rails where they contribute to the historic and architectural character of the building is discouraged. Inappropriate window or door features on significant facades are discouraged. Replacement windows in restored and rehabilitated structures should retain the dimensions and pane divisions of the window being replaced. Paired casement windows, although not historically common, are generally acceptable because of their vertical orientation. The use of single-pane windows should not be permitted unless equipped with snap-in muntins.
- B. **Storm Windows.** Exterior storm windows and doors may be installed if they are visually unobtrusive, do not cause damage to existing frames, and can be removed in the future. Storm windows should match the trim color. Mill-finished aluminum can be painted to match.
- C. **Porches and Steps.** Porches and steps that are appropriate to the building and the site should be retained. The original material and architectural features of porches and steps should be retained whenever possible.

- D. Roofs. The original roof shape should be preserved. All architectural features that give the roof its essential character should be preserved or replaced in a compatible manner.
- E. Architectural Metals. Architectural metals should be cleaned when necessary with an appropriate method that does not erode the surface.
- F. Masonry Surface and Re-pointing. Original masonry should be retained whenever possible, without applying any surface treatment, including paint. When re-pointing of mortar joints is absolutely necessary, old mortar should be duplicated in composition, color, texture, method of application, and joint profile. The surface cleaning of structures shall be undertaken with the gentlest means possible.
- G. Wood Frame Buildings. Architectural features, such as cornices, brackets, window and door molding and details, clapboard, weatherboard, shingles, and other wood siding, are essential and parts of the character and appearance of frame buildings. They should be retained and preserved whenever possible. Frame buildings should not be resurfaced with new materials that are inappropriate for the building or that will cause deterioration of the original structure.
- H. Structural Systems. Existing foundations should not be disturbed with new excavations that could undermine the structural integrity of the building.
- I. Mechanical Systems. Exterior cables (e.g., electrical, telephone, and cable TV) should be installed in places where they will be visually unobtrusive. Audio/video antenna and mechanical equipment (e.g., air conditioning and solar panels) should be placed in as inconspicuous a location as possible.
- J. Garages. If an ally is adjacent to the dwelling, a new garage should be located off the alley. Where alleys do not exist, garage facing the street or driveway curb cuts may be acceptable. Garage doors should not face the street. If this is found necessary, single garage doors should be used to avoid the horizontal orientation of two-car garage doors. Parking spaces should be screened from the street and sidewalk by landscaping.
- K. Walls, Fences, and Railings. Removal or replacement with inappropriate material or design is discouraged where these are historically or architecturally important elements of the design and character of the structure and district.

Section 1339.06 Design Guidelines for Storefronts

- A. The storefront opening. The storefront opening, where possible, shall be recessed six to twelve inches into the facades storefront opening rather than applied to the face of the facade.
- B. The storefront frame. The storefront design shall generally be composed of a hierarchical frame made up of vertical and horizontal elements.
- C. The recessed entry. The storefront should have a recessed entry off the sidewalk to create a more intimate sense of entry at the door. The recessed entry should be three feet to six feet deep.
- D. The windows. The storefront should be as transparent as possible. Large window areas emphasize display, maximize natural light and allow for visibility into and out of the store.
- E. The storefront cornice. The storefront should have a strong horizontal form at its top to separate it from the upper facade and to help certain signage.
- F. Materials, color and texture. These characteristics of the storefront design should flatter that of the upper facade and adjacent facades.
- G. Proposed changes should be supported by historic photos, blueprints, etc. of the structure.

ARTICLE 1340
OUTDOOR DINING

ARTICLE 1340 – OUTDOOR DINING

Section 1340.01. - Planning department rules and regulations under article.

The City of Huntington Department of Planning and Development (“Planning Department”) is hereby authorized to promulgate reasonable rules and regulations regarding the administration of the requirements of this article, to review all outdoor dining area permit applications and to either grant or deny such permits under this article. Copies of such regulations, as amended from time to time, shall be maintained by the planning department, posted on the city's website and filed in the city clerk's office, and shall be available to interested parties at all reasonable times.

Section 1340.02. - Compliance with federal, state and local laws and regulations.

- (a) The operation of an outdoor dining area pursuant to a permit granted under this article shall comply with the Americans with Disabilities Act, all provisions of state and local building and fire codes, as well as all state and local health laws and regulations regarding the service and preparation of food, and shall not unreasonably interfere with utility access. The operations of an outdoor dining area shall also be conducted in accordance with the code provisions and regulations of the West Virginia Alcoholic Beverage Control Administration (WVABCA). Nothing in this article shall be intended to alter or abridge any applicable federal, state and local laws or the operator's responsibility to comply with all code provisions and regulations of the WVABCA.
- (b) Nothing in this article shall be intended to alter or abridge the prohibition of service of alcoholic beverages or possession thereof on public property in the city, as set forth in Section 516.06 of the Huntington Revised Code, except that any permitted outdoor dining area operator and patrons of permitted operator's outdoor dining area shall be deemed to be exempt from said prohibition during the hours of operation of the outdoor dining area and only within the confines of said area.

Section 1340.03. - Nondiscrimination/right to limit or deny admission or service.

No person shall be denied access or service to an outdoor dining area on the basis of race as defined in Article 147, religion, national origin, sex, sexual orientation, age or disability; notwithstanding the right of the operator to limit access and admission to an outdoor dining area to only bona fide paying customers of that operator's establishment who are behaving in a lawful manner.

Section 1340.04. - Definitions.

- (a) *Operator* shall mean a person, organization, proprietorship, corporation or other similar entity lawfully operating a business located in a district zoned for commercial use that possesses a valid State of West Virginia food vendor's permit and serves at a minimum both lunch and dinner, and has been issued an outdoor dining area permit by the city's planning department.
- (b) *Outdoor dining area* shall mean a confined area of the public sidewalk designated by a site plan approved by the city through its planning department and located in a commercial district, as shown on the City of Huntington's Official Zoning Map, where, if abutting a street, the street abutting the sidewalk is posted at a speed limit of 25 mph or less, and which area is adjacent to operator's building/permanent structure, where patrons may sit at tables while consuming food and beverages, which may include alcoholic beverages contingent on proper licensure by the WVABCA.

- (c) *Small partitioned area* shall mean an outdoor dining area that is fenced or otherwise enclosed and occupies 30 or less of linear feet along the adjacent storefront.
- (d) *Large partitioned area* shall mean an outdoor dining area that is fenced or otherwise enclosed and occupies greater than 30 feet of linear feet along the adjacent storefront.
- (e) Non-partitioned area shall mean an outdoor dining area that is not fenced or otherwise enclosed.

Section 1340.05. - Permit process.

- (a) An applicant for an outdoor dining area permit shall file an application with the City of Huntington Planning office on such forms and subject to such procedures as the Planner may establish. An application for an outdoor dining area permit shall be accompanied by the appropriate administrative fee as listed in Section 1340.05(c), a \$5,000 surety bond for partitioned outdoor dining areas, and shall include: a site plan, drawn to scale showing the layout for the outdoor dining area which accurately depicts the existing sidewalk conditions, including sidewalk width from building face to curb; location and dimensions of tree wells; locations of lamp posts, traffic and parking signs, signal poles, trash receptacles, benches, and other sidewalk features or obstructions; as well as design, location, size and space of the dining area, chairs, tables, aisles between tables, and if applicable, enclosures; routes of ingress and egress; clearances between the seating area and the curb; and any such additional requirements of the planning department with respect to type, style, or specifications of the outdoor dining area, including those requirements subject to the approval of the WVABCA.
- (b) After reviewing the application and site plan, the Planner shall determine if the proposed outdoor dining area, consistent with the requirements of this article, is reasonable, promotes safe pedestrian and retail friendly vitality, and that there is adequate space remaining within the public right-of-way to facilitate safe circulation of pedestrian traffic, while promoting the overall public health, safety and welfare. The planner may require that the applicant obtain the approval of other departments or utilities before making a final determination. Thereafter, the planning department may approve, approve with conditions, or deny an application. The approved plan and permit shall be posted at the operator's premises, visible to customers and the public. No material change to the approved plan shall be made without prior written approval by the planning department. The planning department shall provide separate guidelines regarding applicable standards for uniform aesthetics, design, installation, and maintenance of the outdoor dining area and the Planning Commission will review these guidelines annually.
- (c) The outdoor dining area permit term shall be for one fiscal year, renewed July 1, unless revoked prior to expiration, and may be renewed on an annual basis. An annual administrative fee of \$100.00 for a non-partitioned outdoor dining area, a \$250 administrative fee for a small partitioned area or a \$500.00 administrative fee for a large petitioned area, shall be assessed for renewal of an existing outdoor dining area permit.
- (d) Any operator holding a valid existing permit for a particular outdoor dining area that continues to utilize that outdoor dining area, shall be deemed to have re-applied for permission to use the same space for a succeeding permit term. Such operator shall pay the applicable annual renewal administrative fee, complete all renewal paperwork and comply with any other renewal requirements of the planning department, within 30 days of the commencement of the succeeding permit term. If the operator fails to meet all renewal requirements within the 30 days, then the operator's permit shall be deemed to have expired.

- (e) The issuance of an outdoor dining area permit does not grant or imply vested rights to use of the area by the operator, but instead is a privilege granted to the operator. The city retains the right to deny the issuance of a permit or the renewal of a permit for any lawful reason. The city shall have broad discretion to grant or revoke permits issued pursuant to this article in the interests of promoting pedestrian and retail friendly vitality, and improving the overall public health, safety and welfare.

Section 1340.06. - Standards for outdoor dining areas.

- (a) The outdoor dining area shall be located adjacent to the property of an existing and lawful establishment of a permitted operator and shall be under the responsible direction and control of that operator.
- (b) The outdoor dining area may be open to patrons between the hours of 7:00 a.m. and 11:00 p.m. daily, but said outdoor dining area may only be open while the kitchen associated with such establishment is open and operating such that it is capable of serving food to patrons. In the event a permitted operator intends to serve any beverage regulated by the WVABCA in an outdoor dining area, all code provisions and regulations of the WVABCA regarding permitted days and hours of service shall be followed. If a bar is proposing to allow for outdoor drinking and do not meet the dining requirements listed above they may petition to go before the Board of Zoning Appeals to allow for an expansion to their existing Special Permit/Conditional Use permit if all other site and location requirements can be met.
- (c) All furniture or other personal property located on the public sidewalk/right-of-way by operator must be readily removable without damage to the surface of public sidewalk/right-of-way. Penetrations into or permanent fixtures placed upon the public sidewalk/right-of-way by operator are strictly prohibited. If a permanent fixture is placed upon the right-of-way by the operator, the outdoor dining area permit shall be revoked immediately and the public right-of-way returned to its original condition.
- (d) As authorized by state law, including, but not limited to, W. Va. Code §§ 8-12-5(4), (20) and (44), all partitions or fencing required for the delineation, designation, or enclosure of the outdoor dining area on city right-of-way shall be provided, installed, maintained and removed by and at the discretion of the city, shall remain property of the city, and no other partitions or fencing shall be permitted absent a finding by the planning department that the city is unable to provide said partitions or fencing, and that the proposed partitions or fencing are consistent with applicable standards for uniform aesthetics, design, installation, maintenance and removal.
- (e) The planning department shall have the authority to determine when furniture, personal property and associated enclosures must be removed from the public sidewalk/right-of-way.
- (f) An unobstructed corridor space of 60 inches must be maintained between the outer dimension of the outside dining area and the curb or nearest obstruction, in order to ensure a clear pedestrian passageway along the sidewalk. Provided however that the Planner may reduce this to a minimum of 36 inches of unobstructed corridor space with approvals from appropriate departments. In order to achieve a continuous pedestrian walk way, the pedestrian passageway shall be a straight line, parallel to the building face or curb line, for the entire length of the outdoor dining area. If the Americans with Disabilities Act requires a greater space, then the federal law shall control.
- (g) An unobstructed clearance of 36 inches, must be maintained between a fire connection and any furniture or enclosures of an outdoor dining area. If the City's Fire Code requires a greater space, that Code shall control.

- (h) The outdoor dining area must be kept sanitary, neat and clean at all times and shall be free from the accumulation of food, broken tableware, and litter.
- (i) In order to control litter, the use of disposable tableware and utensils is prohibited.
- (j) In accordance with section 572.04 of the Huntington Revised Code, noise from an outdoor dining area which unreasonably disturbs neighboring commercial or residential occupants is prohibited.
- (k) In order to serve any beverage regulated by the WVABCA in an outdoor dining area, the designated area must be included in the floor plan for the licensed premises as approved by the WVABCA. Any beverage regulated by the WVABCA shall be served and consumed only on the enclosed or bounded portion of the public sidewalk designated and permitted by the city as an outdoor dining area. Patrons are not permitted to carry any beverage regulated by the WVABCA out of the outdoor dining area.
- (l) Smoking is prohibited within any outdoor dining area.

Section 1340.07. - Additional requirements.

- (a) Prior to the issuance of a permit, the applicant must agree, in writing, that it shall indemnify, defend, and save harmless the city, its officers, agents, and employees, from and against all liability, claims, suits, damages, losses, costs, attorneys' fees and expenses of any or all types arising out of, or related in any way to, the permitted outdoor dining area.
- (b) The applicant shall maintain such general liability insurance with at least \$1,000,000.00 coverage per each occurrence and shall the name as additional insured the City of Huntington, its agents, officers, directors and employees. A copy of said insurance policy shall be furnished to the City of Huntington.
- (c) The authorization and privilege granted by a permit approved under this section shall be terminated due to the operator's failure to comply with any federal, state or local laws, any unabated nuisances or whenever the city desires to use the affected public right-of-way for any public purpose. In the event the city shall have a public need for use of the right-of-way or the property affected by the right-of-way, the city may terminate the use of such right-of-way by written notification to the applicant for the removal of any encroachments, and the operator shall cease use of the right-of-way unless and until such time the city has no public need for use of the right-of-way. Said removal shall be completed by the date specified in the notice and shall be accomplished by the applicant without cost to the city. If the applicant fails or neglects to remove the encroachment within the time specified, the city shall have the right to remove the encroachment, at the expense of the operator, and shall not be liable to the operator for any loss, financial or otherwise, or damage to the encroachment or personal property within the encroachment area.

Section 1340.08. - Denial or revocation of permit.

- (a) An outdoor dining area permit is a privilege granted to the operator that may be revoked by the city upon finding by the planning department that the operator has violated any federal, state or city law applicable to the outdoor dining area or the operation thereof, including but not limited to, compliance with all code provisions and regulations of the WVABCA, that the continued operation of the outdoor dining area poses a threat to the health, safety or welfare of the public, or that the outdoor dining area constitutes a public nuisance.

- (b) An applicant who has been denied a permit, or an operator whose permit has been revoked, may appeal the denial or revocation to the City of Huntington Board of Zoning Appeals (BZA). The provisions of Article 13 of the City of Huntington Zoning Ordinance shall apply. Such appeal may be made in writing within 30 days following the decision appealed from, on forms available at the planning department, and shall set forth the basis on which the person contests the decision. Within ten days of receipt of the appeal by the BZA, the BZA shall set a date and time for a public hearing. The public hearing shall be held within 45 days of receipt of the appeal to the BZA. The BZA shall conduct a public hearing on the appeal and may: deny the appeal and uphold the original order, requirement, decision or determination; grant the appeal and overturn the original order, requirement, decision or determination; or, issue an order which denies part of the appeal and grants part of the appeal. The BZA shall make written findings of fact and conclusions of law on which the BZA based its decision. The decision of the BZA may be appealed by either party, within 30 days, to the Cabell County Circuit Court, as set forth in WV Code § 8A-9-1, et seq.

Section 1340.09. - No Grandfather Provision.

All outdoor dining areas on City right-of-way in operation at the time of the enactment of this Article, as well as all such areas that are licensed thereafter, shall be subject to each provision of this Article. No grandfather provision is applicable. No act of any person or business entity prior to the effective date of this Article, which would be considered a violation under this Article if it were in effect, shall be subject to prosecution.

Section 1340.10. - Severability.

Each section of this Article shall be severable from the others, and if any section or portion thereof shall be determined to be unenforceable, then the remaining sections shall remain in full force and effect.

Section 1340.99. - Penalty.

Any operator who violates any provision of this article shall, upon conviction, be fined up to \$500.00 per day. Each day any violation of this article shall continue shall constitute a separate offense.

ARTICLE 1341
GENERAL REGULATIONS

ARTICLE 1341 - GENERAL REGULATIONS

Section 1341.02 Bars, Brewpubs, and Restaurants Serving Alcoholic Beverages

- A. Transparency. All new Bars, Brewpubs, and Restaurants Serving Alcoholic Beverages, or existing establishments that are relocating, are required to meet the transparency requirements of the districts they are located in.
1. There is no grandfather provision for the Transparency requirements applicable to the structure to which the Bar, Brwewpub, or Restaurant Serving Alcoholic Beverages is located in.
 2. If there are no Transparency requirements for the district, the structure shall have a minimum of 20% Transparency on all street facing facades on the floors in which the Bar, Brewpub, or Restaurants Serving Alcoholic Beverages is located.

Section 1341.04 Lots

- A. Every building hereafter erected shall be located on a lot with frontage upon a street. In no case shall there be more than one principal building used for residential purposes, and its accessory building, located on one lot, except as provided in this Ordinance.
- B. Use of existing Lots deficient in area or width. A Single-family Dwelling may be located on any Lot in any District in which Single-family Dwellings are permitted if the Lot was a single parcel in a single ownership or a single parcel separately described or included in a Deed which was or record in the Office of the Clerk of either Cabell or Wayne County, West Virginia, at the time of the passage of this Ordinance, even though the Lot does not have the minimum Lot Area specified for the district. Persons applying for a permit to develop a deficient lot must provide documentation as required by the Planning Director to prove such lot was in existence prior to the enactment of the City's Zoning Ordinance.

Section 1341.05 Permitted Accessory Uses in All Districts

An accessory use of a dwelling is only permitted if such use is customarily incidental to the residential use. The following are permitted by-right as accessory uses to a lawful principal use in all districts, within the requirements of this Article.

- A. Antennas, Standard as defined, and antennae for emergency service.
- B. Day care Center as an accessory use, within the limits on number of children in Section 1341.13.
- C. Fence or Wall. (See Section 1341.19)
- D. Garage Sale. (See Section 1341.21)
- E. Indoor storage that is customarily accessory to a permitted use.
- F. Recreation facilities, non-commercial, limited to use by employees of a lot or a development, or residents of a development and their occasional invited guests.
- G. Satellite antennae. (see Section 1341.24)
- H. Signs as permitted by Article 1345.
- I. Swimming pool, household. (See Section 1341.16)
- J. Home Occupation (See Section 1341.22)
- K. Outdoor lighting designed so as not to cause undue glare upon adjoining premises. Area lighting shall be shielded and directed upon owner's property.

- L. Such other accessory use or structure that the applicant proves to the satisfaction of the Planning Director is clearly customary and incidental to a permitted by-right, special permit or conditional principal use.
- M. Accessory Private Garage and Carport. (See Section 1341.46)

Section 1341.06 Permitted Accessory uses to Business and Institutional Uses

The following are permitted by-right accessory uses only to a lawful principal business or institutional use, provided that all requirements of this Ordinance are met.

- A. Amusement machines, coin or token operated as accessory uses.
- B. Food, beverage and toy machines, coin operated.
- C. Newspaper sales machines, coin operated.
- D. The following accessory uses, provided that the use is clearly limited to employees, patients, residents, and families of employees of the use and their occasional invited guests:
 - 1. Standard or fast-food restaurant without drive-thru service.
 - 2. Day care center.
 - 3. Non-commercial recreation facilities.
 - 4. Meeting facilities.

Section 1341.07 Temporary Uses

- A. A temporary permit may be issued by the Planning Director for any of the following:
 - 1. Any temporary use that meets the requirements of this Zoning Ordinance.
 - 2. Customary, routine and accessory short-term special events, provided that:
 - a. Only a well-established non-profit organization or lawful place of worship proposing a temporary use to clearly primarily serve a charitable, public service or religious purpose shall be eligible to receive approval of a commercial use in a district where that use is not permitted; and
 - b. The Planning Director shall establish a reasonable limit on the duration of the use.
 - 3. Temporary construction-related trailers.
 - 4. The temporary erection of a tent or similar temporary structure that is not totally enclosed for a maximum of 14 days in any four month period for clearly routine customarily accessory uses such as the following: a wedding in the rear yard of a dwelling, a festival of a place of worship or a special sale within the lot of a lawful commercial use. The seasonal sale of plants, produce, and other lawn and garden supplies is permitted within any commercial or industrial zone.
- B. Removal. Prior to the issuance of a permit for a temporary use or structure, the Planning Director may require an applicant to present a statement from the owner of record of the land recognizing the application and accepting responsibility to ensure that the use or structure is removed once the permit expires. Any temporary structure or use shall be removed completely upon expiration of the permit without cost to the City. If the structure or use is not removed in a timely fashion after proper notification, the City may remove the use or structure at the cost of the person who owns the land upon which the structure or use is located.

Section 1341.08 Drive-thru Restaurant

- A. If drive-thru service is provided, a maximum of two outdoor menu boards are permitted, beyond the signs normally permitted, with a maximum sign area of 40 square feet each. The words on such signs shall not be readable from a street or residential lot line.
- B. Traffic circulation onto, within and off of the lot shall be clearly marked. Any drive-thru use shall be designed:
 - 1. With adequate capacity for waiting vehicles, and
 - 2. To avoid conflicts with traffic onto, around and off of the site.

Section 1341.09 Day Care (Child or Adult)

- A. The use shall comply with any applicable county, state, and federal regulations including registration certificate or license.
- B. Convenient parking spaces within the requirements of Article 1343 shall be provided for drop-off or pick-up.
- C. The use shall have a lot area of at least 8,000 square feet.
- D. The use shall include adequate measures to ensure the safety of children, if applicable, from traffic or other nearby hazards. This shall include a secure fence around outdoor areas routinely used for outdoor play to separate the areas from abutting streets or other nuisances or hazards on adjoining lots.
- E. Outside play areas of a day care facility involving the care of 25 or more children at any one time shall be setback a minimum of 25 feet from the lot line of an abutting dwelling.
- F. In residential districts, any permitted day care center shall maintain an exterior appearance that resembles and is compatible with any existing dwellings in the neighborhood.

Section 1341.10 Car Wash

- A. Traffic flow and ingress-egress shall not cause traffic hazards on adjacent streets.
- B. On-lot traffic circulation channels and parking areas shall be clearly marked.
- C. Adequate provisions shall be made for the proper and convenient disposal of refuse. For a truck wash, the applicant shall provide evidence that adequate measures will be in place to prevent pollutants from being washed into the groundwater or waterways.
- D. Water from the operation shall not flow onto sidewalks or streets, to prevent hazards from ice.
- E. Any chemicals that may be hazardous to aquatic life shall be stored within an area that will completely contain any leaks or spills.

Section 1341.11 Auto Service Station and Repair Shop

- A. All storage areas, pits, lifts and working areas shall be within a building. All lubrication, repair, painting, or similar activities shall be performed in an enclosed building, and no dismantled parts shall be placed outside.
- B. No junked motor vehicle or part thereof or no unregistered motor vehicle shall be permitted outside an enclosed service station, except that not more than six (6) motor vehicles may be located outside a building for a period not to exceed five (5) days for each vehicle, provided that the owners are awaiting the repair of the motor vehicle.
- C. The exterior display and parking of equipment or vehicles for rent or sale shall be permitted, provided that the area devoted to this purpose is in addition to the minimum lot size required for a service station, the area devoted to this purpose does not exceed twenty (20%) percent of the total area of the entire site, the maximum sign area for a service station is not exceeded

and the location of the equipment or vehicles being rented or sold does not interfere with the required off-street parking requirements for the service station and does not interfere with the on-lot traffic circulation indicated on the approved land development plan.

- D. The storage and disposal of solid waste and recyclable materials, including used or discarded motor vehicle parts or equipment, and fluids, shall comply with all applicable Federal, State, and local requirements.
- E. Outdoor solid waste and recyclable storage areas shall be screened in accordance with Section 1347.07.

Section 1341.12 Communications Tower or Antennae, Commercial

- A. The following requirements apply to all wireless telecommunications facilities regardless of the zoning district in which they are to be located. These general standards are to be supplemented with the specific regulations for nonresidential and residential districts as set forth in the Sections which follow.
 - 1. When the proposed wireless telecommunications facility is to include a new tower, a plot plan at a scale of not less than one inch is equal to 100 feet shall be submitted. This plot plan shall indicate all building uses within 300 feet of the proposed facility. Aerial photos and/or renderings may augment the plot plan.
 - 2. The location of the tower and equipment shelter shall comply with all natural resource protection standards established in the Zoning Code, including those for floodplain, wetlands and steep slopes.
 - 3. Security fencing eight feet in height shall surround the tower, equipment shelter and any guy wires, either completely or individually as determined by the Board of Zoning Appeals.
 - 4. Buffer plantings may be located around the perimeter of the security fence as deemed appropriate by the Board of Zoning Appeals.
 - 5. Existing vegetation (trees and shrubs) shall be preserved to the maximum extent possible.
 - 6. Any applicant requesting permission to install a new tower shall provide evidence of written contact with all wireless service providers who supply service within a quarter mile of the proposed facility. The applicant shall inquire about potential co-location opportunities at all technically feasible locations. The contacted providers shall be requested to respond in writing to the inquiry within 30 days. The applicant's letter(s) as well as response(s) shall be presented to the Planning Director as a means of demonstrating the need for a new tower.
 - 7. Any application to locate an antenna on a building or structure that is listed on an historic register, or is in an historic district shall be subject to review by the Huntington Historic Preservation Commission.
 - 8. The tower shall be painted a non-contrasting gray or similar color minimizing its visibility, unless otherwise required by the Federal Communications Commission (FCC) or Federal Aviation Administration (FAA).
 - 9. No advertising is permitted anywhere on the facility, with the exception of identification signage.
 - 10. All providers utilizing towers shall present a report to the Planning Director notifying him or her of any tower facility located in the municipality whose use will be discontinued and the date this use will cease. If at any time the use of the facility is discontinued for 180 days, the Planning Director may declare the facility abandoned. (This excludes any dormancy period between construction and the initial use of the

facility.) The facility's owner/operator will receive written notice from the Planning Director and instructed to either reactivate the facility's use within 180 days, or dismantle and remove the facility. If reactivation or dismantling does not occur, the City may remove or contract to have removed the facility and assess the owner/operator the costs.

11. No tower under 150 feet shall be artificially lighted except to assure safety or as required by the FAA. Any tower between 150 and 200 feet in height shall follow safety marking and obstruction lighting as prescribed by the FAA. Security lighting around the equipment shelter is permitted.
12. "No Trespassing" signs shall be posted around the facility with a telephone number of who to contact in the event of an emergency.
13. Applicants will provide evidence of legal access to the tower site thereby maintaining this access regardless of other developments that may take place on the site.
14. A Special Permit must be approved by the Board of Zoning Appeals with a subsequent Building Permit issued by the City for construction of new towers in non-industrial districts. Co-location of antennas on a single tower, antennas attached to existing structures/buildings, towers located in industrial districts, or replacement towers to be constructed at the site of a current tower are permitted uses and will not be subject to the Special Permit permitting process.
15. Any decision to deny a request to place, construct or modify a wireless telecommunications antenna and/or tower shall be in writing and supported by evidence contained in a written record of the proceedings of the Planning Commission.
16. Underground equipment shelters are encouraged, especially in non-industrial districts, and may be requested by the Board of Zoning Appeals.

B. Nonresidential Districts

Wireless telecommunications facilities proposed for industrial and commercial districts are subject to the following conditions:

1. Sole use on a lot. A wireless telecommunications facility is permitted as a sole use on a lot subject to the following:
 - a) Minimum lot size: Requirements of District.
 - b) Minimum yard requirements:
 - Tower: the minimum distance to any residential use or district lot line shall be 300 feet
 - Equipment shelter: See requirements for District for accessory use.
 - c) Maximum height:
 - Tower: 200 feet (includes antenna)
 - Equipment shelter: See requirements for District for accessory use.
 - d) Maximum size of equipment shelter:
300 square feet for a single shelter, or, if there is more than one, 750 total square feet.
2. Combined with another use. A wireless telecommunications facility is permitted on a property with an existing use subject to the following conditions:
 - a) The existing use on the property may be any permitted use in the district or any lawful nonconforming use, and need not be affiliated with the wireless telecommunications provider. The wireless telecommunications facility will not be considered an addition to the structure or value of a nonconforming use.

- b) The wireless telecommunications facility shall be fully automated and unattended on a daily basis, and shall be visited only for periodic and necessary maintenance (except during construction or an emergency).
 - c) Minimum lot area. The minimum lot area shall be the area needed to accommodate the tower (and guy wires, if used), the equipment shelter, security fencing and buffer planting.
 - d) Minimum yard requirements:
 - Tower: the minimum distance to any residential use or district lot line shall be 300 feet.
 - Equipment shelter: shall comply with the minimum setback requirements for the primary lot.
 - e) Access. The service access to the equipment shelter shall, whenever feasible, be provided along the circulation driveways of the existing use.
 - f) Maximum height:
 - Tower: 200 feet (includes antenna)
 - Equipment shelter: See requirements for District for accessory use.
 - g) Maximum size of equipment shelter: 300 square feet for a single shelter, or, if there is more than one, 750 square feet.
3. Combined with an existing structure. Where possible an antenna for a wireless telecommunications facility shall be attached to an existing structure or building subject to the following conditions:
- a) Maximum height: 20 feet or 20% of the building height above the existing building or structure, whichever is greater.
 - b) If the applicant proposes to locate the telecommunications equipment in a separate shelter (not located on, or attached to, the building), the shelter shall comply with the following:
 - 1) The minimum setback requirements for the subject zoning district.
 - 2) A buffer yard may be planted in accordance with Section 1341.12.D.
 - 3) Vehicular access to the shelter shall not interfere with the parking or vehicular circulation on the site for the principle use.
 - 4) The maximum size of the equipment shelter shall not exceed 300 square feet, or, if there is more than one, 750 total square feet.

C. Residential Districts

Wireless telecommunications facilities that include towers are not permitted in residential districts with the exception of placement on any property with an institutional use (e.g., church, park, library, municipal/government, hospital, school, utility) located in a residential district. However, antennas attached to existing buildings or structures are permitted. In applying for a permit in any residential district, the applicant must present substantial evidence as to why it is not technically feasible to locate in a more appropriate nonresidential zone. Once those efforts have been exhausted, a wireless telecommunications facility may be located in a residential district subject to the following conditions:

- 1. General. The wireless telecommunications facility shall be fully automated and unattended on a daily basis, and shall be visited only for periodic and necessary maintenance. This shall apply to B, C, D and E below.

2. Combined with a nonresidential use. An antenna may be attached to a nonresidential building or a structure that is a permitted use in the district; including, but not limited to, a church, a municipal or governmental building or facility, agricultural building, and a building or structure owned by a utility. The following conditions shall be met:
 - a) Maximum height, 20 feet above the existing building or structure.
 - b) If the applicant proposes to locate the telecommunications equipment in a separate shelter, the shelter shall comply with the following:
 - 1) The shelter shall comply with the minimum setback requirements for the subject zoning district.
 - 2) The maximum size of the equipment shelter shall not exceed 300 square feet, or, if there is more than one, 750 total square feet.
 - 3) A buffer yard shall be planted in accordance with Section 1341.12.D.
 - 4) Vehicular access to the shelter shall not interfere with the parking or vehicular circulation on the site for the principal use.

Located on a nonresidential-use property. A tower to support an antenna may be constructed on a property with a nonresidential use that is a permitted use within the district, including but not limited to a church, hospital, school, municipal or government building, facility or structure, and a utility use, subject to the following conditions:

- a) The tower shall be set back from any property line abutting a single-family or two-family residential lot by 300 feet.
 - b) Maximum height:

Tower:	200 feet (includes antenna)
Equipment shelter:	See requirements for District for an accessory building
 - c) The maximum size of the equipment shelter shall not exceed 300 square feet, or, if there is more than one, 750 total square feet.
 - d) Vehicular access to the tower and equipment shelter shall, whenever feasible be provided along the circulation driveways of the existing use.
 - e) In order to locate a telecommunications facility on a property that is vacant or with an agricultural use the tract shall be at least 2.5 acres.
4. Located on a residential building. An antenna for a wireless telecommunications facility may be attached to an apartment building exceeding four stories subject to the following conditions:
 - a) Maximum height: 20 feet above the existing building.
 - b) If the applicant proposes to locate the telecommunications equipment in a separate shelter (not located in, or attached to, the buildings), the shelter shall comply with the following:
 - 1) The shelter shall comply with the maximum setback requirements for the subject-zoning district.
 - 2) The maximum size of the equipment shelter shall not exceed 300 square feet, or, if there is more than one, 750 total square feet.
 - 3) A buffer yard shall be planted in accordance with Section 1341.12.D.
 - 4) Vehicular access to the shelter shall, if at all possible, use the existing circulation system.

5. Located in open space. A wireless telecommunications facility is permitted on land that has been established as permanent open space, or a park subject to the following conditions:

- a) The open space shall be owned by the municipality, county or state government, a homeowners association, charitable organization, or a private, non-profit conservation organization.
- b) Maximum height:
 - Tower: 200 feet (includes antenna)
 - Equipment shelter: maximum height for accessory building
- c) The maximum size of the equipment shelter shall not exceed 300 square feet, or, if there is more than one, 750 total square feet.
- d) The tower shall be set back from any single-family or two-family property line 300 feet.

D. Criteria for a Special Permit:

Wireless Telecommunications Facility. A wireless telecommunications facility which includes a tower may be permitted as a Special Permit in a commercial district or located on an institutionally-used property in any residential district. In order to be considered for review, the applicant must prove that a newly-constructed tower is necessary in that opportunities for co-location on an existing tower are not feasible. The following steps must also be taken for the application to be considered for review in this category:

- 1. The applicant shall present a landscaping plan that indicates how the wireless telecommunications facility will be screened from adjoining uses.
- 2. The applicant shall demonstrate that the telecommunications tower must be located where it is proposed in order to service the applicant's service area. There shall be an explanation of why a tower and this proposed site is technically necessary.
- 3. Where the telecommunications facility is located on a property with another principal use, the applicant shall present documentation that the owner of the property has granted an easement or entered into a lease for the proposed facility and that the vehicular access is provided to the facility.
- 4. Any applicant requesting permission to install a new tower shall provide evidence of written contact with all wireless service providers who supply service within a quarter mile of the proposed facility. The applicant shall inquire about potential co-location opportunities at all technically feasible locations. The contacted providers shall be requested to respond in writing to the inquiry within 30 days. The applicant's letter(s) as well as response(s) shall be presented to the Planning Director as a means of demonstrating the need for a new tower.

Section 1341.13 Day Care Center as Accessory Use to a Residential Use.

- A. A maximum of six children under age 15 may be cared for in any dwelling unit, in addition to children who are residents of the dwelling.
- B. The dwelling shall retain a residential appearance with no change to the exterior of the dwelling to accommodate the use, other than cosmetic and any needed safety improvements.
- C. Any day care center involving seven or more children shall be considered a principal use and meet the standards of Section 1341.09 for such use, if permitted.
- D. The use shall be actively operated by a permanent resident of the dwelling.
- E. If over two children are kept, a minimum of 200 square feet of safe exterior play area shall be available, which shall be fenced.

Section 1341.14 Religious Use

- A. A primary or secondary school and/or a child or adult day care center are permitted on the same lot as a religious use provided that the requirements for such uses are also met.
- B. One dwelling unit for a religious leader of the place of worship and their family may be accessory to a religious use on the same lot.

Section 1341.15 Self-Storage Development

- A. Outdoor storage shall be limited to recreational vehicles, boats and trailers. No "junk vehicles" shall be stored. Outdoor storage areas shall be screened in compliance with Article 1347.
- B. Trash, radioactive or highly toxic substances, garbage, refuse, explosives or flammable materials, hazardous substances, animal carcasses or skins, or similar items shall not be stored.
- C. The interior traffic aisles, required off-street parking areas, loading areas and access ways shall be paved with a hard surface and shall be kept clear of stored items.
- D. Maximum building length - 250 feet.
- E. Minimum separation between buildings - 20 feet.

Section 1341.16 Swimming Pool - Household

- A. The swimming pool shall not involve any commercial use.
- B. Enclosure around in-ground pools shall meet the requirements of the Building Code.
- C. Enclosure around above ground pool. Any existing or new above ground pool shall include a secure fence, wall, or other enclosure a minimum of four feet high above the surrounding ground level. Such pools shall be equipped with an access ladder that can be raised and locked in a position so that it is a minimum of four feet above the surrounding ground level or otherwise completely inaccessible to children when the pool is unattended.
- D. Location. A pool and any deck or shelter that is elevated above the average surrounding ground levels shall meet the applicable setback requirement for an accessory building. Patios around pools that are level with the average surrounding ground level are not required to meet setbacks. A pool is not permitted within a required front yard.
- E. Drainage. A proper method shall be provided for drainage of the water from the pool that will not overload or flood any: 1) on-lot septic system or 2) portion of a building or property not owned by the owner of the pool. A pool shall not be located so as to interfere with the operation of a well or on-lot septic system.

Section 1341.17 Swimming Pool, Non-household

- A. The water surface shall be setback at least 25 feet from any lot line.
- B. Minimum lot area - two acres.
- C. Any water surface within 100 feet of an existing dwelling shall be separated from the dwelling by evergreen screening in agreement with Article 1347.
- D. The water surface shall be surrounded by a secure, well-maintained fence at least six feet in height.
- E. Drainage. A proper method shall be provided for drainage of the water from the pool that will not overload or flood any: 1) on-lot septic system or 2) portion of a building or property

not owned by the owner of the pool. A pool shall not be located so as to interfere with the operation of a well or on-lot septic system.

Section 1341.18 Composting - as a principal or accessory use

- A. On a lot of less than five acres, composting shall be limited to the composting of biodegradable vegetative material, including grass clippings, trees, shrubs, leaves and vegetable waste, and shall not include animal wastes or fats.
- B. Composting shall only be conducted in ways that fire, rodent or disease-carrying insect hazards or noxious odors are not created.
- C. Composting of manure shall be setback a minimum of 150 feet from any dwelling on an adjacent lot, and be located and graded to prevent manure from being washed into a creek or lake by storm water.
- D. Compost shall be kept free of other garbage.

Section 1341.19 Fences, Walls, and Screens

- A. Fences and walls are permitted by-right in all districts. Any fence or wall shall be durably constructed and well-maintained. Privacy fences shall be constructed so that the finished side of the fence faces toward abutting properties or rights-of-way unless the fence is not visible from the adjoining property. Fences that have deteriorated shall be replaced or removed.
- B. Sight Distance, Storm Water and Easements. No fence, wall or hedge shall obstruct the sight distance requirements of Section 1341.03. No fence or wall shall obstruct the flow of storm water, except as part of a City-approved storm water system.
- C. Fences.
 - 1. Residential District.
 - a. Front Yard. Any fence located in the front yard or required front yard, whichever distance is greater, shall have a minimum ratio of 1:1 open to structural areas (such as picket fence or split rail fence) and shall not exceed four feet in height.
 - b. Side and Rear Yard. Any fence located in the side or rear yard shall have a maximum height of seven feet.
 - 2. Commercial District.
 - a. Front Yard. Any fence located in the front yard or required front yard, whichever is greater, shall not exceed four feet in height.
 - b. Side and Rear Yard. A fence within a side or rear yard shall have a maximum height of eight feet.
 - 3. Industrial District.
 - a. Front Yard. Any fence located in the front yard shall not exceed four feet in height. If there is no principal structure on the property or the principal structure is setback greater than the requirement, no fence located within the required front yard shall exceed four feet in height.
 - b. Side and Rear Yard. Any fence located in the side or rear yard shall not exceed ten feet in height.
 - 4. Height. The height of a fence shall be measured from the ground level in which the fence is located on or above. For linear sections of fence that are mounted level, parallel to the horizon, but on ground that varies in height, the height shall be measured as an average across the level mounted segment of the fence.

5. Setbacks. A fence may be constructed on a lot line and are not required to comply with minimum setbacks for accessory structures. Homeowners are encouraged but not required to setback fences at least two feet from an abutting lot line in order to allow for maintenance over the long-term. However, no fence shall be located closer than three feet from an adjoining residence. A fence shall not be placed within a public right-of-way or alley.
 - a. Exception:
 - i. A fence of a business shall be setback a minimum of five feet from the abutting lot line of an existing dwelling or an undeveloped residentially zoned lot.
6. Exceptions:
 - a. A maximum height of ten feet with a ten foot setback from all property lines is permitted to enclose:
 - i. A tennis or racquet sport court
 - ii. A non-household swimming pool
 - iii. An electric substation
 - b. On a corner lot, the Planning Commission staff may permit a side or rear yard fence into the front yard that is not abutting the primary entrance of the structure based on prevailing setback of other structures and fences on the same street as that front yard.
6. Fence Materials. A fence shall not be constructed out of fabric, junk, junk vehicles, appliances, tanks or barrels. Electric fences are prohibited in all zones. Barbed or razor fences are prohibited in all zones except industrial.

D. Walls.

1. Engineered retaining walls necessary to hold back slopes are exempted from setback regulations and the regulations of this section, and are permitted by-right as needed in all districts.
2. Residential District.
 - a. Front Yard. Any wall located in the front yard or required front yard, whichever distance is greater, shall not exceed four feet in height.
 - b. Side and Rear Yard. Any wall located within ten feet of the side or rear yard property line shall not exceed four feet in height. Any wall ten feet or farther from the side or rear yard property line shall not exceed seven feet in height.
3. Commercial District.
 - a. Front Yard. Any wall located in the front yard or required front yard shall not exceed four feet in height. If there is no required front yard, any wall located within ten feet of the front yard property line shall not exceed four feet in height.
 - b. Side and Rear Yard. Any wall located within ten feet of the side or rear yard property line shall not exceed four feet in height. Any wall ten feet or farther from the side or rear yard property line shall not exceed eight feet in height.
4. Industrial District.
 - a. Front Yard. Any wall located in the front yard shall not exceed four feet in height.
 - b. Side and Rear Yard. Any wall located within ten feet of the side or rear yard property line shall not exceed four feet in height. Any wall ten feet or farther from the side or rear yard property line shall not exceed eight feet in height.
5. Fencing on top of Walls. A non-chain-link metal fence or a wooden fence may be added to the top of a wall but not to exceed the height restrictions for the fence as if mounted at ground level.

Section 1341.20 Recycling Collection Center

- A. All materials shall be kept in appropriate containers, with appropriate sanitary measures and frequent enough emptying to prevent the attraction of insects or rodents and to avoid fire hazards.
- B. Adequate provision shall be made for movement of trucks if needed and for off-street parking.
- C. A 15 feet buffer yard with screening as described in Article 1347 shall be provided between this use and any abutting "residential lot line."
- D. This use may be a principal or accessory use, including being an accessory use to a commercial use, an industrial use, a public or private primary or secondary school, a place of worship or a City-owned use, subject to the limitations of this Section. On residential properties, only recyclables produced by the resident family may be collected and stored.
- E. Materials to be collected shall be of the same character as the following materials: paper, fabric, cardboard, plastic, metal, aluminum and glass. No garbage shall be stored as part of the use, except for garbage generated on-site or garbage accidentally collected with the recyclables. Only materials clearly being actively collected for recycling may be stored on site.
- F. The use shall only include the following operations: collection, sorting, baling, loading, weighing, routine cleaning and closely similar work. Unless located in an industrial zone, no burning or melting or mechanical shredding of metal or land filling shall occur. No mechanical operations shall routinely occur at the site other than operations such as baling of cardboard and shredding of newspaper.
- G. The use shall not include the collection or processing of pieces of metal that have a weight greater than 50 pounds, except within an Industrial district.
- H. The use shall include the storage of a maximum of 50 tons of materials on the site if the use is within a residential district and within 500 feet of an existing dwelling.

Section 1341.21 Garage Sale (See definition in Article 1315)

- A. A garage sale shall not include sale of new merchandise (other than custom crafts).
- B. Garage sales shall be limited to a maximum of two total days in any one month period.

Section 1341.22 Home Occupation

- A. A home occupation shall be conducted completely indoors, and may be within a principal or accessory building. The total amount of floor area of all buildings used for a home occupation shall not be greater than 25 percent of the total floor area of the principal dwelling unit.
- B. There shall be no outdoor operations or outdoor storage of materials, products or equipment.
- C. Signs and Displays. There shall be no use of show windows, business display or advertising visible from outside the premises, except for one non-illuminated sign with a maximum sign area of two square feet on each of two sides and a maximum height of six feet.
- D. Truck Traffic - The use shall not require the parking of, storage of or regular servicing by a vehicle with an aggregate gross vehicle weight of more than 12,000 pounds, except for one vehicle used by a resident whose primary occupation is as an over-the-road driver of such vehicle. Such vehicle shall be parked off-street beyond the front of the house. While parked on the residential lot, such vehicle shall not generate noise beyond normal neighborhood levels.

- E. Uses permitted as a home occupation include, but are not limited to: art studio, home craft businesses (including home craft brewery production (nanobrewery) in accordance with 1341.50), dressmaking, furniture making, office, custom sewing, clerical work, sales or survey over the telephone, tax preparation, musical instruction, tutoring of students, personal service businesses, trade businesses provided there is no on-site assembling, manufacturing, processing, or retail sales, repair service, day care in accordance with Section 1341.13, or one chair beauty or barber shop with no products sold from the premise.
- F. The following uses shall not be permitted as a home occupation: veterinarian office, stable, kennel, funeral home, industrial uses (other than custom crafts and sewing), wholesale or retail sales on the premises (except as accessory to custom crafts and except for sales over the phone, through the mail, or online), restaurant, repairs of motor vehicles or trucking company terminal, manufacturing, or repair of machinery, automobiles, trucks, and motorcycles.
- G. Nuisances. No machinery or equipment shall be permitted that produces noise, noxious odor, vibration, glare, electrical interference or radio or electromagnetic interference beyond the boundary of the property. Only general types and sizes of machinery that are typically found in dwellings for hobby, domestic or sewing purposes shall be permitted. No use shall generate noise or glare in excess of what is typical in a residential neighborhood.
- H. Parking and Loading. The lot shall include sufficient parking for the maximum number of vehicles on-site at one time, plus parking for the dwelling unit. A defined driveway shall be provided, and shall be shown on the site plan. The applicant shall prove that such driveway provides for safe sight distance.
- I. Building Appearance. The exterior of the residential building and the lot shall not be changed in such a way as to decrease its residential appearance, except for permitted parking spaces and the permitted sign.
- J. Hours. A home occupation shall not be conducted in a way that is perceptible from beyond the lot line between the hours of 9 p.m. and 7 a.m. This time limit shall also apply to any loading or unloading of vehicles on the property or on a street that causes noise to adjoining residents.
- K. Hazardous Substances. The use shall not involve the storage or use of hazardous, flammable or explosive substances, other than types and amounts commonly found in a dwelling.
- L. Advertising. The address of the home occupation shall not be advertised in such a way that would encourage customers or salespersons to come to the property without an appointment.
- M. Number of Employees. No employees who are not permanent residents of the dwelling may work on the premise, except for businesses that involve field or on-site service, including salesmen, plumbers, cleaners, home repair, online services and other similar service activities. Such home occupations may employ up to four persons, provided that the home occupation may have 1 Full Time Equivalent employee work at the home office. For the purposes of the Home Occupation Full-Time Equivalent may include up to four employees provided that no more than one employee works on-site at any given time. A Home Occupation may apply for a Special Permit to have more than one (1) employee at the home office provided it is found that based on physical characteristics of the lot the additional employees would not detract from the residential character.
- N. Instruction. Any instruction or tutoring shall be limited to a maximum of four students on the property at any one time.
- O. A permit from the Planner or designee shall be required for any home occupation.

Section 1341.23 Factory Built Housing

It is the intent of this Ordinance to encourage the provision of affordable housing in a general residential zone by permitting the use of new modular and manufactured homes as defined in Article 1315, meeting the definition of Single-Family residences as defined in Article 1315, in all zones in which similar dwellings constructed on the site are permitted, subject to the requirements and procedures set forth herein to assure similarity in exterior appearance between such residentially designed Modular and Manufactured Homes and dwellings which have been constructed under these and other lawful ordinances on adjacent lots in the same district, zoning classification or general area.

Modular and Manufactured Homes, as defined in Article 1315, shall be permitted in all zones subject to the requirements and limitations set forth in this Ordinance which are applicable to Modular and Manufactured Homes and the requirements and limitations applying generally to residential use in such zoning classifications or districts, including minimum lots, yard and building spacing, percentage of lot coverage, off-street parking requirements, square footage requirements and approved foundations as describe herein.

- A. Modular and Manufactured Homes qualifying as a Single-family residence shall be compared to site built and other housing in the immediate general area within the same zoning or residential district or area. Approval shall be granted upon the finding that the Modular or Manufactured Home is substantially similar in size, siding material, roof material, foundation and general aesthetic appearance to (a) site-built or other forms of housing which may be permitted in the same general area under this Ordinance or (b) existing development or (c) proposed development in the same zoning district or area.
- B. The home must measure in width and length at least 22 feet for the main body.
- C. The Modular or Manufactured Home shall be placed on a permanent foundation in accordance with Appendix C of the CABO 1 and 2 Family Building Code and shall be installed pursuant to the manufacturers' installation instruction and in compliance with the rules and regulations of the West Virginia Manufactured housing Construction and Safety Board established by West Virginia Code 21-9 and regulations approved thereunder. All Modular and Manufactured Homes are required to have a perimeter fascia enclosure constructed of compatible masonry material that encloses the perimeter of the home.
- D. All tow bars, wheels, and axles shall be removed when the dwelling is installed on the residential lot, as a permanent structure not suitable for relocation.
- E. The exterior siding materials shall consist of wood, masonry, concrete, stucco, masonite, metal or vinyl lap or other materials of like appearance but use of flat or corrugated sheet metal for the exterior walls or roof coverings is prohibited.
- F. The roof shall have a minimum 2 : 12 roof composition, wood shingles, concrete, fiberglass or metal tiles, slate, built up gravel materials or other building materials approved by the building official. A roof overhang and rain gutters are required and must not be less than 6" including the rain gutters which may account for up to 4" of overhang, measured from the vertical side of the dwelling. The roof overhang requirements shall not apply to the area above porches, alcoves or other appendages which together do not exceed 25 percent of the length of the dwelling.
- G. The Code Official may approve deviations from one or more of the developmental or architectural standards provided herein on the basis of finding that the materials to be utilized or the architectural style proposed for the dwelling will be compatible and harmonious with existing structures in the vicinity.

- H. Mobile homes, as defined in Article 1315 shall be prohibited outside of Mobile Home Parks as set forth in the Zoning Ordinance.
 - I. Use of Mobile Homes, Manufactured Homes, or Modular Homes for any purpose other than for residential use is hereby expressly prohibited.
 - J. Applications for approval of placement of Manufactured Homes and Modular Homes shall be made on a form or forms developed for that purpose and shall be submitted to the City of Huntington Department of Development and Planning for review and approval in accordance with this Ordinance.
- Such applications shall include all information necessary to make determinations as to conformity with the provisions of this Ordinance as applicable to each such Structure and, as applicable, conformity with the standards herein, including photographs or renderings of the front and side of the Modular and Manufactured Home, the exterior finish, and other information necessary to make determination required by this Ordinance.
- Approval or denial of the application shall be within ten (10) working days of receipt of the application and all required supporting materials. The applicant shall be notified in writing of the approval, conditional approval or denial of the application within five (5) working days after such decision is made. Conditional approval shall require that the conditions and reasons therefore be stated in writing and be agreed to by the applicant; such conditions shall be binding upon the applicant. In the case of disapproval, the reasons therefore shall be stated in writing.
- K. Any person aggrieved by a decision of a Code Official or other officer; department board or bureau charged with the conditional approval or denial of the placement of modular homes or manufactured homes, may appeal such decision to the City of Huntington Board of Zoning Appeals pursuant to the provisions of the City Charter and the appropriate ordinance governing such appeals.

Section 1341.24 Satellite Dish Antenna

- A. No more than one satellite dish shall be allowed on any lot.
- B. The construction and installation of satellite dish antennas shall conform to all applicable building codes and other regulations and requirements.
- C. Subject to the provisions contained herein, satellite dish antennas in excess of 18 inches shall be located only in the rear yard of any lot. If a useable satellite signal cannot be obtained from such rear yard, the antenna may be located on the side or front of the property if a landscaped evergreen planting screen is provided for any ground mounted satellite dish antenna to screen it from the view of adjacent lots and public view. In the event that a usable satellite signal cannot be obtained by locating the antenna on the rear, side, or front yard of the structure, such antenna may be placed on the roof of the dwelling structure.
- D. Satellite dish antennas shall not be mounted on chimneys, towers, spires, or trees.
- E. A ground-mounted satellite dish shall not exceed a grade height of twelve (12) feet.

Section 1341.28 Heliport

- A. Minimum lot area - one acre
- B. Fence - six foot wire mesh when located at ground level
- C. Screen Planning where abutting a residential use - see Section 1347.05
- D. Distance of parking area from residential use - 25 feet

Section 1341.29 Cemetery

- A. Minimum lot area - 20 acres
- B. Minimum Yards -
 - 1) Front - the requirements of the district shall apply
 - 2) Side - 50 feet each
 - 3) Rear - 50 feet
- C. Buffering requirements of Section 1347.05 shall apply
- D. Covenant by owners to perpetuate maintenance and approve future improvements

Section 1341.30 Junk Yards and Salvage Centers

- A. Storage of garbage of biodegradable materials is prohibited, other than what is customarily generated on-site and routinely awaiting pick-up.
- B. Outside storage of junk or salvaged parts shall be set back at least: 1) 250 feet from any residential district or C-1 Neighborhood Commercial District lot line and 2) 50 feet from any other lot line and the existing right-of-way of any public street. Buffering requirements of Article 1347 shall apply.
- C. The site shall contain a minimum of two exterior points of access, each of which is not less than 20 feet in width. One of these accesses may be limited to emergency vehicles.
- D. Industrial parking standards shall apply. Customer parking shall be one space per 10,000 square feet of storage area.
- E. Secure fencing with a minimum height of eight feet shall be provided and well-maintained around all outdoor storage areas. The fencing shall be provided inside of the evergreen screening.
- F. Burning or incineration of vehicles or junk is prohibited.
- G. All gasoline and oil shall be drained from all vehicles and properly disposed of. All batteries shall be removed from vehicles and properly stored in a suitable area on an impervious, properly drained surface.
- H. Exterior junk piles shall not exceed 15 feet in height and shall be arranged in a manner (with drives for accessibility) for the purposes of fire protection and access.
- I. The area of the site where junk or salvaged parts are to be stored must be enclosed by a fence with a minimum height of eight feet with the exception of entrances or exits into the area. Such fence shall be designed to completely screen the use and shall be located at the required setback line. Additional screening and buffering may be required as appropriate to minimize impact on adjacent properties.
- J. Minimum Lot Area - 2 acres; maximum lot area - 20 acres

Section 1341.31 Mineral Extraction, Borrow Pit, Top Soil Removal, and their Storage Areas

- A. Minimum front, side, and rear yards of 150 feet minimum.
- B. Maximum number of principal entrances from major thoroughfare - one
- C. Buffering requirements, per Article 1347. A six feet wire mesh fence is required when use abuts a residential district.

Section 1341.32 Manufactured / Mobile Home Park

- A. Minimum lot area - 25,000 square feet, including 2,500 square feet per mobile home stand

- B. Minimum yards - not less than ten foot buffer area in compliance with Article 1347 surrounding development
- C. Building setback from center line of interior road - 50 feet
- D. Written statement from Huntington Sanitary Board or Cabell-Huntington Health Department certifying the adequacy of sanitary sewer facilities.
- E. Parking spaces - one per two employees plus one per mobile home stand, which may be part of the square footage required for each mobile home stand. All parking areas shall be hard surfaced.
- F. A landscape plan shall be submitted for any new or expanded development of a Manufactured / Mobile Home Park in according with Article 1347. Plan shall include location of shade trees relevant to each mobile home stand and the type of tree as either deciduous or evergreen.

Section 1341.33 Oil and Gas Extraction

- A. No well may be located closer than 1000 feet of any residential use.
- B. All oil and gas exploration shall be subject to the Oil and Gas Laws, Chapter 22, Article 4, Official Code of West Virginia and the regulations of the West Virginia Department of Mines.

Section 1341.34 Commercial Recreational Facilities (Outdoors)

- A. Minimum Yards - 0 feet, each yard
- B. Buildings shall be set back 40 feet from any lot line abutting a residential zoning district.
- C. For all other lot lines, the setback and yard requirements of the applicable zoning district shall be applied.
- D. There shall be a minimum distance of 300 feet between loading and unloading berths from any adjacent residential use, where applicable

Section 1341.39 Penal or Correctional Institution

- A. Minimum lot area - 80 acres
- B. Minimum yards - 100 feet, each
- C. Distance from residential use - 300 feet
- D. Parking spaces - one per 3 employees plus one per 10 inmates at estimated capacity
- E. Distance of parking from residential use - 200 feet
- F. Distance of loading and unloading berth from residential use - 300 feet

Section 1341.40 Adult Uses

- A. Location of Adult Business
 - 1) It shall be unlawful to operate or cause to be operated an adult business in any location except as provided in this Zoning Ordinance.
 - 2) It shall be unlawful to operate or cause to be operated an adult business within 1,000 feet of another such business or within 500 feet of any religious institution, child care center, school or public park within the City or within 500 feet of any property designated for residential use.
- B. Measurement of Distance. The distance between any 2 adult businesses shall be measured in a straight line, without regard to intervening structures, from the closest exterior structural

wall of each business. The distance between any adult business and any religious institution, child care center, school or public park or any property designated for residential use or used for residential purposes shall be measured in a straight line, without regard to intervening structures, from the closest property line of the adult business to the closest property line of the religious institution, child care center, school or public park or the property designated for residential use or used for residential purposes.

- C. An adult business lawfully operating is not rendered a nonconforming use by the subsequent location of a religious institution, day care center, school, public park, or the property designated for residential use; however, if the adult business ceases operation for a period of 180 days or more regardless of any intent to resume operation, it may not recommence operation in that location.

Section 1341.41 Tattoo Parlors

- A. Proposed location must be at least 250 feet from a residential zone. The distance between any proposed tattoo parlor and any residential district shall be measured in a straight line, without regard to intervening structures, from the closest property line of the residential zone to the closest property line of the tattoo parlor.
- B. No person shall engage in or carry on the business of operating a tattoo establishment without a permit from the Cabell-Huntington Health Department.

Section 1341.42 Massage Therapy

- A. Establishments offering massage treatments shall be governed by Article 1113 of the Code of the City of Huntington.
- B. Applicant must show evidence of educational qualifications, including originals or certified copies of degrees, diplomas, or certificates, if any.

Section 1341.44 Hospital

- A. Minimum lot area - 5 acres
- B. Minimum Yards: Front - 100 feet
Side - 40 feet
Rear - 40 feet
- C. Maximum Height - 70 feet
- D. Landscaped buffer where abutting residential use - 25 feet
- E. Parking (see Section 1343.02)
- F. Distance of parking from residential use - 25 feet
- G. Loading and unloading berths - (see Section 1343.02)
- H. Distance of loading/unloading berths from residential use - 50 feet

Section 1341.47 Limited Video Lottery and Keno Establishments

- A. Legislative Intent. It is the intent and purpose of this section to regulate the time, place, and manner in which limited video lottery and Keno is presented to promote the health, safety, and general welfare of the citizens of the City of Huntington, and to establish reasonable and uniform regulations to prevent the deleterious location and concentration of limited video lottery and Keno within the City of Huntington and not to prohibit the limited video lottery and Keno industry.

B. Findings of Fact

- 1) West Virginia law requires limited video lottery establishments to either hold or apply for, and receive, a liquor license before being granted a limited video lottery license to a particular individual or business location.
- 2) Current West Virginia law governing limited video lottery/Keno establishments does not limit the number of limited video lottery/Keno establishments that may be licensed.
- 3) There is considerable and growing local and statewide concern with many effects of limited video lottery establishments including, but not limited to: influence upon children, and increased criminal activity associated with bars/night clubs, including liquor law violations, violent crimes against persons, and property crimes.
- 4) There is a dilatory effect on property values and neighborhoods in the vicinity of the land use and it is a legitimate concern of the City to protect the property values of those in residential districts from encroaching commercial activity.

C. Location of Limited Video Lottery and Keno Establishments

- 1) It shall be unlawful to operate or cause to be operated a limited video lottery and/or Keno establishment in any location in the City of Huntington except as provided in this Zoning Ordinance.
- 2) Petitioners seeking a Special Permit shall identify that it is pursuing licensure for a limited video lottery and/or Keno establishment through the State of West Virginia.
- 3) It shall be unlawful to operate a limited video lottery and/or Keno establishment within 1000 feet of an existing establishment that already provides limited video lottery and/or Keno, within 500 feet of an existing religious institution, school, child care center, or public park, and 250 feet from a residentially zoned district.
- 4) One parking space shall be required for each video lottery machine on premise, in addition to any other parking requirements in accordance with this Zoning Ordinance.

D. Measurement Distance. The distance between any two (2) limited video lottery and/or Keno establishment shall be measured in a straight line, without regard to intervening structures, from the closest exterior structural wall of each business. The distance between any limited video lottery and/or Keno establishment and any religious institution, school, child care center, public park, or residentially zoned properties shall be measured in a straight line, without regard to intervening structures, from the closest property line of the limited video lottery and/or Keno establishment to the closest property line of the religious institution, school, child care center, public park, or residentially zoned property.

E. A limited video lottery and/or Keno establishment lawfully operating is not rendered a nonconforming use by the subsequent location of a religious institution, school, child care center, public park, or change in property zoning designation; however, if a licensed limited video lottery and/or Keno establishment ceases operation for a period of 180 days or more regardless of any intent to resume operation, it may not recommence operation in that location.

F. An existing licensed limited video lottery and/or Keno establishment (effective date of the adoption of this amendment) is not exempt from these requirements. If the structure housing an existing limited video lottery and/or Keno establishment becomes damaged or destroyed by any cause, the structure may be replaced or reconstructed as long as action to reestablish the facility is initiated within 90 days.

Section 1341.48 Single-family Attached / Townhouse Dwellings

Approval of fee-simple townhouse developments requires the following:

- A. Planning Commission subdivision approval for the development – or phase of the development – in accordance with the Huntington Development Ordinance.
- B. Each platted lot must have a minimum of 20 feet of frontage on a public or private road.
- C. “Party walls” or “zero side-yard setbacks” between units must comply with applicable fire and building codes.
- D. Each townhouse unit must meet the off-street parking standards listed in Section 1343.02.A.2 for non single-family dwelling units
- E. Any development amenities (i.e. swimming pools, tennis courts) must also meet the off-street parking requirements listed in Section 1343.02.

Section 1341.49 Self-Storage, Indoors

- A. Outdoor storage at the site is prohibited.
- B. In cases where there is a proposed re-use of an existing building, the Board of Zoning Appeals may require architectural features such as window treatments, etc. to protect the character of the building.

Section 1341.50 Nanobrewery as Accessory Use to a Residential Use.

- A. The dwelling shall retain a residential appearance with no change to the exterior of the dwelling to accommodate the use, other than cosmetic and any needed health and safety improvements as required by the Health Department.
- B. All state and county requirements are to be met
- C. The use shall be actively operated by a permanent resident of the dwelling.
- D. Outdoor storage at the site is prohibited.
- E. No retail sales or on premise consumption is permitted at the home.
- F. Residential nanobreweries are only permitted to produce 1000 gallons per year (32 barrels) on site by right and up to 15,750 gallons (500 barrels) with a special permit.
- G. No adverse effect on neighboring properties may be caused by the scale of the home craft production facility.

Section 1341.51 Redevelopment of Closed School, Public Building, Community Center, or Church

- A. Purpose: To provide options for redevelopment of community and public structures that are surrounded by residential structures and within residential zoning districts.
- B. Intent: To protect the residential character without allowing these structures to become dilapidated and/or abandoned.
- C. The Board of Zoning Appeals shall consider the following when determining whether to grant a Special Permit to a petitioner seeking to redevelop these structures:
 - 1. The redevelopment serves the community or is imperceptible to the residential properties nearby;
 - 2. The new development must preserve the historic character of the structure and maintain the development standards to be in line with the residential district character;

3. No negative noise and/or traffic may be created due to the reuse of the commercial structure;
4. A redevelopment of a community or public use may be extended throughout a building provided the size of the structure is not increased;
5. Signage: Minimal or unobtrusive to the residential character and scaled for the pedestrian; and
6. Parking: Reasonable accommodations to the required parking standards in Section 1343 may be requested during the public hearing process based on the following:
 - a. Alternative transportation accommodations be improved such as sidewalk repair or bicycle parking,
 - b. Shared parking on nearby lots at complimentary times,
 - c. Special considerations regarding uses.

Section 1341.52 - INDOOR SHOOTING RANGE

- A. All indoor shooting ranges shall comply with all local, state, and/or federal regulations related to indoor shooting ranges.
- B. All indoor shooting ranges shall be of soundproof construction whereby the sound from the discharge of any firearm and the impact of projectile shall not be detectable by a person with average hearing ability, unaided by any mechanical or electronic device, across any adjoining property line or at a distance of 50 feet from the building, whichever distance is greater.
- C. Controlled access to the shooting range shall be maintained at all times.
- D. Hours of operation for any indoor shooting range may be negotiated through the special permit process and incorporated as a condition of said permit.

Section 1341.53 Animal Boarding and Training

- A. These regulations apply to any location providing animal training and/or boarding services. This section shall not apply to any establishment whose principle use is an Animal Hospital/Clinic or Pet Store/Pet Services use.
- B. Distance. No training and animal boarding facilities may be directly adjacent to residentially zoned property.
 - a. The distance restriction may be eliminated when adjacent to a residentially zoned property if sound proofing techniques approved by the Fire Marshal and Chief Building Inspector are utilized.
 - b. In granting a conditional use or any special exception under this section, the Board of Zoning Appeals may impose additional conditions or restrictions, such as increasing buffers, requiring odor, noise, or animal waste disposal mitigation, and setting limits on the number dogs, to ensure that the proposed use will not be detrimental to the health, safety, or general welfare of the surrounding area.
- C. Measurement of Distance. The distance between the animal boarding and training facility shall be measured in a straight line, without regard to intervening structures, from the closest property line of the animal boarding and training facility to the closest property line of the residential zone.
- D. Outdoor yard. If an outdoor yard is present, in no event shall it operate between the nighttime hours of 9:00 p.m. and 7 a.m. on weekdays and 9:00 p.m. to 9:00 a.m. on weekends and local legal holidays (*Ref. Article 527*).

- a. An outdoor yard shall be screened with privacy fencing, minimum 6 ft. in height or landscaped to keep animals from view of the property lines.

Section 1341.54 Fuel Sales

1. All gasoline pumps and islands upon which pumps are normally located shall be set back a minimum of fifteen (15) feet from the front yard property line and at least fifty (50) feet from other property lines. Layout of all pumps shall conform to the requirements of the Building Code.
2. Canopies shall be set back a minimum of ten (10) feet from all lot lines and twenty-five (25) feet from all adjacent residential lot lines.
3. In districts other than C-2 Highway Commercial and I-2 Heavy Industrial, all gasoline pumps, air pumps, and islands upon which the pumps are normally located, shall only be permitted when in the side yard or rear yard. In no case shall such uses be located in between the principal building and a street.

Section 1341.55 Smoke Shop/Tobacco Store

- A. It shall be unlawful to operate a smoke shop/tobacco store within 1500 feet of an existing smoke shop/tobacco store, day care center, or school.
- B. Measurement Distance. Distance shall be measured in a straight line, without regard to intervening structures, from the closest property line of the smoke shop/tobacco store to the closest property line of the other smoke shop/tobacco store, day care center, or school.
- C. Nonconforming and Conditional Use Status; Time Limitation.
 1. Upon the adoption of this ordinance, any smoke shop/tobacco store, as defined in section 1315.02 of the city ordinance, that is within 1500 feet of an existing smoke shop/ tobacco store, day care center, or school shall become a lawful nonconforming use and be subject to all nonconforming use restrictions, except that, if any nonconforming smoke shop/tobacco store ceases operation for a period of 180 days or more regardless of any intent to resume operation, it may not recommence operation in that location.
 2. A lawfully operating smoke shop/tobacco store shall not be rendered a nonconforming use by the subsequent location of another smoke shop, day care center, or school with 1500 feet; however, if the smoke shop/tobacco store ceases operation for a period of 180 days or more regardless of any intent to resume operation, it may not recommence operation in that location.
 3. Upon the adoption of this ordinance, any smoke shop/tobacco store, as defined in section 1315.02 of the city ordinance, that is located within a C-1 Neighborhood Commercial, C-3 Downtown Commercial, or I-1 Light Industrial zoning district shall become a lawful conditional use and subject to all conditional use restrictions, whether general or for the district.
- D. Shall conform with all Federal, State, and Local laws related to the sale of electronic cigarettes, tobacco products, and other vape products.

ARTICLE 1343
OFF-STREET PARKING,
LOADING AND
UNLOADING
REGULATIONS

ARTICLE 1343 - OFF-STREET PARKING, LOADING AND UNLOADING REGULATIONS

Section 1343.01 General Regulations

- A. Off-street parking, loading and unloading facilities shall be provided to lessen congestion in the streets. In all zones in connection with every industrial, business, institutional, recreational, residential or any other use, there shall be provided, at the time any building or structure is erected or enlarged or increased in capacity, off-street parking for automotive and other vehicles in accordance with the requirements set forth herein. Such facilities shall be completed prior to the issuance of a certificate of occupancy. The facilities required herein shall be available throughout the hours of operation of the particular business or use for which such facilities are provided. As used herein, the term "parking space" includes either covered garage space or uncovered parking lot space located off or beyond the public right-of-way.
- B. Every parcel of land hereafter used as a public or private off-street parking or loading area shall be maintained in good condition, free of hazards and deterioration. All pavement areas, sidewalks, curbs, drainage facilities, lighting, bumpers, guardrails, markings, signs, landscaping, and other improvements shall be maintained in workable, safe and good condition.
- C. The City Council may authorize repairs for such improvements if, after proper notice, the owner fails to maintain such improvements and such conditions constitute a hazard to health and safety or where such improvements are governed by a development or other similar agreement.
- D. In the case of a use not listed in this section, the minimum parking space requirement shall be determined by the Planning Director. In making such determinations, the Planning Director shall be guided by the requirements for similar uses, and studies of minimum parking space requirements for such use in other jurisdictions but in no event shall be less than two spaces.

Section 1343.02 General Circulation, Parking, and Loading Area Location Standards

- A. Access. Unobstructed access to and from a street shall be provided to parking spaces. Paved access drives or driveways shall be provided in accordance with this Article.
- B. Location of parking spaces. Such parking spaces, open or enclosed, shall be on the same lot or parcel as the building or use to be served unless collective off-street parking facilities for two or more buildings or uses on adjacent or contiguous lots are approved. The total of such collective off-street parking facilities shall meet the requirements for Shared Parking set forth in this article and any supplementary regulations for the district in which the parcels are located in.
- C. Location of parking in different zoning districts. No parking area, access drive, driveway or other means of ingress or egress shall be located in any residential zone to provide parking or access to uses other than those permitted in such residential zone, unless otherwise provided for this ordinance.

Section 1343.03 Schedule of Off-street Parking and Loading Requirements

Any structure or building hereafter erected, converted, or enlarged for any of the following uses, or any open area hereafter used, shall be provided with not less than the minimum spaces, as set forth below. Said spaces shall be readily accessible to the uses served thereby. When the application of a unit of measurement results in a fractional space, a space shall be required for each such fraction.

Table 1343.A – Parking Requirements

Use Type	Vehicle Parking Spaces (required)	Bike Parking Spaces (required)
Residential		
Single-Family Dwelling Unit (Includes Single Family Detached, Attached, or Townhouse)	1 per 2 bedrooms	None
Multi-Family Dwelling Units, Group Residential Facility, or Dormitory	1 per 1 bedroom unit 1.5 per 2 bedroom unit 2 per 3 bedroom unit or fraction thereof	None
Assisted Living, or Congregate Housing	1 per 4 bedrooms plus 1 for each full time equivalent employee (at typical maximum shift)	None
Lodging		
Bed and Breakfast, or Tourist House	0.6 per 1 bedroom	None
Hotel / Inn, or Motel	0.8 per guest room in addition to the requirement for the dwelling unit for any family or household permanently residing therein. If a restaurant in connection with these uses is open to the public, the off-street parking facilities for the restaurant may be reduced by one-half	1 space per 20 bedrooms
Civic / Community		
Cemetery	None	None
Community Center	1 per 300 sqft of floor area	1 per 2000 sqft of floor area, minimum 2
Community Garden	None	None
Cultural Institutions (Museum, library, cultural center, performance center, etc)	1 per 6 fixed seats in primary auditorium	1 per 100 fixed seats, minimum 4
Lodge, Private Club, or Social Hall	1 per 300 sqft of floor area	1 per 2000 sqft of floor area, minimum 2
Municipal or Government Facilities	Parking requirements will be based on the intended use within the structure such as office, assembly space, or utility installations)	Parking requirements will be based on the intended use within the structure such as office, assembly space, or utility installations)
Penal or Correctional Institution	1 per employee (at max shift, typical) plus 2	None
Public Park and Recreational Facilities	None	None
Public Utility Installations	None	None
Redevelopment of Closed School, Public Building, Community Center, or Church	Parking requirements will be based on the intended use within the redeveloped building	Parking requirements will be based on the intended use within the redeveloped building
Religious Uses	1 per 6 fixed seats in primary auditorium or 1 per 300 sqft, whichever is greater. Churches may reduce the number of required parking spaces, provided that the number of spaces thus required may be reduced to by not more than 80 percent if the building is located within 660 feet of any public parking lot or any	None

Table 1343.A – Parking Requirements

Use Type	Vehicle Parking Spaces (required)	Bike Parking Spaces (required)
	commercial parking lot where sufficient spaces are available by permission of the owner(s)	
School, or Private School	1 per 6 fixed seats in primary auditorium or principle place of assembly	1 per 100 fixed seats, minimum 4; In residentially zoned or C-1 Neighborhood Commercial districts, 1 per 50 fixed seats, minimum 8.
Commercial		
Adult Use	1 per 300 sqft of floor area	1 per 3000 sqft of floor area, minimum 2.
Animal Hospital / Clinic	1 per 400 sqft of floor area	None
Auto Service Station	1 per 400 sqft of floor area devoted to repair or service facilities, and 1 parking space for each employee (on maximum shift, typical). Plus 2 additional spaces for vehicle storage, awaiting repair.	None
Automotive and Other Vehicles Sales and Services	1 space per 1,000 sqft of floor area or 1 space for every 4,500 sqft of vehicle display area, whichever is greater	None
Banquet Halls or Conference Centers	1 per 300 sqft of floor area	1 per 2000 sqft of floor area, minimum 2
Bar, Neighborhood Bar, or Brewpub	1 per 4 interior seats, plus 1 for every 2 employees (at max shift, typical)	1 per 3000 sqft of floor area, minimum 2.
Carwash	None	None
Commercial Greenhouse	1 for every employee (at max shift, typical); minimum 2 spaces.	None
Communication Tower / Antennae	None	None
Commercial Recreational Facilities (Indoors)	1 space per 5 fixed seats or 1 per 500 sqft of indoor space, whichever is greater.	None
Commercial Recreational Facilities (Outdoors)	1 space per 5 fixed seats or 1 per 1000 sqft of outdoor space dedicated to this use, whichever is greater.	None
Craft Production Facility (Microbrewery / Microdistillery / Microcidery)	1 per 2,000 sqft of floor area or 1 for every employee (at max shift, typical); whichever is greater	None
Day Care (Child or Adult)	1 per employee (at max shift, typical)	None
Financial Institutions	1 per 400 sqft of floor area	
Firearms Sales Establishments	See Retail Sales and Services	See Retail Sales and Services
Flea Market	1 per 600 sqft of market area	None
Fuel Sales	See Retail Sales and Services	See Retail Sales and Services
Funeral Home	1 per each 100 sqft of GFA for public use in addition to a service area for vehicles such as hearses and ambulances	None
Hospitals	1 per three beds and 1 for each employee (on maximum shift, typical).	None

Table 1343.A – Parking Requirements

Use Type	Vehicle Parking Spaces (required)	Bike Parking Spaces (required)
Indoor Shooting Range	1 per shooting lane, plus 1 for every employee (at max shift, typical)	None
Laundromat, or Laundry and Dry Cleaning Pick-Up	1 per 400 SF of floor area	None
Laundry and Dry Cleaning Services	1 per 600 SF of floor area	None
Limited Video Lottery / Keno Establishment, or Incidental	1 per 2 gambling machines	None
Manufacturing and Sales, Artisan	1 per 300 sqft of floor area	1 per 3000 sqft of floor area, minimum 2.
Medical Office, or Neighborhood Medical Office	1 per 300 sqft of GFA	2
Mobile Home Sales	1 per 1,000 sqft of floor area of office space or 1 space for every 4,500 sqft of mobile home display area, whichever is greater	None
Nanobrewery	1 per 2,000 sqft of floor area or 1 for every employee (at max shift, typical); whichever is greater	None
Offices, or Offices for Charitable Organizations	1 per 400 sqft of floor area or 0.8 per full time equivalent employee (at max shift, typical), whichever is greater	1 per 5,000 sqft of floor area, minimum 2.
Pawnshop	1 per 300 sqft of floor area	1 per 3000 sqft of floor area, minimum 2.
Personal Services	1 per 400 sqft of floor area	None
Pet Store / Pet Services	See Retail Sales and Services	See Retail Sales and Services
Radio and Television Stations	1 per 400 sqft of floor area or 0.8 per full time equivalent employee (at max shift, typical), whichever is greater	1 per 5,000 sqft of floor area, minimum 2.
Repair Shop	1 per 600 sqft of floor area	None
Retail Sales and Services, or Neighborhood Retail Sales and Services	1 per 300 sqft of floor area	1 per 3000 sqft of floor area, minimum 2.
Restaurant, or Restaurant Serving Alcoholic Beverages	1 per 4 interior seats, plus 1 for every 2 employees (at max shift, typical)	1 per 3000 sqft of floor area, minimum 2.
Self-Storage Development	None	None
Self-Storage, Indoors	1 per 2,500 sqft of floor area, minimum 3	None
Shopping Center	1 per each 500 sqft of floor area	1 per 5000 sqft of floor area, minimum 4.
Tattoo Parlor	1 per 400 sqft of floor area	None
Trade or Business School	1 per 600 sqft of floor area	1 per 10,000 sqft of floor area, minimum 4.
Transportation		
Airport	1 space per 200 sqft of waiting/boarding area plus 1 per 2 employees	None
Barge Terminal	None	None
Bus Terminal	1 space per 200 sqft of waiting/boarding area plus 1 per 2 employees	4 spaces per bus loading area
Heliport	1	None

Table 1343.A – Parking Requirements

Use Type	Vehicle Parking Spaces (required)	Bike Parking Spaces (required)
Marina	1 per 40 linear ft of dock plus 8 double length spaces (min 36' ft in length) for each boat ramp.	None
Motor, Rail, or Air Freight Terminal	1 per each 5,000 sqft of floor area plus 1 per employee (on maximum shift, typical)	None
Parking Garage, Private	None	None
Railroad	1 space per 200 sqft of waiting/boarding area plus 1 per 2 employees	None
Industrial		
Crematories	1 per employee (on max shift, typical)	None
Distribution Facilities	1 per 3,000 sqft of floor area plus 1 per 600 SF of office space	None
Fuel Storage	1 per employee (on max shift, typical) plus 1	None
Communications Network Facility, Headend, or Hub	1	None
Junk Yard or Salvage Centers	1 per 3,000 sqft of storage area plus 1 per 600 SF of office space	None
Laboratory	1 per 400 sqft of floor area or 0.8 per full time equivalent employee, whichever is greater	1 per 5,000 sqft of floor area, minimum 2.
Landfill or Dump	1 per employee on maximum shift, plus an additional 5%, but no less than two additional spaces.	None
Manufacturing and Production Heavy or Outdoors, Indoors, or with Caustic or Hazardous Materials	1 per employee on maximum shift, plus an additional 5%, but no less than two additional spaces.	None
Oil and Gas Exploration	None	None
Outdoor Material and Supply Bulk Sales	1 per 3,000 sqft of floor area plus 1 per employee (on maximum shift, typical)	None
Recycling Collection Center	1 per 3,000 sqft of floor area plus 1 per 600 SF of office space	None
Towing Services	1 per employee on maximum shift, plus an additional 5%, but no less than two additional spaces.	None
Transfer Stations for Solid Waste	1 per employee on maximum shift, plus an additional 5%, but no less than two additional spaces.	None
Warehousing (Light, Traditional, or Heavy), or Wholesale Business	1 per 3,000 sqft of floor area plus 1 per 600 SF of office space	None

Table 1343.B – Off-Street Loading Area Requirements

In addition to off-street parking spaces required above, any building erected, converted or enlarged in any district for commercial, office building, manufacturing, wholesale, hospital, or similar use, shall provide adequate off-street areas for loading and unloading vehicles.

Retail sales and services, wholesale, manufacturing or industrial uses (except oil or gas exploration), or similar uses as determined by the Planner	Up to 8,000 sqft – 1 loading area 8,001 to 20,000 sqft – 1 berth Each additional 20,000 sqft or major fraction thereof up to a max of 60,000 sqft – 1 additional berth
Motels, hotels, schools, places of public assembly, or similar uses as determined by the Planner	Up to 10,000 sqft – 1 loading area 10,001 sqft to 100,000 – 1 berth Each 100,000 sqft or major fraction thereof over 100,001 sqft – 1 additional berth

Section 1343.04 Parking Requirement Reductions

- A. Compact car parking shall comprise no more than 10% of the total parking spaces.
- B. Bike parking. Automobile parking space requirements may be reduced by 1 (one) parking space for each bicycle parking space provided, but by no more than (20) percent of the total required automobile parking spaces.
- C. Shared Parking.
 - 1. An applicant may request shared parking to meet the vehicle parking requirements for mixed-use and non-residential uses that are located near one another and which have different peak parking demands or operating hours.
 - 2. Shared parking may be no farther than 1320 feet from the majority of the primary entrances of uses pertaining to the non-residential parking requirements.
 - 3. The shared parking analysis must establish that the subject uses will use the shared parking spaces at different times of the day, week or month. A shared parking analysis shall at a minimum address:
 - a. The intensity and type of activities and the composition of uses
 - b. Hours of operation of the uses
 - c. The rate of turnover for proposed spaces
 - d. Distances of shared parking spaces from the uses they serve
 - e. The anticipated peak parking and traffic loads for the site.
 - 4. Reserved parking spaces for a specific tenant or dwelling unit may not be included in the shared parking calculation.
- D. Educational Facilities Waiver and Exceptions
 - 1. Where a building is for an educational institution which prohibits the ownership or operation of automobiles by students or that restricts the parking of student automobiles to designated institutional parking areas, such students need not be included in the calculation of automobile parking requirements.
 - 2. Institutional parking spaces of education institutions that are provided for normal daytime activity for other purposes shall be considered to be available for such public

uses as are normally conducted in the evening or on weekends in places of public assembly of such institutions.

Section 1343.05 Automobile Parking Area Design Requirements

A. Areas computed as parking spaces. Areas that may be computed as open or enclosed off-street parking spaces may include any private garage, carport, or other area available for parking, other than a street, access lane, or a driveway with the following exception:

1. Residential, Single Family Detached. A driveway within a required front yard for a one-family residence may count as one (1) parking space provided there is at least eighteen (18) linear feet of driveway on the lot and not on the public right of way.

Stall Angle	(A) Stall Width (Min)	(B) Stall Depth (Min)	(C) Skew Width (Min)	(D) Drive Aisle Width, One-Way (Min)	(E) Drive Aisle Width, Two-Way (Min)	Min. Width 2 Stalls and 1 Drive Aisle	
						One-Way	Two-Way
0 Degrees	8'	18'	8'	11'	22'	19'	38'
30 Degrees	8' 6"	15'	16' 6"	11'	-	41'	-
45 Degrees	8' 6"	17' 9"	11' 8"	12'	-	47' 6"	-
60 Degrees	8' 6"	19'	9' 6"	13' 6"	-	51' 6"	-
90 Degrees	8' 6"	18'	8' 6"	-	23'	-	59'




Figure 1343.A: Automobile Parking Stall and Drive Aisles

Stall Angle	(A) Stall Width (Min)	(B) Stall Depth (Min)	(C) Skew Width (Min)
0 Degrees	8'	16' 6"	8'
30 Degrees	8'	11'	16' 4"
45 Degrees	8'	13' 6"	10' 6"
60 Degrees	8'	16'	9' 3"
90 Degrees	8'	16' 6"	8'

B. Parking Lot Design Requirements

1. Access. See Section 1343.08.
2. Barriers and Curbs. All areas for off-street parking, off-street loading and unloading and the storage or movement of motor vehicles shall be physically separated from the street by a raised curb, planting strip, wall or other suitable barrier against unchanneled motor vehicle entrance or exit, except for necessary and approved vehicle entrances and exits to the lot. All commercial and industrial parking areas approved after the adoption of this Ordinance shall be separated from the street by a landscaped strip of land of no less than five (5) feet.
3. Setbacks. All newly constructed parking lots shall be set back a minimum of three (3) feet from all property lines unless exempted in a district's supplementary regulations.
4. Materials. All parking areas and driveways shall be a paved surface except parking spaces accessory to one-family or two-family dwellings.
5. Sidewalks and Pedestrian Pathways.
 - a. In no case can a driveway or parking area block a city sidewalk.
 - b. Sidewalks between parking areas and principal structures, along aisles and driveways and wherever pedestrian traffic shall occur, shall be provided with a minimum width of four (4) feet of passable area and be raised six (6) inches or more above the parking area except when crossing streets or driveways. At points of intersection between pedestrian and motorized lines of travel, and at other points where necessary to avoid abrupt changes in grade, a sidewalk shall slope gradually so as to provide an uninterrupted line of travel. Guardrails and wheel stops permanently anchored to the ground shall be provided in appropriate locations. Parked vehicles shall not overhang or extend over sidewalk areas, unless an additional sidewalk width of two and one-half (2-1/2) feet is provided to accommodate such overhang. Handicapped provisions shall be included in all sidewalks and curbing construction.
6. Landscaping and Drainage. Parking areas shall be suitably landscaped to minimize noise, glare and other nuisance characteristics as well as to enhance the environment and ecology of the site and surrounding area. General landscaping design shall conform to criteria set forth in Article 1347 of this Ordinance. All parking areas and access ways thereto shall be properly drained and all such areas shall be a paved surface except parking spaces accessory to one-family or two-family dwellings. A drainage plan shall be approved by the Director of Public Works. Parking viewed from the public right-of-way or from any property used for residential purposes shall be suitably shielded.
7. Lighting. All parking areas shall be lighted to provide a minimum of three (3) foot-candles at driveway intersections with main roads and a total average illumination of one-half (0.5) foot-candles throughout the parking area. Such lighting shall be shielded in such manner as not to create a hazard or nuisance to the adjoining properties or the traveling public.
8. Interior Street Crosswalks. Where pedestrians must cross service roads or access roads to reach parking areas, crosswalks should be clearly designated by pavement markings and or signs. In non-residential districts, provision for pedestrian access between adjoining commercial lots should be encouraged.

Section 1343.06 Handicapped Parking Standards

- A. All regulations within the section are duplicative or are supplemental to the regulations

within the Federal Americans with Disability Act and ADA Standards for Accessible Design published by the Department of Justice. The requirements of the Federal Americans with Disability Act, ADA Standards for Accessible Design, and this Zoning Ordinance must be considered with the most restrictive applying.

- B. Number of Spaces. All parking lots servicing four or more dwelling units or non-residential uses shall supply a minimum number of handicapped parking spaces according to Table D. The table below indicates the number of handicapped spaces that shall be provided, unless a revised regulation is officially established under the Federal Americans with Disabilities Act.
1. Exception. Parking spaces used exclusively for buses, trucks, other delivery vehicles, law enforcement vehicles, or impounded vehicles shall not be required to comply with the rules of this section provided that lots accessed by the public are provided with a passenger loading zone complying with the Federal Americans with Disability Act, section 503.

Table F: Handicapped Parking Space Requirements	
Total Number of Required Parking Spaces on the Lot	Required Minimum Number or Percent of Handicapped Parking Spaces
1-25	1
26-50	2
51-75	3
76-100	4
101-150	5
151-200	6
201-300	7
301-400	8
401-500	9
501-1,000	2% of required number of spaces
1,001 or more	20 plus 1% of required number of spaces over 1,000

- C. Location. Handicapped parking spaces shall be located where they will result in the shortest reasonable accessible distance to a handicapped accessible building entrance. Curb cuts shall be provided as needed to provide access from the handicapped spaces.
- D. Size Requirements. Handicapped parking spaces required within this section shall comply with the minimum width requirements. Car parking spaces shall be a minimum of eight (8) feet wide. Van parking spaces shall be a minimum of eleven (11) feet wide. These widths shall be clearly marked to define the width, and shall have an adjacent access aisle. The width of the spaces and access aisle is measured from the centerline of the markings. See Figure 1343.B.
2. Access Aisle Width. An access aisle shall be a minimum of five (5) feet in width, measured from the centerline of the parking space markings and shall have a length the full depth of adjacent parking spaces it serves. The access aisle shall be marked to discourage parking on it. See Figure 1343.B.




Figure 1343.B: ADA Parking Space Size Requirements

- 3. Van Parking Space Width Exception. A van parking space may be a minimum of eight (8) feet in width where the adjacent access aisle is also eight (8) feet in width.
- E. Slope. Handicapped parking spaces shall be located in areas of less than six percent slope in any direction.
- F. Marking and Signs. All required handicapped spaces shall be well-marked by clearly visible signs. Signs shall include the International Symbol of Accessibility (see Figure 1343.C) and be a minimum of five (5) feet above the finish grade of the parking space it is intended to mark, measured from the bottom of the sign. For ground markings indicating the width of the parking spaces, blue paint is recommended.



Figure 1343.C: International Symbol of Accessibility

Section 1343.07 Bicycle Parking Standards

- A. Bicycle parking space shall be a four (4) feet by six (6) feet space provided for locking up to two (2) bicycles to a Planner approved bicycle rack or a bicycle locker that can store up to two (2) bicycles per unit. Bike parking spaces may overlap by one (1) foot so that bike racks may be three (3) feet apart. See Figure 1343.B.

- B. Bicycle parking shall be at least as conveniently located as the most convenient automobile spaces, other than those spaces for persons with disabilities. Safe and convenient means of ingress and egress to bicycle parking facilities shall be provided.
- C. Bicycle parking facilities shall not interfere with accessible paths of travel or accessible parking as required by the Americans with Disabilities Act of 1990.
- D. Bicycle parking shall be located in highly visible areas to minimize theft and vandalism.




Figure 1343.D: Bike Parking Spaces

Section 1343.08 Location and Design of Driveways

- A. Location.
 - 1. All entrance and exit driveways shall be located to afford maximum safety to traffic, provide for safe and convenient ingress and egress to and from the site, and to minimize conflict with the flow of traffic.
 - 2. All off-street vehicle parking must have direct access to a public right-of-way through an alley, driveway, or permanent access easement.
 - 3. Hierarchy of Access Location to Parking.
 - a. If an improved alley with a right-of-way of at least 15 feet in width is provided, all vehicle access shall be from the alley to the maximum extent practicable.
 - b. If access is from a street right-of-way, the off street parking shall be designed to be accessible from the lowest order street on which the property fronts.
 - 4. Setbacks. All driveways shall be setback a minimum of three (3) from all property lines except for the property line(s) in which the driveway is approved to cross over to access the property from the public right-of-way.
 - 5. Where a site occupies a corner of two (2) intersecting roads, no driveway entrance or exit shall be located within fifty (50) feet of the point of tangency of the existing or proposed curb radius of that site.
 - 6. No entrance or exit driveway shall be located on a rotary ramp of an interchange, or within two-hundred (200) feet of the beginning of any ramp or other portion of an interchange.

7. Where two or more driveways connect a single site to any one road, a minimum clear distance of 200 feet measured along the right-of-way line shall separate the closest edges of any two such driveways. Where such development fronts on an arterial street, access to parking and service areas, where practicable, shall be provided by a single access to the arterial street. (See Article 1343.07(H) below.)

B. Design.

1. Material. The portion of any driveway on the City right-of-way must be constructed of concrete and have a minimum of six (6) inches in thickness.
2. Driveways used for two-way operation shall intersect the road at an angle to as near 90 degrees as site conditions will permit and in no case will be less than 60 degrees.
3. Driveways used by vehicles in one direction of travel (right turn only) shall not form an angle smaller than 45 degrees with a road.
4. Driveway dimensions. The dimensions of driveways shall be designed to adequately accommodate the volume and character of vehicles anticipated to be attracted daily onto the land development. The required maximum and minimum dimensions for driveways are indicated below.

Principal Use Type	Single-lane Driveway Width	Double-lane Driveway Width	Driveway Flare
3 Dwelling Units or Less (min/max)	8' / 12'	-	- / 1' 6"
4 or More Dwelling Units (min/max)	8' / 12'	18' / 24'	- / 1' 6"
Commercial (min/max)	8' / 12'	18' / 28'	1' 6" / 4'
Industrial (min/max)	8' / 14'	18' / 35'	1' 6" / 4'

- C. Whenever a driveway is constructed, or reconstructed, on a State Highway Right-of-Way, said driveway(s) location and dimension shall comply with the West Virginia Department of Transportation Division of Highways “Manual on Rules and Regulations for Constructing Driveways on State Highway Rights-Of-Way”.

D. Residential Driveways.

1. For any principal use that is residential only, there may only be one driveway, which must be a single-lane driveway, with the following exceptions:
 - a. Multi-family dwelling units of four (4) or more units may have one double-lane driveway or two single-lane driveways.
2. Shared Driveways. Shared driveways are permitted as long as the width of the driveway meets the dimensions in Table E.
3. Double-Track Driveways. Double-track driveways are allowed so long as each wheel strip is at least 18 inches in width and the area between the wheel strips is landscaped with living groundcover. However, within the public right-of-way, the driveway must be fully paved along its total width, from the property line to the curb line, per the requirements of the Public Works department.




Figure 1343.E: Double-Track Driveway Example

4. Garage Aprons. A garage apron, that exceeds the maximum permitted driveway width, is permitted to extend for a depth of twenty-six (26) feet from the garage doors, at which point the driveway must be no wider than the maximum permitted driveway width. The garage apron may be only as wide as the width of the garage.




Figure 1343.F: Garage Apron Maximum Depth

Section 1343.09 Off-street Loading Area, Berth Sizes

- A. Loading area. A loading area need not be necessarily a full berth, but shall have a minimum plan dimension of at least ten (10) feet overload clearance. The Planning Director shall determine the sufficiency of the off-street loading area(s) based upon the land and amount of loading and unloading operation required by the proposed use, but in no case shall the use of such space hinder the free movement of vehicles and pedestrians over a street, sidewalk or alley.
- B. Loading Berth. Each required loading berth shall be at least twelve (12) feet wide, thirty-three (33) feet long, and fourteen (14) feet high.

Section 1343.10 Location and Access of Loading Areas, Berths

- A. Unobstructed access, at least ten (10) feet wide, to and from a street shall be provided. Such access may be combined with access to a parking lot. All permitted or required loading areas or berths shall be on the same lot as the use to which they are accessory. No entrance or exit for any loading area or berth shall be located within fifty (50) feet of any street intersection. No off-street loading berth or area shall be located in any front yard.
- B. All areas for loading and unloading of vehicles and for the servicing of establishments or shops shall have adequate and unobstructed access from a street, service driveway or alley and shall be so arranged that they may be used without blocking or otherwise interfering with

the use of automobile access ways, parking facilities, fire lanes or sidewalks.

Section 1343.11 Waiver of Parking and Off-street Loading and Unloading Requirements.

- A. Excess spaces. To minimize impervious surfaces, while ensuring adequate parking, where it can be demonstrated, at the time of review of an application for a Site Plan approval, that the parking and/or loading and unloading requirements of this Article will result in more parking spaces than actual needs require, the review board or Planning Director may permit a portion of the proposed parking and/or loading areas to remain unpaved, but landscaped.
- B. If a reduction is permitted under this Section, the Planning Director may require as a condition of the approval that the lot include the reservation, permanently or for a specified number of years, of areas for use if needed in the future for additional parking. Such reservation shall be provided in a legal form acceptable to the City Attorney. In such case, the applicant shall be required to submit site plans to the Planning Director showing where and how the additional parking could be accomplished. The additional parking shall be required to be provided within one year by the owner of the lot at that time after the Planning Director may determine in writing to the owner that the parking has become needed to meet actual use. The determination shall be based upon the Planning Director's on-site review on at least three different days.
- C. Exceeding off-street automobile parking and loading requirements. Automobile related off-street parking requirements and loading requirements required by this Article may only be exceeded, where it can be demonstrated, at the time of review, that such additional parking is necessary for the actual operation of a proposed use. In such instances, the Planning Director may grant an increase in minimum space on a lot, provided that all other bulk and area requirements are met for the use in the district in which it is located.

ARTICLE 1345
SIGN REGULATIONS AND
SITE LIGHTING

ARTICLE 1345 - SIGN REGULATIONS AND SITE LIGHTING

Section 1345.01 Purpose

This Sign Ordinance is not intended to regulate speech. Instead the intent is to:

- A. To preserve and protect the public safety, comfort and welfare of users of streets and sidewalks in the City of Huntington by regulating signs of all types.
- B. To enhance community appearance, reduce visual clutter and blight, protect property values, promote recreational value of public travel and the economic development of the City of Huntington.
- C. To limit the size, number and location of signs which may obstruct the vision of motorists, create distractions and increase traffic accidents.
- D. To acknowledge the appropriate display of signs as necessary to public service and to the conduct of competitive commerce.
- E. To establish size and design standards.
- F. To maintain signs in a safe manner.

Section 1345.02 General Sign Regulations

- A. Applicability. All new, reconstructed, altered, or relocated signs must comply with the standards of this section. For the purpose of this ordinance, “to alter” means to change in appearance, material, size, or structure.
- B. Sign Permit.
 - 1. All sign types, unless exempted in this article, require a sign permit before they may be constructed, reconstructed, altered, or relocated. Signs that are exempted from requiring a permit within this article must still comply with the regulations for this article.
 - 2. Any sign that encroaches upon or over a public right-of-way requires review and approval from Public Works must be included in a liability insurance policy holding the city free of all responsibility.
 - 3. No person shall construct, reconstruct, alter, or relocate any sign upon any property or structure without the prior written consent from the property owner or their authorized representative. The written consent must accompany the sign permit application.
 - 4. A sign permit shall become null and void if work authorized under the permit has not been completed within one year of the date of issuance. The planning officer may approve an extension of up to three months based on a written request from the applicant.
- C. Location.
 - 1. Each sign, with the exception of off-premise signs as defined in Art.1315 erected in conformance with this Article, must be located on the same site as the subject of the sign.
 - 2. No sign may be installed in a way that obstructs free and clear vision, or free use, of any public right-of-way, intersection, ingress or egress point, transit stop, parking space, drive aisle, driveway, building entrance, fire escape, or accessibility ramp.
 - 3. No sign may be placed so as to obstruct any window or door, with the exception of window signs in compliance with this Article.

4. Lots fronting on two or more streets are allowed the permitted sign area for each street frontage. However, the total sign area that is oriented toward a particular street may not exceed the portion of the lot's total sign area allocation that is derived from the lot, building, or wall area frontage on that street. In the C-3 zone, any improved alley abutting a property shall be considered a street frontage when determining number of permitted signs.
- D. Design, Construction, and Maintenance.
1. All signs shall be designed, constructed, and maintained in accordance with the appropriate Building Code and Electrical Code as adopted by the City of Huntington. Except for banners, flags, temporary signs, and window signs, conforming in all respects with the requirements of the ordinance, all signs shall be constructed of permanent materials and shall be permanently attached to the ground, a building, or another structure by direct attachment to a rigid wall, frame, or structure.
 2. All signs shall be maintained in good structural condition, in compliance with all building and electrical codes, and in conformance with this code, at all times.
 3. When an existing sign is removed, replaced, or repaired, all brackets, poles, wiring, and other supporting hardware that are no longer required must be removed, and any surfaces to which the sign may have been attached must be repaired or painted.
- E. Illumination. Each type of sign illumination must comply with the following standards:
1. External Illumination. An externally illuminated sign is characterized by the use of artificial light reflect off its surface.
 - a. External light sources intended to illuminate the sign face must be fully shielded and placed close to, and directed upon, the sign face.
 - b. Any light sources intended to illuminate surfaces behind a sign to produce a halo effect must be fully concealed from view.
 2. Internal Illumination. An internally illuminated sign is characterized by the use of artificial light projecting through its surface.
 - a. All lamps intended for internal illumination must be fully concealed.
 3. Direct Illumination. A directly illuminated sign is characterized by the use of exposed lamps, such as neon tubes, incandescent bulbs, or LED lights that have no shielding and are visible to the eye.
 - a. Direct illumination is limited to letters, numbers, symbols, and accents.
 4. Public Safety.
 - a. No direct or reflected light from the primary light source of a sign may create hazards for pedestrians, cyclists, or operators of motor vehicles.
 - b. Colored light must not be used at a location or in a manner so as to be confused with or construed as traffic control devices.
 - c. Blinking, flashing, fluttering, strobe-light effects, and streaming video are prohibited

Section 1345.03 Prohibited Signs

Unless specifically excepted in this Section, the following signs shall be prohibited in all zoning districts:

- A. Portable signs or attention-getting devices, flags, pennants, and banners except in compliance with the temporary sign regulations in Section 1345.04(F) and Table 1345 of this Article;

- B. Signs painted, attached, or in any other manner affixed to trees, rock, or similar natural surfaces, public utility poles, equipment, bridges, towers, or other similar public structures;
- C. Roof signs;
- D. Signs with moving, rotating, or oscillating parts, excluding tri-vision signs per section 1345.15.
- E. Signs which by reason of their size, location, movement, content, coloring or manner of illumination may be confused with or construed to be a traffic-control sign or railroad sign or signal, or emergency vehicle signal, or which attempts to direct the movement of traffic or which hides from view or interferes with the effectiveness of any official traffic-control device or any railroad sign or signal;

No sign of any description shall be installed, erected, or maintained so as to obstruct any fire escape or any door or window leading to any fire escape, nor shall any sign of any kind be attached or affixed in any form or manner to a fire escape.

Section 1345.04 Exemptions

The following signs shall be exempt from the permit requirements of this Article, except as they may interfere with traffic safety or in any other way become a public safety hazard, but must still follow applicable requirements:

- A. Maintenance and Non-structural Alterations: The following alterations and maintenance activities do not require a sign permit:
 - A. Painting, cleaning, or other normal maintenance and repair of a sign, provided no change is made to any structural or electronic component of the sign.
 - B. Changing displayed information, the message of an existing changeable or electronic message component of a sign, or the sign face within an existing sign structure, provided that no change is made to any structural or electronic component of the sign.
- B. Decorations displayed for recognized holidays recognized by Federal, State, or local government or generally recognized by the community.
- C. Signs engraved or are otherwise a permanent component of a building, monument, tombstone, or other similar structure or are integrated into public-use equipment such as automatic teller machines, coin-operated machines, or vending machines.
- D. Signs erected by a public entity for a public purpose.
- E. Window signs that do not exceed fifty percent (50%) of the total area of the window in which they are located (see Section 1345.13).
- F. Temporary signs that are less than 12 square feet or Sidewalk Signs, subject to the limitations in Section 1345.14
- G. Signs promoting or assisting in the health and safety of persons or their personal property. Some examples might include, but are not limited to, trespassing signs, notification signs for emergency personnel, directional signs to promote orderly traffic flow and inform pedestrians of expected vehicular traffic on private property, provided that the sign does not exceed two square feet in sign surface area.

Section 1345.05 Nonconforming Signs

Any nonconforming sign may be continued only as provided in this Section.

- A. A nonconforming sign that was lawfully established and maintained in compliance with the provisions of all applicable laws in effect at the time of original installation, but that does not now comply with the provisions of this Ordinance, may be repaired, altered, or relocated on-site in accordance with Section 1345.02.D.
- B. Normal maintenance of a nonconforming sign may occur, including any necessary repairs and alterations which do not enlarge, extend, or intensify the nonconformity.
- C. No structural alteration, enlargement, or extension shall be made of a nonconforming sign, except when the alteration is required by law or will eliminate the nonconforming condition.
- D. Any sign that was not previously approved by the City of Huntington and that does not conform to these regulations (illegal signs) shall be removed at the expense of the owner.
- E. Should a nonconforming sign or sign structure be damaged, whether intentionally or unintentionally (including actions by an outside party or “acts of God”), to an extent greater than fifty percent (50%) of its physical structure or its market value, or temporarily or permanently removed by any means, it shall not be reconstructed or used except in conformity with the provisions of this article; unless all required permits for its reconstruction have been applied for within 180 days of when the sign or sign structure was damaged.

Section 1345.06 Sign Measurement

- A. Computation of Area of Individual Signs.
 - 1. The area of a sign face (which is also the sign area of a wall sign or other sign with only one face) shall be computed by means of the smallest square, circle, rectangle, triangle, or combination thereof that will encompass the extreme limits of the writing, representation, emblem or other display, together with any material or color forming an integral part of the background of the display or used to differentiate the sign from the backdrop or structure against which it is placed, but not including any supporting framework, bracing, or decorative fence or wall when such fence or wall otherwise meets zoning ordinance regulations and is clearly incidental to the display itself.
 - 2. Window signs printed on a transparent film and affixed to the interior or exterior of a windowpane are calculated as individual letters or features, provided that the portion of the film around the individual letters or features is fully transparent.
 - 3. If a sign has two or more faces, the area of all faces is included in determining the area of the sign, unless the two sign faces are placed back to back and are no more than two feet apart. In such case, the sign area is calculated as the area of one face. If the two faces are unequal in area, the area of the larger face is used to calculate sign area.
- B. Sign Height. Sign height is measured as the vertical distance from the base of a sign or sign structure, to the highest point of the sign or sign structure.

Vertical Clearance. For signs attached to a structure, vertical clearance is measured as the vertical distance from the sidewalk level to the lowest point of the sign.

Section 1345.07 Signs Permitted in Individual Zoning Districts

The signs listed in Table 1345 shall be permitted in individual zoning districts, subject to any requirements listed in the Table and in each Subsection.




Figure 1345

Table 1345: Sign Types			
	Residential	Commercial	Industrial
Changeable Copy Signs (Section 1345.08)			
Permitted	YES	YES	YES
Electronic Message Center Signs (Section 1345.09)			
Permitted	CONDITIONAL	CONDITIONAL in C-1, YES in C-2 and C-3	YES
Free-Standing Signs (Section 1345.10)			
Permitted	YES	YES	YES
Maximum Number		1 per lot or parcel	
Maximum Surface Area	32 sq. ft.	C-1 and C-3 is 72 sq. ft. C-2 is 100 sq. ft.	72 sq. ft.
Maximum Height	5 ft.	20 ft.	20ft
Maximum Length	8 ft.	10 ft.	10 ft.

Minimum Setback from the Property Line	5 ft.	5 ft.	5ft
Suspended/Projecting Signs (Section 1345.11)			
Permitted	NO	YES	YES
Maximum Number		1 per street frontage	1 per street frontage
Maximum Sign Area		6 sq. ft.	40 sq. ft.
Maximum Height of Sign Surface		3 ft.	5 ft.
Minimum Clearance Above Ground or Sidewalk		9 ft.	9ft.
Minimum Spacing Between Signs		20 ft.	20 ft.
Setback		Building setback minus 4 ft.	Building setback minus 5 ft.
Wall Signs (Section 1345.12)			
Permitted	YES	YES	YES
Maximum Number	1 per establishment per street frontage		
Maximum Surface Area	See 1345.12.D	See 1345.12.C	See 1345.12.C
Maximum Height	See 1345.12.F	See 1345.12.E	See 1345.12.E
Window Signs (Section 1345.13)			
Permitted	NO	YES	YES
Maximum Surface Area		See 1345.13	
Off-Premise Signs (Billboards) (See Section 1345.15)			

Section 1345.08 Additional Standards for Changeable Copy Signs

Changeable copy signs are signs with characters, letters or illustrations that can be changed or rearranged manually without altering the face or surface of the sign; are exempt from permitting; and shall be allowed as followed:

- A. In residential districts, changeable copy may be used on authorized free standing or wall signs for permitted civic and community uses only as listed in Article 1320. Signs utilizing changeable copy shall comply with sign size and illumination regulations for residential districts.
- B. In commercial and manufacturing districts, changeable copy may be used on authorized free standing or wall signs. Signs containing changeable copy shall comply with sign size and illumination regulations for commercial and manufacturing districts.
- C. In addition to other signs permitted under this Article, gasoline service stations may erect changeable copy signs advertising the prices of gasoline or other fuels, provided that the total of area of permitted signage is not exceeded.

Section 1345.09 Additional Standards for Electronic Message Centers

An electronic message center (EMC) is an electrically activated display whose variable message and/or graphic presentation can be electronically programmed. These signs include displays using incandescent lamps, LEDs, LCDs or a flipper matrix, and shall comply with the following limitations:

- A. Display Requirements. Each electronic message that is displayed must be static and depicted for a minimum of 8 seconds before changing. Any change in an electronic message must be instantaneous, without scrolling, fading in, dropping in, or similar moving copy changes.
- B. All permitted EMCs shall be equipped with a sensor or other device that automatically determines the ambient illumination and programmed to automatically dim according to ambient light conditions, or that can be adjusted to not exceed 0.3 foot candles at night.
- C. Any commercial messages on an electronic display sign in the C-1 C-2, C-3, and I-1 zones shall be limited to on premise products and services, otherwise said electronic display must conform to the regulations regarding Off-premise Signs (Billboards) as outlined in Section 1345.15, below.
- D. In commercial, and manufacturing districts, electronic message centers may be used on authorized free standing or wall signs. Signs containing electronic message centers shall comply with sign size and illumination regulations for residential, commercial, and manufacturing districts.

An electronic display sign is Conditionally Permitted in the C-1 zone.

Section 1345.10 Additional Standards for Free-standing Signs

The following sign types are considered free-standing signs:

- Monument sign - a freestanding sign attached to a pedestal or perimeter wall
- Pole sign - a freestanding sign constructed on a structure of one or more poles.

In addition to the regulations in Table 1345, all free-standing signs, except for temporary signs, shall comply with the following limitations and requirements:

- A. A free-standing sign shall have no more than two sign faces and a maximum of one free-standing sign is permitted per site;
- B. The area immediately surrounding the base and support structure of the sign shall be landscaped with evergreen vegetation; and
- C. No part of a pole sign may encroach upon a public right-of-way or overhang a drive aisle, parking space, or walkway.
- D. Connector/Freeway-Oriented Signs are signs oriented towards Interstate 64:
 1. Area of Sign - shall not exceed (200) square feet in area and shall have no more than two sign faces.
 2. Height - Signs shall not exceed (35) feet in height.
 3. Lighting - Signs may be internally or externally lighted. No exposed incandescent lamp shall be utilized.

Connector for this purpose shall be defined as State Route 10, State Route 152 (5th Street Road), US Route 52 (Rahall Bridge approach), and the sign shall be limited to C-1, C-2, and I-1 zoned properties.

Section 1345.11 Additional Standards for Suspended or Projecting Signs

A suspended or projection sign is a two-sided sign that projects outward from the exterior wall of a structure. In addition to the regulations in Table 1345, all suspended and projecting signs shall comply with the following limitations and requirements:

- A. The sign shall be located in front of the establishment it serves and shall be of similar size, color and design as other suspended signs; and
- B. There shall be no more than one (1) such sign per establishment fronting on the marquee, overhang, or other building feature from which the sign is suspended.
- C. A projection sign which is suspended to allow the sign to swing due to wind action may not exceed six square feet in area.

Section 1345.12 Additional Standards for Wall Signs

A wall sign is a sign that is painted to, attached flat to, or mounted away from, but parallel to, any exterior wall of a structure. In addition to the regulations in Table 1345, all wall signs shall comply with the following limitations and requirements:

- A. The sign shall extend no further than twelve (12) inches from the wall to which it is attached;
- B. The sign shall be attached, painted, or adhered to the wall so that the face of the sign is substantially parallel to the wall;
- C. Commercial and Industrial Zones.
 - 1. In C-1 and C-3 Commercial zones, the maximum sign area shall be 1.5 square feet per linear foot of building facade within the Built-to Zone or on the Build-to Line, to include linear footage of exempted elements of the built-to requirements such as a forecourt or arcade. In the C-3 zone, any improved alley abutting a property shall be considered a street frontage when determining number of permitted signs.
 - 2. In C-2 and I-1 zones, maximum sign area shall be 1.75 square feet per linear foot of building facade within the Built-to Zone or on the Build-to Line, to include linear footage of exempted elements of the built-to requirements such as a forecourt or arcade, but not to exceed 100 SF per establishment per right-of-way.
 - 3. If no part of the building facade is in the Built-to Zone or on the Build-to Line, the Planner shall make a determination of the linear footage based on the building facade parallel and closest to the Built-to Zone or Build-to Line.
 - 4. In the case of multi-occupant buildings, each tenant or owner may have a sign area not to exceed its proportionate share of the total allowable sign area for the building.
- D. In residential districts, multi-family apartment buildings and authorized non-residential buildings may have wall signs that shall not exceed two (2) feet in height or twelve (12) square feet in total area, and shall not obscure or cover any window, door, or architectural feature
- E. In commercial and industrial districts, wall signs shall be placed no higher than the height of the building and, if the sign projects further than three (3) inches from the wall, no lower than ten (10) feet above the ground level.
- F. No wall sign or wall bulletin shall be erected or maintained in such a manner as to permit the accumulation of paper, leaves, or trash behind the same.
- G. No wall sign or wall bulletin shall be erected and maintained so as to cover the doors or windows of any building, except by special permit authorized by the Chiefs of the Police and Fire Departments, or so as to prevent free ingress or egress from any window, door,

fire escape of the building upon which it is erected (1964 Code Sec 30-15).

- H. Awnings: An awning sign is defined as a wall sign printed on any surface of an awning
 - 1. The content on the awning sign is calculated using the same measurements as wall signs according to the district in which it is located.

Awnings may project out from the building and minimum clearance above the sidewalk with the same requirements as projection signs.

Section 1345.13 Additional Standards for Window Signs

In addition to the regulations in Table 1345, all window signs shall comply with the following limitations and requirements.

- A. The total area of all window signs on display at any one time, including temporary window promotional signs, shall not exceed fifty percent (50%) of the total area of the window in which they are located. A series of windows which are separated by frames less than six (6) inches in width shall be considered as a single window for the purposes of this computation.
- B. Window signs that do not exceed fifty percent (50%) of the total area of the window in which they are located are exempt from permits.

Section 1345.14 Temporary Signs

- A. No temporary sign shall encroach into any public right-of-way or obstruct the view of motorists in any required clear sight triangle; and
- B. No temporary sign is erected for more than 90 consecutive days, up to two times per calendar year.
- C. All signs shall be maintained in good structural condition, with no rips, tears, or other types of damage, at all times.
- D. All temporary signs are subject to the size requirements in Table 1345.14.E below.

Table 1345.14.E: Temporary Sign Types

	Residential	Commercial	Industrial
Banner			
Max area	24 sq. ft.	32 sq. ft.	
Max Number	1 per lot	1 per street frontage	
Blade Signs			
Max Height		18 ft.	
Max Width		3.5 ft.	
Max Number		2 per business per frontage	
Sidewalk Sign			
Max Number		1 per business per street frontage	
Light Pole Banner Sign			
Max Number		1 per pole	

Section 1345.15 Off-premise Signs (Billboards)

- A. Off premise signs shall be permitted in the following zones:
 - C-1 - Conditional Use
 - C-2 - Permitted

C-3 - Conditional Use

I-1 - Permitted

- B. Legal Nonconforming Off-premise signs. Any off-premise sign lawfully erected and in existence on the effective date of this ordinance which does not meet the requirements of this ordinance may be maintained as a matter of right as a legal nonconforming sign and may be rebuilt 100% or relocated on the same property, provided that the sign's degree of nonconformity is not increased. This includes loss of signs due to Acts of God.
- C. Size of Signs.
1. The maximum size area for any one face of an off-premise sign located on interstate roads shall not exceed 672 square feet excluded the base of apron, trim supports, and other structural elements. Temporary embellishments shall not exceed 20% of the maximum sign area allowed.
 2. The maximum sign area of any one face of an off-premise sign located on non-interstate roads shall not exceed 400 square feet excluding the base, or apron, trim supports, and other structural elements. Temporary embellishments shall not exceed 20% of the maximum sign area allowed.
 3. Sign may be back-to-back, V-type, and tri-vision with not more than one face to each facing and such structure shall be considered as one off-premise sign.
- D. Height of an Off-Premise Sign
1. An off-premise sign shall maintain a minimum clearance of ten feet measured from the ground level at the base of the sign to the bottom of the sign face.
 2. An off-premise sign shall have a maximum height not to exceed 50 feet above grade level of interstate roadways to the bottom of the sign face and 35 feet above grade level of non-interstate roadways to the bottom of the sign face, as measured from the centerline of the roadway to which the sign is oriented. In no case, shall the height of a sign exceed the maximum height limitation of the zoning district in which it is located.
- E. Spacing for Off-Premise Signs
1. No off-premise sign may be established within 750 feet of any other off-premise sign, measured along the same side of the street or highway to which the sign is oriented.
 2. The spacing between signs does not apply to structures separated by buildings or other obstructions in such a manner that only one sign located within the spacing distances is visible from the street at any one time.
 3. Spacing from Directional and Official signs. On-premise signs, or any other signs which does not constitute an off-premise sign shall not be counted nor shall measurements be made from such signs for the purpose of determining compliance with these spacing requirements.
 4. No off-premise sign shall be constructed within 500 feet, measured linearly, along the same side of the street from a church, school, playground, park, recreation center, or community center.
 5. No billboard shall be constructed within 200 feet, measured linearly, along the same side of the street from a residential district.
 6. The minimum distance between off-premise signs shall be measured along the nearest edge of the pavement between points directly opposite the center of the signs along each side of the highway and shall apply to structures located on the same side of the same street or highway.
- F. Setback Requirements
1. Front - 10 feet

2. Side - 5 feet
 3. Rear - 5 feet
 4. In no case shall any portion of an off-premise sign overhang into or be placed in the public right-of-way unless allowed by the Director of Public Works.
 5. In no case shall any portion of an off-premise sign extend into the required buffer area as designed in Section 1347.05.
- G. Illumination (see Section 1345.02.E)
- H. Construction Standards. All off-premise signs shall be constructed in accordance with the building code of the City. The structural elements of all off-premise signs shall be of steel unipole construction.

Section 1345.16 Lighting

In connection with every site plan, the applicant shall submit plans for all proposed exterior lighting. These plans shall include the location, type of light, radius of light, manufacturer's specification sheet and intensity in foot-candles. The following designs standards shall be followed.

- A. The style of the light and light standard shall be consistent with the architectural style of the principal building.
- B. The maximum height of free-standing lights shall be the same as the principal building, but not exceeding twenty-five (25) feet.
- C. All lights shall be shielded to restrict the maximum open angle of the cone of illumination to one hundred fifty (150) degrees.
- D. Where lights along property lines would be visible to adjacent residents, the lights shall be appropriately shielded.
- E. Spotlight-type fixtures attached to buildings and visible to the public shall be avoided.
- F. Free-standing lights shall be so located and protected to avoid being easily damaged by vehicles.
- G. Lighting shall be located along streets, parking areas, at intersections, and where various types of circulation systems merge, intersect, or split.
- H. Pathways, sidewalks and trails shall be lighted with low or mushroom type standards.
- I. Stairways, and sloping or rising paths, building entrances and exits require illumination.
- J. Lighting shall be provided where buildings are setback or off-set if access is provided at such points.
- K. The following intensity in foot-candles shall be provided.
 1. Parking lots - average of 0.5 foot-candles throughout.
 2. Intersections - 3 foot-candles.
 3. Maximum at property lines - 1.0 foot-candle.
 4. In residential areas - average of 0.6 foot-candles.

Section 1345.17 Severability

If any sections, subsection, sentence, clause, or phrase of this ordinance is for any reason held to be invalid, such decision shall not affect the validity of the remaining portions of this ordinance. The City Council declares that it would have adopted this Sign Ordinance in each section, subsection, sentence, or phrase thereof, irrespective of the fact that any one or more sections, subsections, sentences, clauses, or phrases be declared invalid.

**ARTICLE 1347
LANDSCAPING**

ARTICLE 1347 - LANDSCAPING

Section 1347.01 Purpose

- A. Unless specified elsewhere in this Ordinance, landscaping shall be provided as part of all non-residential land developments, residential subdivisions, and open space cluster developments for which a site plan is required by Article 1351 and in accordance with the following standards. It shall be conceived in a total pattern throughout the site, integrating the various elements of the site design, preserving and enhancing the particular identity of the site and creating a pleasing site character.
- B. Landscaping may include plant materials such as trees, shrubs, ground cover, perennials, and annuals and other materials such as rocks, water, sculpture, art, walls, fences, and building and paving material.

Section 1347.02 Landscape Plan

A landscape plan shall be submitted with each non-residential land development, planned unit development, manufactured home park, residential subdivision, and open space cluster developments site application. The plan shall identify existing and proposed trees, shrubs, ground cover, natural features such as rock outcroppings, and other landscaping elements. The plan should show where there are or will be located and planting and/or construction details. When existing natural growth is proposed to remain, the applicant shall include in the plans proposed methods to protect existing trees and growth during and after construction.

Section 1347.03 Site Protection and General Planting Requirements

- A. Topsoil preservation. Topsoil moved during the course of construction shall be redistributed on all regraded surfaces so as to provide at least four (4) inches of even cover to all disturbed areas of the development and shall be stabilized by seeding or planting.
- B. Removal of debris. All stumps and other tree parts, litter, brush, weeds, excess or scrap building materials, or other debris shall be removed from the site and disposed of in accordance with the law. No tree stumps, portions of tree trunks or limbs shall be buried anywhere in the development. All dead or dying trees, standing or fallen, shall be removed from the site. If trees and limbs are reduced to chips, they may, subject to approval of the City Engineer, be used as mulch in landscaped areas.
- C. Protection of existing plantings. Maximum effort should be made to save fine specimens (because of size or relative rarity). No material or temporary soil deposits shall be placed within four (4) feet of shrubs or ten (10) feet of trees designated to be retained on development site. Protective barriers or tree wells shall be installed around each plant and/or group of plants that are to remain on the site. Barriers shall not be supported by the plants they are protecting, but shall be self-supporting. They shall be a minimum of four feet high and constructed of a durable material that will last until construction is completed. Snow fences and silt fences are examples of acceptable barriers.
- D. Slope plantings. Landscaping of the area of all cuts and fills and/or terraces shall be sufficient to prevent erosion, and all roadway slopes steeper than one (1) foot vertically to three (3) feet horizontally shall be planted with ground covers appropriate for the purpose and soil conditions, water availability, and environment.
- E. Additional landscaping. In residential developments, besides the screening and street trees required, additional plantings or landscaping elements shall be required throughout the

subdivision where necessary for climate control, privacy, or for aesthetic reasons in accordance with a planting plan approved by the Planning Director and taking into consideration cost constraints. In nonresidential developments, all areas of the site not occupied by buildings and required improvements shall be landscaped by the planting of grass or other ground cover, shrubs, and trees as part of a site plan approved by the Planning Director or Reviewing Body.

- F. Planting specifications. Deciduous trees shall have at least a two-inch caliper measured twelve (12) inches above the ground at planting. Size of evergreens and shrubs shall be allowed to vary depending on setting and type of shrub. Only nursery-grown plant materials shall be acceptable; and all trees, shrubs, and ground covers shall be planted according to accepted horticultural standards. Dead or dying plants shall be replaced by the developer during the following planting season.

Section 1347.04 Street Trees

- A. Location. Street trees shall be installed on both sides of all streets in accordance with the approved landscape plan. Trees shall either be massed at critical points or spaced evenly along the street, or both. A permit for installation of trees within the city right-of-way or easements will be required.

When trees are planted at predetermined intervals along streets, spacing shall depend on tree size, as follows:

	Tree Size <u>(in feet)</u>	Planting Interval <u>(in feet)</u>
Large trees	(40+)	50-70
Medium-sized trees	(30-40)	40-50
Small trees	(to 30)	30-40

When the spacing interval exceeds 40 feet, small ornamental trees can be spaced between the larger trees. If a street canopy effect is desired, trees may be planted closer together, following the recommendations of a certified landscape architect. The trees shall be planted so as not to interfere with utilities, roadways, sidewalks, sight easements, or street lights. Tree location, landscaping design, and spacing plan shall be approved by the Director of Public Works as part of the landscape plan.

- B. Tree type. Tree type may vary depending on overall effect desired, but as a general rule, all trees shall be the same kind on a street except to achieve special effects. Selection of tree type shall be approved by the Planning Director or Reviewing Body.

Section 1347.05 Buffering

- A. Function and materials. Buffering shall provide a year round visual screen in order to minimize adverse impacts from a site on an adjacent property or from adjacent areas. It may consist of fencing, evergreens, berms, rocks, boulders, mounds, or combinations to achieve the stated objectives.
- B. When required. Buffering shall be required when topographical or other barriers do not provide reasonable screening or when the Planning Commission determines that there is a need to shield the site from adjacent properties and to minimize adverse impacts such as incompatible land uses, noise, glaring light, and traffic. In small-lot developments, when building design and sitting do not provide privacy, the Planning Commission may require landscaping, fences, or walls to ensure privacy and screen dwelling units.

Buffers shall be measured from side and rear property lines, excluding access driveways.

1. Where nonresidential, multi-family, or a manufactured home park use (including related parking areas) are adjacent to any R-1, R-2, or R-4 residential district or any lot with a single-family residence, a buffer yard twenty-five (25) feet, but not to exceed 10% of the lot area width, shall be required.
 2. Parking areas, garbage collection and utility areas, and loading and unloading areas should be screened around their perimeter by a buffer strip a minimum of five (5) feet wide.
 3. Where residential subdivisions abut higher-order streets (collectors or arterioles), adjacent lots should front on lower-order streets, and a landscaped buffer area provided along the property line abutting the road. The buffer strip shall be a minimum of twenty-five (25) to thirty-five (35) feet, but not to exceed 10 percent of the lot area wide or wider where necessary for the health and safety of the residents, and include both trees and shrubs.
- C. Design. Arrangement of plantings in buffers shall provide maximum protection to adjacent properties and avoid damage to existing plant material. Possible arrangements include planting in parallel, serpentine, or broken rows. If planted berms are used, the minimum top width shall be four (4) feet, and the maximum side slope shall be 2:1.
- D. Planting specifications. Plant materials shall be sufficiently large and planted in such a fashion that a screen at least eight (8) feet in height shall be produced within three (3) growing seasons. All plantings shall be installed according to accepted horticultural standards.
- E. Maintenance. Plantings shall be watered regularly and in a manner appropriate for the specific plant species through the first growing season, and dead or dying plants shall be replaced by the applicant during the next planting season. No buildings, structures, storage of materials, or parking shall be permitted within the buffer area; buffer areas shall be maintained and kept free of all debris, rubbish, weeds, and tall grass.

Section 1347.06 Parking Lot Landscaping

- A. Amount required. In parking lots, at least five percent (5%) of the interior parking area shall be landscaped with plantings. Parking lot street frontage screening and perimeter screening shall be a minimum of five (5) feet wide. If buffering is required, per Section 1347.05 (B)(1), the more restrictive screening distance shall apply. Planting required within the parking lot is exclusive of other planting requirements, such as for street trees.
- B. Location. The landscaping should be located in protected areas, such as along walkways, in center islands, at the end of bays, or in diamonds between parking stalls. All landscaping in parking areas and the street frontage shall be placed so that it will not obstruct sight distance.
- C. Plant type. A mixture of hardy flowering and/or decorative evergreen and deciduous trees may be planted; the area between trees shall be planted with shrubs or ground cover or covered with mulch.

ARTICLE 1349
REGULATION OF FLOOD
PLAIN AREA AND
PONDING BASIN

ARTICLE 1349 - REGULATION OF THE FLOODPLAIN AREA AND PONDING BASINS

AN ORDINANCE ESTABLISHING A FLOODPLAIN AREA AND REQUIRING ALL CONTRACTORS, PERSONS, PARTNERSHIPS, BUSINESSES, AND CORPORATIONS TO OBTAIN A PERMIT FOR DEVELOPMENT AND THE CONSTRUCTION, SUBSTANTIAL IMPROVEMENT , OR RELOCATION OF ANY BUILDING OR STRUCTURE; PROVIDING FOR CERTAIN MINIMUM STANDARDS FOR CONSTRUCTION WITHIN THE FLOODPLAIN AREA AND SETTING FORTH SPECIAL PROCEDURES FOR SUBMISSION AND APPROVAL OF PLANS; AND ESTABLISHING PENALTIES FOR ANY PERSON WHO FAILS TO COMPLY WITH THE REQUIREMENTS OR PROVISIONS OF THIS ORDINANCE.

BE IT ENACTED AND ORDAINED BY THE CITY OF HUNTINGTON COUNCIL AS FOLLOWS:

Section 1349A GENERAL PROVISIONS

1349A.01 Authority

- A. The provisions of this ordinance have been prepared with the intention of meeting the requirements of THE NATIONAL FLOOD INSURANCE ACT OF 1968 (42 U.S.C. 4001 et seq.) AMENDED BY THE CONGRESS OF THE UNITED STATES THROUGH THE 15TH.OF FEBRUARY, 1975 (PUBLIC LAW 91-152),
- B. Authority to adopt, administer and enforce this Ordinance is vested in CITY OF HUNTINGTON pursuant to WEST VIRGINIA STATE CODES 8-12-14, 7-1-3n, 7-1-3v and 7-1-3kk and/or WEST VIRGINIA STATE CODE 8A-4-2, 8A-5-7, 8A-7-2

1349A.02 Intent

The intent of this ordinance is to:

- A. Promote the general health, welfare, and safety of the Community.
- B. Encourage the utilization of appropriate construction practices in order to prevent or minimize flood damage in the future and protect natural drainage.
- C. Minimize danger to public health and safety by protecting water supply and sanitary sewage disposal in cooperation with the County Sanitarian.
- D. Assure the County Assessor obtains information concerning improvement of real property as required by WV State Code 11-3-3A.
- E. Assure County E-911 addresses are obtained to maintain the currency of established emergency response dispatch systems.

- F. Reduce financial burdens imposed on CITY OF HUNTINGTON, its governmental units, and its residents, by preventing the unwise design and construction of development in areas subject to flooding.

1349A.03 Abrogation and Greater Restrictions

This ordinance supersedes any ordinance currently in effect in flood prone areas. Any ordinance, however, shall remain in full force and effect to the extent that its provisions are more restrictive.

1349A.04 Applicability

It shall be unlawful for any contractor, person, partnership, business, or corporation to undertake or cause to be undertaken, any development, new construction, substantial improvement, repair of substantial damage, or the placement or relocation of any structure (including manufactured homes) within CITY OF HUNTINGTON, unless a permit application has been completed and a permit or certificate of occupancy has been obtained from the Floodplain Administrator. In addition, where land partially or fully in the special flood hazard area is to be subdivided, utilized for a manufactured home park or subdivision or otherwise developed as defined in this ordinance, a site plan with elevation data shall be submitted to, and approved by, the Floodplain Administrator prior to any development.

Provision of all other codes, ordinances, and regulations shall be applicable insofar as they are consistent with the provisions of this ordinance and the community's need to minimize the hazards and damage resulting from flooding.

1349A.05 Matters not provided for specifically

Where conditions are encountered that are not specifically provided for herein, the Floodplain Administrator shall determine the applicability of the provisions of this ordinance in accordance with its intent, and shall require the applicant to take appropriate measures pursuant to such determination.

Section 1349B INTERPRETATIONS AND DEFINITIONS

1349B.01 Interpretations

A. For the purpose of this ordinance, the following interpretations shall apply:

1. Words used in the present tense include the future tense
2. The singular includes the plural.
3. The plural includes the singular.
4. The word "person" includes a corporation, unincorporated association or partnership as well as an individual.

5. The Term “shall” or “will” is always mandatory.
6. The word “building” or “structure” shall be construed as if followed by the phrase “or part thereof”.
7. The word “ordinance” shall refer to the Floodplain Ordinance.

1349B.02 Definitions

Unless specifically defined below, words and phrases used in this ordinance shall be interpreted so as to give this ordinance it’s most reasonable application.

Accessory Structure

A structure on the same parcel of property as the principal structure and the use of which is incidental to the use of the principal structure. This does not include a gas or liquid storage tank.

Base Flood

Means the flood having a one percent chance of being equaled or exceeded in any given year.

Base Flood Elevation (BFE)

The water surface elevation of the base flood in relation to the datum specified on CITY OF HUNTINGTON’s Flood Insurance Rate Map. For the purposes of this ordinance, the one hundred (100) year flood or 1% annual chance flood.

Basement

Any area of the building having its floor sub grade (below ground level) on all sides.

Certificate of Occupancy

A certification that all development is in occupancy with the provisions of this ordinance.

Compensatory storage

An artificially excavated, hydraulically equivalent volume of storage within the special flood hazard area used to balance the loss of natural flood storage capacity when artificial fill or structures are placed within the special flood hazard area.

Contractor - WV State Code 21-11-3(c)

A person who in any capacity for compensation, other than as an employee of another, undertakes, offers to undertake, purports to have the capacity to undertake, or submits a bid to construct, alter, repair, add to, subtract from, improve, move, wreck or demolish

any building, highway, road, railroad, structure or excavation associated with a project, development or improvement, or to do any part thereof, including the erection of scaffolding or other structures or works in connection therewith, where the cost of the undertaking is one thousand dollars or more. Contractor includes a construction manager who performs management and counseling services on a construction project for a professional fee.

Contractor does not include:

(1) One who merely furnishes materials or supplies without fabricating or consuming them in the construction project.

(2) A person who personally performs construction work on the site of real property which the person owns or leases whether for commercial or residential purposes;

(3) A person who is licensed or registered as a professional and who functions under the control of any other licensing or regulatory board, whose primary business is real estate sales, appraisal, development, management and maintenance, who acting in his or her respective professional capacity and any employee of such professional, acting in the course of his or her employment, performs any work which may be considered to be performing contracting work

(4) A pest control operator licensed under the provisions of section seven, article sixteen-a, chapter nineteen of this code to engage in the application of pesticides for hire, unless the operator also performs structural repairs exceeding one thousand dollars on property treated for insect pests; or

(5) A corporation, partnership or sole proprietorship whose primary purpose is to prepare construction plans and specifications used by the contractors defined in this section and who employs full time a registered architect licensed to practice in this state or a Registered Professional Engineer licensed to practice in this state. Contractor also does not include employees of such corporation, partnership or sole proprietorship.

Critical Facility

Any facility in which, even a slight chance of flooding is too great a threat. Typical critical facilities include hospitals, fire stations, police stations, storage of critical records, and similar facilities. These should be given special consideration when formulating regulatory alternatives and floodplain management plans. A critical facility should not be located in a special flood hazard area if at all possible. If a critical facility must be located in a special flood hazard area it should be provided a higher level of protection so that it can continue to function and provide services during a flood.

Development

Any man-made change to improved or unimproved real estate, including but not limited to buildings or other structures, mining, dredging, filling, grading, paving, excavation or drilling operations or storage of equipment or materials.

Flood

A general and temporary inundation of normally dry land areas.

Flood Insurance Rate Map (FIRM)

The official map on which the Federal Emergency Management Agency has delineated both the special flood hazard areas and the risk premium zones applicable to CITY OF HUNTINGTON. A FIRM that has been made available digitally is called a Digital Flood Insurance Rate Map (DFIRM).

Flood Insurance Study

The official report in which the Federal Emergency Management Agency has provided flood profiles, floodway information, and water surface elevations.

Floodplain

- (1) A relatively flat or low land area adjoining a river, stream, or watercourse which is subject to partial or complete inundation;
- (2) An area subject to the unusual and rapid accumulation or runoff of surface waters from any source.

Floodway

The channel of a river or other watercourse and the adjacent land area that must be reserved to discharge the base flood without increasing the water surface elevation of that flood more than one foot at any point.

Flood proofing

Any combination of structural and non-structural additions, changes or adjustments to structures which reduce or eliminate flood damage to real estate or improved real property, water and sanitary facilities, structures and their contents.

Freeboard

A factor of safety usually expressed in feet above a flood level for purposes of floodplain management. Freeboard tends to compensate for unknown factors that may contribute uncertainty to flood heights of any given flood and floodway condition, such as wave action, blockage at stream crossings, and increased runoff from urbanization of the watershed. Freeboard also tends to lower the cost of flood insurance.

Highest Adjacent Grade (HAG)

The highest natural elevation of the ground surface immediately adjacent to the development or structure foundation. This is primarily used during insurance rating in approximated floodplains.

Historic Structure

Any structure that is:

- (a) Listed individually in the National Register of Historic Places (a listing maintained by the Department of Interior) or preliminarily determined by the Secretary of the Interior as meeting the requirements for individual listing on the National Register;
- (b) Certified or preliminarily determined by the Secretary of the Interior as contributing to the historical significance of a registered historic district or a district preliminarily determined by the Secretary to qualify as a registered historic district
- (c) Individually listed on a state inventory of historic places in states with historic preservation programs which have been approved by the Secretary of the Interior; or,
- (d) Individually listed on a local inventory of historic places in communities with historic preservation programs that have been certified either:
 - (i) By an approved state program as determined by the Secretary of the Interior; or,
 - (ii) Directly by the Secretary of Interior in states without approved programs.

Licensed Manufactured Home Retailer

A business licensed to sell Manufactured Homes in the state of WV as set forth in the WV state code.

Licensed Manufactured Home Installer

A contractor licensed to install Manufactured Homes in WV as set forth in the WV State Code.

Licensed Professional Surveyor

Any person licensed by the WV state board of examiners of land surveyors to engage in the practice of land surveying as defined in WV state code.

Lowest Adjacent Grade (LAG)

The lowest natural elevation of the ground surface immediately adjacent to the proposed development or structure foundation. The primary use of the LAG is to determine whether the structure is located within a special flood hazard area by comparing it to the base flood elevation.

Lowest Floor

The lowest floor of the lowest enclosed area (including basement). An unfinished enclosure constructed with flood resistant materials as defined in FEMA Technical Bulletin 2 and usable solely for parking of vehicles, building access or storage in an area other than a basement area is not considered a building's lowest floor; Provided, that such enclosure has proper flood openings and is not built so as to render the structure in violation of the applicable non-elevation design requirements of this ordinance.

Manufactured Home

A structure, transportable in one or more sections, which is built on a permanent chassis and is designed for use with or without a permanent foundation when connected to the required utilities. The term "manufactured home" does not include a "recreational vehicle".

New Construction

Structures for which the Start of Construction as herein defined commenced on or after 01/17/1990 and including any subsequent improvements to such structures. Any construction started after effective date of CITY OF HUNTINGTON's first floodplain ordinance adopted by CITY OF HUNTINGTON and before the effective start date of this floodplain management ordinance is subject to the ordinance in effect at the time the ordinance was issued, provided the start of construction was within 180 days of permit issuance.

One-Hundred (100) Year Flood

A flood that has one chance in one-hundred or a one percent chance of being equaled or exceeded in any given year.

Person

Any individual or group of individuals, corporation, partnership, association or other entity, including State and local governments and agencies.

Post firm non-compliant structures. Violations.

The failure of any structure or development to be fully compliant with all requirements of this Ordinance. A structure or other development without the elevation certificate, other certifications, or other evidence of compliance required by this Ordinance is presumed to be in violation until such time as the documentation is provided. No future improvements or developments can be made to structures found to be in violation unless the development is to bring the structure into compliance with the current ordinance.

Practice of Engineering

Any service or creative work, as described in WV state code Article 13, the adequate performance of which requires engineering education, training and experience in the application of special knowledge of the mathematical, physical and engineering sciences to such services or creative work as consultation, investigation, evaluation, planning and design of engineering works and systems; planning the use of land and water; teaching of advanced engineering subjects, engineering surveys and studies; and the review of construction for the purpose of assuring compliance with drawings and specifications any of which embraces such services or work, either public or private, in connection with any utilities, structures, buildings, machines, equipment, processes, work systems, projects and industrial or consumer products or equipment of a mechanical, electrical, hydraulic, pneumatic or thermal nature, insofar as they involve safeguarding life, health or property, and including such other professional services as may be necessary to the planning, progress and completion of any engineering services. Engineering surveys include all survey activities required to support the sound conception, planning, design, construction, maintenance and operation of engineered projects.

Any person who practices any branch of the profession of engineering or who, by verbal claim, sign, advertisement, letterhead, card or in any other way represents himself or herself to be a Registered Professional Engineer, or by using another title implies that he or she is a Registered Professional Engineer or that he or she is registered under WV state code, article 13 or who holds himself or herself out as able to perform, or who performs any engineering service or work or any other service designated by the practitioner which is recognized as engineering, is considered to practice or offer to practice engineering within the meaning and intent of WV state code article 13.

Principally Above Ground

Where at least 51 percent of the actual cash value of a structure, less land value, is above ground.

Recreational Vehicle

A vehicle which is:

- (a) built on a single chassis; (b) 400 square feet or less when measured at the largest horizontal projection; (c) designed to be self-propelled or permanently towable by a light duty truck; and (d) designed primarily not for use as a permanent dwelling but as temporary living quarters for recreational, camping, travel, or seasonal use.

Registered Professional Engineer

A person who has been duly registered or licensed as a Registered Professional Engineer by the West Virginia state board of registration for professional engineers as required under WV state code article 13 et seq.

Remedy a Violation

To bring a structure or other development into compliance with the requirements of this ordinance, or, if full compliance is not possible, to reduce the adverse impacts of the non-compliance to the greatest extent feasible.

Reasonably Safe from Flooding

Means that during the base flood, water should not damage structures and any subsurface waters related to the base flood should not damage existing or proposed structures.

Special Flood Hazard Area

The land in the floodplain subject to a one percent or greater chance of flooding in any given year. Special flood hazard areas are designated by the Federal Emergency Management Agency in Flood Insurance Studies and on Flood Insurance Rate Maps as Zones A, AE, AO, A1-30, and A99. This term shall also include areas shown on other flood hazard maps that are specifically listed or otherwise described in this ordinance.

Start of Construction

The date the permit was issued, provided the actual start of construction, repair, reconstruction, rehabilitation, addition, placement, or other improvement was within 180 days of the permit date. The actual start means either the first placement of permanent construction on a site, such as the pouring of slab or footings, the installation of piles, the construction of columns, or any work beyond initial excavation, or the placement of a manufactured home on a foundation. Although a permit must be obtained prior to beginning, permanent construction does not include land preparation, such as clearing, grading and filling, nor does it include the installation of streets and/or walkways, nor does it include excavation for a basement, footings, piers or foundations or the erection of temporary forms, nor does it include the installation on the property of accessory buildings, such as garages or sheds not occupied as dwelling units or not part of the main structure. For an alteration, the actual start of construction means the first alteration of any wall, ceiling, floor or other structural part of a building, whether or not that alteration affects the external dimensions of the building.

State Coordinating Office

The West Virginia Division of Homeland Security and Emergency Management

Stream

As defined in WV State Code 7-1-3U, any watercourse, whether natural or man-made, distinguishable by banks and a bed, regardless of their size, through which water flows continually or intermittently, regardless of its volume.

Structure

A walled and roofed building, including a gas or liquid storage tank that is principally above ground, as well as a manufactured home.

Substantial Damage

Damage of any origin sustained by a structure whereby the cost of restoring the structure to its before damage condition would equal or exceed 50 percent of the market value of the structure before the damage occurred. Substantial damage also means cumulative flood-related damages sustained by a structure on two separate occasions during a 10 year period for which the cost of repairs at the time of each flood event, on the average, equals or exceeds 25 percent of the market value of the structure before the damage occurred. See "Substantial Improvement."

Substantial Improvement

Any repair, reconstruction, rehabilitation, addition, or other improvement of a structure, the cost of which equals or exceeds 50 percent of the market value of the structure before the Start of Construction of the improvement.

This term includes structures, which have incurred "substantial damage", as defined herein regardless of the actual repair work performed. The term does not, however, include any project for improvement of a structure to correct existing violation of state or local health, sanitary or safety code specifications which have been identified by the local code enforcement official and which are the minimum necessary to assure safe living conditions.

Historic structures undergoing repair or rehabilitation that would constitute a substantial improvement as defined above, must comply with all ordinance requirements that do not preclude the structure's continued designation as a historic structure. Documentation that a specific ordinance requirement will cause removal of the structure from the National Register of Historic Places or the State Inventory of Historic places must be obtained from the Secretary of the Interior or the State Historic Preservation Officer. Any exemption from ordinance requirements will be the minimum necessary to preserve the historic character and design of the structure.

For the purpose of this definition improvement is considered to occur when the first alteration of any wall, ceiling, floor or other structural part of the building commences whether or not that alteration affects the external dimensions of the structure.

Top of Bank

The lines depicted on the FIRM maps delineating each side of a stream indicate the top of bank. In the field a professional familiar with fluvial geomorphology should document the top of bank. When a professional is not employed the top of the bank may be considered to be the top of the first significant slope landward of the waters edge when it is followed by at least 50 feet of relatively flat land.

Violation

The failure of any structure or development to be fully compliant with all the requirements of this ordinance. Any structure or other development lacking the

certifications, finished construction elevation certificate or other evidence of compliance required by this ordinance is presumed to be in violation until such time as that documentation is provided.

Section 1349C - ESTABLISHMENT OF THE SPECIAL FLOOD HAZARD AREA

1349C.01 Identification

- A. The identified special flood hazard area shall be those areas of the CITY OF HUNTINGTON which are subject to the one hundred (100) year flood, as shown on the Flood Insurance Rate Map (FIRM) and described in the Flood Insurance Study (FIS) prepared for CITY OF HUNTINGTON by the Federal Emergency Management Agency (FEMA) dated February 19, 2014 or the most recent revision thereof including all digital data developed as part of the FIS.
- B. The identified special flood hazard area shall also be those special flood hazard areas identified by CITY OF HUNTINGTON by use of historic or other technical data and shown on an officially recognized "Local Flood Hazards Map". These areas shall be designated as appropriate with the level of technical data described below and shall be managed accordingly.

1349C.02 Descriptions of Special Flood Hazard Areas

- A. The identified special flood hazard area shall consist of the following four specific areas:
 - 1. The Floodway shall be those areas of AE zone identified as Floodways in the FIS and as shown on the FIRM. The term shall also include any floodway areas delineated by developers in the approximated floodplain and designated as such by the community.
 - 2. The Floodway Fringe shall be those areas of AE zone for which specific one hundred (100) year flood elevations have been provided in the FIS but which lie beyond the floodway area.
 - 3. The AE Area without Floodway shall be those areas identified as an AE zone on the FIRM included in the FIS prepared by FEMA for which 100-year flood elevations have been provided but no Floodway has been delineated.
 - 4. The Approximated floodplain shall be those areas identified as an A zone on the FIRM included in the FIS prepared by FEMA and for which no one hundred (100) year flood elevations have been provided.

1349C.03 Changes in Designation of Area

- A. The delineation of the identified special flood hazard area may be revised by CITY OF HUNTINGTON where natural or man-made changes have occurred and/or more detailed studies conducted or undertaken by the U.S. Army Corps of Engineers, a River Basin Commission or other qualified agency or individual document the

necessity for such changes. However, prior to any such change, approval must be obtained from the Federal Emergency Management Agency (FEMA).

- B. CITY OF HUNTINGTON's base flood elevations may increase or decrease resulting from physical changes affecting flooding conditions. As soon as practicable but, not later than six months after the date such information becomes available, CITY OF HUNTINGTON shall notify the NFIP Administrator of the changes by submitting technical or scientific data.
- C. CITY OF HUNTINGTON may identify and regulate new local flood hazard or ponding areas. These areas may be delineated on a "Local Flood Hazard Map" using best available topographic data and locally derived information such as flood of record, historic high water marks or approximate study methodologies.

1349C.04 Boundary Disputes

Should a dispute concerning the location of proposed development relative to a special flood hazard area arise, an initial determination shall be made by the Floodplain Administrator and any party aggrieved by this decision may appeal to CITY OF HUNTINGTON. The burden of proof shall be on the appellant/applicant.

1349C.05 Elevations Prevail

Elevation data certified by a Licensed Professional Surveyor or Registered Professional Engineer shall be submitted in sufficient detail to allow a thorough review by the Floodplain Administrator.

- A. If the structure location appears to be inside the SFHA on the FEMA FIRM's and If the lowest natural grade adjacent to proposed development within an identified flood hazard area is at or above the Base Flood Elevation specified in the Flood Insurance Study (FIS), the structure shall not be required to conform to the flood prevention design and construction standards or flood-related development codes in Article VI. Topographic data certified by a registered professional engineer or licensed professional surveyor shall be submitted in sufficient detail to allow a thorough review by the Floodplain Administrator. The applicant shall apply for a Letter of Map Amendment (LOMA) from FEMA and the determination given to the floodplain administrator within 90 days of issuance of the permit having the Special Flood Hazard Area designation removed from the parcel or structure prior to certificate of occupancy/ compliance.
- B. The proposed development shall be considered to be within the special flood hazard area if the natural LAG to the proposed development is below either; 1. The closest applicable BFE specified in the flood insurance study, or 2. The reasonably safe from flooding elevation determined by CITY OF HUNTINGTON in approximate floodplains. The proposed development shall then be required to conform to all appropriate flood damage reduction provisions of this ordinance.

1349D.01 Floodway

Within any floodway area, no encroachments, including fill, new construction, substantial improvements, or other development shall be permitted unless it has been demonstrated through hydrologic and hydraulic analysis performed in accordance with standard engineering practice that the proposed encroachment would not result in any increase in flood levels within the CITY OF HUNTINGTON during the occurrence of the base flood discharge. The resultant engineering study shall include a cover letter, signed and sealed by the responsible professional, providing a statement of findings in basic terms. In addition, studies, analyses, computations, etc., shall be submitted in sufficient detail to allow a thorough technical review by the Floodplain Administrator.

- A. Because floodways present increased risk to human life and property due to their relatively faster and deeper flowing waters the Floodway shall be preserved to the greatest extent possible.
1. New development shall not be permitted in the floodway where reasonable alternatives exist elsewhere. In addition to the requirements below the applicant shall demonstrate that there are no reasonable alternatives other than the floodway encroachment before a permit is issued.
 2. When the floodway is the only reasonable alternative the applicant shall demonstrate that the floodway encroachment is the minimum necessary to accomplish the project.
 3. All permitted uses, activities, and development shall be undertaken in strict compliance with the flood proofing and related provisions contained herein, and in all other applicable codes, ordinances and regulations.
 4. In special flood hazard areas for which no regulatory floodway has been designated, the regulatory floodway for small, single lot development not incorporating significant amounts of fill can, at the discretion of CITY OF HUNTINGTON, be determined to be the channel of the stream and the adjacent land areas to a distance of one-half the width of the special flood hazard area as measured from the top of the bank nearest the site to the upland limit of the 1% annual chance special flood hazard area boundary.

1349D.02 Floodway Fringe

Within any Floodway Fringe area any development and/or use of land shall be permitted provided that all such uses, activities and/or development shall be undertaken in strict compliance with the flood-proofing and related provisions contained herein and in all other applicable codes, ordinances and regulations.

1349D.03 AE without Floodway

Within any AE without Floodway area, no new construction or development shall be allowed unless it is demonstrated that the cumulative effect of the proposed development, when combined with all other existing and anticipated development, will not increase the elevation of the 100-year flood more than one (1) foot at any point. This requirement can be satisfied by utilization of the floodway where determined.

1349D.04 Approximated Floodplain (Zone A)

A. Within any Approximated Floodplain

1. The Floodplain Administrator shall use elevation and floodway information from Federal, State, or other acceptable sources when available to determine the elevation above which development will be reasonably safe from flooding.
2. When data from an acceptable source is not available, the Floodplain Administrator shall review, or shall cause to be reviewed; all proposed development to determine; 1. The amount being invested and, 2. The specific flood risk at the site. The Floodplain Administrator shall then require the applicant to determine the elevation above which the development will be reasonably safe from flooding using elevation data, hydrologic and hydraulic analyses or other techniques. When hydrologic and hydraulic analyses are required, they shall only be undertaken by a Registered Professional Engineer who shall certify that the methods used correctly reflect currently accepted technical concepts. The resultant study shall include a cover letter, signed by the responsible professional, providing a statement of findings in basic terms. In addition, studies, analyses, computations, etc. shall be submitted in sufficient detail to allow a thorough technical review by the Floodplain Administrator.
3. Any development and/or use of land shall be permitted provided that all such uses, activities and/or development shall be undertaken in strict compliance with the flood-proofing and related provisions contained herein and in all other applicable codes, ordinances and regulations.

See appendix 4.4 for Sample “Approximated floodplain (Zone A) techniques”

1349D.05 Alteration or relocation of a stream

- A. Whenever a developer intends to alter or relocate a stream within the special flood hazard area the developer shall notify in writing, by certified mail, to CITY OF HUNTINGTON, The Floodplain Administrator, the State Coordinating Office, any adjacent communities and any adjacent property owners of all such intended activities prior to the alteration or relocation of the stream. Copies of all required notifications must be submitted to the Federal Emergency Management Agency (FEMA). In addition prior to issuing the local permit the Floodplain Administrator shall require copies of all necessary permits from those governmental agencies from which Federal or State Law requires approval.

See appendix 4.5 for Sample “Stream Alteration process and contact sheet”

- B. The developer shall also assure CITY OF HUNTINGTON in writing that the flood carrying capacity within the altered or relocated portion of the stream will be maintained. The Floodplain Administrator may require the applicant to demonstrate that the altered or relocated portion of stream will provide equal or greater conveyance than the original stream segment. If hydrologic and hydraulic analyses are required, they shall only be undertaken by a Registered Professional Engineer, who shall certify that the methods used correctly reflect currently accepted technical concepts. The resultant study shall include a cover letter, signed by the responsible professional, providing a statement of findings in basic terms. In addition, studies, analyses, computations, etc. shall be submitted in sufficient detail to allow a thorough technical review by the Floodplain Administrator.
- C. Alteration of a stream includes placement of culverts, bridges or other stream crossings. The Floodplain Administrator may require the use of certain “best practice” techniques in the construction of bridges, culverts or stream crossings to prevent damage, loss of stream crossings and localized flooding caused by blockage. These techniques may include, but are not limited to, wing walls, trash grates or requiring openings to be of sufficient size to pass debris and/or anticipated future increases in flood heights.
- D. All new and replacement bridges, culverts and other stream crossings shall adhere to the relevant anchoring requirements contained in this ordinance.
- E. The developer is required to provide CITY OF HUNTINGTON a legal agreement detailing all scheduled inspections and maintenance to be performed on altered or relocated watercourses including culverts, bridges and other stream crossings. It shall be the responsibility of the applicant to transfer this agreement to the new owner when the land associated with the watercourse alteration is transferred. A copy of all new agreements shall be provided to the Floodplain Administrator. Failure to transfer the agreement and provide a signed copy to the Floodplain Administrator shall subject the violator to the penalties set forth in 1349H.03 of this ordinance.
- F. The applicant shall submit any maps, computations or other material required by the Federal Emergency Management Agency (FEMA) to revise the Flood Insurance Study and/or Flood Insurance Rate Maps, when notified by the Floodplain Administrator, and shall pay any fees or other costs assessed by FEMA for this purpose.

Section 1349E CRITERIA FOR BUILDING AND SITE PLAN APPROVAL

1349E.01 General

Permits are required in order to determine whether all new construction or substantial improvements are:

- A. Located in an identified Floodplain, Floodway or other special flood hazard area.

- B. Designed (or modified) and adequately anchored to prevent flotation, collapse, or lateral movement of the structure resulting from hydrodynamic and hydrostatic loads, including the effects of buoyancy.
- C. Constructed with material and utility equipment resistant to flood damage as outlined in FEMA Technical Bulletin 2 or the most recent revision thereof.
- D. Constructed by methods and practices that minimize flood damage.
- E. Constructed with electrical, heating, ventilation, plumbing and air conditioning equipment and other service facilities that are designed and/or located so as to prevent water from entering or accumulating within the components during conditions of flooding.
- F. To comply with WV State Code §11-3-3a. concerning County Assessor “Building or real property improvement notice”
- G. Approved by County Health Department for Water and Sewer to assure facilities are designed or located in compliance with the flood damage reduction requirements of this ordinance.

1349E.02 Basic Format

The basic format of the permit shall include the following:

- A. Name and address of applicant.
- B. Name and address of owner of land on which proposed development is to occur.
- C. Names, addresses, and valid WV license numbers of all contractors working at the building site, or affidavits stating that work is being performed by individuals exempt from contractor licensing as set forth in Title 28, Series 2, section 3.9 (b) of the West Virginia Code of state regulations or the most recent revision thereof.
- D. A description of Site location sufficient to locate the project including tax map and parcel number and most recent deed book and page number.
- E. A standard site plan showing size and location of the proposed development as well as any existing buildings or structures. The site plan shall also show all adjacent roads and watercourses with direction of flow, the lowest adjacent grade to the proposed foundation and/or toe of fill, the Base Flood Elevation and the location of the floodway boundary when applicable.
- F. An acknowledgement that the applicant agrees to pay any and all fees associated with the permitting process as set forth in 1349G.09 hereof.

- H. An acknowledgement that the applicant agrees to allow authorized representatives of floodplain management programs access to the development to inspect for compliance.
- I. The contract required by WV Code of State Regulations, Title 28, Series 4, and all addendums to the contract(s) shall be presented to the Floodplain Administrator for review within five (5) business days of contract signing. CITY OF HUNTINGTON does not require and will not keep copies of the contracts or addendums. Failure to present contract or addendums for review shall void the permit. If a licensed contractor is not involved, or the work is of an aggregate value of less than ten thousand dollars including materials and labor, a brief written description of proposed work and the estimated value will suffice.

1349E.03 Elevation and Flood Proofing Information

All applicants are encouraged to exceed the minimum elevation requirements contained herein. Flood insurance rates can be lowered significantly by increasing the elevation of the lowest floor above the freeboard height required by this ordinance.

Depending on the type of structure involved, the following information shall also be included in the application for work within the Special flood hazard area:

- A. For structures to be elevated two feet above the Base Flood Elevation:
 - 1. A plan showing the size of the proposed structure and its relation to the lot where it is to be constructed.
 - 2. A determination of elevations of the Base Flood, existing ground, proposed finished ground and lowest floor, certified by a Registered Professional Engineer or Licensed Professional Surveyor.
 - 3. Plans showing the method of elevating the proposed structure including details of proposed fills, pile structures, retaining walls, foundations, erosion protection measures, etc. When required by the Floodplain Administrator, a Registered Professional Engineer or Architect shall prepare these plans.
 - 4. Plans showing the methods used to protect utilities (including sewer, water, telephone, electric, gas, etc.) from flooding to two feet above the Base Flood Elevation at the building site.
 - 5. During the course of construction, as soon as the basic elements of the lowest floor are in place and before further vertical construction, it is highly recommended that the applicant check for error by obtaining elevation data completed by a Registered Professional Engineer or Licensed Professional Surveyor certifying the height of the lowest floor. If a mistake in elevation has been made this is the best time to correct the error.

6. A finished construction elevation certificate shall be prepared by a Licensed Professional Surveyor or others of demonstrated qualifications. The elevation certificate shall confirm that the structure in question, together with attendant utilities is elevated in compliance with permit conditions.
7. A non-conversion agreement shall be signed by the applicant whenever CITY OF HUNTINGTON determines that the area below the first floor could be converted to a non-conforming use (generally applies to enclosed areas below base flood elevation that are 5 ft. high or more). This agreement shall state:
 - (i) The area below Base Flood Elevation shall not be converted for use other than for parking, building access or for allowable storage as detailed in this ordinance.
 - (ii) The applicant agrees to notify prospective buyers of the existence of the non-conversion agreement. It shall be the responsibility of the applicant to transfer the agreement at closing to the new owner via notarized signature, a copy of all new agreements shall be provided to the Floodplain Administrator. Failure to transfer the agreement and provide a signed copy to the Floodplain Administrator shall subject the violator to the penalties set forth in 1349H.03 of this ordinance.

B. For structures to be flood proofed to two feet above the Base Flood Elevation (nonresidential structures only):

All applicants are encouraged to exceed the minimum flood proofing requirements contained herein. Flood insurance rates can be lowered significantly by increasing the level of flood proofing above the height required by this ordinance. In order to obtain an "elevation credited" flood insurance rate on dry flood proofed buildings, flood proofing must extend at least one foot above the Base Flood Elevation.

1. Plans showing details of all flood proofing measures, prepared by a Registered Professional Engineer, showing the size of the proposed structure and its relation to the lot where it is to be constructed.
2. A determination of elevations of the Base Flood, existing ground, proposed finished ground, lowest floor, and flood proofing limits; certified by a Registered Professional Engineer or Licensed Professional Surveyor.
3. A Flood proofing Certificate, FEMA 81-65, as revised by FEMA, shall be prepared by the Registered Professional Engineer who prepared the plans in (1) above, stating that the finished structure, together with attendant utility and sanitary facilities is designed so that:
 - (i) The structure is water tight with walls substantially impermeable to the passage of water from the lowest structural element to two feet above the Base Flood Elevation.

- (ii) The structure will withstand the hydrostatic, hydrodynamic, buoyant, impact, and other forces resulting from the flood depths, velocities, pressures, and other factors associated with the Base Flood.

C. For Accessory structures constructed of flood resistant materials used solely for parking of vehicles or limited storage, (Accessory Structures only)

1. A site plan prepared by a Licensed Professional Surveyor or others of demonstrated qualifications showing elevation of existing ground, proposed finished ground and lowest floor. The plan shall also show details of proposed flood resistant materials usage and the size of the proposed structure and its relation to the lot where it is to be constructed. The location of the floodway boundary shall be represented on the plan when a floodway is present on the site.
2. An elevation certificate, based on finished construction, must be prepared by a Licensed Professional Surveyor or others of demonstrated qualifications. The elevation certificate confirm that the structure in question, together with attendant utilities is designed so that:
 - (i) Flood resistant materials as detailed in FEMA Technical Bulletin 2 are used in the construction of the structure from the lowest structural element to two feet above the Base Flood Elevation and that all utilities are located at least two feet above the Base Flood Elevation.
 - (ii) Hydrostatic flood forces on exterior walls are equalized by allowing for automatic entry and exit of floodwaters. Designs for meeting this requirement shall either be certified by a Registered Professional Engineer or Architect or meet or exceed the following minimum criteria:
 - a) A minimum of two openings having a total net area of not less than one square inch for every square foot of enclosed area subject to flooding shall be provided.
 - b) The bottom of all openings shall be no higher than one foot above grade.
 - c) Openings may be equipped with screens, louvers, valves or other coverings or devices provided that they permit the automatic entry and exit of floodwaters.

3. In addition, the applicant shall sign a non-conversion agreement and notify prospective buyers of the existence of the agreement. It shall be the responsibility of the applicant to transfer the non-conversion agreement to any new owner at closing via notarized signature. A signed copy of the transferred non-conversion agreement shall be provided to the Floodplain Administrator. Failure to transfer the agreement and provide a signed copy to the Floodplain Administrator shall subject the violator to the penalties set forth in 1349H.03 of this ordinance.

1349E.04 Site Plan Criteria

Site plans are required for all development, new construction and substantial improvements determined to be located in a special flood hazard area and all proposed Subdivisions and Manufactured Home Parks. These proposals shall be reviewed by the Floodplain Administrator to assure that they are consistent with the need to minimize flood damage.

The owner or developer shall submit a preliminary site plan to the Floodplain Administrator that includes the following information:

- A. A map showing the location of the proposed subdivision and/or development with respect to special flood hazard areas, proposed lot sites, and fills.
- B. Name of Registered Professional Engineer, Licensed Professional Surveyor or other qualified person responsible for providing the information required in this section.
- C. Where the subdivision or manufactured home park lie partially or completely in the special flood hazard areas, the plan map shall include detailed information giving the location and elevation of proposed roads, public utilities and building sites. All such maps shall also show contours at intervals of two (2) or five (5) feet depending upon the slope of the land and identify accurately the boundaries of the special flood hazard areas. A Registered Professional Engineer or Licensed Professional Surveyor shall certify the site plan.
- D. All subdivision proposals and other proposed new developments which are proposed to take place either fully or partially within the approximated floodplain and which are greater than ten (10) lots or two (2) acres, whichever is the lesser, shall include base flood elevation data and shall delineate a floodway when directed to do so by the Floodplain Administrator.
 1. When a Flood Insurance Study (FIS) is available from FEMA, the data contained in that study shall be used to substantiate the base flood.
 2. If a FEMA Flood Insurance Study is not available the required data may be available from an authoritative source, such as the U.S. Army Corps of Engineers, U.S. Geological Survey, Natural Resource Conservation Service or state and local water resource department.
 3. If the required data is not available from other sources the applicant shall develop the technical data using detailed methodologies comparable to those contained in a Flood Insurance Study. This data shall be prepared and certified by a Registered Professional Engineer, who shall certify that the methods used correctly reflect currently accepted technical concepts.
- E. Where the subdivision or other development site lies partially in the special flood hazard area and all proposed development including fill will take place on natural grade a significant vertical distance above the approximated floodplain area (Zone

“A”) boundary depicted on the map, development of detailed Base Flood Elevation data may not be necessary. In these cases the site plan for the proposed development must show contours at intervals of two (2) or five (5) feet, depending on the slope, and clearly delineate the area to be developed and the location of the special flood hazard boundary area as scaled from the FEMA map. A Registered Professional Engineer or Licensed Professional Surveyor shall certify the site plan.

1349E.05 – Restrictions to Subdivision of land in special flood hazard areas.

Subdivision of land in the special flood hazard area shall result in lots that include a buildable portion outside of the special flood hazard area and be served by streets within the proposed subdivision having surfaces not lower than 1 foot below the elevation of the line defining the special flood hazard area limits. All new structures shall be sited on the portion of the subdivided lot that is located outside of the special flood hazard area.

Section 1349F - SPECIFIC REQUIREMENTS

1349F.01 Design and Construction Standards

In order to prevent excessive damage to buildings, structures, and related utilities and facilities, the following restrictions apply to all development, subdivision proposals, manufactured home parks, new construction and to construction of substantial improvements, and the repair of substantial damage, to existing structures occurring in the Special flood hazard area.

A. Basements and Lowest Floors

1. Residential Structures - All new construction, relocation, substantial improvements, including repair of substantial damage, of residential structures shall have the lowest floor, including basement, ductwork and utilities, elevated to two feet above the Base Flood Elevation.
2. Non-residential Structures - All new construction, relocation, substantial improvements, including repair of substantial damage, of nonresidential structures shall have the lowest floor, including basement, ductwork and utilities, elevated to two feet above the Base Flood Elevation; or, together with attendant utility and sanitary facilities, be designed so that the structure is water tight with walls substantially impermeable to the passage of water from the lowest structural element to two feet above the Base Flood Elevation.
3. Openings - For all new construction, relocation, substantial improvements, and repair of substantial damage, those fully enclosed areas below the lowest floor that are usable solely for parking of vehicles, building access or storage in an area other than a basement and which are subject to flooding shall be designed to automatically equalize hydrostatic flood forces on exterior walls by allowing for entry and exit of

floodwaters. Designs for meeting this requirement shall either be certified by a Registered Professional Engineer or meet or exceed the following minimum criteria:

- a) A minimum of two openings having a total net area of not less than one square inch for every square foot of enclosed area subject to flooding shall be provided.
 - b) The bottom of all openings shall be no higher than one foot above grade.
 - c) Openings may be equipped with screens, louvers, valves, or other coverings or devices provided that they permit the automatic entry and exit of floodwaters.
4. A non-conversion agreement shall be signed by the applicant on all flood-proofed structures and any elevated structures when the CITY OF HUNTINGTON determines that the area below the first floor could be converted to a non-conforming use (generally applies to enclosed areas below base flood elevation that are 5 ft. high or more). This agreement shall state:
- i. The area below Base Flood Elevation shall not be converted for use other than for parking, building access or for allowable storage as detailed in this ordinance.
 - ii. The applicant agrees to notify prospective buyers of the existence of the non-conversion agreement. It shall be the responsibility of the applicant to transfer the agreement at closing to the new owner via notarized signature, a copy of all new agreements shall be provided to the Floodplain Administrator. Failure to transfer the agreement and provide a signed copy to the Floodplain Administrator shall subject the violator to the penalties set forth in 1349H.03 of this ordinance.

B. Manufactured Home Placement

Certain unique characteristics of manufactured homes installed in special flood hazard areas pose an elevated risk to safety and substantial damage to property. Therefore;

1. All manufactured homes to be sited within the special flood hazard areas of CITY OF HUNTINGTON shall be installed by a contractor possessing a valid WV Manufactured Home Installer's license. The Licensed Manufactured Home Installer shall use an installation design engineered to withstand flood hazards specific to the particular home site. Manufactured homes to be placed or substantially improved within the special flood hazard areas shall be installed in accordance with the following standards:
 - a. The lowest floor, ductwork and utilities including HVAC/heat pump shall be elevated two feet above the Base Flood Elevation
 - b. Elevation shall be on reinforced piers on a permanent foundation, or shall use foundation elements of at least equivalent strength engineered for use in a flood hazard area. Installation designs incorporating dry stacked block piers shall not be used in special flood hazard areas.

- c. All manufactured homes shall be securely anchored to an adequately anchored foundation system in compliance with the requirements of 42 West Virginia Code of State Regulations, Series 19, 1349s 10.1, 10.2, and 10b as authorized by West Virginia Code § 21-9-4 or the most recent revisions thereof. The anchoring shall be adequate to resist flotation, collapse, or lateral movement. Methods of anchoring may include but are not limited to the over-the-top and frame ties, attached to permanent foundation elements. Ground anchors may not be adequate to satisfy flood specific anchoring requirements. This requirement is in addition to applicable State and local anchoring requirements for resisting wind forces.
 - d. Permanently attached rigid skirts and/or perimeter wall skirts of brick or block shall have openings to prevent collapse and damage to supporting piers. The openings shall be designed to automatically equalize hydrostatic flood forces by allowing for entry and exit of floodwaters. Designs for meeting this requirement shall either be certified by a Registered Professional Engineer or meet or exceed the following minimum criteria:
 - (i) A minimum of two openings having a total net area of not less than one square inch for every square foot of enclosed area subject to flooding shall be provided.
 - (ii) The bottom of all openings shall be no higher than one foot above grade.
 - (iii) Openings may be equipped with screens, louvers, valves, or other coverings or devices provided that they permit the automatic entry and exit of floodwaters.
 - e. Any additions to a manufactured home shall be similarly anchored and vented.
2. The licensed WV Manufactured Home Installer placing the unit shall perform a site inspection and certify in writing that the manufactured home has been installed to the standards set forth in this ordinance.

C. Accessory Structures

- 1. Except as provided in subsection 2 below, accessory structures shall be located out of the special flood hazard area or elevated to two feet above the Base Flood Elevation.
- 2. Where accessory structures not connected to the principal structure are to be located on sites below the Base Flood Elevation, the following flood damage reduction provisions apply:
 - a. Use of the structure shall be restricted to parking or limited storage.

- b. Structures shall be no more than 200 square feet in size and valued at less than \$5,000.00.
 - c. Floors shall be at or above grade on at least one side.
 - d. Structures shall be located, oriented and constructed to minimize flood damage.
 - e. Structures shall be designed (or modified) and adequately anchored to prevent flotation, collapse, or lateral movement of the structure resulting from hydrodynamic and hydrostatic loads, including the effects of buoyancy.
 - f. Flood resistant materials as detailed in FEMA Technical Bulletin 2 shall be used in the portions of the structure below BFE.
 - g. Machinery, electric devices or appliances, and all utilities shall be located at least two feet above the Base Flood Elevation.
 - h. The venting requirements contained in 134 F.01 (A) are applicable and shall be strictly adhered to.
3. A non-conversion agreement shall be signed by the applicant stating that the use of the accessory structure or detached or attached garage shall not be changed from the use permitted, acknowledging that the structure may be subject to greater flood risk and that higher flood insurance premiums may be possible, and that a change in use may require full compliance with this ordinance. The applicant agrees to notify prospective buyers of the existence of this agreement. It shall be the responsibility of the applicant to transfer the agreement at closing to the new owner via notarized signature, a copy of all new agreements shall be provided to the Floodplain Administrator. Failure to transfer the agreement and provide a signed copy to the Floodplain Administrator shall subject the violator to the penalties set forth in 1349H.03 of this ordinance.

D. Recreational Vehicle Placement

1. Recreational vehicles to be placed within any special flood hazard area shall either:
- a. Be on site for fewer than 180 consecutive days. Or,
 - b. Be fully licensed and ready for highway use. A recreational vehicle is ready for highway use if it is on its wheels or jacking system, is attached to the site only by quick disconnect utilities and security devices, and has no permanently attached additions. Or,
 - c. Be installed in accordance with the Manufactured Home Placement requirements and all other flood reduction requirements contained in this ordinance.

E. Fill

CITY OF HUNTINGTON officially recognizes the beneficial functions the floodplain serves in storage and transportation of water during floods. Therefore;

1. Placement of fill in the special flood hazard area is discouraged and should be minimized.
2. No fill shall be permitted in the floodway.
3. Placement of fill in other areas of the special flood hazard area shall be restricted to functional purposes such as elevating a structure. Fill shall only be permitted in the same permit with the related structure or other functional purpose. Placement of fill to dispose of spoil from excavation or to elevate yards, parking lots, or fields will not generally be considered a functional purpose. The Floodplain Administrator may require the developer to provide compensatory storage before permitting fill.
4. No fill shall be permitted unless it meets the requirements of 1349D.01 of this ordinance. All fill placed in the special flood hazard area shall meet or exceed the following standards:
 - a. Fill shall be used only to the extent to which it does not adversely affect adjacent properties. CITY OF HUNTINGTON may require the applicant to demonstrate through engineering reports that proposed fill would not adversely affect adjacent properties. When required, hydrologic and hydraulic analyses shall be undertaken only by Registered Professional Engineers who shall certify that the technical methods used correctly reflect currently accepted technical concepts. The resultant study shall include a cover letter, signed and sealed by the responsible professional, providing a statement of findings in basic terms. In addition, studies, analyses, computations, etc., shall be submitted in sufficient detail to allow a thorough technical review by CITY OF HUNTINGTON. During permit review CITY OF HUNTINGTON shall consider the following issues that have the potential to cause adverse impact to adjacent properties:
 - i. Unacceptable increases in flood heights.
 - ii. Blocking drainage from adjacent property.
 - iii. Deflection of floodwaters onto adjacent existing structures.
 - iv. Increases to stream velocity initiating or exacerbating erosion problems.
 - v. Other unique site conditions may be considered when determining whether fill will cause adverse impact to adjacent property including, but not limited to, subsidence areas, Karst topography, stream blockages, and steep topography adjacent to the channel.
 - b. Fill shall be used only to the extent to which it does not adversely affect the capacity of channels or floodways of any tributary to the main stream, drainage ditch, or any other drainage facility or system.
 - c. Filled site shall be contoured to drain properly (avoid ponding)

- d. Fill shall extend beyond a structure for a sufficient distance to provide acceptable access. For residential structures, fill shall extend laterally fifteen (15) feet beyond the building line from all points before the start of sloping required in following subsection. For nonresidential structures, fill shall be placed to provide access acceptable for intended use. At grade access, with fill extending laterally fifteen (15) feet beyond the building line shall be provided to a minimum of twenty-five (25) percent of the perimeter of a nonresidential structure.
- e. Fill shall consist of soil or rock material only. Sanitary landfills shall not be permitted; no trash or woody debris shall be buried on site.
- f. Fill material shall be compacted to provide the necessary stability and resistance to erosion, scouring or settling. Fill compaction standards shall be appropriate to proposed post fill use, particular attention is necessary when fill is being used to elevate a structure.
- g. Fill slopes shall be no steeper than one (1) vertical on two (2) horizontal, unless substantiating data justifying steeper slopes are submitted to and approved by the Floodplain Administrator.
- h. Fill site and fill shall be protected from erosion.
 - i. Fill slopes exposed to flood waters with expected velocities during the occurrence of the base flood of five feet per second or less will be protected from erosion by covering them with grass, vines, weeds, or similar vegetative undergrowth.
 - ii. Fill slopes exposed to flood waters with expected velocities during the occurrence of the base flood of greater than five feet per second will be protected from erosion by armoring them with stone or rock slope protection.
- i. All applicants placing fill in a special flood hazard area shall obtain a Conditional Letter of Map Revision (CLOMR) from FEMA when directed to do so by the Floodplain Administrator before a permit can be issued. After fill is finished the applicant shall convert the CLOMR to a Letter of Map Revision based on Fill (LOMR-F) before a certificate of occupancy can be issued.
- j. The applicant shall submit any maps, computations or other material required by the Federal Emergency Management Agency (FEMA) to revise the Flood Insurance Study and/or Flood Insurance Rate Maps, when notified by the Floodplain Administrator, and shall pay any fees or other costs assessed by FEMA for this purpose.

F. Placement of Structures and other development

- 1. All structures and other development shall be constructed or placed on the lot so as to offer the minimum obstruction to the flow of water and shall be designed to have a minimum obstruction effect upon the flow and height of floodwater.

- i. Whenever possible, structures and other development shall be constructed with the longitudinal axis parallel to the direction of flood flow and,
- ii. So far as practicable, structures and other development shall be placed approximately on the same flood-flow lines as those of adjoining structures or development.

G. Anchoring

1. All structures and other development including stream crossings shall be firmly anchored in accordance with accepted engineering practices to prevent flotation, collapse, and lateral movement, thus reducing the threat to life and property and decreasing the possibility of the blockage of bridge openings and other restricted sections of the watercourse.
2. All air ducts, large pipes, swimming pools and storage tanks located at or below the Base Flood Elevation shall be firmly anchored to resist flotation.

H. Flood Protection Setback

A Flood Protection Setback equal to twice the width of the watercourse channel measuring from the top of one bank to the top of the opposite bank or 50 feet, whichever is less, shall be maintained from the top of the banks of all watercourses. To reduce erosion, natural vegetation shall be maintained in this area. Where natural vegetation does not exist along the watercourse and conditions for replanting are suitable, high priority shall be given to planting vegetation in the setback area to stabilize banks, enhance flood protection and benefit aquatic resources.

1. Necessary public works and temporary construction may be exempted from this subsection.
2. The Floodplain Administrator may consider an appeal to the Flood Protection Setback requirement if the applicant demonstrates that it is impossible to allow any development without encroachment into the Flood Protection Setback area. The appeal conditions shall be the minimum necessary and shall be made only after due consideration is given to varying other siting standards, such as side, front and back lot line setbacks.

I. Storage

1. No materials that are buoyant, flammable, explosive, or in times of flooding could be injurious to human, animal or plant life, shall be stored below Base Flood Elevation.

2. Storage of other material or equipment may be allowed if not subject to major damage by floods and firmly anchored to prevent flotation or readily removable from the area within the time available after flood warning.
3. Due to the potential of masking the natural elevation and making it more difficult to enforce this ordinance, material that resembles “fill” material shall not be considered “storage” material for purposes of this subsection.

J. Utility and Facility Requirements

1. All new or replacement water systems whether public or private, shall be designed to minimize or eliminate infiltration of floodwaters into the systems.
2. All new or replacement sanitary disposal systems, whether public or private, shall be designed to minimize or eliminate infiltration of floodwaters into the systems and discharges from the systems into floodwaters.
3. All other new or replacement public and/or private utilities and facilities shall be located and constructed to minimize or eliminate flood damage.
4. Onsite waste disposal systems shall be located to avoid impairment to them or contamination from them during flooding.

K. Drainage

1. Adequate drainage shall be provided to reduce exposure to flood hazard.
2. Adequate drainage paths are required around structures on slopes within zones AH and AO to guide floodwaters around and away from proposed structures.

L. Backflow Preventers

Back flow prevention valves should be used for all enclosed structures with sewage or drainage facilities located in the special flood hazard area.

Section 1349G ADMINISTRATION

1349G.01 Designation of Floodplain Administrator:

The FLOODPLAIN COORDINATOR is hereby appointed as Floodplain Administrator and is vested with the responsibility, authority and means to implement the commitments made in our agreement with the Federal Government to administer and implement this local law by granting or denying floodplain development permits in accordance with its provisions. The Floodplain Administrator shall also be responsible for submitting all required reports to FEMA concerning CITY OF HUNTINGTON’s participation in the National Flood Insurance Program.

1349G.02 Development Permits and Site Plan Approvals Required

It shall be unlawful for any contractor, person, partnership, business, or corporation to undertake or cause to be undertaken, any development or the new construction, substantial improvement, repair of substantial damage, the placement or relocation of any structure (including manufactured homes) within CITY OF HUNTINGTON, unless a permit application and standard site plan has been completed, and a permit has been obtained from the Floodplain Administrator. In addition, where land that is either partially or fully in the special flood hazard area is to be subdivided, utilized for a manufactured home park or subdivision or otherwise developed, a detailed site plan shall be submitted to, and approved by, the Floodplain Administrator prior to any development.

1349G.03 Approval of Permits and Plans

- A. The Floodplain Administrator shall review, or shall cause to be reviewed; all permit applications and plans in order to determine whether proposed building sites are reasonably safe from flooding.
- B. All permits and plans shall be approved only after it has been determined that the proposed work to be undertaken will be in conformance with the requirements of the state and all other applicable codes and ordinances.
- C. The Floodplain Administrator shall not issue a permit to any person who does not possess a valid contractor's license when a contractor's license is required by West Virginia State Code §21-11-10.
- D. The Floodplain Administrator, before issuance of the permit, shall require the applicant to furnish satisfactory proof that such person is duly licensed as a contractor under the provisions of West Virginia State Code. If the applicant is not licensed a written affidavit that such person is not subject to licensure as a contractor or subcontractor as defined in §21-11-3 shall be provided to the Floodplain Administrator and placed in the permit file.
- E. The Floodplain Administrator shall require copies of all necessary permits from those governmental agencies from which Federal or State Law requires approval.
- F. The Floodplain Administrator shall provide a copy of all permits to the County Assessor as required by West Virginia State Code 11-3-3A.
- G. The Floodplain Administrator shall provide a copy of all permits for new structures to the County E-911 addressing coordinator.
- H. The County E-911 addressing coordinator shall provide a copy of all requests for addresses for new structures to the County Floodplain Administrator.
- I. CITY OF HUNTINGTON shall provide sufficient space to allow the Floodplain Administrator to keep on file in perpetuity, in a location safe from natural hazards, all information collected during the course of the administration of this ordinance.

1349G.04 Application Procedures

Application for a permit and/or site plan approvals shall be made, in writing, on the forms supplied by CITY OF HUNTINGTON, and shall include all information stipulated under Section 1349E of this ordinance.

1349G.05 Changes

After the issuance of a permit or site plan approval by the Floodplain Administrator, no changes of any kind shall be made to the application, permit, or any of the plans, specification or other documents submitted with the application without the written consent or approval of the Floodplain Administrator.

1349G.06 Permit Placards

The Floodplain Administrator shall issue a permit placard, which shall be prominently displayed on the premises during the time construction is in progress. This placard shall show the number of the permit, the date of its issuance and be signed by the Floodplain Administrator.

1349G.07 Start of Construction

Work on the proposed development shall begin within 180 days after the date of issuance of the permit or the permit shall expire unless a time extension is granted, in writing, by the Floodplain Administrator. All work on the proposed development shall be completed within 18 months of permit issuance, at which time the permit shall expire, unless a time extension is granted in writing by the Floodplain Administrator. The request for a time extension shall be in writing and shall state the reasons for the extension. When considering an extension, the Floodplain Administrator shall consider the following criteria:

- A. Has the developer diligently pursued the completion of the proposed development during the 18 months?
- B. Will the granting of the extension be detrimental to public safety, health, or welfare or injurious to other property?

1349G.08 Inspections, Stop-Work Orders, Violation Notice and Revocations

A. Inspections

1. Upon learning of a potential violation of this ordinance, the Floodplain Administrator or staff shall investigate to determine whether a violation has occurred.
2. During the construction period, the Floodplain Administrator or other authorized official may inspect the premises to determine that the work is progressing in compliance with the information provided on the permit application and with all applicable laws and ordinances.

3. The Floodplain Administrator or other authorized official may inspect any development covered by this or previous ordinance to determine whether any portion of the development has been altered to be in non-compliance with the requirements of this ordinance.
- B. Stop-Work Orders
1. The Floodplain Administrator shall immediately issue, or cause to be issued, a “Stop-Work Order” for any development found ongoing without having obtained a floodplain determination or a permit. Disregard of a stop work order shall subject the violator to the penalties described in 1349H.03 of this local law.
- C. Violation Notice and Revocations
- A. When it appears after investigation that a permitted development is non-compliant with the provisions of this law and/or the conditions of the permit, the Floodplain Administrator shall notify the violator by means of written violation notice. The violation notice shall specify the nature of the violation and request that the violation be corrected within fifteen (15) days from the date appearing on the notice. Failure to correct the violation within this time period shall be cause for revocation of the permit and the governing body, or authorized employee or agent to:
 1. Seek an injunction in the Circuit Court of Cabell or Wayne County to restrain the violator from continuing the violation, including but not limited to requests for the removal of structures or land uses from the property involved; and
 2. Seek a misdemeanor conviction in magistrate court or circuit court.

1349G.09 Certificate of Occupancy

- A. In areas of flood hazard it shall be unlawful to occupy, or to permit the use or occupancy, of any building or premises, or both, or part thereof hereafter created, erected, installed, changed, converted or wholly or partly altered or enlarged in its use or structure until a certificate of occupancy has been issued by the Floodplain Administrator stating that the building or land conforms to the requirements of this local law. Occupying or using a building or premises in violation of this section shall subject the violator to the penalties described in 1349H.03 of this local law.
- B. In areas of flood hazard it shall be unlawful to inspect and approve a permanent utility connection to any building or premises, or both, or part thereof hereafter created, erected, installed or rebuilt until the inspector is in possession of a copy of the certificate of occupancy issued by the Local Floodplain Administrator stating that the particular development being inspected conforms to the requirements of this local law. Inspection and approval of utilities in violation of this section shall subject the violator to the penalties described in 1349H.03 of this local law.

- C. In areas of flood hazard it shall be unlawful to install a permanent utility connection to any building or premises, or both, or part thereof hereafter created, erected, installed or rebuilt until a certificate of occupancy has been issued by the Local Floodplain Administrator stating that the development conforms to the requirements of this local law. Installation of utilities in violation of this section shall subject the violator to the penalties described in 1349H.03 of this local law.
- D. A certificate of occupancy shall be issued by the Local Administrator upon satisfactory completion of all development in areas of special flood hazard.
- E. Issuance of the certificate shall be based upon the inspections conducted as prescribed in this ordinance or local administrative procedures, and any finished construction elevation certificate, hydraulic data, flood proofing certificate, or encroachment analyses which may have been required as a condition of permit approval.

1349G.10 Fees

Application for building permit shall be accompanied by a fee, payable to the City of Huntington, based upon the estimated cost of the proposed construction as determined by the fee schedule as established by the City of Huntington Division of Inspection and Compliance.

Section 1349H APPEALS, VARIANCES, AND PENALTIES

1349H.01 Appeals

1. Whenever any person is aggrieved by a decision of the Floodplain Administrator with respect to the provision of this ordinance, it is the right of that person to appeal to the Board of Zoning Appeals of CITY OF HUNTINGTON which shall be known as the Appeals Board. Such appeal shall be filed with the Appeals Board of CITY OF HUNTINGTON, in writing, within thirty (30) days after notification of the decision. Upon receipt of such appeal, the Appeals Board shall set a time and place not less than (ten (10) nor more than (sixty (60) days for the purpose of hearing the appeal. Notice of the time and place of the hearing shall be given to all parties at which time they may appear and be heard. The determination by the Appeals Board shall be final in all cases.

1349H.02 Appeal Review Criteria

- A. All appeals contesting only the permit fee, the cumulative substantial damage requirement, the flood protection setback requirement, or the freeboard requirements, may be handled at the discretion of the Appeals Board.
- B. All decisions on appeals to all other provisions of this ordinance shall adhere to the following criteria:
 - 1. Affirmative decisions shall only be issued by the Appeals Board upon (i) a showing of good and sufficient cause, (ii) a determination that failure to grant the

appeal would result in exceptional hardship to the applicant, and (iii) a determination that the granting of an appeal will not result in increased flood heights, additional threats to public safety, extraordinary public expense, create nuisances, cause fraud on or victimization of the public or conflict with existing locals laws or ordinance.

2. An affirmative decision shall be issued only upon determination that it is the minimum necessary, considering the flood hazard, to afford relief. Financial hardship, as a sole criterion, shall not be considered sufficient justification to grant an appeal.
3. An affirmative decision shall be issued for the repair or rehabilitation of historic structures upon a determination that the proposed repair or rehabilitation will not preclude the structure's continued designation as a historic structure and the variance is the minimum necessary to preserve the historic character and design of the structure.
4. The Appeals Board shall notify the applicant in writing over the signature of a CITY OF HUNTINGTON official that (i) the issuance of a decision to allow construction of a structure below the Base Flood Elevation will result in increased premium rates for flood insurance, (ii) such construction below the Base Flood Elevation increases risk to life and property. Such notifications shall be maintained with a record of all decisions as required in paragraph (4) of this section; and
5. The Appeals Board shall (i) maintain a record of all decisions including justification for their issuance, and (ii) report such decisions issued in its biannual report to the Federal Emergency Management Agency (FEMA)..
6. An affirmative decision shall not be granted for any construction, development, use or activity within any floodway area that would cause any increase in the Base Flood Elevation.

1349H.03 Variances

- A. If compliance with any of the requirements of this Ordinance would result in an exceptional hardship to a prospective builder, developer or landowner, the City of Huntington may, upon request, grant relief from the strict application of the requirements.
- B. Considerations for the issuance of Variances to this Ordinance shall adhere to the following criteria:
 1. A decision granting or denying the variance request shall only be issued by the Board of Zoning Appeals upon (i) a showing of good and sufficient cause, (ii) a determination that failure to grant the permit would result in exceptional hardship to the applicant, and (iii) a determination that granting the permit will not result in increased flood heights, additional threats to public safety, extraordinary public expense, create nuisances, cause fraud on or victimization of the public or conflict with existing laws, regulations or ordinances.

2. An affirmative decision granting a variance shall be issued only upon determination that it is the minimum necessary, considering the Special Flood Hazard Area, to afford relief. Financial hardship, used as sole criteria, shall not be considered sufficient justification to grant a variance.
3. An affirmative decision granting a Floodplain variance shall be issued for the repair or rehabilitation of historic structures upon a determination that the proposed repair or rehabilitation will not preclude the structure's continued designation as a historic structure and the variance is the minimum necessary to preserve the historic character and design of the structure.
4. The Board of Zoning Appeals shall notify the applicant in writing and signed by a majority of the Board of Zoning Appeals that (i) the issuance of a decision to allow construction of a structure below the Base Flood Elevation will result in increased premium rates for flood insurance, and (ii) such construction below the Base Flood Elevation increases risk to life and property. Such notification shall be maintained with a record of all decisions as required in this Ordinance; and
5. The Board of Zoning Appeals shall (i) maintain a record of all decisions including justification for the decisions, and (ii) report such decisions issued in its biannual report to the Federal Emergency Management Agency.
6. An affirmative decision shall not be granted for issuance of a Floodplain variance for any construction, development use or activity within any Floodway Area that would cause any increase in the Base Flood Elevation.

1349H.04 Penalties

Any person who fails to comply with any or all of the requirements or provisions of this ordinance or direction of the Floodplain Administrator, or any other authorized employee of CITY OF HUNTINGTON, shall be unlawful and shall be referred to the prosecuting attorney who shall expeditiously prosecute all such violators. A violator shall, upon conviction, pay a fine to CITY OF HUNTINGTON of not less than fifty dollars or more than five hundred dollars plus cost of prosecution. In default of such payment such person shall be imprisoned for a period not to exceed 10 days. Each day during which any violation of this ordinance continues shall constitute a separate offense. In addition to the above penalties, all other actions are hereby reserved including an action in equity for the proper enforcement of this ordinance. The imposition of a fine or penalty for any violation of, or non-occupancy with, this ordinance shall not excuse the violation or non-compliance with the ordinance or permit it to continue; and all such persons shall be required to correct or remedy such violations or non-compliance within a reasonable time. Any structure constructed, reconstructed, enlarged, altered or relocated in non-compliance with this ordinance may be declared by the City Council of the CITY OF HUNTINGTON to be a public nuisance and abatable as such.

Section 1349I GOVERNMENT ACTIONS

1349I.01 – Jurisdictional Boundary changes

- A. The County floodplain ordinance in effect on the date of annexation shall remain in effect and shall be enforced by the municipality for all annexed areas until the municipality adopts and enforces an ordinance which meets or exceeds the requirements for participation in the National Flood Insurance Program.
- B. Municipalities with existing floodplain ordinances shall pass a resolution acknowledging and accepting responsibility for enforcing floodplain ordinance standards prior to annexation of any area containing identified flood hazards.
- C. All plats or maps of annexation shall show the special flood hazard area boundaries, Base Flood Elevation and location of floodway where determined.
- D. In accordance with the Code of Federal Regulations, Title 44 Subpart (B) 1349 59.22 (a) (9) (v) all NFIP participating communities will notify the Federal Emergency Management Agency (FEMA) and the State Coordinating Office in writing whenever the boundaries of CITY OF HUNTINGTON have been modified by annexation CITY OF HUNTINGTON has otherwise assumed or no longer has authority to adopt and enforce flood plain management regulations for a particular area. In order that all Flood Insurance Rate Maps accurately represent CITY OF HUNTINGTON's boundaries, a copy of a map of CITY OF HUNTINGTON suitable for reproduction, clearly delineating the new corporate limits or new area for which CITY OF HUNTINGTON has assumed or relinquished flood plain management regulatory authority shall be included with the notification.

1349I.02 – Permits for Government Entities.

Unless specifically exempted by law, all public utilities and Municipal, County, State and Federal entities are required to comply with this ordinance and obtain all necessary permits. Any entity claiming to be exempt from the requirements of this ordinance shall provide a written statement setting forth the rationale for exemption. In addition the entity claiming exemption shall provide copies of all relevant legal documentation demonstrating the exemption.

Section 1349J SEVERABILITY AND MUNICIPAL LIABILITY

1349J.01 Severability

If any section, subsection, paragraph, sentence, clause, or phrase of this ordinance shall be declared invalid for any reason whatever, such decision shall not affect the remaining portions of this ordinance which shall remain in full force and effect and for this purpose the provisions of this ordinance are hereby declared to be severable.

1349J.02 Liability

The granting of a permit or approval of a subdivision or development plan in an identified flood-prone area, shall not constitute a representation, guarantee, or warranty of any kind by CITY OF HUNTINGTON, or by any official or employee thereof of the practicability or safety of the proposed use, and shall create no liability upon CITY OF HUNTINGTON.

(ADOPTED: 2/10/2014, revised 04/13/2015)

**ARTICLE 1351
PLAN REVIEW**

ARTICLE 1351 - PLAN REVIEW

Section 1351.01 General

Before a building permit is issued for any new use, a change of use or new occupancy of a non-conforming use, other than single-family or a two-family detached structure, or before approval is given for parking areas, or for off-street loading and unloading facilities, or for essential services, a site plan and other required drawings shall be submitted to the Planner for review and approval.

Section 1351.02 Information Required

- A. Site Plans shall include the following information, where appropriate, at a convenient scale.
1. Title and location of the property.
 2. Name and address of landowner and applicant. If a corporation is landowner or applicant, the principal office and name of president and secretary shall be included.
 3. Name, address and professional license number and seal of the professional preparing documents and drawings.
 4. Place for signature of the Director of Planning, Code Official, or Director of Public Work.
 5. Date of plan and any modifications thereto.
 6. North arrow, scale, graphic scale, date and notes and dated revisions.
 7. The zoning district in which the parcel is located together with the district boundaries including within the boundaries of the parcel or within two hundred (200) feet therefrom. All setback lines, landscape strips, landscape buffers, building heights, and other bulk requirements shall be shown and dimensioned. Any deviation from requirements of the Zoning Ordinance shall be specifically shown.
 8. Reference to any existing or proposed deed restrictions or exceptions concerning all or any portion of the parcel. A copy of such covenants, deed restrictions or exceptions shall be submitted with the application.
 9. The location of all existing water courses, ponding basins, slopes in excess of 15 percent, wooded areas, easements, rights-of-way, streets, roads, highways, freeways, railroads, canals, rivers, buildings, structures or any other feature directly on the property or beyond the property if such feature has an effect upon use of said property.
 10. The location, use and ground area of each existing or proposed building, structure or any other land use.
 11. The location and widths of proposed streets servicing the site.
 12. The location of existing and proposed grades.
 13. The location and capacity of existing and proposed off-street parking areas and loading and unloading facilities.
 14. Existing and proposed storm and sanitary drainage facilities.
 15. The location and treatment of existing and proposed entrances and exits to public rights-of-way, including the possible utilization of traffic signals, channelization, acceleration and deceleration lanes, additional width, and other device necessary to control traffic safety and convenience.
 16. The location of and identification of existing and proposed open spaces, parks or other recreation areas affected by the site plan.
 17. Proposals for soil erosion and sedimentation control, if appropriate.

18. The location and design of landscaping, buffer areas and screening devices including a planting plan and schedule of plant materials.
 19. The location of sidewalks, walkways and other areas proposed to be devoted to pedestrian use.
 20. General nature and location of public and private utilities, including maintenance and solid waste disposal facilities.
 21. Specific location and design of signs including the size, nature of construction, height, and orientation, including all identification signs, traffic and directional signs, and arrow, freestanding and facade signs and time controls for sign lighting and lighting fixtures.
 22. The quantitative aspects of the proposal such as improvement coverage, number of units, square feet of construction, value of construction, density, coverage, number of employees, number of residents and area of land, etc. Specifically identified on the site plan, in tabular form, shall be pertinent zoning data indicating the bulk/area requirements of the zone in which the proposed development is located and how the proposed development responds to the zoning requirements.
 23. The location and size of all proposed easements, rights-of-way, public areas to be dedicated to the public or to be restricted or defined by deed or any other arrangement.
 24. A drainage study shall be prepared which will evaluate the affect of the proposed development of existing drainage system downstream of the development.
- B. Preliminary plans for the proposed buildings or structures, indicating typical floor plans, proposed use, elevations, height and general design or architectural styling.
- C. Any other information required by the Planner which is reasonably necessary to ascertain compliance with the provisions of this Ordinance.

Section 1351.03 Planner Review

In reviewing the Site Plan the Planner shall consider its conformity to the Comprehensive Plan and the other codes and ordinances applicable to it. Traffic flow, circulation and parking shall be reviewed to ensure the safety of the public and of the other users of the facility and to ensure that there is no unreasonable interference with traffic on surrounding streets. The impact on drainage shall be considered to ensure against flooding. Conservation features, aesthetics, landscaping and impact on surrounding development as well as on the entire City shall be part of the Planner review.

Section 1351.04 Construction Drawings Binding

The Site Plan, Lighting Plan, Building Elevation drawings, and any other required construction drawings as approved by the City shall be binding upon the applicant. Any changes from the approved plan shall require resubmission and re-approval by the City. All construction drawings shall remain effective for a period of two (2) years from the date of approval. In the event a particular facility is to be constructed in stages, a site plan and other required construction drawings for each particular stage shall be required for the issuance of each building permit.

Section 1351.05 Performance Guarantee

The Planner may require that improvements and landscaping be secured by a performance guarantee in the same manner prescribed for such improvements in the Subdivision Ordinance.

Section 1351.06 Code Official/Planning Staff Coordination

- A. Planner Recommendations. The Code Official shall not issue a building permit under this Article until receipt of the written recommendations or the Planner or until thirty (30) days or agreed upon extensions thereof has elapsed.
- B. Demolition Permit. No demolition permit will be issued by the Building Inspector until written approval of same is made by the Planner if it affects Site Plan approval.
- C. Waiver. The Building Inspector may waive the requirement for Site Plan Review if the nature or extent of construction or alteration is considered part of normal repair, maintenance, or replacement.
- D. Temporary Certificate of Occupancy. The Building Inspector may grant a temporary certificate of occupancy for a specified period of time not exceeding six (6) months.

In its review, the Planner may secure recommendations from the Citizens Advisory Committee, Director of Public Works or any other local, county, state or Federal agency which may have an interest in the particular development for which Site Plan approval is being sought, which recommendations shall be received by the Planning Commission within ten (10) days after the request therefor.

In the event, a determination cannot be made with respect to required data or information at the time of submittal of a Site Plan, the Planner may make compliance with the particular requirement a condition of approval for a Certificate of Occupancy and not require it prior to the issuance of a building permit.

The written recommendations of the Planner regarding the Site Plan shall be forwarded to the Building Inspector and the applicant not more than fifteen (15) days from the time the Site Plan is submitted for Planner review unless extended by mutual agreement between the Planner and the applicant. If the Planner takes no action within thirty (30) days, the Site Plan shall be deemed to have been approved as submitted. The thirty (30) days shall be deemed to have begun when all required data and exhibits are submitted.

The Planner may impose reasonable conditions binding on the applicant in approving any site plan.

Section 1351.07 Planning Commission Review

Where a Site Plan is of an unusual nature that requires a reevaluation of policies implied in this Article, the Planner may request a review and judgment by the Planning Commission. In the event that the applicant disagrees with a decision made by the Staff, the applicant may appeal such decision to the Planning Commission.

ARTICLE 1353
HUNTINGTON HISTORIC
PRESERVATION
COMMISSION

ARTICLE 1353 - HUNTINGTON HISTORIC PRESERVATION COMMISSION

Section 1353.01 Establishment

For the purpose of carrying out the provisions of this Article, there is hereby established the Historic Preservation Commission of the City of Huntington.

Section 1353.02 Definitions

For the purposes of this Article:

- A. The term "Commission" shall refer to the Historic Preservation Commission of the City of Huntington.
- B. The term "site" shall refer to any land, with or without any structure thereon, where some event or events of historic significance occurred or which is otherwise of historical value.
- C. The term "structure" shall refer to any man-made appurtenance, public or private, including but not limited to buildings, whether residential, commercial, governmental or otherwise; landmarks; monuments; memorials; fences; boundary walls; signs; light fixtures; steps and stairways; sidewalks and other paving; and any other fixtures of any kind.

Section 1353.03 Commission Membership

- A. The Commission shall be composed of five (5) members appointed by the Mayor. Of the initial appointees, two (2) shall serve until the first day of July in the second calendar year subsequent to the year in which this ordinance is adopted, and three (3) shall serve until the first day of July in the fourth calendar year subsequent to the year in which this ordinance is adopted. Each appointee thereafter shall serve a term of four (4) years. The Commission shall notify the Mayor of any vacancy in its membership and such vacancy shall be filled in the same manner as the original appointment for the balance of the unexpired term. In the event any appointed member absents himself from fifty percent (50%) of the commission's meetings in any twelve (12) month period, such member shall be disqualified and the Commission shall declare a vacancy which shall be filled as provided hereinabove. At its first meeting and at the first meeting after July 1 of each year thereafter, the Commission shall select one of its members to serve as Chairman and one to serve as Secretary.
- B. The members should have a demonstrated interest, background, or experience in historic preservation or historically related disciplines; e.g. history, architecture, renovation or rehabilitation projects, real estate, etc.
- C. All members shall be residents of the City.
- D. The members of the Commission shall not receive any salary for their service, but shall be reimbursed for all reasonable and necessary expenses actually incurred in the performance of their duties having the prior approval of the Mayor.
- E. The vote of each member of the Commission shall be counted equally in all matters that come before it, provided, however, that no member shall vote upon any matter involving any property in which he or a member his immediate family has an ownership interest.

Section 1353.04 Meetings

The Commission shall meet at least quarterly and may meet more often at the call of the Chairman or the majority of the Commission as the business of the Commission may require with due notice to each member given by the Secretary. All meetings shall be public. A majority of the members shall

constitute a quorum. The Secretary shall file for public record with the City Clerk minutes of all its meetings within sixty (60) days of the date such meeting held.

Section 1353.05 Powers and Authority

In addition, to any other powers and authority conferred by these codified ordinances or general law, the Commission shall have plenary power and authority within the jurisdictional limits of the City of Huntington and within the limits of available funds to perform the following functions:

- A. Make a survey of the structures and sites within the City of Huntington which constitute the principal historical and architectural locations of local, regional, statewide or national significance. No structure or site shall be deemed to be an historic one unless it has been prominently identified with, or best represents, some major aspect of, or ideals related to, the history of the City of Huntington, Cabell and Wayne Counties, the State of West Virginia, or the United States of America. Structures so designated may embody the principal or unique features of an architectural type or demonstrate the style of a period of history or method of construction, or serve as an illustration of the work of a master builder, designer, or architect whose genius influenced the period in which he worked or has significance in current times.
- B. Prepare a register of structures and sites which meet the requirements of subsection (A) of this section setting forth appropriate information concerning such structures and sites, and to certify them as historical landmarks.
- C. Inspect such registered or certified properties and sites from time to time and to designate or mark them with appropriately designed signs or markers, provided prior consent of the owner or owners has been obtained.
- D. Establish standards for the care and management of certified landmarks and withdraw such certification for failure to maintain the standards so prescribed.
- E. Acquire by purchase, gift, or lease and administer registered landmarks and easements or interests therein, both real and personal.
- F. Lease or sell property so acquired under terms and conditions designed to ensure the proper preservation of the landmark involved.
- G. Aid and encourage Council and the City administration in the adoption of ordinances and rules and regulations for the preservation of properties of historical or architectural value.
- H. Prepare and place historical markers on or along the highway or street near the historical landmark, area, or district, which is intended to be identified by such markers.
- I. Seek the advice and assistance of individuals, groups and department or agencies of government which are conducting historical preservation programs and coordinate with the same insofar as possible.
- J. Seek and accept gifts, bequests, endowments and funds from any and all sources for the accomplishment of the purposes and duties of the Commission.
- K. Adopt rules and regulations concerning the operation of the Commission and such other matters as may be necessary to carry out the purpose of this ordinance, provided, however, that such rules or regulations shall not be inconsistent with any City ordinances.

Section 1353.06 Creation of Historic Preservation Districts

- A. The Commission may from time to time recommend that an area of the City containing at least one-half (1/2) of a city block or the equivalent thereof (being approximately 86,000 square feet in the City of Huntington) and containing at least one (1) structure or site meeting the requirements of subsection (a) of 2105 of this Article be designated as an Historic Preservation District. It shall not be necessary that all properties or structures within such area be historically significant.
- B. The recommendation of the Commission shall be made first to the Planning Commission in the form of an application for an appropriate amendment to the Zoning Ordinance designating such area "H-1 Historic Preservation District," which application shall be in writing, shall clearly define the boundaries of the proposed district, and shall provide detailed information as to the historical significance of the structures and sites therein. The Planning Commission shall then hold such public hearings upon such proposed amendment as may be required by law and shall submit a report to the Mayor together with the original application of the Commission. The Mayor shall review said report and application and, if found to be in order, shall submit the same together with an ordinance giving effect to the recommendation of the Commission to Council for action thereon. Council may, if it deems necessary, remand the application to the Commission for further information or study.
- C. The properties, structures, and uses within the boundaries of any Historic Preservation District designated according to this section shall be subject to the review requirements of this Article as well as the requirements imposed by the Zoning Ordinance.
- D. Upon the approval of Council of an ordinance designating an area of the City as an Historic Preservation District, the commission shall inform the assessor of the county in which such area lies, and said assessor shall, pursuant to Chapter 8, Article 26A, Section 5 of the West Virginia Code, consider such designation in assessing the properties contained therein.

Section 1353.07 Review of Proposed Alterations

- A. Prior to the alteration, movement, demolition, repair, or other change in the exterior of any structure located within an area which has been designated an Historic Preservation District or the construction of any new structure on property located within such a district, the owner thereof shall submit an application to the Commission for a Certificate of Appropriateness on forms to be adopted by the Commission and shall include at a minimum the following information.
 - 1. Detailed plans, depicting the exact work to be performed, including detailed renderings of the exterior of any proposed new structure or any exterior alterations to the existing structures. A delineation of the relationship of the renderings of the proposal in relation to adjacent structures on surrounding lands may be required.
 - 2. A statement of the relationship of the proposed work to the standards for approval of Certificates of Appropriateness as set forth below.
 - 3. Such other information as may be required from time to time by the appropriate municipal reviewing agency or official.

No structure exposed to public view within an Historic Preservation District shall be constructed, altered, moved, demolished, repaired, or otherwise changed without a Certificate of Appropriateness having been issued by the Commission.

- B. The Historic Preservation Commission shall review and designate the application as a minor or major application based upon the following criteria.

1. Major Application shall be any application for a "Certificate of Appropriateness" which involves demolition or removal of a structure or any part thereof; the addition to any structure located within the Historic Preservation District, or on any historic property (including structure and archeological resource); or the new construction of buildings within the Historic District.
 2. Minor Application shall mean an application for "Certificate of Appropriateness" which is considered maintenance and upkeep, such as painting, replacing, repair to a structure located within the Historic Preservation District, or on any historic property (including structure and archeological resource) and does not involve any activity set forth in paragraph (1) above.
 3. Waiver. A letter of waiver from Minor Application procedure for a "Certificate of Appropriateness" is available for the applicant who complies with accepted standards, colors or techniques to be used with respect to the maintenance and upkeep, painting, replacing, or repairing of an applicable structure. Said standards, colors and techniques shall be on file with the Secretary of the Commission. A letter defining the requested waiver which indicates the property in question and the particular maintenance, upkeep painting, replacing or repairing sought to be done, shall be available without charge from the office of the Chairman or Secretary of the Commission. Such letter shall have an indefinite duration, thus eliminating the need for successive exemption letters for the same type of maintenance, upkeep, painting, replacing or repairing.
- C. All construction, alterations, movements, demolition, repairs, or other changes carried out on structures located within an Historic Preservation District shall be compatible, harmonious, and consistent with the style, scale, and character of the original structure. New structures need not be in any particular historical style, provided that the scale and design of the new structure and the materials used are harmonious with the overall character of the district. Standards for design are provided in Article 1339 of this Zoning Ordinance.
- D. The Commission shall review such application, plans, and designs, giving consideration to the following:
1. With respect to applications for demolition, the Commission shall first consider whether preservation of the resource in place is feasible or, failing that option, whether preservation of the resource at another location is feasible.
 2. With respect to applications for relocation, the Commission shall first consider whether the preservation of the resource in place is possible.
 3. With respect to applications for Certificates of Appropriateness relating to changes in exterior appearance, new constructions, or signage or exterior lighting the Commission shall consider the visual compatibility of the proposed changes to the subject structure and the other structures and surroundings to which it would be visually related; the extent to which the proposed changes would affect adversely the public's view of a historic structure from a public street; and the impact of the proposed changes upon the ambience of the historic district.
 4. In assessing visual compatibility, the Commission should consider such factors as height, proportion of the building's front facade, proportion of window and door openings, relationship of entrance and porch projections to the street, roof shapes, scale of buildings, directional expressions of the front elevation, and the relationship of materials, texture and color of facade and roof of the subject building to that of others to which it is visually related.

5. The in passing appropriateness of exterior architectural features, in any case, shall keep in mind the purposes set forth in this Article and shall consider, among other things, the general design arrangements and material of the building or structure in question and the relationship of such factors to similar features of historic structures in the immediate surroundings and the position of such structures in relationship to the street or public way and each other.
 6. The Commission shall not make any requirements except for the purpose of preventing developments obviously incongruous to the historic aspects of the surroundings.
 7. The Commission shall be tolerant in its judgment of plans for new construction or for alterations, repair or demolition which would seriously impair the historic value and character of surrounding structures or the surrounding area.
 8. The Commission shall provide encouragement that any alterations or repairs to structures in a Historic District be made in the spirit of their architectural style and that any additions will be made in such manner as not to detract from a building's original appearance.
 9. It is the intent of this section that the Commission be strict in its judgment of plans for alterations, repairs or demolition of existing structures deemed valuable according to studies approved by the City. Small additions and construction to existing properties in Huntington's Historic District, such as decks, porches, garages and the like, which are not visible from the street and have minimal or no impact on the historic character of the area, may be reviewed and approved by the Planner upon notice to the Commission and to the full Planning Commission of such action. The Commission shall pass only on exterior features of a structure and shall not consider the interior arrangement. If after reviewing the application and plans the Commission is satisfied that the proposed construction, alteration, repair, or other change will not materially impair the historical or architectural value or significance of the structure or site in question or of the surrounding area, it shall issue a Certificate of Appropriateness to the applicant and shall notify the Building Inspector and the Zoning Officer of its action.
- E. If the Commission disapproves of the application, it shall notify the applicant in writing of its reasons, and the Commission may work with the applicant for the purpose of amending his proposed plans and designs to comply with the standards set forth in this Article.
 - F. The Building Inspector shall not issue a building permit and the Zoning Officer shall not issue any zoning permit for any construction, alterations, repairs, or other changes to any structure or site located within an Historic Preservation District without a Certificate of Appropriateness from the Commission. Such building permit and zoning permit shall restrict any construction, alterations, demolition, repairs, or other changes to that which is covered by the Certificate of Appropriateness. The Building Inspector shall from time to time inspect the work approved by the Certificate of Appropriateness and shall take such action as may be necessary to ensure compliance therewith.
 - G. Failure of the Commission to act within forty-five (45) days from the date an application is submitted shall constitute approval, and the Building Inspector and Zoning officer shall proceed as if a Certificate of Appropriateness has been issued.

Section 1353.08 Variances

Where by reason of unusual circumstances applicable solely to the particular applicant, strict enforcement of this Article would result in serious undue hardship, the Commission shall have the

power to vary or modify the application of this Article with respect to such applicant, provided always that such variances are harmonious with the general purposes of this Article and will not seriously affect neighboring properties or the Historic Preservation District as a whole.

Section 1353.09 Exceptions

Nothing in this Article shall be construed to prevent ordinary maintenance or repairs which do not involve a change of design, materials, or the outward appearance of a building or structure in an Historic Preservation District, nor to prevent the construction, alteration, or demolition of any feature required by the public safety. The requirements of this Article do not apply to work begun or for which a permit was issued prior to the establishment of the Historic Preservation District in which the concerned building or structure is located.

Section 1353.10 Appeals

Any property owner aggrieved by an action or decision of the Commission concerning his application for a Certificate of Appropriateness may appeal the same to the Board of Zoning Appeals.

**Section 1353.11 Restrictions on use of Certified Historical Landmarks Outside
Historical Preservation Districts**

Whenever the Commission certifies property not contained in an Historic Preservation District as being a registered landmark, it may seek and obtain from the concerned property owner or owners an agreement as to such restrictions upon the use of the property as the Commission may find reasonable and necessary to perpetuate and preserve the features which led it to certify such property as an historical landmark. The restrictions contained in such agreements shall run with the land and shall be binding upon the successors, heirs, and assigns of the property owner. All such agreements between the Commission and the property owner shall be in writing, and when duly signed and acknowledged, shall be recorded in the office of the City Clerk of City of Huntington and in the deed books in the Office of the Clerk of the County Commission of Cabell County or the Office of the Clerk of the County Commission of Wayne County, depending upon the location of the property in question, and shall be served upon the assessor of the county in which the concerned property is located. Pursuant to Chapter 8, Article 26A, Section 5 of the West Virginia Code, the assessor shall take such restrictions into consideration when assessing such properties.

Section 1353.12 Interagency and Intergovernmental Cooperation

The Commission shall cooperate and coordinate its activities with the West Virginia Historical Society and the West Virginia Department of Culture and History with the view of developing a unified program for the identification, study, preservation, and protection of all historic buildings, structures and sites in the City of Huntington. The Commission shall coordinate its activities with the Planning Commission of the City of Huntington in all matters affecting the *City of Huntington Comprehensive Plan*.

**ARTICLE 1355
NONCONFORMING USE
SPECIFICATIONS**

ARTICLE 1355 - NONCONFORMING USE SPECIFICATIONS

The lawful use of a building or premises, existing at the time of passage of this ordinance, may be continued although such use does not conform to all the provisions of this Ordinance, subject to the following conditions.

- A. A nonconforming use may be extended throughout a building provided the size of the structure is not increased.
- B. A nonconforming use may be changed to another nonconforming use of the same or greater restrictions provided:
 - 1) The size of the structure is not increased.
 - 2) Where the Nonconforming Use is also a Conditional Use, the ownership of both the property and the business constituting the Special Permit Conditional Use remain unchanged.
 - 3) Where the ownership of the business constituting the Conditional Use, or both, are changed from the owner(s) granted the Conditional Use, the Conditional Use shall become null and void, and a new Conditional Use must be sought in accordance with the provisions of Article 1359 of this Zoning Ordinance.
- C. Whenever a nonconforming use has been changed to a conforming use or to a use permitted in a district of greater restrictions, it shall not thereafter be changed to a nonconforming use of a less restricted district. For the purpose of this Article, The R-1 district shall be considered to have the greatest restrictions, and such restrictions are considered to decrease in the following order of districts R-2, R-4, R-5, C-1, C-2, C-3, and I-1.
- D. No building shall be erected upon any premises devoted to a nonconforming use, except in conformance with the provisions of this ordinance.
- E. The Board may authorize, by written permit, in an R-1, R-2, R-4, or R-5 district for a period of not more than one year from the date of such permit, a temporary building for business or industrial use incidental to the residential construction and development of such district.
- F. Nothing herein contained shall require any change in the plans, construction or designated use of a building for which a building permit or improvement location permit has been heretofore issued, and the construction of which has been diligently prosecuted within ninety (90) days of the date of such permit, and which entire building shall be completed according to such plans as filed within three (3) years from the date of passage of this ordinance.
- G. In the event that a nonconforming use of any building or premises is discontinued for a period of one (1) year, abandonment will be presumed unless the owner of the property can show that the property has not been abandoned, the use of the same shall thereafter conform to the uses permitted in the district in which it is located, provided that abandonment of any agricultural use or manufacturing process shall not be construed as abandonment of agricultural or industrial use.
- H. The continuance of the use of any land, building, or structure for the purpose for which land, building, or structure is used at the time this ordinance takes effect is hereby permitted, but any addition to any existing building for the purpose of carrying on any use prohibited under the zoning regulations applicable to the district is hereby prohibited; provided, however, that such prohibition shall not apply to alterations, additions to, replacement of structures, or to the acquisition or use of land presently owned by any firm or industry but not used for agricultural or industrial purposes or to the use or acquisition of additional land which may be required for the protection, continuing development or expansion of any agricultural, industrial or manufacturing operation or any present or future satellite agricultural, industrial or manufacturing use.

If a nonconforming use has been abandoned, any future use of such land, building or structure shall be in conformity with the provisions of this ordinance regulating the use in the district in which such land, building, or structures may be located; provided, however, that abandonment of any particular agricultural or manufacturing process shall not be construed as abandonment of agricultural or manufacturing use.

- I. These provisions apply in the same manner to a use which may become a nonconforming use as a result of an amendment to this ordinance.
- J. Legal Nonconforming Structures. A Legal Nonconforming Structure is a building that was constructed for commercial or mixed-use purposes prior to the enactment of this zoning ordinance that resides within a residential district. When determining if a structure may qualify as a Legal Nonconforming structure, the Planner must consider:
 - 1. The architectural form and features of the structure that makes it distinctly constructed for commercial or mixed-use. See Figure 1355.A for graphic examples.
 - 2. The structure was not originally constructed to be used for residential purposes only. Such examples would be single family structures, duplexes, townhouses, or multi-family dwelling units.
 - 3. That the parcel meets the Lot size and width requirements of the most restrictive commercial district.
 - 4. The structure is not incidental or an accessory structure to a more principal structure located on the same parcel.



Figure 1355.A: Graphic examples of potential legal nonconforming structures within residential districts. Note in the left image that the structure is a single-story, flat roof building with storefront windows built for only commercial use without any residential units. In the right image, it is an example of a mixed-use structure that is built for commercial use for the first floor with potential for residential units above. Both may be considered legal nonconforming. The houses and accessory structures on residential lots in the background of these images would not be considered legal nonconforming.

- K. Legal Nonconforming Structure Permitted Uses. A Legal Nonconforming Structure may allow for Permitted and Conditionally Permitted Uses from the most restrictive commercial district with the following exceptions:
 - 1. Drive-thru's are prohibited in a Legal Nonconforming Structure.
 - 2. Off-street automobile parking spaces may not exceed the minimum required after all reductions are applied for a permitted use within the most restrictive commercial district.

ARTICLE 1357
FILING FEES

ARTICLE 1357 - FILING FEES

Application and petitions filed pursuant to the provisions of this ordinance shall be accompanied by the filing fees hereafter specified.

- A. For each application for a Certificate of Occupancy, a fee of Fifteen Dollars (\$75.00) shall be paid.
- B. For each petition for an appeal from the decision of the Administrative Official to the Board, a fee of One Hundred Sixty Dollars (\$160.00) shall be paid, the receipt of which shall accompany the petition.
- C. For each application for approval by the Planning Commission or Board of Zoning Appeals of a Special Permit or Variance, a fee of One Hundred Fifty Dollars (\$160.00) shall be paid, the receipt of which shall accompany the petition.
- D. For each petition for an amendment to this ordinance, the fees shall be as follows:

Rezoning to:	Single and 2 Family	-	\$ 175.00
	Multi-family Residential	-	\$ 250.00
	Commercial	-	\$ 350.00
	Industrial	-	\$ 350.00

- E. Except for the fee for a certificate of occupancy, no part of any filing fee paid pursuant to this Article shall be returnable to the applicant or petitioner.

ARTICLE 1359
CONDITIONAL USE,
REQUIREMENTS AND
PROCEDURE

ARTICLE 1359 - CONDITIONAL USE, REQUIREMENTS AND PROCEDURE

Section 1359.01 Procedures

- A. Conditional Uses as defined by Article 1315 and their accessory buildings may be permitted by the Board of Zoning Appeals in the districts where indicated, in accordance with the procedure and requirements set forth in this Article and any other requirements described by this ordinance.
- B. Location. A Conditional Use is granted for a particular parcel or parcels of land, not to a particular business, property owner, or other entity. Therefore, if a particular use relocates, the Conditional Use issued does not follow that use to its new location.
- C. Public Notice. Upon receipt of an application for a Conditional Use the Planning Director shall give public notice in accordance with Section 8A-8-11 of the West Virginia State Code. The Planning Director shall prepare a written notice which shall be mailed to all property owners within a 400 foot radius of the subject property 15 days prior to the hearing. Further, written notice shall be provided to all residents, if they be different than the owner, within the 400 foot radius by first class mailing through the United States Postal Service. If the Petitioner's property is located on a street where the entrance and exit is the same (cul-de-sac, dead end or circle) all such properties within that location shall be notified regardless of the 400 feet guideline. Notice shall also be posted on the subject property by the applicant. The findings of the Board and its order to the Planning Director shall be in writing.
- D. Consideration. In making its decision, the Board of Zoning Appeals shall consider the following:
 - 1. Effect upon the Comprehensive Plan.
 - 2. Public health, safety, morals, and general welfare.
 - 3. Potential injury to the use and enjoyment of other property in the immediate vicinity for the purposes already permitted.
 - 4. Effect upon the normal and orderly development and improvement of surrounding property for uses already permitted in the District.
 - 5. Adequate provisions for utilities, access roads, drainage, and other necessary facilities.
 - 6. Adequate ingress and egress so designed to minimize traffic congestion in the public street.

The Board shall direct the Planning Director to issue the Building Permit or Zoning Permit for such Conditional Use, otherwise the Board shall direct the Planning Director to reject the application. The findings of the Board of Zoning Appeals and its order to the Planning Director shall be in writing.

- E. Grievance of Decision. Any person aggrieved by the decision of the Board of Zoning Appeals regarding its action pertaining to the Conditional Use request may file an appeal with the Circuit Court in accordance with Article 1361.
- F. Additional Conditions. The Board of Zoning Appeals may impose additional conditions to assure that Special Permits will conform to the intent of this Ordinance.
- G. Existing Conditional Uses. An existing use which is listed herein as a Conditional Use, and which is located in a district in which such Conditional Use may be permitted, is a conforming use provided that:
 - 1. Expansion. Any expansion of such Conditional Use involving the enlargement of the Buildings, Structure, and Land area devoted to such use shall be subject to the

requirements and procedure described in this Article. A Conditional Use may not expand onto a parcel that has been combined with another unless the parcels were combined in accordance to the Zoning Ordinance and issued a Certificate of Recording by the Planner.

- H. Expiration. An issued Conditional Use shall expire after one (1) year from the date of approval by the Board of Zoning Appeals unless one of the following occurs:
1. A Building Permit is issued relating to the Conditional Use, in which case the Conditional Use expiration date is extended through the time of the active Building Permit. The expiration date shall continue to be extended provided there is no more than a one (1) month lapse for active Building Permits issued for the Conditional Use and provided that at least thirty percent (30%) of the total Development Plan that was approved is completed within one (1) year of the issuance of the Building Permit.
 2. A Certificate of Occupancy is issued for the Conditional Use at the location in which it was approved for.
 3. A Project Number is issued relating to the Conditional Use and all requirements to obtain a Project Number are met. A Preliminary Site Plan, proposed uses, and other required information shall be made available to the public. A Conditional Use shall then expire three (3) years from the date of approval by the Board of Zoning Appeals.
 4. Extension. The holder of a Building Permit or Zoning Permit for a Conditional Use may apply to the Board of Zoning Appeals at any time for alteration, change, amendment to extension of the application or Development Plan upon which such permit was based.
 - a. Upon receipt of such application, the Board of Zoning Appeals shall proceed as in the case of original applications for a Building Permit or Zoning Permit for a Conditional Use.
 - b. In the event the Board of Zoning Appeals shall approve and order such application or Development Plan changed, altered, amended or extended, it shall so notify the Planning Director who shall issue an amended Building Permit or Zoning Permit accordingly.
- I. Cease of Use. If a Conditional Use use lawfully operating ceases operation for a period of twelve (12) months or more regardless of any intent to resume operation, it may not recommence operation in that location without first applying for a Conditional Use via the public hearing process and approval of the Board of Zoning Appeals in the districts where indicated, in accordance with the procedure and requirements set forth in this Article and any other requirements described by this ordinance.

**ARTICLE 1361
BOARD OF ZONING
APPEALS**

ARTICLE 1361 - BOARD OF ZONING APPEALS

A Board of Zoning Appeals is hereby established with membership and appointment provided in accordance with the authority conferred by Article 5, Land Use Planning, Chapter Eight A, Article 8 of the Code of West Virginia, effective date June 13, 2004.

- A. The first meeting of each year, the Board shall elect a chairperson and vice chairperson from its members. The vice-chairperson shall have authority to act as chairperson during the absence or disability of the chairperson.
- B. A majority of members of a Board shall constitute a quorum. No action of the Board is official, however, unless authorized by a majority of the Board.
- C. Alternate members.
 - 1. Council may appoint up to three (3) alternate members to serve upon the Board of Zoning Appeals. Alternate members must meet the same eligibility requirements as full members which is outlined in W. Va. Code, § 8A-8-3.
 - 2. An alternate member shall serve on the board when one of the regular members is unable to serve. The alternate member shall serve until a final determination is made in the matter to which alternate member was initially called on to serve.
 - 3. The Board of Zoning appeals shall establish rules and procedures for designating an alternate member. An alternate member shall have the same powers and duties of a regular board member.
- D. With consent from the governing body, the board may hire employees necessary to carry out the duties and responsibilities of the board, provided that the governing body sets the salaries and supervises the fiscal affairs and responsibilities of the board.
- E. The Board shall adopt such rules concerning the filing of appeals, including the processes and forms for the appeal, and applications for variances, and conditional uses (sometimes called special permits or special exceptions), giving of notice and conduct of hearings as shall be necessary to carry out their duties under the provisions of this Ordinance.
- F. Record Keeping. The Board shall
 - 1. Keep minutes of its proceedings;
 - 2. Keep an accurate and complete audio record of all the board's proceedings and official actions and keep the audio record in a safe manner, which audio record is accessible within twenty-four hours of demand, for three years;
 - 3. Record the vote on all actions taken;
 - 4. Take responsibility for the custody and preservation of all papers and documents of the board. All minutes and records shall be filed in the office of the Planning Director and shall be public records.
- G. The Board shall have the following powers and it shall be its duty to:
 - 1. Hear and determine appeals from and review any order, requirement, decision or determination made by an administrative official, or board charged with the enforcement of the zoning ordinance or rule and regulation adopted pursuant thereto.
 - 2. Authorize exceptions to the district rules and regulations only in the classes of cases or in particular situations, as specified in the zoning ordinance.
 - 3. Hear and decide conditional uses of the zoning ordinance upon which the board is required to act under the zoning ordinance.
 - 4. Authorize upon appeal in specific cases a variance to the zoning ordinance.

5. Reverse, affirm, or modify the order, requirement, decision, or determination appealed from and have all the powers and authority of the official or board from which the appeal was taken.

H. Appeals.

1. Any aggrieved owner or tenant of real property who shows that his property will be substantially affected by an order, requirement, decision or determination made by an administrative official charged with the enforcement of the zoning ordinance may appeal such to the Board of Zoning Appeals.

2. An appeal taken from the requirement, decision or the determination made by an administrative official charged with the enforcement of this Ordinance shall be filed with the Board. The appeal shall specify the grounds thereof and shall be filed within 30 days of the decision of the administrative official and in such form as may be prescribed by the Board by general rule.

3. The administrative official from whom the appeal is taken shall, upon request of the Board, transmit to it all documents, plans and papers constituting the record of the action from which an appeal was taken.

4. The Board shall fix a reasonable time for the hearing of an appeal. Public Notice shall be given of the hearing and due notice shall be given additionally to the interested parties. The Board may require the person taking the appeal to assume the cost of public notice and due notice to interested parties. Upon the hearing, any party may appear in person, by agent or by attorney.

5. When an appeal from the decision of any official has been taken and filed with the Board, all proceedings and work on the premises concerning which the decision was made shall be stayed unless the official from whom the appeals was taken shall certify to the Board that, by reason of facts stated in the certificate, a stay would cause imminent peril to life or property. In such case, proceedings or work shall not be stayed except by a restraining order which may be granted by the Circuit Court of Wayne County or Cabell County, depending upon which Court has jurisdiction, on application, on notice to the officer from whom the appeal is taken and the owner of the premises affected and on due cause shown.

I. Every decision of the Board shall be subject to review by certiorari.

J. Variances.

1. A variance is a deviation from the minimum standards of the zoning ordinance and shall not involve permitting land uses that are otherwise prohibited in the zoning district nor shall it involve changing the zoning classifications of a parcel of land.

2. The board of zoning appeals shall grant a variance to the zoning ordinance if it finds that the variance:

- (a) Will not adversely affect the public health, safety, or welfare, or the rights of adjacent property owners or residents;
- (b) Arises from special conditions or attributes which pertain to the property for which a variance is sought and which were not created by the person seeking the variance;
- (c) Would eliminate an unnecessary hardship and permit a reasonable use of the land; and
- (d) Will allow the intent of the zoning ordinance to be observed and substantial justice done.

ARTICLE 1363
AMENDMENTS

ARTICLE 1363 - AMENDMENTS

1363.01 MODIFICATIONS OF COMPREHENSIVE PLAN; PROCEDURE

Any proposed ordinance for the amendment, supplement, change or repeal of this ordinance not originating from petition of the Commission shall be referred to the Commission for consideration and report before any final action is taken by the City Council. Prior to the submission to the City Council of a Commission petition or a report on a proposed Ordinance referred to it for an amendment, supplement, change or repeal of this Ordinance, the Commission shall give notice and hold a public hearing in the manner prescribed for adoption of a Comprehensive Plan in Section Eleven (11) of Article Three (3) Chapter Eight A (8A), of the Code of West Virginia, passed March 13, 2004, and in accordance with the Charter of the City.

1363.02 GENERAL PROVISIONS.

(A) Proposed amendments to this ordinance may be presented by the Planning Commission to the Council requesting an amendment, supplement, repeal or change of the regulations of the Zoning Ordinance. Prior to submission to Council of a Planning Commission petition or report on a proposed ordinance, the Planning Commission shall make its report on the proposed ordinance to Council. Thereafter, Council shall proceed to take such action on the proposed ordinance as it deems proper.

(B) The City Council may, from time to time, amend, supplement, or change the rules and regulations and districts fixed by the Zoning Ordinance.

(C) Before amending the Zoning Ordinance or Zoning Map, City Council with the advice of the Planning Commission, must find that the amendment is consistent with the Comprehensive Plan. If the amendment is inconsistent, then City Council with the advice of the Planning Commission, must find that there have been major changes of an economic, physical or social nature within the area involved which were not anticipated when the Comprehensive Plan was adopted and those changes have substantially altered the basic characteristics of the area.

(D) Zoning Map amendments (i.e., rezonings) often become issues of significant contention between the applicants and residents living adjacent to and in the vicinity of the property to be rezoned. Too often this results in difficult and argumentative public hearings before the municipal Planning Commission and City Council. In most cases, opposition to a rezoning request is based on legitimate concerns over the well-being and preservation of a neighborhood, but sometimes opposition results from a simple lack of communication and understanding between the applicant and the neighborhood residents. The City, therefore, strongly advises any person that is considering applying for a zoning map amendment (i.e., rezoning) to discuss the proposal with residents living within 400-feet of the property to be rezoned and with the leadership of any organized neighborhood association that represents the area before making application to the Planning Department.

1363.03 AUTHORITY AND PROCEDURES.

Whenever public necessity or the public health, safety, and general welfare require, City Council may, by Ordinance and the receipt of recommendation thereon from the Planning Commission and subject to the procedures below, amend, supplement, change, or repeal the regulations, restrictions, and boundaries or classifications of property.

1363.04 APPLICATION PROCEDURES.

- A. Amendment to the Zoning Map**
- 1) A request for rezoning of property shall be filed on prescribed forms with the Planning Department.
 - 1) The Planning Department will conduct a formal review of the completed form, and, so much as is possible, the names and addresses of property owners and residents within a 400-foot radius of the petitioned property.
 - 2) The Planning Department will publish a legal advertisement describing the request for rezoning in a local newspaper of general circulation at least 15-days prior to the scheduled public hearing before the Planning Commission. Notification will be sent to property owners and residents, to the extent that they can be identified, within 400-feet of the affected property no later than 15-days prior to the meeting.
 - 3) The Planning Director shall require the petitioner to cause official notification to be posted in a prominent location on the property(s) not later than 14-days prior to the meeting.
 - 4) The Planning Commission will hold a duly scheduled public hearing on the rezoning request, prepare a report, and make a recommendation to the City Council.
 - 5) City Council will hear the case according to its rules and procedures.
 - 6) If the request is approved by Council, the applicant shall receive approval and will be formally notified by mail by the Planning Department. The Planning Department shall amend the zoning map to reflect the approved rezoning.
 - 7) If the request for rezoning is denied by Council, the applicant will be formally notified in writing by the Planning Department of the denial and the right to appeal the decision to the Circuit Court of Cabell County, or Wayne County, whichever therein the property resides.
 - 8) Any person who feels aggrieved by an approval or denial of a rezoning request may appeal the decision to the Circuit Court of Cabell County, or Wayne County, whichever therein the property resides.
- B. Abandonment, Annexation and/or Variance to Subdivision Regulations**

- 1) A request for abandonment, annexation and/or variance to subdivision regulations of property shall be filed on prescribed forms with the Planning Department.
- 2) The procedure for advertisement and notification of affected properties shall be the same as those established in Section 1363.03 *et seq.* of this Ordinance.

ARTICLE 1365
VALIDITY

ARTICLE 1365 - VALIDITY

Should any section or provision of this Ordinance be declared by a court of competent jurisdiction to be invalid or unconstitutional, such decision shall not affect the validity of this Ordinance as a whole or any part thereof, and the parts of or sections remaining shall remain in effect as though the part or section declared invalid or unconstitutional has never been a part thereof.

ARTICLE 1367
REMEDIES AND
PENALTIES

ARTICLE 1367 - REMEDIES AND PENALTIES

Section 1367.01 Purpose

To provide for remedies for the City and owners or tenants of property with respect to proposed or occurring violations of this Ordinance, and to prescribe penalties for violation of this Ordinance.

Section 1367.02 Remedies

- A. The Commission, the Board or any other designated enforcement official may institute a suit for injunction in the Circuit Court of Wayne County or Cabell County, depending upon which Court has jurisdiction, in the name of the City to restrain a person from violating the provisions of this Ordinance. The Commission or the Board may also institute a suit for a mandatory injunction in the Circuit Court of Wayne County or Cabell County, depending upon which Court has jurisdiction, in the name of the City, directing a person to remove a Structure erected in violation of the provisions of this Ordinance. If the Commission or the Board is successful in its suit, the respondent shall bear the cost of the action.

Section 1367.03 Penalties

- A. Upon receiving any citation, a person who is found guilty by the Municipal Court Judge to have violated any provision of this Ordinance shall be guilty of a misdemeanor and, shall be fined not less than fifty dollars (\$50.00) and not more than five hundred dollars (\$500.00).

Appeals of such actions shall be taken to the Circuit Court as provided in West Virginia Code ' 8-34-1.