







REAR ELEVATION
SCALE 1/4" = 1'-0"



RIGHT ELEVATION
SCALE 1/4" = 1'-0"



LEFT ELEVATION
SCALE 1/4" = 1'-0"



FRONT ELEVATION
SCALE 1/4" = 1'-0"

NOTES: DRAWING SCALE: 1/4" = 1'-0". ALL DIMENSIONS ARE TO FACE UNLESS OTHERWISE NOTED. THE ARCHITECT IS NOT RESPONSIBLE FOR THE ACCURACY OF THE INFORMATION PROVIDED BY THE CLIENT. THE ARCHITECT IS NOT RESPONSIBLE FOR THE ACCURACY OF THE INFORMATION PROVIDED BY THE CLIENT. THE ARCHITECT IS NOT RESPONSIBLE FOR THE ACCURACY OF THE INFORMATION PROVIDED BY THE CLIENT.


ARGONNE LUMBER & SUPPLY
1535 HAY 32 & 35 NORTH
ARGONNE, WI 54911

RESIDENTIAL DESIGN
PHONE: 920-438-1311
FAX: 920-438-1311

PROJECT: ETI BUILDERS
BEACH COMBER

DATE:
October 19, 2012


SHEET
1



BRACE WALL PANEL
BRACE WALL PANELS SHALL BE INSTALLED TO RESIST LATERAL LOADS AND TO MAINTAIN THE WALLS IN A UPRIGHT POSITION. BRACE WALLS SHALL BE INSTALLED TO RESIST LATERAL LOADS AND TO MAINTAIN THE WALLS IN A UPRIGHT POSITION. BRACE WALLS SHALL BE INSTALLED TO RESIST LATERAL LOADS AND TO MAINTAIN THE WALLS IN A UPRIGHT POSITION.

GENERAL BRACED WALL NOTES:
BRACED WALLS SHALL BE INSTALLED TO RESIST LATERAL LOADS AND TO MAINTAIN THE WALLS IN A UPRIGHT POSITION. BRACED WALLS SHALL BE INSTALLED TO RESIST LATERAL LOADS AND TO MAINTAIN THE WALLS IN A UPRIGHT POSITION. BRACED WALLS SHALL BE INSTALLED TO RESIST LATERAL LOADS AND TO MAINTAIN THE WALLS IN A UPRIGHT POSITION.

BRACED WALL PANEL SUPPORT
BRACED WALL PANELS SHALL BE SUPPORTED BY A MINIMUM OF TWO (2) BRACES PER PANEL. BRACED WALL PANELS SHALL BE SUPPORTED BY A MINIMUM OF TWO (2) BRACES PER PANEL. BRACED WALL PANELS SHALL BE SUPPORTED BY A MINIMUM OF TWO (2) BRACES PER PANEL.



ARGONNE LUMBER & SUPPLY
7555 HWY 33 & 55 NORTH
ARGONNE, WI 54811

RESIDENTIAL DESIGN
PHONE: 262-432-3232
FAX: 262-432-3232

PROJECT: ETI BUILDERS BEACH COMBER

DATE: October 19, 2012
DRAWN BY: [Signature]
REV: 2/08