



Reflected Ceiling  
Sc. 3/16" = 1'-0"

ELECTRICAL LEGEND	
SYM	DESCRIPTION
	DUPLEX RECEPTACLE OUTLET - FLUSH MOUNT ( 20 AMP RATED )
	SPECIAL PURPOSE / HIGHER VOLTAGE OUTLET
	ISOLATED GROUND RECEPTACLE ( NEMA 5-20R-1G )
	JUNCTION BOX - FLUSH MOUNT ( 20 AMP RATED )
	DATA BOX - FLUSH MOUNT
	EMERGENCY EXIT
	LIGHT FIXTURE W/ PRISMATIC LENS
	RECESSED DOWN LIGHT
	WALL WASH LIGHT
	RECESSED OR PENDANT LIGHT FIXTURE
	SPEAKER

- ELECTRICAL/LIGHTING PLAN NOTES**
- ALL ELECTRICAL OUTLETS, LAMPS, SWITCHES AND DATA BOXES TO REMAIN AS EXISTING.
  - ALL ELECTRICAL EQUIPMENT SHALL BE UL APPROVED AND ALL INCANDESCENT LIGHTING FIXTURES WIRING SHALL BE 150 C. RATED. ELECTRICAL CONTRACTOR TO PROVIDE TEMPORARY LIGHTING AND POWER AS REQUIRED TO FACILITATE THE WORK DURING CONSTRUCTION, AS WELL AS ACQUIRE ALL PERMITS AND PROGRESS INSPECTIONS AS REQUIRED.
  - IF EXIT LIGHTS ARE REQUIRED, THEY ARE TO BE PROVIDED BY THE ELECTRICAL CONTRACTOR. THEY ARE TO BE AN APPROVED TYPE, WIRED ON A DUAL CIRCUIT WITH 120 VOLT CIRCUIT FROM PANEL AND AN EMERGENCY CIRCUIT FED FROM A BATTERY UNIT. EXIT LIGHTS AS FOLLOWS: EXIT LIGHT ONLY - "DUAL LITE EXQUISITE" WALL MOUNT SIGN WITH EFP POWER PACK (RED LETTERS) IF EMERGENCY LIGHT(S) IS TO BE USED, ADD RPL REMOTE LITE PACK(S) IF REQUIRED. (EXIT SIGNS TO HAVE MIN. 1 1/2 HOUR BATTERY BACK-UP POWER).
  - ELECTRICAL CONTRACTOR TO FIELD VERIFY ALL EXISTING UTILITIES, CONDITIONS AND DIMENSIONS PRIOR TO CONSTRUCTION AND BIDDING.
  - ELECTRICAL CONTRACTOR TO PROVIDE SMOKE AND HEAT DETECTORS, FIRE ALARM PANEL, ETC., PER LOCAL REQUIREMENTS.
  - EMERGENCY LIGHTING SHALL BE PROVIDED TO MEET ALL LOCAL AND STATE SAFETY REGULATIONS. ALL LOW VOLTAGE WIRING SHALL BE 1/2" C. AND 2 #10 THW. (EMERGENCY LIGHTS TO HAVE MIN. 1 1/2 HOUR BATTERY BACK-UP POWER).

Sheet No: 2.3  
Date: 6/19/17

Revision:

Project: COMMERCIAL  
Customer: TAICO 88, LLC  
Plant: REFLECTED CEILING

REMODEL:  
COMMERCIAL  
BUSINESS & OFFICE  
8565 FM2673  
CANYON LAKE, TX 2017

THIS DRAWING IS THE PROPERTY OF MK DESIGN STUDIO AND IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF MK DESIGN STUDIO. BEFORE BEGINNING ANY CONSTRUCTION, THE CONTRACTOR SHALL VERIFY THE LOCATION AND DEPTH OF ALL UTILITIES AND OBTAIN ALL NECESSARY PERMITS AND INSURANCE COVERAGE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND INSURANCE COVERAGE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND INSURANCE COVERAGE.

CONTRACTOR TO VERIFY ALL EXISTING UTILITIES, CONDITIONS AND DIMENSIONS PRIOR TO CONSTRUCTION AND BIDDING. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND INSURANCE COVERAGE.

**MK**  
design Studio  
design + render + construction  
Tel: (956) 569 7293  
Email: oramgarcia08@gmail.com  
Web: www.mkdesignst.com