

Medical | Retail Space For Sublease



2,787 RSF

For more information, please contact:

Melissa Naeder
+1 631 425 1222
melissa.naeder@cushwake.com

John A. LaRuffa, SIOR
+1 631 270 3010
john.laruffa@cushwake.com

Medical | Retail Space For Sublease

Building Size:	2,787 SF
Year Built:	2003
Parking:	26 Surface Spaces
Available:	Now
Term:	Until 2031
Rental Rate:	\$70.00 SF/YR

PROPERTY HIGHLIGHTS

- Previous tenant used the drive-thru
- Fully built-out as medical space
- Suitable for medical or retail uses
- Lease rate does not include utilities, property expenses or building services




For more information, please contact:

Melissa Naeder
+1 631 425 1222
melissa.naeder@cushwake.com

John A. LaRuffa, SIOR
+1 631 270 3010
john.laruffa@cushwake.com



MEDICAL | RETAIL SPACE FOR SUBLEASE 272 N. Broadway, Hicksville



Medical | Retail Space For Sublease

272 N. Broadway
Hicksville, NY

For more information, please contact:

Melissa Naeder
+ 1 631 425 1222
melissa.naeder@cushwake.com

John A. LaRuffa, SIOR
+1 631 270 3010
john.laruffa@cushwake.com

175 Broadhollow Road, Suite 235
Melville, NY 11747
Main +1 631 425 1200
Fax +1 631 425 1201
cushmanwakefield.com

©2024 Cushman & Wakefield. All rights reserved. The material in this presentation has been prepared solely for information purposes, and is strictly confidential. Any disclosure, use, copying or circulation of this presentation (or the information contained within it) is strictly prohibited, unless you have obtained Cushman & Wakefield's prior written consent. The views expressed in this presentation are the views of the author and do not necessarily reflect the views of Cushman & Wakefield. Neither this presentation nor any part of it shall form the basis of, or be relied upon in connection with any offer, or act as an inducement to enter into any contract or commitment whatsoever. NO REPRESENTATION OR WARRANTY IS GIVEN, EXPRESS OR IMPLIED, AS TO THE ACCURACY OF THE INFORMATION CONTAINED WITHIN THIS PRESENTATION, AND CUSHMAN & WAKEFIELD IS UNDER NO OBLIGATION TO SUBSEQUENTLY CORRECT IT IN THE EVENT OF ERRORS