








1 TYP. ENARGMENT UNIT PLAN
SCALE: 3/8" = 1'-0"

ADAPTABLE UNIT NOTES:


- ADAPTABLE UNIT REQUIREMENTS BELOW APPLY TO ALL GROUND FLOOR UNITS.
- PRIMARY ENTRANCE DOOR REQUIRED TO BE ACCESSIBLE FROM EXTERIOR SIDE.
- ALL PASSAGE DOORS WRITTEN ADAPTABLE UNITS SHALL BE AT LEAST 34" WIDE IN ORDER TO PROVIDE NOMINAL 32" CLEAR WIDTH.
- THRESHOLD AT ENTRANCE SHALL BE 0". THRESHOLD WITHIN UNIT SHALL BE MAX. 1/4" OR MAX. 1/2" IF TAPERED AT 1:12 SLOP. DO NOT APPLY TO THRESHOLD AT PORCH.
- TYPICAL DUPLEX OUTLETS IN ADAPTABLE UNITS SHALL BE LOCATED WITHIN THE CENTER OF THE LOWER RECEPTACLE MIN. 15" A.F.F.
- OUTLETS OVER CABINETS SHALL BE LOCATED WITHIN THE CENTER OF THE UPPER RECEPTACLE MAX. 48" A.F.F.
- LIGHT SWITCHES AND ENVIRONMENTAL CONTROLS SHALL BE LOCATED MAX. 48" A.F.F.
- SOLID WOOD BLOCKING BETWEEN STUDS SHALL BE PROVIDED AS A REINFORCING TO PERMIT THE LATER INSTALLATION OF GRAM BARS. REFER TO HATCH WALL AREAS O PLAN FOR LOCATIONS.
- THE MIN. REINFORCED AREA SHALL BE EXTENDED DOWN AT BACK WALL OF BATHTUB TO 6" MAX. ABOVE THE TUB DECK.
- REINFORCED AREA SHALL BE INCREASED FROM 8" TO 12" AT WALL BEHIND TOILETS TO PROVIDE GRATER REINFORCING FOR FOLD-UP GRAB BAR.
- RANGE, COOKTOPS, & SINK SHALL BE LOCATED SO THAT A CLEAR FLOOR SPACE OF 3'x48" SHALL BE PROVIDED, CENTER OF THE FIXTURE PARALLEL APPROACH.
- OVEN, DISHWASHER & REFRIGERATOR SHALL BE LOCATED TO ACCOMMODATE A CLEAR FLOOR SPACE OF 30"x48" IN EITHER THE FORWARD OR PARALLEL APPROACH POSITION.
- A 40" SHALL BE PROVIDED BETWEEN ALL OPPOSING BASE CABINETS, APPLIANCE, & WALLS EXCLUDED APPLIANCE HANDLES & CONTROLS.




LAUNDRY ELEVATION
SCALE: 1/2" = 1'-0"




ELEVATION-1
SCALE: 1/2" = 1'-0"




PANTRY ELEVATION
SCALE: 1/2" = 1'-0"



2 KITCHEN ENLARGEMENT PLAN
SCALE: 1/2" = 1'-0"




ELEVATION-2
SCALE: 1/2" = 1'-0"



ELEVATION-3
SCALE: 1/2" = 1'-0"

AS SHOWN

GRAPHIC SCALE



ISSUE HISTORY		REVISIONS	
DATE	ISSUED FOR	DESCRIPTION	
	-		
	-		
	-		
	-		
	-		



RSK ENGINEERING
ENGINEERS, CONSTRUCTION MANAGERS, PLANNERS
11302 TANNER RD.
HOUSTON, TEXAS 77041
FIRM # F-11211

TEL. (281) 580-4585
FAX (281) 580-4399

JULIAS APARTMENTS

25115 HARPER LN
SPRING TX 77380

TYP. ENLARGEMENT UNIT FLOOR PLAN

DRAWN BY: ZA DATE: 04-28-2021 SHEET: A200

CHECKED BY: RSK PROJ. NO.:CB-2020-136 Rev.00