
Ogden City Zoning



^{*} This graphic and zoning information is provided as a courtesy and remains the property of Ogden City. User is advised to verify all information.

15-38-1: PURPOSE:

The purpose of each zoning category within the commercial district is described below:

- A. Neighborhood Commercial (C-1, CP-1):
- 1. District Characteristics: The neighborhood commercial zone (C-1 and CP-1) is intended to be located on corner properties of areas, which are generally residential in character. The site area is large enough to contain all the parking and other needs of the commercial without impacting the surrounding residential areas.
- 2. Purpose Of District: The neighborhood commercial zone provides for the sale and supply of daily living needs for the people in the neighborhood. It also provides areas for small development which is compatible to the surrounding residential neighborhood.
 - B. Community Commercial (C-2, CP-2):
- 1. District Characteristics: The community commercial zone may be established in those areas that are appropriate for general retail sales. This district should be created in areas having access to major streets and a low likelihood of conflict with other uses as generally it will be an edge to residential development. The properties are large enough to have a low potential for adverse impacts on the overall visual image of key areas such as major streets and including entryways into the community.
- 2. Purpose Of District: The community commercial zone provides, in addition to the sale of goods for neighborhoods, a wider range of facilities for the sale of retail goods and personal services for the major segments of the community.

C. Regional Commercial (C-3, CP-3):

- 1. District Characteristics: The regional commercial zone is established on larger parcels of property which have access to major roads. The zone would be located along streets which are capable of handling traffic generated by these types of uses
- 2. Purpose Of District: The regional commercial zone provides for the sale and supply of the complete range of retail and wholesale goods, entertainment and personal services for the metropolitan area and, also, a center for recreational entertainment and cultural activities for the entire region.

(Ord. 72-13, 7-6-1972; amd. Ord. 99-38, 10-19-1999; Ord. 2000-56, 11-7-2000; Ord. 2001-56, 9-25-2001, eff. 10-18-2001)

15-38-4: SPECIAL REGULATIONS:

- A. Permitted And Conditional Uses; Conditions: Hereinafter specified permitted and conditional uses shall be permitted only when the following conditions are complied with:
 - 1. All manufacturing shall be done within a completely enclosed building.
 - 2. All uses shall be free from objection because of odor, dust, smoke or noise.
- 3. In the C-1 neighborhood commercial zone, no entertainment, except recorded music, shall be permitted in cafes, cafeterias, ice cream parlors or restaurants.
- 4. All sales activities shall be conducted within a building, except the following shall not be prohibited under this section when operated as directed by law:
 - a. Mobile food trucks and mobile food trailers;
- b. Seasonal sales of produce and beverage may be allowed by the building official in temporary buildings under four hundred (400) square feet, for a period not to exceed six (6) months in one calendar year;
 - c. Outdoor sales or displays which are customarily incidental to a permitted use conducted within a building; or
- d. Christmas tree sales, fireworks stands, charitable fundraising events lasting no longer than forty eight (48) hours, and city approved special events.
 - B. Car Wash; Restrictions: A car wash shall be permitted subject to the following restrictions:
- 1. Operation or use is forbidden between the hours of eight o'clock (8:00) P.M. and eight o'clock (8:00) A.M. on the following morning in C-1 zones, or a car wash that is considered a high impact land use in the C-2/CP-2 zones.
- 2. If a manual car wash is within one hundred feet (100') of any residential zone property or if a laundry-style car wash is less than five hundred feet (500') to a residential zoned property it shall be considered a high impact use (reference Section 15-38-5, Uses, laundry-style car washes, footnote 2) and the following shall apply:
- a. The applicant shall submit a noise study that shows the operation will not exceed the maximum allowable sound levels in Title 12, Chapter 14.
- b. The building housing the car wash, any outdoor mechanical equipment such as vacuums or dryers, and entry, queuing and exit lanes shall be set back a minimum of fifty feet (50') from the property line of any residentially zoned property.

- c. Any entrance or exit to a tunnel or wash bay shall be oriented away from the residentially zoned property.
- d. Laundry-style car washes shall have an on-site manager during business hours.
- e. Manual and laundry-style car wash dryers and vacuums shall not exceed sixty-five decibels (65 dB) at the residential property line.
 - f. Equipment shall receive regular maintenance to maintain compliance with the noise standards.
- g. Manual and laundry-style car washes shall post signage near the vacuums that requests customers be considerate of surrounding residents and not play music with the vehicle doors or windows open.
 - h. All vacuums shall have an individual on/off switch, so customers have to turn on the vacuum to use the vacuum.
- i. Laundry-style car washes shall be three hundred feet (300') from a residentially zoned property, measured from the residentially zoned property line to the car wash property line.
 - 3. There shall not be more than four (4) washing bays for a manual spray car wash in the C-1 and C-2/CP-2 zones.
 - 4. Off street vehicle storage required as follows:
 - a. One bay car wash: Four (4) spaces in the approach lane;
 - b. Two (2) bay car wash: Three (3) spaces in the approach lane for each wash bay;
 - c. Three (3) or more bay car wash: Two (2) spaces in the approach lane for each wash bay.
- C. Landscaped Setbacks Required For Certain Streets: A forty foot (40') wide landscaped setback is required for all uses along the frontage of 1200 West from Harrisville Road to 1200 South and along the frontage of 1200 South from 1200 West to 500 West which is the west side of the main railroad line and known as the former defense depot Ogden site. Landscaping in this setback shall be in accordance with the landscaping and buffering requirements defined in chapter 4 of this title.
 - D. Towing Or Impound Lot Restrictions:
- 1. A towing or impound lot is only allowed as an accessory use to an auto repair or body shop or a state or federally chartered bank/financial institution;
 - 2. The towing or impound lot shall not occupy more than thirty percent (30%) of the entire property;
- 3. Vehicle storage areas, required screening fencing, and unloading areas shall be located behind the main building and set back thirty feet (30') from all public streets along any side or rear areas facing a street. All outdoor storage, parking lots, and access driveway areas shall be paved with either asphalt or concrete. All setback areas shall be completely landscaped (excluding those areas used for parking, accesses and buildings). All landscaping shall be according to an approved landscape plan which meets the objectives of this section. All landscaped areas shall be properly maintained;
- 4. All towing or impound lots adjacent to any residential use or zone shall have a minimum ten foot (10') wide landscaped setback from the residential properties, with appropriate trees and shrubs planted to provide an adequate buffer from the adjacent residential use;
- 5. All towing or impound lots shall be enclosed by a screening fence at least seven feet (7') high. The screening fence shall be located behind any required landscaped setbacks. The screening fence shall be a unified design and may be constructed of any of the following fencing materials:
- a. Chainlink with vertical plastic or vinyl slats spaced no farther than three-eighths inch $\sqrt[3]{8}$ ") apart, provided no storage of vehicles within two feet (2') of the fence;
- b. Solid wood fence of one inch by four inch (1" x 4") to one inch by eight inch (1" x 8") horizontal members spaced no farther than one-eighth inch ($^{1}/_{8}$ ") apart;
 - c. Decorative masonry: or
- d. Other fence materials approved by the planning commission if it is determined that the material and design is opaque, is not easily damaged by weather or objects placed against it, does not detract from the appearance of the finished site development, and the colors of the required screening wall are subdued and nonreflective;
- 6. Loading and/or unloading of towed or impounded vehicles shall be prohibited between the hours of ten o'clock (10:00) P.M. and six o'clock (6:00) A.M. for lots that are located adjacent to residential use or zone;
- 7. Loading and/or unloading of vehicles shall not be permitted within the public right of way or required setback areas. Facilities shall be designed so that all loading and unloading takes place on the site behind the required screening fence without having to move vehicles in and out of the screened storage area;
- 8. Interior access lanes shall be maintained and kept open and free from storage as required by the fire department to provide adequate access for fire protection;
 - 9. All towing or impound lots shall comply with Utah state tax commission standards for impound yards and shall

provide the city with their state issued identification number. All tow trucks and operators accessing the yard shall obtain and meet all necessary state certification and licensing requirements;

- 10. No dismantling or salvaging is to occur on the property;
- 11. Vehicle storage time is limited to ninety (90) days.
- E. Medical Cannabis Pharmacy: A medical cannabis pharmacy shall be permitted subject to the following restrictions:
- 1. Unless waived by the Utah Department of Health, the medical cannabis pharmacy shall be located no closer than six hundred feet (600') from any primarily residential zone and two hundred feet (200') from any community location, measured from the nearest entrance to the pharmacy following the shortest route of ordinary pedestrian travel to the boundary of the community location or residential zone;
 - 2. No portion of the exterior brick visible to the public shall be painted;
 - 3. No windows shall be darkened or covered to prohibit view into the interior of the sales space from the public view;
 - 4. Only one public access is permitted which shall be located on the street face of the building; and
 - 5. Hours of operation are from 8:00 A.M. to 8:00 P.M.
- F. Multiple-Family Dwellings and Single-Family Rowhouses: Where allowed, a multiple-family dwelling or single family rowhouses shall comply with the following restrictions:
- 1. Mixed-use multiple-family dwellings are only allowed on lots that are at least 10 acres. They must comply with the following standards:
- a. at least 75% of the total ground floor area of all buildings on the lot must be developed with allowable nonresidential uses. The nonresidential use must receive a certificate of occupancy prior to or concurrent with receiving a certificate of occupancy and zoning compliance for the residential use.
 - b. residential uses may not be located in the ground floor storefront area.
 - c. in addition to the amenities otherwise required, the following must be provided on site:
 - (1) a fitness center or gym with at least 2,000 square feet floor area;
 - (2) a common room available for reservation for large gatherings of at least 2,000 square feet floor area;
 - (3) retail spaces containing at least 1,500 square feet floor area of each of the following:
 - (A) groceries; and
 - (B) personal services.
- 2. A senior multiple-family dwelling developed on a lot four acres or larger is required to develop at least 25% of the land area as non-residential, permitted commercial uses. Commercial uses shall be located:
- a. in a commercial building on land fronting the street that is a minimum of 25% of the lot area and has adequate depth for the commercial use;
- b. on the entire ground level of the proposed senior multiple-family dwelling structure fronting on the street, except for areas required to provide access to the upper floors; or
- c. a combination of commercial buildings and ground level commercial provided the areas equal the minimum 25% lot area requirement.
- 3. A senior or mixed-use multiple-family dwelling is not permitted if the sum of all land area devoted to existing and proposed multiple-family development exceeds 30% of the total land area, excluding street rights-of-way, as measured by the lot area of all land within:
- a. a 700-foot radius from the center point of the intersection of 30th Street and Washington Boulevard, 36th Street and Washington Boulevard, 12th Street and Harrison Boulevard, or 20th Street and Harrison Boulevard; or
- b. a 1,000-foot radius from the center point of the intersection of 2nd Street and Washington Boulevard, 12th Street and Wall Avenue, 12th Street and Washington Boulevard, and 36th Street and Wall Avenue.
- 4. In addition to the requirements for parking and parking lot designs found in Chapter 12, surface parking lots shall be located:
 - a. behind the building; or
 - b. to the side of the building, provided the parking lot width may not exceed 25% of the frontage of the lot.
- 5. In the C-3/CP-3 zone, the minimum front setback of a senior or mixed-use multiple-family dwelling may be reduced to:
 - a. six feet to the main entryways for the building if the entryways are enclosed;

- b. eight feet to projections from the main body of the building, provided the projections are not more than 50% of the frontage width of the building and the areas between projections is landscaped with shrubs spaced so they create a solid area between the projection wall and sidewalk; and
- c. ten feet if the floor elevation of the dwelling units which face the street are at least three feet above the sidewalk elevation of the street.

6. Entries:

- a. Entry Location:
- (1) Individual dwelling units, such as a single-family rowhouse or other housing types that have an individual outside entrance to a dwelling shall have the front door of each unit on a public street facing the street.
- (2) Multiple-family dwellings that have entrances to individual dwelling units access an interior hallway shall have the main building entrance facing the public street. The location of the entrance may be at the corner of the building facing the street or along a portion of the building that fronts the street, provided that on a corner lot the entrance may be at the corner of the building which faces the streets or along the primary street frontage of the street with the larger traffic counts.

b. Entry Design:

- (1) The entry design for a single-family rowhouse or a building that has an individual dwelling unit outdoor entrance shall provide an individual porch area for each unit facing the street as part of the entrance. The porch shall have a minimum four foot by six foot cover above the entryway door which is either a projecting covering over the entryway or a recessed entryway covered by the building above the entrance.
- (2) A multiple-family dwelling street entrance shall be developed as part of the wall of the buildings and shall create an enclosed lobby and access corridor to the dwelling units within the building. The entry design shall be designed to be clearly visible from the street and shall:
- (A) use architectural elements which include either canopies over the entry or the entry recessed behind the main building wall;
- (B) incorporate a change of building materials that focuses attention to the entrance or architectural elements that extend above the first floor of the entryway and are in keeping with the architectural design of the overall building;
 - (C) have a minimum width of 10 feet, including the width for the entry doors; and
- (D) for buildings having more than 100 feet building frontage, provide multiple entries such that no entry is further than 50 feet from the end of the building nor another entry.
 - 7. Exterior Materials and Colors:
- a. The color and materials used for exterior wall surface treatments shall be based on the type and scale of the proposed building.
 - b. The following materials are prohibited in all types of dwellings as an exterior finish material:
 - (1) pre-cast concrete and tilt-up wall systems that are primarily structural in appearance (such as Twin-Ts);
 - (2) natural-colored cinder block;
 - (3) materials intended for indoor finishes; and
 - (4) vinyl or aluminum siding.
- c. Exterior materials for a single-family rowhouse may differ between each dwelling unit to express the individual units by materials or color, or the overall rowhouse structure can be treated as one building for materials and color.
- (1) The rowhouse dwelling unit, or the rowhouse structure, as the case may be, is limited to a maximum of two main building materials.
 - (2) The exterior covering materials are limited to:
 - (A) brick;
 - (B) stone;
 - (C) stucco (limited to above the main floor of the building and no more than 20% of the building surface);
 - (D) wood;
 - (E) fibrous cement siding that appears as either wood siding or stucco; and
 - (F) architectural metal with a ribbed or flat surface and is not galvanized.
 - (3) Colors shall be muted earth tone colors of reds, ochres, browns, greens, silver, grey and white.
 - (A) A maximum of two colors or two tones of one color are allowed per townhome unit if designed with the

variation of materials per unit or building if designed as a common building material.

- (B) Window trim, fascia, and entry columns or posts may share one additional tone of the color used on the building.
 - d. Multiple-Family Dwelling up to 16 Units:
 - (1) The exterior covering materials are limited to:
 - (A) brick;
 - (B) stone;
 - (C) stucco;
 - (D) wood; or
- (E) fibrous cement siding that has a texture of wood, stucco, or other material. Use of fibrous cement siding will be considered as one material per each type of texture design used to look like different materials.
 - (2) Stucco is limited to above the main floor of the building and no more than 20% of the building surface.
- (3) Precast sills, lintels, quoins and other similar architectural detail enhancements are permitted and not considered as a second material.
- (4) Colors shall be muted earth tone colors of reds, ochres, browns, beige and white. A maximum of two colors or two tones of one color are allowed.
- (5) A maximum of two main exterior materials are allowed. The two main exterior materials shall comprise at least 80% of the exterior surface of each façade.
 - e. Multiple-Family Dwelling of 17 Units or Larger:
 - (1) The exterior covering materials are limited to:
 - (A) brick;
 - (B) stone;
 - (C) stucco (limited to 20% of building surface);
 - (D) fibrous cement siding that appears as stucco;
 - (E) architectural metal with a ribbed or flat surface that is not galvanized;
 - (F) EIFS; or
 - (G) precast concrete with a finish that appears as stone.
- (2) Stucco, EIFS, architectural metals and fibrous cement siding are limited to placement above the main floor of the building.
- (3) A maximum of two main exterior materials are allowed. The two main exterior materials shall comprise at least 80% of the exterior surface of each façade.
- (4) Precast sills, lintels, belt courses, parapets, pilasters, columns and other similar architectural detail enhancements are permitted and not considered as a second material.
- (5) Colors shall be muted earth tone colors of reds, ochres, browns, beige and white. Metal finishes may also have colors in the silver and grey range. A maximum of two colors or two tones of one color are allowed.
- (6) Variations to the material and color requirements may only be considered on approval of the planning commission. In reviewing a request for a variation to the requirement the commission shall consider:
 - (A) the architectural theme of the building and how the request is consistent with the architectural theme;
 - (B) the compatibility of the request with the context of the building location and the developments around it; and
 - (C) if the colors and materials create a visual conflict to the visual qualities of the street.
- 8. Architectural Design: Buildings shall be designed to provide human scale, interest, and variety. The larger the building the simpler the design techniques should be to create that interest and variety.
 - a. Single-Family Rowhouse Units:
- (1) The rowhouse unit should be designed using recognized architectural styles found in Ogden. Those styles are arts and crafts, Victorian, prairie and modern.
- (2) The elements of architectural style such as window placement, details in cornice treatment overhangs, dormers and porches shall be in the design of the unit or building.

- (3) The roofline of each unit shall vary in height to define the individual unit.
- (4) Each unit shall have a two foot stagger from the wall of the adjacent unit.
- (5) No more than seven townhomes shall be joined together side by side.
- b. Multiple-Family Dwelling up to 16 Units:
 - (1) The human scale and interest features shall be articulated by a projecting or recessed main entrance.
- (2) The building design shall include window sills and lintels to define the window openings. Lintels over each window shall be of a different material and color than the wall, extend at least six inches horizontally past the window frame and project at least two inches out from the wall. Glazing shall be a minimum of 20% of the exterior wall surface of each level of the building fronting the street.
- (3) Material changes if desired shall occur at changes in the wall plane such as projections or recesses of the front façade that have a minimum offset of two feet.
 - c. Multiple-Family Dwelling of 17 Units Larger:
- (1) These buildings shall have defined street facing building modules that occur at a maximum of every 50 feet of the length of the building. The modules can be defined by either two foot minimum offsets of wall planes or breaks in the wall surface by pilasters or columns.
- (2) If desired one belt course to separate the ground level from the upper portions of the building or ground level and second story for buildings over four stories is permitted as a means to create the appropriate scale of the building.
- (3) Glazing shall be a minimum of 20% of the exterior wall surface of each level of the building fronting the street. Lintels shall be placed over each window that are of a different material and color than the wall, extend at least six inches horizontally past the window frame and project at least two inches out from the wall.
- (4) Material changes if desired shall occur at changes in the wall plane such as projections, recesses or belt course above the ground level of the building front facade.
- (5) Buildings shall be limited to a flat roof with the roof line hidden behind a parapet wall or the roof extended over the building wall with cornices detailing to transition the overhang to the building wall.
 - (6) Buildings shall provide at least one of the following along each street facing facade:
- (A) balconies with a minimum depth of six feet and width of eight feet for at least 50% of the street facing dwelling units;
 - (B) roof overhangs extending a minimum of 18 inches from the wall surface and at least 75% of the wall length; or
 - (C) shutters, faux shutters, or awnings adjacent to each upper floor window.
 - 9. Screening of Utilities and Dumpsters:
- a. Electrical and gas meters shall be screened or located out of view from the public street. All utilities and their connections shall be underground where permitted by the utility provider and other regulations.
- b. Design for screening enclosures for trash shall be incorporated into building architecture and utilize the same materials as the principle building to the greatest degree practicable.
- (1) Screening and fences shall be one foot higher than the object being screened, but not more than eight feet high, on all sides where access is not needed.
 - (2) A metal gate shall be included where required for complete screening.
- (3) The trash enclosures shall be located behind the building and not visible to public view from the public right-of-way.
 - 10. A multiple-family dwelling of 17 units or more shall provide electric vehicle charging stalls as follows:
- a. at least one charging station for the first 30 dwelling units; plus at least one additional charging station for every 50 dwelling units thereafter; and
- b. for senior multiple-family and moderate to low income housing, at least one charging station per 50 dwelling units. (Ord. 2011-7, 1-25-2011; amd. Ord. 2014-34, 8-12-2014; Ord. 2019-46, 10-22-2019; Ord. 2020-47, 10-6-2020; Ord. 2022-5, 2-1-2022; Ord. 2023-45, 7-18-2023; Ord. 2023-59, 11-7-2023; Ord. 2024-28, 10-15-2024)

15-38-5: USES:

In the following list of possible uses, those designated in any zone as "P" will be a permitted use. Uses designated as "C" will be allowed only when authorized by a conditional use permit obtained as provided in chapter 7 of this title. Uses designated as "N" will not be allowed in that zone.

		C-1 And CP-1	C-2 And	d CP-2	C-3 An	id CP-3
				C-1 And CP-1	C-2 And CP-2	C-3 And CP-3
A.	Accessor	ry apartment, 1 unit.		Р	Р	Р
	Accessor	ry buildings and uses customarily incidental to	o a permitted use.	Р	Р	Р
	Adult day on week	care with hours of operation between 6:00 Adays.	.M. and 6:00 P.M.	Р	N	N
	Air condi	tioning, sales and service.		N	N	Р
	Altering,	pressing and repairing of wearing apparel.		Р	Р	Р
	Ambulan	ce base stations.		N	c ¹	Р
	Amusem	ent park.		N	N	С
		ospital, small animals only, and provided all a ed and kept within completely enclosed buildi		N	Р	Р
		ospital, small animals only, and provided con ly enclosed building. Outdoor kenneling of ar		N	c ¹	С
	Arcade (on the following conditions):		N	Р	Р
		That in C-2 zones, arcades be located in centers or malls; and that such mall or shop at least a 4 acre site;				
		That in both C-2 and C-3 zones, no arca 600 feet of any public elementary or secon- measured linearly between closest property	dary school,			
		That in C-3 zones, no 2 arcades shall be closer than 600 feet apart, measured linearly between closest property lines.				
	Archery s building.	Archery shop and range, provided conducted within completely enclosed building.		N	Р	Р
	Athletic o	lub.		N	Р	Р
	Auction 6	establishment.		N	N	Р
	Automob	ile lube and oil center.		N	P ¹	Р
	Automob	ile, new or used, sales and service.		N	N	Р
	Automob	ile part sales.		N	Р	Р
		ile repair, including paint, body and fender, b y or transmission work, provided conducted building.		N	N	Р
	Automob	ile, sales only online, subject to the following	conditions:	N	N	Р
		Office space shall be located only in a control of the contro	commercial building.			
		On-site parking for dealership owned verified to a maximum of 6 stalls. On-site part to meeting the provisions of Chapter 12 of the control of the cont	arking will be subject			
		3. Space for the vehicles shall be on the soffice. Vehicles parked on site shall not have signage, writing on the windows or advertissale of the vehicle. The parking area shall to office parking and shall not have any prometemporary signage as defined in Title 18 of Municipal Code.	ve any attached sing to promote the be treated as normal otional banners or	20002		
		4. On-site parking stalls shall not be used detailing, maintenance, or repair, such as p fender, brake, muffler, upholstery, or transr	paint, body and			

	5. On-site parking stalls shall be used to park functioning, operable vehicles for retail sales. Vehicles parked on the site for sale or potential sale shall not have any appearance of damage and shall be in good operating condition and physical appearance. No noticeable significant damage, such as broken windows, extensive body rust, flat tires, missing bumpers, or body damage, is allowed.			
	Automobile service station; provided, that service bays are part of the main building and limited to a maximum of 1 bay in a C-1 and 2 bays in a C-2. No outside display of accessory items to be sold nor outside storage shall be permitted. One freestanding single bay, rotating brush car wash shall be permitted as an accessory use.	Р	_P 1	Р
	Awning sales and service.	N	Р	Р
B.	Baby formula service.	Р	Р	Р
	Bakery goods manufacturing.	N	N	Р
	Bakery manufacture limited to goods retailed on premises.	Р	Р	Р
	Bank or financial institution.	Р	Р	Р
	Barbershop.	Р	Р	Р
	Bath and massage establishment.	N	Р	Р
	Beauty culture school.	N	N	Р
	Beauty shop.	Р	Р	Р
	Bed and breakfast inn, subject to the following standards:	N	Р	Р
	Two parking spaces shall be provided for the host family, plus 1 space for each guestroom;			
	Proprietor or owner must occupy the property;			
	Meals may only be served to overnight guests;			
	Signs are limited to nameplate signs, not exceeding 2 square feet in residential zones. In addition, a freestanding identification sign not to exceed 4 square feet is permitted. If illuminated, only indirect spotlighting is allowed, thus prohibiting backlighted signs.			
	Beer parlor, sale or draft beer.	N	N	С
	Billiard parlor.	N	N	Р
	Blueprinting and photostating.	N	Р	Р
	Boarding house.	N	Р	Р
	Boat sales and service.	N	c ¹	Р
	Bookbinding.	N	N	Р
	Bottling and distribution plant.	N	N	Р
	Bowling alley.	N	Р	Р
	Boxing arena.	N	N	Р
	Bus terminal.	N	P ¹	Р
	Business or professional office.	Р	Р	Р
C.	Cafe or cafeteria.	Р	Р	Р
	Candy manufacture.	N	N	Р
	Cannabis production establishment.	N	N	N
	Car wash, laundry type.	N	C ^{1, 2}	Р

	Car wash, manual spray.	С	P ¹	Р
	Carbonated water sales.	N	Р	Р
	Carpenter and cabinet shop.	N	N	Р
	Carpet and rug cleaning.	N	N	Р
	Carpet, rug and linoleum service.	N	Р	Р
	Cash register sales and service.	N	Р	Р
	Catering establishment.	N	Р	Р
	Charitable soup kitchen, provided the following conditions are complied with:	С	С	С
	1. Minimum lot size shall be 1 acre;			
	Minimum building size shall be 3,500 square feet of floor space;			
	One parking space shall be provided per employee or volunteer on the highest shift;			
	At least 1 accessible restroom or "port- a-john" shall be provided on the site and kept open to patrons during off hours;			
	All yard areas not used for parking and associated accessways shall be landscaped;			
	6. The site shall be fenced with a minimum 5 foot high fence along adjoining properties;			
	7. The planning commission may allow the installation of open space improvements to occur in phases.			
	Christmas tree sales.	Р	Р	Р
	Church.	N	Р	Р
	Church, temporary revival.	N	С	С
	Circus, carnival or other transient amusement.	N	N	С
	Coal and fuel sales office.	N	N	Р
	Communication equipment building.	N	Р	Р
	Contractor shop, provided work conducted within a completely enclosed building.	N	N	Р
	Convenience store.	Р	P ¹	Р
	Convenience store, 1 freestanding single bay rotating brush car wash shall be permitted as accessory use.	Р	P1	Р
	Costume rental.	N	Р	Р
D.	Dance hall.	N	N	С
	Data processing service and supplies.	N	Р	Р
	Delicatessen.	Р	Р	Р
	Detective agency.	Р	Р	Р
	Diaper service, including cleaning.	N	Р	Р
	Drapery and curtain store.	N	Р	Р
	Drinking establishment. In addition to the requirements of the conditional use process, the following conditions shall apply:	N	N/C	С
	No more than 2 drinking establishments per linear block;			

	and co	rking shall be located on the same lot with the building onveniently located to the entrance of the building. In mining conveniently located parking, the planning hission shall consider:			
		a. The visibility of the parking area from the building;			
		b. The lighting, existing physical development, and types of uses adjacent to the parking lot and drinking establishment;			
		c. The potential for parking conflicts with the parking lots of adjacent uses;			
		d. The potential for customer usage of on street parking in front of residential uses.			
		erational hours shall be considered to assure atibility with the surrounding uses.			
	4. In a zone:	addition, the following conditions shall apply to the CP-2			
		a. Must be located in a multi- tenant retail or office center of at least 3 separate uses in the building;			
		b. The drinking establishment shall not be located on the ground floor;			
		c. The drinking establishment shall be no closer than 200 feet to any residential use, measured by a direct pedestrian route from the main entrance of the establishment to the property line of the residential use.			
	requirements applanning commiss operations on addwellings in the v	hment with cabaret license. In addition to the plicable generally to drinking establishments, the sion shall consider the potential effects of cabaret ljacent uses, including, but not limited to, any residential vicinity, considering hours of operation, noise, parking cts, and possible activities of patrons on and around the	N	N	С
	Drive-it-yourself	agency or business.	N	Р	Р
	Driving range.		N	N	С
	Dry cleaning esta	ablishment:			
	Indust	trial.	N	N	Р
	Perso	nal service.	N	Р	Р
	Dry cleaning pick	c up station.	Р	Р	Р
E.	Educational insti	tution/post-high school educational institution.	N	Р	Р
	Educational institution housing.	tution/post-high school educational institution with	N	Р	Р
	Electrical and he	ating appliances and fixtures, sales and service.	N	Р	Р
	Electronic equipr	ment sales and service.	N	Р	Р
	Employment age	ency.	N	Р	Р
	Express and tran	nsfer service.	N	N	С
F.	Farm implement	sales.	N	N	Р
	Film exchange e	stablishment.	Р	Р	Р
	Fireworks stands	s and sales.	N	P ¹	Р
	Frozen food lock	ers, incidental to a grocery store or food business.	Р	Р	Р
	Fruit store or sta	nd.	Р	Р	Р

G.	Garden supplies and plant material sales.	Р	Р	Р
	Glass sales and service.	N	Р	Р
	Go-cart track, indoor.	N	N	С
	Government buildings or uses, nonindustrial.	Р	Р	Р
	Greenhouse and nursery.	N	Р	Р
	Gunsmith.	N	Р	Р
	Gymnasium.	N	P ¹	Р
Н.	Health club.	N	P ¹	Р
	Heliport.	N	c ¹	С
	Hospital supplies.	N	Р	Р
	Hotel.	N	_P 1	Р
	House cleaning and repair.	N	Р	Р
	House equipment display.	N	Р	Р
	Household pets, dwelling units only.	Р	Р	Р
I.	Ice cream manufacture.	N	N	Р
	Ice cream parlor.	Р	Р	Р
	Ice manufacture and storage.	N	N	Р
	Ice store and vending station.	Р	Р	Р
	Indoor batting ranges.	N	Р	Р
	Insulation sales.	N	Р	Р
	Interior decorating and design establishment.	N	Р	Р
J.	Janitor service and supply.	N	Р	Р
K.	Kenneling (indoor) with outdoor exercise area.	N	N	С
	Knitting mills.	N	N	Р
L.	Laboratory, dental or medical.	N	Р	Р
	Launderette or laundromat.	Р	Р	Р
	Laundry or dry cleaning establishment, industrial.	N	N	Р
	Library.	Р	Р	Р
	Linen supply service.	N	N	Р
	Liquor store.	N	С	С
	Locksmith.	Р	Р	Р
	Lodge.	Р	Р	Р
	Lodging house.	N	С	Р
	Luggage store.	N	Р	Р
	Lumberyard.	N	N	С
M.	Machine shop operations incidental to any use permitted in C-3 zone.	N	N	Р
	Manufacture of goods subject to the following conditions:	N	P ¹	Р
	All uses and storage shall be inside a building;			
	<u> </u>	•		

	Manufacturing uses are limited to assembly of products only;			
	3. A portion of the building shall be used as office or retail area;			
	4. Maximum total building size is 15,000 square feet.			
	Medical cannabis pharmacy.	Р	Р	Р
	Millinery.	N	Р	Р
	Miniature golf.	N	N	С
	Mobile food trailer.	N	Р	Р
	Mobile food truck.	N	Р	Р
	Mobile home sales lot and service.	N	N	Р
	Monument works and sales.	N	Р	Р
	Mortuary.	N	P ¹	Р
	Motel.	N	Р	Р
	Motorboat sales and service.	N	С	Р
	Museum.	N	Р	Р
N.	Newsstand.	Р	Р	Р
	Nursery school.	Р	P ¹	Р
О.	Office in which goods or merchandise are not commercially created, exchanged or sold.	N	Р	Р
	Office supply.	N	Р	Р
	Ornamental iron sales or repair.	N	С	Р
	Outdoor batting cages.	N	C ¹	С
P.	Paperhanger shop.	N	Р	Р
	Park and playground.	Р	Р	Р
	Parking lot or garage for passenger automobiles.	С	c ¹	С
	Pawnshop.	N	N	Р
	Personal storage units.	N	N	N
	Pest control and extermination.	N	Р	Р
	Pet grooming.	С	Р	Р
	Pet store.	N	Р	Р
	Photo studio.	Р	Р	Р
	Photocopying and printing services, with floor area of 1,200 square feet or less.	Р	Р	Р
	Pie manufacture.	N	Р	Р
	Plumbing shop.	N	С	Р
	Pony ring, without stables.	N	N	С
	Pool hall.	N	N	Р
	Post office.	Р	Р	Р
	Precious metal purchasing provided it is an accessory use to a use permitted in the zone.	Р	Р	Р
	Printing, lithographing, publishing or reproductions sales and service.	N	Р	Р

	Privately operated of	concession or amusement business in a public park.	С	С	С
	Propane retail sales	as an accessory use:	N	Р	P
	1. An abo	oveground bulk propane storage tank shall:			
		a. Be located outside of any required setback;			
		b. Not exceed 16 feet in length if tank is horizontal;			
		c. Not exceed the primary building height or 10 feet, whichever is lower, if tank is vertical;			
		d. Not exceed a volume of 1,100 gallons;			
		e. Be limited to 1 tank per site.			
	Public utilities subst	ation.	С	С	С
Q.	Reserved.				
R.	Racquet club.		N	Р	Р
	Radio and television	n sales and service.	С	Р	Р
	Radio, television or	FM broadcasting station.	N	Р	Р
	Real estate agency.		N	Р	Р
	Reception center or	wedding chapel.	N	С	Р
	Recreational vehicle	e storage.	С	С	Р
	Rental agency for h	ome and garden equipment.	N	Р	Р
	Residential:				
	Mixed-us condition	e group dwelling (see Chapter 10 for applicable s).	N	С	С
		e multiple-family dwelling (see Subsection 15-38-4.F and standards).		N	С
		ramily dwelling or two-family/duplex dwelling within an tion area where indicated in a city adopted station n.	N	Р	N
	Senior m	ultiple-family dwelling.	N	Р	Р
	Restaurant.		Р	Р	Р
	Restaurant, drive-in		Р	P ¹	Р
		restaurants in the C-1 zone shall comply with the conditions of approval:			
		Shall be located only on arterial roads.			
		2. Hours of business be from 7:00 A.M. to 11:30 P.M.			
		3. The minimum square footage of the building shall be 2,600 square feet and the maximum 4,000 square feet.			
		Exterior speakers shall be designed and installed to minimize the audible impact to the adjacent residences.			
		Drive-up windows shall face either the street or nonresidential uses.			
		Business signs shall be only monument signs and they shall not exceed 8 feet in height.			
		7. At least 60% of the building square footage shall be designed and devoted for sit down dining.			

	Restaurant with cabaret. In addition to the requirements of the conditional use process, the planning commission shall consider the potential effects of the type of proposed cabaret operations on adjacent uses, including, but not limited to, any residential dwellings in the vicinity, considering hours of operation, noise, parking and traffic conflicts, and possible activities of patrons on and around the site.	N	N	С
	Retail sales establishment doing business and having displays inside an enclosed building whose main use is the selling of goods or merchandise to the general public for personal, household or business use and rendering services incidental to the sale of such goods:			
	Total building size 3,000 square feet or less.	Р	Р	Р
	Total building size 3,001 to 10,000 square feet.	С	Р	Р
	Total building size 10,001 to 40,000 square feet.	N	Р	Р
	Total building size 40,001 to 60,000 square feet.	N	С	Р
	Total building size 60,001 or greater.	N	С	С
	Retail sales establishment doing business whose main use is the selling of goods or merchandise to the general public for personal, household or business use and rendering services incidental to the sale of such goods, including outdoor displays or storage of such things as building materials, garden supplies, but not tires, vehicles or vehicle parts:			
	Total building size less than 10,000 square feet.	N	N	С
	Total building size 10,000 square feet or greater.	N	С	С
	Retail tobacco specialty business provided it meets the requirements of Section 15-13-35.	N	N	Р
	Rollerskating rink. Rollerskating rinks in the C-1 and C-2 zones, as well as CP-1 and CP-2 zones, shall comply with the following conditions of approval:	Р	Р	Р
	Shall be located in a commercial center or site of at least 1 acre in size;			
	Such establishment shall not be open for business later than 10:00 P.M. Sunday through Thursday, and not later than 11:30 P.M. on Fridays and Saturdays;			
	No alcoholic beverages shall be sold or consumed on the premises of the skating rink;			
	4. Minimum of 5 foot high screening fence shall be required along all property lines abutting residential property except that no fence shall be higher than 3 ¹ / ₂ feet in a front yard setback or side yard facing a street on a corner lot;			
	5. No musical instruments, phonograph, sound amplifier or similar device shall be operated in such a manner as to create a noise disturbance across a real property boundary. If such a device is plainly audible on the property of another or within a building other than that within which the device is located, and if a complaint is made to the police department and verified by them that a noise disturbance exists, this shall serve as prima facie evidence of a violation of this condition of approval.			
	Roofing sales or shop.	N	Р	Р
S.	Seasonal sales of produce and beverage, subject to the following standards:	Р	Р	Р
	All stands or trucks and displayed produce must be located on private property and not in the public right of way;			
	Such stands or displays shall be set back at least 20 feet from adjoining street right of way lines;			
	Off street parking must be available on site or within 500 feet of the site;			
	4. No portable, flashing or banner signs shall be permitted;			

	5. Such use shall either locate in a temporary building under 400 square feet for a period not to exceed 6 months in 1 calendar year, or in a permanent building year round. (The requirement to locate in a permanent or temporary building shall not apply in the M-1 and M-2 zones.)			
	Service station automobile, excluding painting, body and fender and upholstery work.	Р	P1	Р
	Sexually oriented businesses (see Section 15-13-13 for applicable conditions):			
	Adult business and adult live entertainment businesses.	N	N	Р
	Outcall services and adult entertainment dancing agencies.	N	Р	Р
	Sheet metal shop and retinning, provided all operations are conducted within completely enclosed building.	N	N	С
	Shelter for the homeless.	N	N	С
	Sheltered workshop, provided the activities and processes are allowed as uses in the zone.	N	N	Р
	Shoe repair or shoeshine shop.	Р	Р	Р
	Shooting gallery.	N	N	Р
	Short term loan business (see Section 15-13-34 for applicable regulations).	N	Р	Р
	Sidewalk vendor.	N	N	N
	Sign manufacture or sign painting.	N	N	Р
	Signs (see Title 18, Chapter 5, "Appendix A").			
	Single room occupancy.	N	N	N
	Social hall, subject to the following minimum standards which may be further restricted or added to by the planning commission:	N	С	С
	The social hall has a maximum size of 4,000 square feet.			
	2. The facility is open for business at least 5 days per week with a maximum of 2 days per week allowed for events where individual paid entry is linked to: dancing to live music; or an event or performance by an individual or group, such as live music or live entertainment.			
	Hours of operation to be determined based on site location and characteristics.			
	No alcohol is permitted in the building or the property unless a special event license is issued for a private function.			
	 The use has games, social areas, programs or other activities available for use during the hours of operation but not a sufficient number of devices to be an arcade or pool hall. 			
	The use for private functions does not allow for ticket sales to the function or for participating in events associated with the function.			
	Studio for professional work, teaching, performance or exhibitions of fine arts.	Р	Р	Р
	Swap meet, subject to the following conditions: Must be operated in a completely enclosed building, except for incidental outdoor displays, and accessory fenced areas for storage of such things as living plant materials or items that because of fire code regulations may not be stored inside of building, i.e., gas lawn mowers, rototillers, compressors, or other machinery producing fumes or exhaust.	N	N	С
	Swimming pools.	N	С	Р
T.	Tailor shop.	N	Р	Р
	Taxicab stand.	Р	Р	Р

	Taxidermist.	N	Р	Р
	Telegraph office.	Р	Р	Р
	Temporary automotive summer sales in commercial parking lots.	N	Р	Р
	Temporary building for uses incidental to construction work. Such buildings shall be removed upon completion of the construction work.	Р	Р	Р
	Temporary business.	N	N	N
	Theater, indoor.	N	Р	Р
	Theater, outdoor.	N	N	С
	Tire stores, sales and service, subject to the following standards:	N	P ¹ *	Р
	No outside tire storage is permitted;			
	Incidental repair work is permitted such as alignments, inspections, minor tune ups, but no muffler, transmission, bodywork, or major engine repair shall be permitted.			
	*3. Stores in the C-2 Zone shall be subject to the following additional standards:			
	a. The store shall be located in a minimum 10 acre shopping center and only as a portion of a main building;			
	b. The building design shall not be altered contrary to the established theme of the shopping center;			
	c. No freestanding accessory structures shall be allowed;			
	d. Vehicle access doors to the building shall not be visible from any public street or residentially zoned property;			
	e. No customer cars shall be kept overnight outside the building.			
	Tool design (precision) repair and manufacture.	N	N	С
	Towing or impound lot.	N	N	С
	Trade or industrial school.	N	С	Р
	Trailer sales and service.	N	N	Р
	Transitional housing. Subject to the site development standards meeting Section 15-38-2 for the C-2 Zone and Section 15-38-2 for the C-3 Zone.	N	С	С
	Travel agency.	Р	Р	Р
	Truck terminal.	N	N	N
U.	Upholstery shop.	Р	Р	Р
	Used car lot.	N	N	С
V.	Ventilating equipment, sales and service.	N	С	Р
W.	Warehouse storage.	N	N	N
	Waterslide.	N	C ¹	O
	Weather stripping shop.	N	Р	Р
	Welding shop.	N	N	С
	Wholesale business.	N	N	Р
	Window washing establishment.	N	Р	Р

Notes:

- 1. These uses are considered high impact uses when abutting or within 100' of a residential zone boundary. Residentially zoned property that is developed with a nonresidential use does not apply. Additional requirements are required to mitigate potential impacts to adjacent residentially zoned property. See Section 15-38-3.
- 2. Laundry-style (automatic) car washes are not allowed within 300' of property zoned residential. Residentially zoned property that is developed with a nonresidential use does not apply.

(Ord. 2013-50, 12-3-2013; amd. Ord. 2014-34, 8-12-2014; Ord. 2015-47, 10-20-2015; Ord. 2016-32, 6-7-2016; Ord. 2019-46, 10-22-2019; Ord. 2020-24, 6-23-2020; Ord. 2020-39, 9-1-2020; Ord. 2020-43, 9-15-2020; Ord. 2020-47, 10-6-2020; Ord. 2022-5, 2-1-2022; Ord. 2023-16, 4-11-2023; Ord. 2023-59, 11-7-2023; Ord. 2024-28, 10-15-2024)