A Change of Use for the Upper Levels of the

Acade Building

1008 Second Street Sacramento, California 95814

GENERAL NOTES

- 1. THE BUILDER SHALL VERIFY THAT SITE CONDITIONS ARE CONSISTENT WITH THESE PLANS BEFORE STARTING WORK. WORK NOT SPECIFICALLY DETAILED SHALL BE CONSTRUCTED TO THE SAME QUALITY AS SIMILAR WORK THAT IS DETAILED. ALL MORK SHALL BE DONE IN ACCORDANCE WITH INTERNATIONAL BUILDING CODES AND LOCAL CODES.
- 2. WRITTEN DIMENSIONS AND SPECIFIC NOTES SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS AND GENERAL NOTES. THE ENGINEER/DESIGNER SHALL BE CONSULTED FOR CLARIFICATION IF SITE CONDITIONS ARE ENCOUNTERED THAT ARE DIFFERENT THAN SHOWN, IF DISCREPANCIES ARE FOUND IN THE PLANS OR NOTES, OR IF A QUESTION ARISES OVER THE INTENT OF THE PLANS OR NOTES. CONTRACTOR SHALL VERIFY AND IS RESPONSIBLE FOR ALL DIMENSIONS (INCLUDING ROUGH OPENINGS).
- 3. DIMENSIONS ARE TO FACE OF FRAMING, UNLESS NOTED OTHERWISE.
- 4. ALL MANUFACTURERED ARTICLES, MATERIALS AND EQUIPMENT SHALL BE APPLIED, INSTALLED, CONNECTED, ADJUSTED, USED, CLEANED AND CONDITIONS AS DIRECTED BY THE MANUFACTURER, UNLESS OTHERWISE DIRECTED
- 5. ALL MATERIALS SHALL BE NEW AND UNUSED, UNLESS OTHERWISE NOTED.
- 6. THE BUILDING, BUILDING SITE AND NEIGHBORING BUILDINGS AND PROPERTIES SHALL BE PROTECTED FROM ANY DAMAGE THAT MAY OCCUR DUE TO THE PERFORMANCE OF THIS WORK, ANY DAMAGES THAT OCCUR ARE THE SOLE RESPONSIBILITY OF THE GENERAL CONTRACTOR.
- 7. ALL WASTE AND REFUSE CAUSED BY THIS WORK SHALL BE REMOVED FROM THE PROPERTY AND DISPOSED OFPROPERLY BY THE GENERAL CONTRACTOR.
- 8. THE CONTRACTOR SHALL ASSUME FULL RESPONSIBILITY FOR ANY WORK KNOWINGLY PERFORMED CONTRARY TO SUCH LAWS, ORDINANCES, OR REGULATIONS, THE CONTRACTOR SHALL ALSO PERFORM COORDINATION WITH ALL UTILITIES AND STATE SERVICE AUTHORITIES
- THE GENERAL CONTRACTOR IS RESPONSIBLE FOR THE DESIGN AND PROPER FUNCTION OF PLUMBING, HYAC AND ELECTRICAL SYSTEMS. THE GENERAL CONTRACTOR SHALL NOTIFY THIS OFFICE WITH ANY PLAN CHANGES REQUIRED FOR DESIGN AND FUNCTION OF PLUMBING, HVAC AND ELECTRICAL SYSTEMS.
- 10. THIS OFFICE SHALL NOT BE RESPONSIBLE FOR CONSTRUCTION MEANS AND METHODS, ACTS OR OMISSIONS OF THE CONTRACTOR OR SUBCONTRACTOR. OR FAILURE OF ANY OF THEM TO CARRY OUT WORK IN ACCORDANCE WITH THE CONSTRUCTION DOCUMENTS. ANY DEFECT DISCOVERED IN THE CONSTRUCTION DOCUMENTS SHALL BE BROUGHT TO THE ATTENTION OF THIS OFFICE BY WRITTEN NOTICE BEFORE PROCEEDING WITH WORK, REASONABLE TIME NOT ALLOWED THIS OFFICE TO CORRECT THE DEFECT SHALL PLACE THE BURDEN OF COST AND LIABILITY FROM SUCH DEFECT UPON THE CONTRACTOR.
- 11. THIS STRUCTURE SHALL BE ADEQUATELY BRACED FOR WIND LOADS UNTIL THE ROOF, FLOOR AND WALLS HAVE BEEN PERMANENTLY FRAMED TOGETHER AND SHEATHED.
- 12. INSTALL POLYISOCYANURATE FOAM TYPE INSULATION AT FLOOR AND PLATE LINES, OPENINGS IN PLATES, CORNER STUD CAVITIES AND AROUND DOOR AND WINDOW ROUGH OPENING CAVITIES.
- 13. INSTALL WATERPROOF GYPSUM BOARD AT ALL WATER SPLASH AREAS TO MINIMUM 70" ABOVE SHOWER DRAINS.
- 14. INSULATE WASTE LINES FOR SOUND CONTROL.
- 15. EXHAUST ALL VENTS AND FANS DIRECTLY TO OUTSIDE VIA METAL DUCTS, PROVIDE 90 CFM (MIN) FANS TO PROVIDE 5 AIR CHANGES PER HOUR IN BATHS CONTAINING TUB AND / OR SHOWER AND IN LAUNDRY ROOMS.
- 16. ALL RECESSED LIGHTS IN INSULATED CEILINGS TO HAVE THE I.C. LABEL
- 17. PROVIDE SOLID BLOCKING UNDER ALL BEARING WALLS PERPENDICULAR TO JOISTS AND OTHER BEARING POINTS NOT OTHERWISE PROVIDED WITH SUPPORT. PROVIDE SOILD BLOCKING AT ALL CABINET AND GRAB BAR LOCATIONS.

MISCELLANEOUS NOTES

- 1. EACH BEDROOM TO HAVE A MINIMUM WINDOW OPENING OF 5.7 SQ. FT. WITH A MINIMUM WIDTH OF 20 IN. AND A SILL LESS THAN 44" ABOVE FIN. FLR.
- 2. ALL GLAZING WITHIN 18 IN. OF THE FLOOR AND/OR WITHIN 24 IN. OF ANY DOOR (REGARDLESS OF WALL PLANE) ARE TO HAVE SAFETY GLAZING. ALL GLAZING WITHIN 60 IN. OF TUB OR SHOWER FLOOR, 60 IN. OF A STAIR LANDING OR A GLAZING AREA GREATER THAN 9 SQUARE FEET ARE TO HAVE SAFETY GLAZING.
- 3. SKYLIGHTS ARE TO BE GLAZED WITH TEMPERED GLASS ON OUTSIDE AND LAMINATED GLASS ON THE INSIDE (UNLESS PLEXIGLASS). GLASS TO HAVE MAXIMUM CLEAR SPAN OF 25 IN. AND FRAME IS TO BE ATTACHED TO A 2× CURB WITH A MINIMUM OF 4 IN. ABOVE ROOF PLANE.
- 4. ALL TUB AND SHOWER ENCLOSURES ARE TO BE GLAZED WITH SAFETY GLASS.
- 5. ALL EXTERIOR WINDOWS ARE TO BE DOUBLE GLAZED AND ALL EXTERIOR DOORS ARE TO BE SOLID CORE WITH WEATHERSTRIPPING, PROVIDE 1/2 IN. DEADBOLT LOCKS ON ALL EXTERIOR DOORS, AND LOCKING DEVICES ON ALL DOORS AND WINDOWS WITHIN 10 FT. (VERTICAL) OF GRADE. PROVIDE PEEPHOLE 54-66 IN. ABOVE FIN. FLOOR ON EXTERIOR ENTRY DOORS.
- 6. PROVIDE ONE SMOKE DETECTOR IN EACH ROOM AND ONE IN EACH CORRIDOR ACCESSING BEDROOMS. CONNECT SMOKE DETECTORS TO HOUSE POWER AND INTER-CONNECT SMOKE DETECTORS TO HOUSE POWER AND INTERCONNECT SO THAT, WHEN ANY ONE IS TRIPPED, THEY ALL WILL SOUND. PROVIDE BATTERY BACKUP FOR ALL UNITS.
- 7. PROVIDE COMBUSTION AIR VENTS (WSCREEN AND BACK DAMPER) FOR GAS FIRE-PLACE AND ANY OTHER APPLIANCES WITH AN OPEN FLAME
- 8. BATHROOMS AND UTILITY ROOMS ARE TO BE VENTED TO THE OUTSIDE WITH A FAN CAPABLE OF PRODUCING A MINIMUM OF 5 AIR EXCHANGES PER HOUR.
- 9. RANGE HOODS ARE ALSO TO BE VENTED TO THE OUTSIDE.
- 10. ELECTRICAL RECEPTACLES IN BATHROOMS, KITCHENS AND GARAGES SHALL BE G.F.I. OR G.F.I.C. PER NATIONAL ELECTRICAL CODE REQUIREMENTS.
- 11. INSULATE ALL ACCESS DOORS/ HATCHES TO CRAWL SPACES AND ATTICS TO THE EQUIVALENT RATING OF THE WALL. FLOOR OR CEILING THROUGH WHICH THEY PENETRATE. UNO ON PLANS. (ATTIC R-38, WALLS R-21, FLOORS R-30)
- 12. PROVIDE CRAWLSPACE VENTING TO MEET THE REQUIREMENTS OF THE 2016 EDITION OF THE CALIFORNIA BUILDING CODE.
- 13. PROVIDE SPECIAL INSPECTION, SPECIAL TESTING, REPORTING AND COMPLIANCE PROCEDURES ACCORDING TO THE 2016 CALIFORNIA BUILDING CODE.

PROJECT DATA

1028 Second Street #300 Sacramento, California 95814

(916) 508-5059

Jon N. Westphal 773 Bolsa Court

El Dorado Hills. California 95762 (916)804-0183 C-19845

1008 Second Street Sacramento, California 95814

ASSESSOR'S PARCEL NUMBER:

006-0071-043-0000

CODE REFERENCES: 2019 C.G.B.C., C.B.C, C.E.C., C.M.C, C.P.C., C.E.C., Title 24 2019 California Fire Code

OCCUPANCY GROUP:

CONSTRUCTION TYPE:

SNOW LOAD: OPSF SPRINKLERS: Yes SPECIAL INSP. No.

SCOPE: A 'Change of Use' for the Basement level only from B to A-3. Plus repairs and corrections as listed on sheet A-9.

First, Second & Third Levels will be handled under a separate permit.

AREA ANALYSIS

BASEMENT AREA

±4,340 sf.

(Less Stairs / Elevator & Storage) ±3,440 sf.

COURTYARD AREA-

±1,350 sf.


SHEET INDEX

COVER SHEET EXISTING SITE PLAN STREET LEVEL FLOOR PLAN SECOND LEVEL FLOOR PLANS THIRD LEVEL FLOOR PLANS EXISTING BUILDING OVERVIEW RECORD OF DECISION (P18-064) CORRECTION NOTICES ACCESSIBILITY STANDARDS ACCESSIBILITY STANDARDS ACCESSIBILITY STANDARDS ACCESSIBILITY STANDARDS

ACCESSIBILITY STANDARDS

ACCESSIBILITY STANDARDS

YICINITY MAP



FILE NO:

2205 Base Upperfloor

DATE: 10/18/2022

SHEET NO:

NO CHANGES TO EXISTING FIRE SPRINKLER SYSTEM IS PROPOSED UNDER THIS APPLICATION.

ALL RIGHTS RESERVED

10/18/2022

SHEET NO: A-2

J STREET

SUBJECT FIREHO

K STREET

PARTIAL SITE PLAN ±1" = 20.0'

ASSESSOR'S PLAN ±1" = 100.0'

COPYRIGHT 2022 - JON N. WESTPHAL - ARCHITECT ALL RIGHTS RESERVED

FILE NO: 2205_Base_UpperFloors

10/18/2022

A-3

SHEET NO:

STREET LEVEL FLOOR PLAN 3/16" = 1'-0"

Provide (n) Exit "Right" Signage and Emergency Lighting

Provide (n) Exit Signage
and Emergency Lighting


EXIT CORRIDOR


RETAIL "A"


RETAIL "B"

STORAGE

STORAGE









OFFICE

OFFICE

OFFICE

EXISTING SECOND LEYEL FLOOR PLAN
3/16" = 1'-0"

OFFICE

OFFICE


ELEVATOR


MOMEN


FILE NO: 2205_Base_UpperFloors

10/18/2022


SHEET NO: A-4













COPYRIGHT 2022 - JON N. WESTPHAL - ARCHITECT

ALL RIGHTS RESERVED



Stphal - Architect Court Hills, California 95762 -0183 · jon@jnwarchitect.com

> LEVEL FLOOR PLANS

Arcade Building

1008 Second Street

Sacramento, California 45814


FILE NO:


2205_Base_UpperFloors


DATE: 10/18/2022

10/18/2022 SHEET NO:

A-5







MOMEN

CORRIDOR

EXISTING THIRD LEVEL FLOOR PLAN 3/16" = 1'-0"

EXISTING EXTERIOR WALLS


EXISTING UN-PERMITTED INTERIOR WALLS (TO REMAIN)


EXISTING INTERIOR WALLS TO BE REMOVED

PROPOSED NEW INTERIOR WALLS


PROPOSED THIRD LEVEL FLOOR PLAN
3/16" = 1'-0"

COPYRIGHT 2022 - JON N. WESTPHAL - ARCHITECT ALL RIGHTS RESERVED





Front Overview



THIS SHEET IS BEING PROVIDED FOR REFERENCE ONLY NO WORK IS BEING DONE ON THE EXTERIOR OF THE BUILDING SHELL UNDER THIS PERMIT A SEPARATE PERMIT WILL ADDRESS ANY ALTERATIONS OF THE BUILDING SHELL