

1 A-1.1 2ND, 3RD & 4TH FLOOR PLAN
SCALE: 1/8" = 1'-0"



1. HANDICAP ACCESS TO THESE FACILITIES SHALL BE PROVIDED AT PRIMARY ENTRANCE.

2. THE SLOPE OF PUBLIC WALKS SHALL NOT EXCEED MAX. - CROSS SLOPE 2%. WALKING SURFACE SLOPING GREATER THAN 2% SHALL BE SLIP RESISTANT.

3. PROVIDE A 60"x60" MIN. LANDING ON STRIKE SIDE OF DOOR WITH 44" MIN. WIDTH IN DIRECTION OF TRAVEL.

4. WALKS SHALL EXTEND 24" TO THE SIDE OF THE STRIKE EDGE OF A DOOR OR GATE THAT SWINGS TOWARD THE WALK.

5. RAMPS SHALL BE 48" WIDE MIN. AND HAVE A NON-SLIP SURFACE.

6. EVERY REQUIRED EXIT DOORWAY SHALL BE SIZED FOR A DOOR NOT LESS THAN 3 FT. WIDE BY NOT LESS THAN 6'-8" HIGH CAPABLE OF OPENING 90 DEGREES AND MOUNTED SO THAT THE CLEAR WIDTH OF THE EXIT WAY IS 32" MIN.

7. THRESHOLD TO BE A MAX. 1/4" ABOVE ADJACENT FINISH FLOOR.

8. MAXIMUM EFFORT TO OPERATE DOORS SHALL NOT EXCEED 5 LBS.

9. THE BOTTOM 10" OF ALL DOORS EXCEPT AUTOMATIC AND SLIDING SHALL HAVE A SMOOTH UNINTERRUPTED SURFACE.

10. PROVIDE LEVER TYPE HARDWARE, PANIC BARS, PUSH - PULL ACTIVATING BARS, OR OTHER HARDWARE DESIGNED TO PROVIDE PASSAGE WITHOUT REQUIRING THE ABILITY TO GRASP THE OPENING HARDWARE. (30" TO 44" A.F.F.)

11. ALL DOORWAYS LEADING TO SANITARY FACILITIES SHALL HAVE 32" CLEAR UNOBSTRUCTED OPENINGS.

ACCESSIBILITY NOTES

1. STRUCTURAL COLUMN, RE: STRUCTURAL
2. CONCRETE FLOOR SLAB, RE: STRUCTURAL FOR CONSTRUCTION AND CONTROL JOINT LAYOUT
3. ROOF DRAIN AND OVERFLOW. COORDINATE LOCATION WITH MEP DRAWINGS.
4. ALUMINUM AND GLASS STOREFRONT SYSTEM, RE: SHEET A-5.0
5. ALUMINUM STOREFRONT DOORS, RE: SHEET A-5.0
6. ALUMINUM LOUVERS, RE: EXTERIOR ELEVATIONS
7. LINE OF AWNING ABOVE, RE: ELEV. AND A-4.2
8. CONCRETE TILT-UP PANEL EXPANSION JOINT
9. RECESSED HOSE BIB, RE: MEP
10. SECURITY LIGHT FIXTURE, RE: ELECTRICAL
11. ROOF ACCESS LADDER, RE: 15/A-3.1 & STRUCTURAL DRAWINGS
12. CONCRETE TILT-UP PANEL. RE: STRUCTURAL DRAWINGS. ALL EXPOSED CONCRETE TO RECEIVE THOROLASTIC PAINT. RE: A-2.0 FOR FINISHES

KEY NOTES

LDG LANE DESIGN GROUP
9821 KATY FREEWAY
SUITE 325
HOUSTON, TEXAS 77024
PH (713) 864-8838
FAX (713) 864-9030

urbanika

BUDDE ROAD
OFFICE BUILDING
25814 BUDDE ROAD
SPRING, TEXAS 77380

BID / PERMIT
04/25/15

REV	DATE

This drawing and the design shown is the property of the architect. The reproduction, copying or use of this drawing without their written consent is prohibited and any infringement will be subject to legal action.

2ND, 3RD AND 4TH FLOOR PLAN

A-1.1

LDG job# 214.30

owner | architect seal consultant | location | date | revisions | sheet