

06/01/2023

# Quote

To: C

Casa Nova Restaurant

John Ognibene

From:

Singer Kittredge Equipment Company

John Cannata 17 Pearce Avenue Tonawanda, NY 14150 716-995-7822 365

Project:

Casa Nova Restaurant

3041 Military Road Niagara Falls, N.Y. 14304

Job Reference Number: 77027

This is a quote (the "Quote") to provide equipment and/or services. This Quote includes the conditions presented below and the terms that are included at <a href="https://www.singerequipment.com/policies/quote-terms-conditions">https://www.singerequipment.com/policies/quote-terms-conditions</a> (the "Terms").

When you accept this Quote, as provided below, this Quote, together with the Terms, will form a binding contract (the "Contract") between you and Singer MA LLC, d.b.a. Singer Kittredge, a division of Singer Equipment Company, Inc. ("Singer").

item Qty

## Description

Sell

Sell Total

## 1 ea PIZZA BAKE OVEN, DECK-TYPE, GAS

28,861.00 28,861.00



Blodgett 961P DOUBLE (NS\_10004241)

Pizza Oven, deck-type, gas, 42"W x 32"D deck interior, (2) 7" high sections, (FDTH) 300-650°F mechanical thermostat, QHT Rokite deck, counter-balanced doors with concealed hinges, full angle iron frame, crown angle trim, stainless steel top, front, sides and back, 19" stainless steel legs, flue connector, 50,000 BTU per section, cETLus, NSF, CE

Dimensions 60.56(h) x 60(w) x 40(d)

- 1 ea 2 year parts, 1 year labor and 3 additional year door warranty (parts only), standard
- 1 ea Gas type to be determined
- 1 ea Draft diverter or direct vent must be selected below
- 1 ea Top Section: FDTH 300-650 degree temperature control, standard
- 1 ea Bottom Section: FDTH 300-650 degree temperature control, standard
- 1 st 19" legs, stainless steel (set), standard

Class 92.5

Weight: 1405 lbs total

Cube: 96.0

13,684.00 13,684.00

### 1 ea PIZZA BAKE OVEN, DECK-TYPE, GAS

Blodgett 961P BASE (NS\_10004240)

Pizza Oven, deck-type, gas, (base oven only) 42"W x 32"D deck interior, (1) 7" high oven, (FDTH) 300-650°F mechanical thermostat, QHT Rokite deck, counter-balanced door with concealed hinges, full angle iron frame, stainless steel top, front, sides and back, 50,000 BTU, cETLus, NSF, CE Dimensions 22(h) x 60(w) x 40(d)

- 1 ea 2 year parts, 1 year labor and 3 additional year door warranty (parts only), standard
- 1 ea Gas type to be determined
- 1 ea FDTH 300-650 degree temperature control, standard

Class 92.5

Weight: 675 lbs total

Cube: 48.0

3 4 ea GAS FLOOR FRYER

7,772.00

31,088.00



Pitco Frialator SG14RS

Solstice™ Fryer, gas, floor model, full frypot, 40-50 lb. oil capacity, millivolt control, includes drain line cleanout rod & drain extension, stainless steel tank, front, door & sides, 122,000 BTU, NSF, CE, CSA Flame, CSA Star, AuGA

- 4 ea 1 year parts and labor warranty from the date of installation up to a maximum of 15 months from the date of manufacture (with appropriate documentation), standard
- 4 ea 10 year parts only stainless steel frypot warranty or 5 year parts only mild steel frypot warranty from the date of manufacture, standard
- 1 ea Gas to be determined
- 4 ea Millivolt Controller, standard



<u>5</u>

Spec Series Heavy Duty Range, gas, 36"W, (6) open burners, cast iron "S" grates (standard), standard oven, (1) chrome rack, manual controls, removable crumb tray, stainless steel front, sides, 5°D landing ledge, backguard & kick plate, 6" legs with adjustable feet, 280,000 BTU, 82kW, cETLus, NSF

Dimensions 42(h) x 36(w) x 38(d) 1 ea Limited one year parts and labor warranty, standard

1 ea Gas type to be specified

1 ea Standard with 1-1/4" front manifold

Weight: 745 lbs total Class 92.5

## 1 ea HD RANGE, 36", 4 OPEN BURNERS, 12" HOT TOP

13,907.00

13,907.00

Imperial IHR-4-1HT-C

Spec Series Heavy Duty Range, gas, 36"W, (4) open burners, cast iron "S" grates (standard), (1) 12"W hot top, convection oven, 1/2 HP blower motor, porcelain interior, (3) chrome racks, manual controls, removable crumb tray, stainless steel front, sides, 7"D landing ledge, backguard & kick plate, 6" legs with adjustable feet, 225,000 BTU, 66kW, 120v/1-ph, 6.0 amps, cETLus, NSF

Dimensions 42(h) x 36(w) x 38(d)

- 1 ea Limited one year parts and labor warranty, standard
- 1 ea Gas type to be specified
- 1 ea Standard with 1-1/4" front manifold

1 ea CHARBROILER, GAS, COUNTERTOP

6,004.00

6,004.00

Charbroiler, gas, countertop, 36"W, (6) radiant burners, cast iron slanted top grates, full width grease gutter, removable drip pan, stainless steel front, sides & 5"D landing ledge, 4" legs with adjustable feet, 90,000 BTU, 26kW, cETLus, NSF, CE

Dimensions 13.75(h) x 36(w) x 31.38(d)

- 1 ea Limited one year parts and labor warranty, standard
- 1 ea Gas type to be specified

Class 92.5

Class 92.5

Weight: 350 lbs total

Weight: 812 lbs total

576.00 1,728.00

### Z 3 ea MICROWAVE OVEN

ACP (RCS10TS)

Amana® Commercial Microwave Oven, 1000 watts, 1.2 cu. ft. capacity, medium volume, 4-stage cooking, (5) power levels, (100) memory settings, braille touch pads, non-removable air filter, side hinged door with tempered glass, accommodates 14" plate, stainless steel interior & exterior, 120v/60/1-ph, 13.0 amps, 15 MCA, 1550 watts (total), NEMA 5-15P, cETLus, ETL-Sanitation

Dimensions 13.75(h) x 22(w) x 19(d)

3 ea 3-year limited warranty (1 year full)

Class UPS

<u>10</u>

Weight: 144 lbs total

4,400.00 4,400.00 1 ea 7' MAPLE BLOCK PIZZA TABLE W DOUBLE OVER SHELF 8 10.442.00 10.442.00

## 1 ea PIZZA PREPARATION REFRIGERATOR

Randell 8268N-290-PCB (NS\_10153436)

Refrigerated Raised Rail Prep Table, two-section, 68" W, 17.76 cu. ft. capacity, side-mounted self-contained refrigeration, (2) solid hinged doors, stainless steel front, top, & sides, cold wall refrigeration pan rail (includes divider bars), poly CTB, accommodates (9) 1/3 size pans (pans not included), separate controls, automatic adaptive defrost, aluminum interior, R290 Hydrocarbon refrigerant, 6" casters, 1/3 HP, 115v/60/1-ph, 6.0 amps, cord, NEMA 5-15P, NSF, cUL, UL, Made in USA

Dimensions 44(h) x 68(w) x 33(d)

- 1 ea (1) year parts and labor warranty, standard
- 1 ea CW5 (5) year compressor warranty, standard
- 1 ea Self-contained refrigeration standard

Weight: 484 lbs total Class 175 1 ea REACH-IN UNDERCOUNTER FREEZER

5,535.00 5,535,00

Randell 9301F-290 (NS\_10153459) Undercounter Freezer, reach-in, two-section, 48"W, 10.8 cu. ft. capacity, rear mounted self-contained refrigeration, front breathing, (2) hinged solid doors, electronic controls, adaptive defrost, aluminum & ABS interior, stainless steel top, front & sides, 6" casters, R290 Hydrocarbon refrigerant, 1/3 HP, NSF, cUL, UL, Made in USA Dimensions 35(h) x 48(w) x 31(d)

- 1 ea (1) year parts, labor, and compressor warranty, standard
- 1 ea 115v/60/1-ph, 2.6 amps, 8' cord, NEMA 5-15P, standard

Sell **Sell Total** Description Item Qty 1 ea RMCAS6IN Caster, 6" Weight: 265 lbs total Class 150 1,738.00 1.738.00 1 ea WORK TABLE, STAINLESS STEEL TOP <u>11</u> Advance Tabco VSS-305 (NS\_10065837) Work Table, 60"W x 30"D, 14 gauge 304 stainless steel top with countertop non drip edge, adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF Dimensions 35.5(h) x 60(w) x 30(d) 1 ea SS-2020 (NS\_ADVSS2020) Deluxe Drawer, 20"W x 20"D x 5" deep drawer pan insert, stainless steel, with drawer slides Cube: 10.0 Weight: 124 lbs total Class 125 8,373.00 8,373.00 1 ea HOT FOOD SERVING COUNTER / TABLE Randell 3614-120 (NS\_10022975) Hot Food Table, electric, 120V, 63" L, 30" D, 36" H, individual die-stamped (4) 12" x 20" top openings, sealed well with bottom element (used for wet operation), individual thermostatically controlled, stationary modular, open shelf base, stainless steel top & ends, full length 8" D NSF workboard & stainless steel 7" D plate shelf Dimensions 36(h) x 63(w) x 30(d) 1 ea (1) year parts and labor warranty, standard 1 ea 120v/60/1-ph, 3.0 kw, 25.0 amps, NEMA 5-50P, standard (4 x 750 watt elements) 1 ea 6" Legs, standard 1 ea 37463 Counter Protector, glass top Weight: 362 lbs total Class 100 4,811.00 4,811.00 1 ea MOBILE PLATE AND DISH DISPENSER <u>13</u> Delfield CAB2-1200ET (10224257) Shelleymatic® Even Temp Dispenser, Heated Dish, enclosed mobile design, two self-elevating dish dispensing tubes, maximum dish size approximately 12" diameter, stainless steel construction, (2) 700 watt heating elements, 4" casters, cUL, UL, NSF Dimensions 36(h) x 37(w) x 19(d) 1 ea Introducing: Freight Made Simple 6% on Single purchase orders shipping to one location\*\*. Liftgate & inside delivery not included. Nationwide Freight\* \*Continental United States only \*\*6% Must be manually calculated on your purchase order total, \$200 minimum. If you have any questions, please contact Customer Service at 1-800-733-8948 1 ea 0460000N 1 year parts & labor warranty, standard 1 ea 120v/60/1-ph, 11.0 amps, NEMA 5-20P, standard Weight: 192 lbs total Class 125 876.00 876.00 1 ea WORK TABLE, WOOD TOP <u>14</u> Advance Tabco H2S-304 Maple Top Work Table, 48"W x 30"D, 1-3/4" thick laminated hard maple wood top, 18 gauge stainless steel adjustable undershelf, stainless steel legs with adjustable stainless steel bullet feet, NSF Dimensions 35.5(h) x 48(w) x 30(d) Cube: 7.0 Weight: 115 lbs total Class 77.5 4,400.00 4,400.00 1 ea 10' CUSTOM UTILITY STAINLESS TABLE W 2 SOUP WARMER (WELLS) <u>15</u> 2,840.00 2.840.00 1 ea WARMING DRAWER, FREE STANDING 16 Hatco HDW-2-120-QS (NS\_10116583) (QUICK SHIP MODEL) Warming Drawer Unit, Free Standing, two drawers, includes (1) standard 6" food pan per drawer, stainless steel construction, thermostatic controls, 4" legs, 900 watts, 120v/60/1-ph, NSF, cULus, Made in USA Dimensions 21.13(h) x 29.5(w) x 22.63(d) 1 ea NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement

1 ea NOTE: Includes 24/7 parts & service assistance, call 414-671-6350

1 ea 2-Yr Warranty on drawer warmer heating elements against burnout, standard
 1 ea 2-Yr Warranty on drawer slides & rollers against breakage, standard

Weight: 168 lbs total

for details

Class 100



Advance Tabco FAG-249 (NS\_10001597)

WORK TABLE, 108"W X 24"D, 16 G AUGE 430 STAINLESS STEEL Dimensions 37(h) x 108(w) x 24(d)

Class 125

15,606.00

15,606.00



<u>18</u>

1 ea REACH-IN REFRIGERATOR

Victory Refrigeration RS-3D-S1-EW-HC UltraSpec™ Series Refrigerator, Reach-in, three-section, self-contained refrigeration, 74.16 cu. ft. capacity, (3) wide full height solid hinged doors, (9) silver freeze (chrome-style) shelves, stainless steel exterior & interior, standard depth cabinet, TOUCH POINT™ electronic temperature control/indicator, LED lighting, expansion valve technology, Santoprene door gaskets with 2 year warranty, stainless steel breakers, R290 Hydrocarbon refrigerant, 3/4 HP, cULus, UL EPH Classified, UL-Sanitation, MADE IN USA

Dimensions 84.13(h) x 85.5(w) x 34.88(d)

- 1 ea 3 years parts & labor warranty (excludes maintenance items)
- 1 ea Self-Contained refrigeration
- 1 ea Additional 4 year compressor warranty (part only), standard
- 1 ea 115v/60/1-ph, 8.5 amps, with cord & NEMA 5-15P
- 1 ea Door hinging: left door hinged on left, center & right doors hinged on right standard
- 1 ea Legs, set of 4, 6" high adjustable stainless steel, standard

Class	150
-------	-----

Weight: 900 lbs total

19	1 ea	COMMANDER 2 DOOR FREEZER 60 X 50 X 32	2,200.00	2,200.00
		Custom		
20	1 ea	COMMANDER 2 DOOR FREEZER 60 X 50 X 32	2,200.00	2,200.00
		Custom		
21	1 ea	PLANETARY MIXER	27,584.00	27,584.00


Hobart HL600-1STD (NS\_10015667)

200-240/50/60/3/1 Mixer; with bowl, beater, "D" whip, & spiral dough arm; US/EXP configuration - Legacy Planetary Mixer, 2.7 HP, 60 quart, (4) fixed speeds, gear-driven transmission, 20-Minute SmartTimer™, #12 attach hub, power bowl lift, stainless steel bowl, stainless steel bowl guard, "B" beater, "D" wire whip, "ED" dough hook

1 ea Standard warranty: 1-Year parts, labor & travel time during normal working hours within the USA

Weight: 955 lbs total

22	1 ea 7' MAPLE BLOCK BAKERS TABLE	3,300.00	3,300.00
	Custom		
	A. MENT CLICED	6,586,00	6,586.00





Heavy Duty Meat Slicer, manual, 13" CleanCut™ knife, burnished finish, removable meat/vegetable grip arm, removable ring guard cover, single action top mounted sharpener with Borazon™ stones, cleaning kickstand, 1/2 hp motor, 5,4amps, 120v/60hz/1-ph, NSF cETLus

Dimensions 25.5(h) x 24.63(w) x 30.31(d)

1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA

Cube: 18.9 Weight: 128 lbs total

### 1 ea ICE MAKER, CUBE-STYLE 24



5,045.00



ManItowoc IYT0450A (NS\_10195806)

Indigo NXT™ Series Ice Maker, cube-style, air-cooled, self-contained condenser, 30"W x 24"D x 21-1/2"H, production capacity up to 490 lb/24 hours at 70°/50° (378 lb AHRI certified at 90°/70°), easyTouch display with 13 different language options, date/time stamp display, automatic reminder/alert icon, one touch asset information, automatic detection of accessories, continuous operating status, programmable production options (time, weight, day or night), one touch cleaning with displayed instructions, Alpha-San anti-microbial protection, acoustical ice sensing probe, self-diagnostic technology, DuraTech™ exterior, half-dice size cubes, R410A refrigerant, NSF, cULus, CE, **ENERGY STAR®** 

Dimensions 21.5(h) x 30(w) x 24(d)

- 1 ea WARRANTY-ICE-SC 3 year parts & labor (Machine), 5 year parts & labor (Evaporator), 5 year parts & 3 years labor (Compressor), standard
- 1 ea (-161) 115v/60/1-ph, 11.9 amps
- 1 ea (D570) Ice Bin, 30"W x 34"D x 50"H, with side-hinged front-opening door, side grips, 532 lbs. application capacity, AHRI certified 17.9 cu. ft., for top-mounted ice maker, Duratech exterior, NSF
- 1 ea WARRANTY-BIN/DISP 3 year parts & labor warranty, standard
- 1 ea Legs, 6" adjustable stainless steel, standard

Class 92.5

Weight: 285 lbs total

4,217,00

4,217.00

Sell

769.00

3,016.00

769.00

3.016.00



cycle, 678 cf/h (19 m³/h) capacity Busch vacuum pump, automatic transparent lid, USB port, includes filler plates, stainless steel construction, 0.75 HP, 110-120v/60/1-ph, 9.5 amps, NEMA 5-15P, 6ft. cord, ETL-Sanitation, cETLus, CE Dimensions 15.95(h) x 17.72(w) x 21.81(d)

1 ea 1 year labor & 3 year parts warranty, standard

1 ea Liquid Control for safely packaging of liquid products (includes incline plate for each seal bar), standard

(1) Seal bar front, standard

1 ea Double seal, standard

1 ea SERVICE KIT Service Kit, for standard maintenance

Class 85

Weight: 139 lbs total

26	1 ea	4' WOODEN WORK TABLE	1,650.00	1,650.00
		Custom		
27	1 ea	CAN OPENER	602.00	602.00
	<b>.</b> <del>9</del>	Edlund S-11C (NS_EDLS11C) Packed 3	ea	
	40	Com Output 100 has longth may	can haight of 12" dichwachar cafe, rest grant clamping base model	

Can Opener, manual, 16" bar length, max can height of 13" dishwasher safe, rust proof, clamping secures to underside of table, stainless steel, with cast stainless steel base, NSF certified

1 ea 5 year limited warranty, standard

Class 70

Weight: 2.833 lbs total

1 ea KNIFE SHARPENER 503.00 503.00 28



Edlund 395/115V (NS\_10099640) Packed 3 ea

Knife Sharpener, electric, with easy track guidance system, 115v/60/1-ph, cULus, CE Dimensions 4.75(h) x 9.75(w) x 4(d)

1 ea 1 year limited warranty, standard

1 ea MEAT CHOPPER GRINDER

Class 70 Weight: 10.333 lbs total

1,320.00 1,320.00



29

30

American Eagle Food Machinery AE-GMC22N-2

Electric Meat Cutter Kit, electric, countertop, produces 2" strips, bottom-mounted single piece combs, stainless steel blades, forward/reverse switch, motor overload protection with reset, stainless steel construction, rubber feet, #12 hub, 170 rpm, 1-1/2 HP, 115v/60/1-ph, 16.0 amps, CE, cETLus, ETL-Sanitation Dimensions 19.25(h) x 22(w) x 11.5(d)

1 ea 1 year parts & labor warranty (excluding wear items), standard

Cube: 5.093

Weight: 81.6 lbs total Class 85

1 bx SAUSAGE STUFFER Alfa International FDSS 12 Packed 1 bx

Sausage Stuffer Machine, 12 lbs (6 L) capacity, air-tight rubber seals and patented air valve, stainless steel gear box, cylinder, base plate and support rods, includes 4 plastic stuffing tubes (3/8", 1/2", 3/4", 1"), hand-wash only, Made in Germany

Weight: 31 lbs total

311.00 933.00 3 ea STOCK POT



Vollrath 3103 (NS\_10181685)

Centurion® Induction Stock Pot, 10-1/2 quart, 9-1/2" dia., without cover, 18-10 stainless steel with aluminum clad bottom, NSF, imported, Jacob's Pride® Collection, Limited Lifetime Warranty (Refer to vollrathfoodservice.com for full warranty policy)

Dimensions 9.5(h) x 9.5(w)

3 ea 3709C (NS\_10059340) Centurion® Domed Cover, 9-1/2" dia., for 3103, 3152, 3154 & 3202 pans, stainless steel, NSF, imported, Jacob's Pride® Collection, Limited Lifetime Warranty (Refer to vollrathfoodservice.com for full warranty policy)

> Weight: 24.03 lbs total Cube: 3.029

1 ea STOCK POT <u>32</u>

full warranty policy)

Vollrath 3118 (NS\_10181690) Centurion® Induction Stock Pot, 74 quart, 17-3/4" dia., without cover, 18-10 stainless steel with aluminum clad bottom, NSF, imported, Jacob's Pride® Collection, Limited Lifetime Warranty (Refer to vollrathfoodservice.com for


Dimensions 17.75(h) x 17.75(w)

- 1 ea 3113 (NS\_10181689) Centurion® Induction Stock Pot, 53 quart, 15-3/4" dia., without cover, 18-10 stainless steel with aluminum clad bottom, NSF, imported, Jacob's Pride® Collection, Limited Lifetime Warranty (Refer to vollrathfoodservice.com for full warranty policy)
- 1 ea 3109 (NS\_10181687) Centurion® Induction Stock Pot, 38 quart, 14" dia., without cover, 18-10 stainless steel with aluminum clad bottom, NSF, imported, Jacob's Pride® Collection, Limited Lifetime Warranty (Refer to vollrathfoodservice.com for full warranty policy)
- 1 ea 3713C (NS\_10199799) Centurion® Domed Cover, 13-3/4" dia., for 3109, 3206, 3315 pans, stalnless steel, NSF,

ltem	Qty	Description	Seli	Sell Total
		imported, Jacob's Pride® Collection, Limited Lifetime Warranty (Refer to vollrathfoodservice.com for full warranty		
		policy)		
	1 ea	3715C (NS_10181838) Centurion® Domed Cover, 15-3/4" dia., for 3113, 3208 & 3321 pans, stainless steel, NSF,		
		imported, Jacob's Pride® Collection, Limited Lifetime Warranty (Refer to vollrathfoodservice.com for full warranty		
		policy)		
	1 ea	3717C (NS_10181839) Centurion® Domed Cover, 17-3/4" dia., for 3118, 3212 & 3328 pans, stainless steel, NSF, imported, Jacob's Pride® Collection, Limited Lifetime Warranty (Refer to vollrathfoodservice.com for full warranty		
		policy)		
		Weight: 86.71 lbs total Cube: 10.207		
13	1 ea	FRY PAN	380.00	380.00
_		Vollrath N3414 (NS_10184432)		
		Centurion® Fry Pan, 14" dia., non-stick, 18-10 stainless steel, with aluminum clad bottom, welded non-insulated		
		handle, induction ready, NSF, imported, Jacob's Pride® Collection, Limited Lifetime Warranty (Refer to		
4		vollrathfoodservice.com for full warranty policy)		
		Dimensions 2.5(h) x 14(w)		
		Weight: 8.4 lbs total Cube: 1.330	249.00	249.00
<u>34</u>	1 ea	SAUCE PAN 1/4/1-2707 /NC 10181829	Z42.00	
	e 7/2	Vollrath 3707 (NS_10181828) Centurlon® Sauce Pan, 7 quart, 9-1/2" dia., 18-10 stainless steel, with aluminum clad bottom, non-insulated handle,		
San		induction ready, NSF, imported, Jacob's Pride® Collection, Limited Lifetime Warranty (Refer to		
	A COLUMNIA DE LA COLUMNIA DEL COLUMNIA DE LA COLUMNIA DEL COLUMNIA DE LA COLUMNIA	vollrathfoodservice.com for full warranty policy)		
		Dimensions 6(h) x 9.5(w)		
		Weight: 5.95 lbs total Cube: 0.770		
35	2 ea	CUSTOM MADE STAINLESS STEEL ROASTING PANS (X LARGE/X DEEP)	500.00	1,000.00
		Custom		
<u>36</u>	2 ea	STEAM TABLE PAN, STAINLESS STEEL	169.00	338.00
		ABC Procurement 88002931 (10049089) Packed 6 ea		
ا المادان المادان في		PAN FULL X 2-1/2" DEEP S/S ABC ANTI-JAM		
140	10000000	Dimensions 2.5(h) x 12(w) x 20(d)		
<u>37</u>	3 ea	PORTABLE STAINLESS STEEL WARMERS	600.00	1,800.00
		Custom		
<u>38</u>	1 st	POT PAN SET	249.00	249.0
	*ESSECTION !	Town Equipment 34632 Packed 1 st		
		Stock Pot Set, 12 piece, includes: (1) 8 quart, (1) 12 quart, (1) 16 quart, (1) 18 quart, (1) 24 quart, (1) 36 quart, each		
أفرو	Mar.	with a cover, riveted loop handles, medium commercial weight, aluminum construction  Dimensions 25(h) x 15.5(w) x 15.5(d)		
	d 05			
	Class 85		32.00	384,0
<u>39</u>	12 ea	OPEN DISHWASHER RACK Vollrath TR13A (NS 10184553) Packed 2 ea	52.00	20.110
		Vollrath TR13A (NS_10184553) Packed 2 ea  Traex® Open Dishwasher Rack, full size, low profile, with (1) extender, 19-3/4"W x 19-3/4"D x 3"H, inside height 2-		
		1/4"H, handles on all (4) sides, stackable, co-polymer plastic, specify color, NSF, Made in USA (Refer to		
		voilrathfoodservice.com for full warranty policy)		
		Dimensions 3(h) x 19.75(w) x 19.75(d)		
	12 ea	Custom Color Coded Options - Top Extender Only		
	12 ea	Beige-32 single top extender color		
	Class 150	Weight: 42 lbs total	4 = = = 0.0	4 5 5 7 0
<u>40</u>	1 ea	COFFEE BREWER	1,567.00	1,567.0
2517		BUNN 38700.0015 (NS_10004523)		
	西型、	38700.0015 AXIOM® 0/6 Twin Automatic Coffee Brewer with 6 Warmers, total 15 gallon per hour capacity, double brewer, twin brew head system, 6 lower warmers, brews into decanters (sold separately), BrewWiZARD™ technology		
		brewer, twin brew head system, 6 lower warmers, brews into decanters (sold separately), brewwizhou terminogy  LCD display, touch pad to set pot level and tank temperature, BrewLOGIC™ technology, hot water faucet, digital		
T	,	temperature control, energy-saver mode, stainless steel construction, UL, NSF		
		Dimensions 20.5(h) x 30.3(w) x 17.7(d)		

1 ea 120/208v/60/1-ph, 6700w, 27.9amps, no cord, standard

Class 175 Weight: 74 lbs total Cube: 10.809



John Boos FBLG7224-X
Economy Work Table, 72"W x 24"D, 18/430 stainless steel flat top, 1-1/2" Stallion Safety Edge on front & back, 90° turndown on sides, galvanized legs & adjustable undershelf, adjustable 1" plastic bullet feet, NSF, CSA-Sanitation, KD (Available in Effingham and Nevada)

586.00

293.00

Dimensions 35.75(h) x 72(w) x 24(d)

Class 70 Weight: 166 lbs total Cube: 8.0

## 1 ea FRENCH FRY CUTTER

Vollrath (47713)

Potato Cutter, cut size 3/8", heavy nickel-plated ductile cast iron frame & handle with screw holes on base of legs (Refer to vollrathfoodservice.com for full warranty policy)

Class 85


Weight: 17.8 lbs total

Cube: 1.688

18,985.00 18.985.00

273.00

273.00



Kolpak P7-0812-CT

Walk-In Cooler, Indoor Polar-Pak, 7 ft.-6.25" H, 7 ft.-9"W, 11 ft.-7"L, with Era floor, medium temp (+38F) top mounted unit, 26 gauge embossed galvalume interior & exterior, .100 smooth aluminum Era floor, 2" dial thermometer, NSF, cUL, UL

Dimensions 90.25(h) x 93(w) x 139(d)

- 1 ea NOTE-30DAYS NOTE: All Quotes are good for 30 days.
- 1 ea NOTE-SEISMIC NOTE: Units shipping to California, Washington, or Oregon are likely selsmic and require a seismic kit; floorless seismic units, add 5 business days.
- 1/2-MT2 PC048T2, 1/2 hp, 115/60/1 Polar-Pak Series Refrigeration
- 1 ea 26X78-DOOR 26" X 78" Door, std.
- 1 ea DOOR-TBD Door hinge to be specified

Class 150

Weight: 1762 lbs total

2,623.00 2,623.00

307,00



44

1 ea OVERSHELF

Advance Tabco DCM-18-60 (NS\_ADVDCM1860)

Shelf, ceiling mounted, double-deck, 60"W x 18"D, 1-5/8" posts run to the ceiling, adjustable top shelf, stainless

steel, load capacity 5 lb. per sq. ft. (evenly distributed), specify working height & ceiling height

Dimensions 14(h) x 60(w) x 18(d)

Weight: 66 lbs total

Cube: 7.0

614.00

2 ea HEAT LAMP <u>45</u>

Class 175

Hatco GRAH-54 (NS 10215701)

Glo-Ray® Infrared Strip Heater, 54" W, high wattage, tubular metal heater rod, single heater rod housing, aluminum construction, 1250 watts, NSF, CE, cULus, Made in USA Dimensions 2.5(h) x 54(w) x 6(d)

- 1 ea NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement
- 1 ea NOTE: Includes 24/7 parts & service assistance, call 414-671-6350
- 2 ea One year on-site parts & labor warranty, plus one additional year parts only warranty on all Glo-Ray metal sheathed
- 2 ea 120v/60/1-ph
- 2 ea BLT TOG-1 (1) Built-in toggle control (remote recommended) (available at time of purchase only)
- 2 ea No Tandem selection
- 2 ea STANDARD Clear Anodized Aluminum housing, finish, standard (available at time of purchase only)

Class 100

Weight: 26 lbs total

## 2 ea BACK BAR CABINET, REFRIGERATED

5,578.00

11,156.00



<u>46</u>

Perlick Corporation BBR96

Refrigerated Back Bar Cabinet, four-section, 96"W, remote refrigeration, 32.6 cu.ft. interior volume, (4) hinged doors with locks, LED interior lighting, automatic defrost, field-plumbed condensate evaporator, includes floor drain, stainless steel interior, NSF, cULus

Dimensions 34.56(h) x 96(w) x 24.75(d)

- 2 ea WARNING: The materials used in this product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
- 2 ea Refrigeration line connections are located inside the cabinet on the left had side of evaporator coil

Refrigeration lines can enter the cabinet from either the left or right hand side end wall knockout

Cabinet comes standard with a left line cover, a right line cover is available upon request

This cabinet is part of an engineered refrigeration system that must be installed by a local refrigeration contractor to local codes & site conditions

This remote refrigerator includes a choice of factory installed expansion valve. Solenoids, liquid & suction lines MUST BE provided by the refrigeration contractor even if the condensing unit is purchased from Perlick

All remote refrigeration is built to order and is non-returnable

- 2 ea 120v/60/1-ph, 2.5 amps, hardwired
- 2 ea 1 yr. parts & labor warranty on all components except refrigeration
- 2 ea No expansion valve

Sell Total

- 2 ea Standard refrigerator
- 2 ea Stainless steel top no tapping holes
- 2 ea End finish: Stainless steel, unfinished, both sides, standard
- 2 ea Door type, first: solld, black vinyl clad
- Door hinge location, first: Left
- Door handle, first: full length stainless steel handle, 24"
- Shelving style, first: (3) flat shelves
- Door type, second: solid, black vinyl clad
- 2 ea Door hinge location, second: Left
- Door handle, second: full length stainless steel handle, 24"
- Shelving style, second: (3) flat shelves
- 2 ea Door type, third: solid, black vinyl clad
- 2 ea Door hinge location, third: Right
- 2 ea Door handle, third: full length stainless steel handle, 24"
- 2 ea Shelving style, third: (3) flat shelves
- Door type, fourth: solid, black vinyl clad
- 2 ea Door hinge location, fourth: Right
- Door handle, fourth: full length stainless steel handle, 24"
- 2 ea Shelving style, fourth: (3) flat shelves
- 2 ea Crisp White™ LED

Class 150

Weight: 1054 lbs total

### 1 ea DISHWASHER, DOOR TYPE 47

Hobart AM16-BASX-2 (NS\_10301469)

Dishwasher, door type, high temp sanitizing, 208-240/60/3 (field convertible to single phase), 60 racks/hour, straight-thru or corner, digital controls, Sense-A-Temp™ booster, electric tank heat, pumped rinse, pumped drain, auto-fill, stainless steel tank, frame, doors & feet, cULus, NSF, ENERGY STAR®

1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA

1 ea WWST-STARTUP1YES (NS\_10285421) Startup by Factory Trained Technician - Confirmation of correct machine and utility installation; performance check to ensure machine is operating to factory specifications; adjustments as needed, and customer demo. For installations within 100 miles of a Hobart Service Office during normal business hours with appropriate notice; beyond 100 miles contact Hobart Service. See Hobart Service for complete details

1 ea NOTE: For water of 3-grains of hardness or more, Hobart suggests adding a water softener.

### 1 ea EXHAUST HOOD <u>48</u>

Eagle Group HEB96-144

SpecAIR® Exhaust Hood, 144"W, 51"D, 3" air space at rear, non compensating, 24"H, all stainless steel construction, NFPA-96, NSF

Dimensions 24(h) x 144(w) x 51(d)

Class 70

Weight: 825 lbs total

Cube: 184.9

8,000.00

12,634.00

8,000.00

12,634.00

17,292.00

17,292.00

1 ea FIRE SUPPRESSION SYSTEM <u>49</u> Equipex SA VENT-PALI-1

Pre-Piped Ansul System, Includes (1) each: nozzle, swivel, nozzle caps, chrome dipped piping and fittings, fusible link detector with internal conduit (Note: Must be approved by local authorities prior to ordering)

EXCLUDES: Automan control assembly, 1.5-gallon tank assembly, fusible link and cable, interconnecting piping and conduit, remote pull and cable, pulleys, charged cartridge, electrical wiring, shunt trip breakers, permits, fees, field inspections and local testing

Total

\$308,269.00

Prices are valid for 30 days unless otherwise noted herein, thereafter reconfirm.

Unless otherwise noted herein, freight charges are NOT included.

Warranties

Manufacturer's standard warranties are included. No other warranty is extended or implied unless otherwise noted herein, and ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE, ARE DISCLAIMED TO THE FULLEST EXTENT ALLOWED BY LAW.

### Taxes

Prices do not include sales nor use tax unless otherwise noted herein. All applicable taxes are subject to the current rate at time of final invoicing and are the responsibility of the customer.

### Payment Terms

Unless otherwise noted herein, standard payment terms are 50% due at signing of quote and acceptance of terms and conditions, and the remaining balance will be due prior to delivery. Prices are quoted based on check or ACH as a form of payment. Credit card payment may incur a service charge on the total order.

<u>See link to the Terms and Conditions, Return/Cancellation Section</u> for the return and cancellation terms applicable to this Quote.

<u>See link to the Terms and Conditions, Delivery Section</u>, for delivery and shipping terms applicable to this Quote.

<u>See link to the Terms and Conditions, Scope of Work Section</u>, for the scope of Singer's work and exclusions therefrom applicable to this Quote.

Please read this quotation carefully as it is based upon our Interpretation of the items being requested. Review this quotation for errors, omissions or inaccuracies of any kind. The customer is responsible to verify all measurements, directions of operation, voltages and utility specifications prior to ordering. Any changes to the above may incur a price adjustment.

TO ACCEPT THE QUOTE AND THE TERMS, AND TO CONFIRM OUR CONTRACT, PLEASE EITHER:

- A. Select the "ACCEPT" button at the bottom of the screen which will prompt you to execute an electronic signature, which we accept. By executing this Quote and the Contract hereby created, you are authorizing Singer to rely on your electronic signature as binding confirmation of your agreement to Contract. In addition, by executing this Quote, you are expressly acknowledging and agreeing to the Contract thereby created, comprised of this Quote and the Singer Terms, and the terms on each and every page of the Contract.
- Print, sign and return this entire document to your Singer Representative or Copy and Paste this entire document into your confirming acceptance email and send the email to your Singer Representative.

As an authorized representative of the undersigned customer, the undersigned hereby confirms and accepts the terms of the Quote and the Terms at <a href="https://www.singerequipment.com/policies/quote-terms-conditions">https://www.singerequipment.com/policies/quote-terms-conditions</a>, which I hereby confirm on behalf of the Customer, I have reviewed and accepted, and thus confirm and the Contract between the undersigned Customer and Singer intending the undersigned Customer to be legally bound by the terms of the Contract hereby formed.

AS THE AUTHORIZED REPRESENTATIVE OF THE CUSTOMER, I FURTHER CONFIRM THAT ANY PRE-PRINTED TERMS THE CUSTOMER MAY INCLUDE ON ANY PURCHASE ORDER OR CONFIRMATION WILL NOT AMEND THIS QUOTE OR THE CONTRACT AND WILL NOT BE BINDING ON SINGER AND ARE EXPRESSLY EXCLUDED.

If you are an individual, YOU HEREBY CONFIRM THAT YOU ARE OF LEGAL AGE TO CONTRACT IN YOUR JURISDICTION (18 OR 19 DEPENDING UPON YOUR STATE), and are signing and returning this Contract as your voluntary act and deed, intending to be legally bound by this Contract, which includes the above Quote and the Terms at <a href="https://www.singerequipment.com/policies/quote-terms-conditions">https://www.singerequipment.com/policies/quote-terms-conditions</a>, both of which I hereby

WE ACCEPT ELECTRONIC SIGNATURES. By executing this Quote and the Contract hereby created, as the authorized representative of the Customer, you are authorizing Singer to rely on your electronic signature as binding confirmation of your agreement to Contract. In addition, by executing this Quote, on behalf of the Customer, you are expressly acknowledging and agreeing to the Contract thereby created, comprised of this Quote and the Singer Terms, and the terms on each and every page of the Contract.

	Insert name of customer:		
	By (signature):	A STATE OF THE STA	
	Name (print):	A A A A A A A A A A A A A A A A A A A	
	Title (print):		
	Date:		
ceptance:		Date:	
inted Name:		· <del></del>	
oject Grand Tota	1: 308,269.00		

р