





FOR SALE / LEASE



RARE OPPORTUNITY IN MICHIGAN'S FAMOUSLY SCENIC IRISH HILLS!

10464 Bryan Highway

Onsted, Michigan 49265

Property Highlights

- 39,780 Industrial / Flex Property
- Three beautiful and well-maintained buildings: Building 1 19,457
 SF, Building 2 15,523 SF, Building 3 4,800 SF
- · Gorgeous nature setting on 8.62 Acres
- · Truck dock and grade loading in all buildings
- · Numerous upgrades and extremely clean facilities
- Flexible zoning: AG-1 Agricultural
- Outside storage permitted
- · Ample room for building expansion / additional development
- Utilities: Consumers (electric & natural gas), water is well & septic
- Lease Rate: \$4.50/SF NNN
- · Sale Price: Contact Listing Agents





Brad Margolis

Senior Vice President | 248.351.4367 bmargolis@farbman.com

Jacob Brown

Sales Associate | 248.351.6331 brown@farbman.com







Sale Price	CONTACT LISTING AGENT(S)
- Ca. 6 : 1.66	AGENT(S)

Lease Rate	CONTACT LISTING AGENT(S)
------------	-----------------------------

LOCATION INFORMATION

Street Address 10464 Bryan Hig	
City, State, Zip	Onsted, MI 49265
County	Lenawee

BUILDING INFORMATION

Building Size	39,780 SF
Building 1:	19,457 SF
Building 2:	15,523 SF
Building 3:	4,800 SF

FOR SALE / LEASE

PROPERTY INFORMATION

Zoning	AG-1 Agricultural
Lot Size	8.62 Acres
APN #	CA0-114-3350-00
Utilities	Consumers (Electric & Natural Gas)

REAL ESTATE TAXES

Winter 2022	\$17,797.71
Summer 2022	\$6,019.05

OPERATING EXPENSES

CAM	\$0.30/SF
TAXES	\$0.59/SF
INSURNACE	\$0.42/SF
TOTAL:	\$1.31/SF




















Interior Warehouse Building 1



Interior Warehouse Building 1









Interior Warehouse Building 2

Brad Margolis







EQUIPMENT LIST

EQUIPMENT	MAKE	MODEL	SPECS
BOILER #1	RAYPAK	H8-1259B	1,260,000 BTU; WATER TUBE; 2017
BOILER #2	RAYPAK	H1-1223C	1,222,500 BTU; WATER; 2019
BOILER #3	WEIL-MCLAIN	CGA8PLDN	245,000 BTU; CAST; 2012
AIR COMPRESSOR	QUINCY	QGD-25	125 PSI 109.8 CFM
BACK-UP AIR COMPRESSOR	QUINCY	QT-15	175 PSI 51 CFM (125 PSI 30-40 CFM)
WATER SOFTNER	CULLIGAN	HIGH EFFICIENCY 1.5 TWIN	HET-120 (30"X50" BRINE SYSTEM)
TEMPERING ROOM HEATER 1	MODINE	PDP250AE013	250,000 BTU
TEMPERING ROOM HEATER 2	MODINE	PDP250AE013	250,000 BTU
TEMPERING ROOM HEATER 3	ARMSTRONG	N/A	230,000 BTU
AIR DRYER	SPEED AIRE	435Y08	30HP 125 CFM

FOR SALE / LEASE











BUILDING 1

TOTAL SF 19,457 SF OFFICE SPACE 3,360 SF PLANTWAREHOUSE 16,097 SF CONSTRUCTION Wood Frame with Metal Exterior FLOORS 6" (per owner) New epoxy and urethane coating applied to the floor that provides additional reinforcement ROOF Asphalt Shingle CEILING HEIGHT 11' DOCKS 5 GRADE DOORS One (10'x14') COLUMN SPACING Clear Span BUSS DUCT No POWER TBD HVAC 100% RESTROOMS Two sets of men/women restrooms located in office and production area WATER/ SEWER Well & Septic SPRINKLERS None AIR LINES Yes (only in building 1) FLOOR DRAINS Yes - Some drain to septic field other drain to holding tank BREAK ROOM Yes - 13'x49' (only office and breakroom have AC) LIGHTING Building has recently been renovated *Two (2) Quincy air compressors* Floor (2) Quincy air compressors* Floor (2) Quincy air compressors*		
PLANT/WAREHOUSE 16,097 SF CONSTRUCTION Wood Frame with Metal Exterior FLOORS 6" (per owner) New epoxy and urethane coating applied to the floor that provides additional reinforcement ROOF Asphalt Shingle CEILING HEIGHT 11' DOCKS 5 GRADE DOORS One (10'x14') COLUMN SPACING Clear Span BUSS DUCT No POWER TBD HVAC 100% RESTROOMS Two sets of men/women restrooms located in office and production area WATER/ SEWER Well & Septic SPRINKLERS None AIR LINES Yes (only in building 1) FLOOR DRAINS Yes - Some drain to septic field other drain to holding tank BREAK ROOM Yes - 13'x49' (only office and breakroom have AC) LIGHTING LED (updated within last 5 years) MISCELLANEOUS **BUILD HEIGHT OF THE TOWN ASPENSORS AS THE TOWN AS THE TOWN ASPENSORS AS THE TOWN ASPENSORS AS THE TOWN AS THE TOWN ASPENSORS AS THE TOWN AS THE TOWN ASPENSORS AS THE TOWN ASPENSORS AS THE TOWN AS THE TOWN ASPENSORS AS THE TOWN AS THE	TOTAL SF	19,457 SF
CONSTRUCTION Wood Frame with Metal Exterior FLOORS 6" (per owner) New epoxy and urethane coating applied to the floor that provides additional reinforcement ROOF Asphalt Shingle CEILING HEIGHT 11' DOCKS 5 GRADE DOORS One (10'x14') COLUMN SPACING Clear Span BUSS DUCT No POWER TBD HVAC 100% RESTROOMS Two sets of men/women restrooms located in office and production area WATER/ SEWER Well & Septic SPRINKLERS None AIR LINES Yes (only in building 1) FLOOR DRAINS Yes - Some drain to septic field other drain to holding tank BREAK ROOM Yes - 13'x49' (only office and breakroom have AC) LIGHTING LED (updated within last 5 years) **Building has recently been renovated ** Two (2) Quincy air compressors ** Exhaust fans throughout	OFFICE SPACE	3,360 SF
FLOORS 6" (per owner) New epoxy and urethane coating applied to the floor that provides additional reinforcement ROOF Asphalt Shingle CEILING HEIGHT 11' DOCKS 5 GRADE DOORS One (10'x14') COLUMN SPACING Clear Span BUSS DUCT No POWER TBD HVAC 100% RESTROOMS Two sets of men/women restrooms located in office and production area WATER/ SEWER Well & Septic SPRINKLERS None AIR LINES Yes (only in building 1) FLOOR DRAINS Yes - Some drain to septic field other drain to holding tank BREAK ROOM Yes - 13'x49' (only office and breakroom have AC) LIGHTING LED (updated within last 5 years) **BUILDING BRAINS WAS ASPACE ASPAC	PLANT/WAREHOUSE	16,097 SF
ROOF Asphalt Shingle CEILING HEIGHT 11' DOCKS 5 GRADE DOORS One (10'x14') COLUMN SPACING Clear Span BUSS DUCT No POWER TBD HVAC 100% RESTROOMS Two sets of men/women restrooms located in office and production area WATER/ SEWER Well & Septic SPRINKLERS None AIR LINES Yes (only in building 1) FLOOR DRAINS Yes - Some drain to septic field other drain to holding tank BREAK ROOM Yes - 13'x49' (only office and breakroom have AC) LIGHTING LED (updated within last 5 years) **Iwo (2) Quincy air compressors Exhaust fans throughout **Exhaust fans throughout **Iwo (2) Quincy air compressors Exhaust fans throughout **Exhaust fans throughout **Iwo (2) Quincy air compressors Exhaust fans throughout **Exhaust fans throughout **Exhaust fans throughout **Iwo (2) Quincy air compressors Exhaust fans throughout **Exhaust fans throughout	CONSTRUCTION	Wood Frame with Metal Exterior
CEILING HEIGHT 11' DOCKS 5 GRADE DOORS One (10'x14') COLUMN SPACING Clear Span BUSS DUCT No POWER TBD HVAC 100% RESTROOMS Two sets of men/women restrooms located in office and production area WATER/ SEWER Well & Septic SPRINKLERS None AIR LINES Yes (only in building 1) FLOOR DRAINS Yes - Some drain to septic field other drain to holding tank BREAK ROOM Yes - 13'x49' (only office and breakroom have AC) LIGHTING LED (updated within last 5 years) MISCELLANEOUS * Exhaust fans throughout * Evaluation area * Evaluat	FLOORS	6" (per owner) New epoxy and urethane coating applied to the floor that provides additional reinforcement
DOCKS 5 GRADE DOORS One (10'x14') COLUMN SPACING Clear Span BUSS DUCT No POWER TBD HVAC 100% RESTROOMS Two sets of men/women restrooms located in office and production area WATER/ SEWER Well & Septic SPRINKLERS None AIR LINES Yes (only in building 1) FLOOR DRAINS Yes - Some drain to septic field other drain to holding tank BREAK ROOM Yes - 13'x49' (only office and breakroom have AC) LIGHTING LED (updated within last 5 years) MISCELLANEOUS * Building has recently been renovated Two (2) Quincy air compressors Exhaust fans throughout	ROOF	Asphalt Shingle
GRADE DOORS One (10'x14') COLUMN SPACING Clear Span BUSS DUCT No POWER TBD HVAC 100% RESTROOMS Two sets of men/women restrooms located in office and production area WATER/ SEWER Well & Septic SPRINKLERS None AIR LINES Yes (only in building 1) FLOOR DRAINS Yes - Some drain to septic field other drain to holding tank BREAK ROOM Yes - 13'x49' (only office and breakroom have AC) LIGHTING LED (updated within last 5 years) * Building has recently been renovated * Two (2) Quincy air compressors * Exhaust fans throughout	CEILING HEIGHT	11'
COLUMN SPACING Clear Span BUSS DUCT No POWER TBD HVAC 100% RESTROOMS Two sets of men/women restrooms located in office and production area WATER/ SEWER Well & Septic SPRINKLERS None AIR LINES Yes (only in building 1) FLOOR DRAINS Yes - Some drain to septic field other drain to holding tank BREAK ROOM Yes - 13'x49' (only office and breakroom have AC) LIGHTING LED (updated within last 5 years) **Building has recently been renovated** - Two (2) Quincy air compressors - Exhaust fans throughout	DOCKS	5
BUSS DUCT No POWER TBD HVAC 100% RESTROOMS Two sets of men/women restrooms located in office and production area WATER/ SEWER Well & Septic SPRINKLERS None AIR LINES Yes (only in building 1) FLOOR DRAINS Pes - Some drain to septic field other drain to holding tank BREAK ROOM Yes - 13'x49' (only office and breakroom have AC) LIGHTING LED (updated within last 5 years) *Building has recently been renovated *Two (2) Quincy air compressors *Exhaust fans throughout	GRADE DOORS	One (10'x14')
POWER TBD HVAC 100% RESTROOMS Two sets of men/women restrooms located in office and production area WATER/ SEWER Well & Septic SPRINKLERS None AIR LINES Yes (only in building 1) FLOOR DRAINS Yes - Some drain to septic field other drain to holding tank BREAK ROOM Yes - 13'x49' (only office and breakroom have AC) LIGHTING LED (updated within last 5 years) **Building has recently been renovated* **Two (2) Quincy air compressors* Exhaust fans throughout	COLUMN SPACING	Clear Span
HVAC 100% RESTROOMS Two sets of men/women restrooms located in office and production area WATER/ SEWER Well & Septic SPRINKLERS None AIR LINES Yes (only in building 1) FLOOR DRAINS Yes - Some drain to septic field other drain to holding tank BREAK ROOM Yes - 13'x49' (only office and breakroom have AC) LIGHTING LED (updated within last 5 years) **Building has recently been renovated** **Two (2) Quincy air compressors** **Exhaust fans throughout**	BUSS DUCT	No
RESTROOMS Two sets of men/women restrooms located in office and production area WATER/ SEWER Well & Septic SPRINKLERS None AIR LINES Yes (only in building 1) FLOOR DRAINS Yes - Some drain to septic field other drain to holding tank BREAK ROOM Yes - 13'x49' (only office and breakroom have AC) LIGHTING LED (updated within last 5 years) Building has recently been renovated Two (2) Quincy air compressors Exhaust fans throughout	POWER	TBD
WATER/ SEWER Well & Septic SPRINKLERS None AIR LINES Yes (only in building 1) FLOOR DRAINS Yes - Some drain to septic field other drain to holding tank BREAK ROOM Yes - 13'x49' (only office and breakroom have AC) LIGHTING LED (updated within last 5 years) Building has recently been renovated Two (2) Quincy air compressors Exhaust fans throughout	HVAC	100%
SPRINKLERS None AIR LINES Yes (only in building 1) FLOOR DRAINS Yes - Some drain to septic field other drain to holding tank BREAK ROOM Yes - 13'x49' (only office and breakroom have AC) LIGHTING LED (updated within last 5 years) Building has recently been renovated Two (2) Quincy air compressors Exhaust fans throughout	RESTROOMS	Two sets of men/women restrooms located in office and production area
AIR LINES Yes (only in building 1) FLOOR DRAINS Yes - Some drain to septic field other drain to holding tank BREAK ROOM Yes - 13'x49' (only office and breakroom have AC) LIGHTING LED (updated within last 5 years) Building has recently been renovated Two (2) Quincy air compressors Exhaust fans throughout	WATER/ SEWER	Well & Septic
FLOOR DRAINS Yes - Some drain to septic field other drain to holding tank BREAK ROOM Yes - 13'x49' (only office and breakroom have AC) LIGHTING LED (updated within last 5 years) Building has recently been renovated Two (2) Quincy air compressors Exhaust fans throughout	SPRINKLERS	None
BREAK ROOM Yes - 13'x49' (only office and breakroom have AC) LIGHTING LED (updated within last 5 years) Building has recently been renovated Two (2) Quincy air compressors Exhaust fans throughout	AIR LINES	Yes (only in building 1)
LIGHTING LED (updated within last 5 years) Building has recently been renovated Two (2) Quincy air compressors Exhaust fans throughout	FLOOR DRAINS	Yes - Some drain to septic field other drain to holding tank
Building has recently been renovated Two (2) Quincy air compressors Exhaust fans throughout	BREAK ROOM	Yes - 13'x49' (only office and breakroom have AC)
MISCELLANEOUS • Two (2) Quincy air compressors • Exhaust fans throughout	LIGHTING	LED (updated within last 5 years)
	MISCELLANEOUS	Two (2) Quincy air compressors Exhaust fans throughout



FOR SALE / LEASE







BUILDING 2

TOTAL SF	15,523 SF
OFFICE SPACE	None
PLANT/WAREHOUSE	15,523 SF
CONSTRUCTION	Pre-Engineered Steel. Building was constructed in 1996 with lower addition in 1998
FLOORS	6" (per owner)
ROOF	Standing Seam Metal
CEILING HEIGHT	15'-22'
DOCKS	4 Docks + Exterior Platform in Rear
GRADE DOORS	One (14'x14') One (10'x10')
COLUMN SPACING	Clear Span
BUSS DUCT	No
POWER	TBD
HVAC	Gas unit heaters throughout that are fed by boiler
WATER/ SEWER	Well & Septic
SPRINKLERS	None
RESTROOMS	1 Men / 1 Women
LIGHTING	LED (updated within last 5 years)
MISCELLANEOUS	 Warehouse building with three sections Largest section is clear span with four docks (one is not used) Rear platform also provides dock loading







FOR SALE / LEASE

BUILDING 3


TOTAL SF 4,800 SF OFFICE SPACE 169 SF (single office) PLANT/WAREHOUSE 4,631 SF CONSTRUCTION Wood Frame with Metal Exterior FLOORS 6" (per owner) ROOF Asphalt Shingle CEILING HEIGHT 15'5" DOCKS 1 GRADE DOORS Three (12'x14') One (10'x10)(ramped) COLUMN SPACING Clear Span BUSS DUCT No POWER TBD HVAC GFA suspended unit heaters WATER/ SEWER WEIL & Septic SPRINKLERS None RESTROOMS No (building does have plumbing) LIGHTING LED (updated within last 5 years) MISCELLANEOUS		
PLANT/WAREHOUSE CONSTRUCTION Wood Frame with Metal Exterior FLOORS 6" (per owner) ROOF Asphalt Shingle CEILING HEIGHT 15'5" DOCKS 1 GRADE DOORS Three (12'x14') One (10'x10)(ramped) COLUMN SPACING Clear Span BUSS DUCT No POWER TBD HVAC GFA suspended unit heaters WATER/ SEWER Well & Septic SPRINKLERS None RESTROOMS No (building does have plumbing) LIGHTING LED (updated within last 5 years)	4,800 SF	
CONSTRUCTION Wood Frame with Metal Exterior FLOORS 6" (per owner) ROOF Asphalt Shingle CEILING HEIGHT 15'5" DOCKS 1 GRADE DOORS Three (12'x14') One (10'x10)(ramped) COLUMN SPACING Clear Span BUSS DUCT No POWER TBD HVAC GFA suspended unit heaters WATER/ SEWER Well & Septic SPRINKLERS None RESTROOMS No (building does have plumbing) LIGHTING LED (updated within last 5 years)	169 SF (single office)	
FLOORS 6" (per owner) ROOF Asphalt Shingle CEILING HEIGHT 15'5" DOCKS 1 GRADE DOORS Three (12'x14') One (10'x10)(ramped) COLUMN SPACING Clear Span BUSS DUCT No POWER TBD HVAC GFA suspended unit heaters WATER/ SEWER Well & Septic SPRINKLERS None RESTROOMS No (building does have plumbing) LIGHTING LED (updated within last 5 years)	4,631 SF	
ROOF Asphalt Shingle CEILING HEIGHT 15'5" DOCKS 1 GRADE DOORS Three (12'x14') One (10'x10)(ramped) COLUMN SPACING Clear Span BUSS DUCT No POWER TBD HVAC GFA suspended unit heaters WATER/ SEWER Well & Septic SPRINKLERS None RESTROOMS No (building does have plumbing) LIGHTING LED (updated within last 5 years)	Wood Frame with Metal	Exterior
CEILING HEIGHT DOCKS 1 GRADE DOORS Three (12'x14') One (10'x10)(ramped) COLUMN SPACING Clear Span BUSS DUCT No POWER TBD HVAC GFA suspended unit heaters WATER/ SEWER Well & Septic SPRINKLERS None RESTROOMS No (building does have plumbing) LIGHTING LED (updated within last 5 years)	6" (per owner)	
DOCKS GRADE DOORS Three (12'x14') One (10'x10)(ramped) COLUMN SPACING Clear Span BUSS DUCT No POWER TBD HVAC GFA suspended unit heaters WATER/ SEWER Well & Septic SPRINKLERS None RESTROOMS No (building does have plumbing) LIGHTING LED (updated within last 5 years)	Asphalt Shingle	
GRADE DOORS Three (12'x14') One (10'x10)(ramped) COLUMN SPACING Clear Span BUSS DUCT No POWER TBD HVAC GFA suspended unit heaters WATER/ SEWER Well & Septic SPRINKLERS None RESTROOMS No (building does have plumbing) LIGHTING LED (updated within last 5 years)	15'5"	
COLUMN SPACING BUSS DUCT No POWER TBD HVAC GFA suspended unit heaters WATER/ SEWER Well & Septic SPRINKLERS None RESTROOMS No (building does have plumbing) LIGHTING LED (updated within last 5 years)	1	
BUSS DUCT POWER TBD HVAC GFA suspended unit heaters WATER/ SEWER Well & Septic SPRINKLERS None RESTROOMS No (building does have plumbing) LIGHTING LED (updated within last 5 years)	Three (12'x14') One (10'x	10)(ramped)
POWER TBD HVAC GFA suspended unit heaters Water/ Sewer Well & Septic SPRINKLERS None RESTROOMS No (building does have plumbing) LIGHTING LED (updated within last 5 years)	Clear Span	
HVAC GFA suspended unit heaters Water/ Sewer Well & Septic SPRINKLERS None RESTROOMS No (building does have plumbing) LIGHTING LED (updated within last 5 years)	No	
WATER/ SEWER Well & Septic None RESTROOMS No (building does have plumbing) LIGHTING LED (updated within last 5 years)	TBD	
SPRINKLERS None RESTROOMS No (building does have plumbing) LIGHTING LED (updated within last 5 years)	GFA suspended unit hea	ters
RESTROOMS No (building does have plumbing) LIGHTING LED (updated within last 5 years)	Well & Septic	
LIGHTING LED (updated within last 5 years) • Maintenance with deck and grade leading	None	
Maintenance with deak and grade leading	No (building does have p	lumbing)
Maintenance with dock and grade loading	LED (updated within last	5 years)
Small mezzanine office	Maintenance with doclSmall mezzanine office	and grade loading


FOR SALE / LEASE













Senior Vice President | 248.351.4367 bmargolis@farbman.com

Jacob Brown

Sales Associate | 248.351.6331 brown@farbman.com







FOR SALE / LEASE










FOR SALE / LEASE



POPULATION	5 MILES	7 MILES	10 MILES
Total Population	9,812	15,544	47,804
Average Age	48	47	45
Average Age (Male)	47	46	44
Average Age (Female)	48	47	46
HOUSEHOLDS & INCOME	5 MILES	7 MILES	10 MILES
Total Households	4,193	6,546	19,318
# of Persons per HH	2.3	2.4	2.5
Average HH Income	\$102,031	\$100,340	\$95,216
Average House Value	\$328,920	\$326,866	\$293,870

Demographics data derived from AlphaMap

