

PROPERTY LOCATED AT: 257 Pleasant View Ridge Rd, China, ME 04358**PROPERTY DISCLOSURE**

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.**SECTION I - WATER SUPPLY**

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Seasonal _____ ☐ Unknown
☒ Drilled ☐ Dug ☐ Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the
 (public/private/other) water system?

Pump (if any): ☐ N/A ☐ Yes ☒ No ☐ Unknown

Quantity: ☐ Yes ☒ No ☐ Unknown

Quality: ☐ Yes ☒ No ☐ Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? ☒ Yes ☐ No

If Yes, Date of most recent test: 2023 Are test results available? .. ☐ Yes ☒ No

To your knowledge, have any test results ever been reported as unsatisfactory
 or satisfactory with notation? ☐ Yes ☒ No

If Yes, are test results available? ☐ Yes ☒ No

What steps were taken to remedy the problem? _____

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: Right front on barnyard by driveway

Installed by: Weeks Well Drilling

Date of Installation: 1970

USE: Number of persons currently using system: 2

Does system supply water for more than one household? ☒ Yes ☐ No ☐ Unknown

Comments: Well supplies house and barns

Source of Section I information: seller

Buyer Initials _____

Page 1 of 8

Seller Initials

DS
ESJ

Initial
Dms

PROPERTY LOCATED AT: 257 Pleasant View Ridge Rd, China, ME 04358

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Quasi-Public _____ ☐ Unknown

~~IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):~~

~~Have you had the sewer line inspected?..... ☐ Yes ☐ No~~

~~If Yes, what results. _____~~

~~Have you experienced any problems such as line or other malfunctions? ☐ Yes ☐ No~~

~~What steps were taken to remedy the problem? _____~~

IF PRIVATE (Strike Section if Not Applicable):

Tank: ☒ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Other: _____

Tank Size: ☐ 500 Gallon ☒ 1000 Gallon ☐ Unknown ☐ Other: _____

Tank Type: ☒ Concrete ☐ Metal ☐ Unknown ☐ Other: _____

Location: Right front of house OR ☐ Unknown

Date installed: 2020 Date last pumped: Sept 2025 Name of pumping company: Cassella

Have you experienced any malfunctions? ☐ Yes ☒ No

If Yes, give the date and describe the problem: _____

Date of last servicing of tank: 2010 Name of company servicing tank: CMD Disposal

Leach Field: ☒ Yes ☐ No ☐ Unknown

If Yes, Location: Front right of barn

Date of installation of leach field: 2010 Installed by: CMD Disposal

Date of last servicing of leach field: 2010 Company servicing leach field: _____

Have you experienced any malfunctions? ☐ Yes ☒ No

If Yes, give the date and describe the problem and what steps were taken to remedy: _____

Do you have records of the design indicating the # of bedrooms the system was designed for? ☒ Yes ☐ No

If Yes, are they available? ☒ Yes ☐ No

Is System located in a Shoreland Zone? ☐ Yes ☒ No ☐ Unknown

Comments: Milk room has 2- 1000 gal. septic tanks with leach field and house has 1000 gal. septic tank with leach field

Source of Section II information: seller

Buyer Initials _____

Page 2 of 8

Seller Initials

DS Initial
ESJ Dms

PROPERTY LOCATED AT: **257 Pleasant View Ridge Rd, China, ME 04358**

SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	BBHW oil fired	Outside wood boiler		
Age of system(s) or source(s)	2001	2001		
TYPE(S) of Fuel	Oil	Wood		
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	Less than 100 gallons/yr	5 cord +/-		
Name of company that services system(s) or source(s)	Ben Irving			
Date of most recent service call	Annually	Annually		
Malfunctions per system(s) or source(s) within past 2 years	none	none		
Other pertinent information				

Are there fuel supply lines? ☒ Yes ☐ No ☐ Unknown

Are any buried? ☐ Yes ☒ No ☐ Unknown

Are all sleeved? ☒ Yes ☐ No ☐ Unknown

Chimney(s): ☒ Yes ☐ No

If Yes, are they lined: ☒ Yes ☐ No ☐ Unknown

Is more than one heat source vented through one flue? ☐ Yes ☒ No ☐ Unknown

Had a chimney fire: ☐ Yes ☒ No ☐ Unknown

Has chimney(s) been inspected? ☒ Yes ☐ No ☐ Unknown

If Yes, date: 2025

Date chimney(s) last cleaned: 2023

Direct/Power Vent(s): ☐ Yes ☒ No ☐ Unknown

Has vent(s) been inspected? ☐ Yes ☒ No ☐ Unknown

If Yes, date: _____

Comments: _____

Source of Section III information: **seller**

SECTION IV - HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, are tanks in current use? ☐ Yes ☐ No ☐ Unknown

If no longer in use, how long have they been out of service? _____

If tanks are no longer in use, have tanks been abandoned according to DEP? ☐ Yes ☐ No ☐ Unknown

Are tanks registered with DEP? ☐ Yes ☐ No ☐ Unknown

Age of tank(s): _____ Size of tank(s): _____

Location: _____

Buyer Initials _____

Page 3 of 8

Seller Initials ESJ Dms

PROPERTY LOCATED AT: 257 Pleasant View Ridge Rd, China, ME 04358

What materials are, or were, stored in the tank(s)? _____

Have you experienced any problems such as leakage: ☐ Yes ☐ No ☐ Unknown

Comments: _____

Source of information: **seller**

B. ASBESTOS - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work? ☐ Yes ☒ No ☐ Unknown

In the ceilings? ☐ Yes ☒ No ☐ Unknown

In the siding? ☐ Yes ☒ No ☐ Unknown

In the roofing shingles? ☐ Yes ☒ No ☐ Unknown

In flooring tiles? ☐ Yes ☒ No ☐ Unknown

Other: ☐ Yes ☐ No ☐ Unknown

Comments: _____

Source of information: **seller**

C. RADON/AIR - Current or previously existing:

Has the property been tested? ☐ Yes ☒ No ☐ Unknown

If Yes: Date: _____ By: _____

Results: _____

If applicable, what remedial steps were taken? _____

Has the property been tested since remedial steps? ☐ Yes ☐ No ☐ Unknown

Are test results available? ☐ Yes ☐ No

Results/Comments: _____

Source of information: **seller**

D. RADON/WATER - Current or previously existing:

Has the property been tested? ☐ Yes ☒ No ☐ Unknown

If Yes: Date: _____ By: _____

Results: _____

If applicable, what remedial steps were taken? _____

Has the property been tested since remedial steps? ☐ Yes ☐ No ☐ Unknown

Are test results available? ☐ Yes ☐ No

Results/Comments: _____

Source of information: **seller**

E. METHAMPHETAMINE - Current or previously existing: ☐ Yes ☒ No ☐ Unknown

Comments: _____

Source of information: **seller**

Buyer Initials _____

Page 4 of 8

Seller Initials DS
ESJ Initial
Dms _____

PROPERTY LOCATED AT: 257 Pleasant View Ridge Rd, China, ME 04358

F. LEAD-BASED PAINT/PAINT HAZARDS - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
 Yes ☒ No ☐ Unknown ☐ Unknown (but possible due to age)

If Yes, describe location and basis for determination: _____

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ No

If Yes, describe: _____

Are you aware of any cracking, peeling or flaking paint? ☒ Yes ☐ No

Comments: some on barns

Source of information: seller and visual observation

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL: ☐ Yes ☒ No ☐ Unknown

LAND FILL: ☐ Yes ☒ No ☐ Unknown

RADIOACTIVE MATERIAL: ☐ Yes ☒ No ☐ Unknown

Other: _____

Source of information: seller

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Source of information: seller and deed

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ☒ Yes ☐ No ☐ Unknown

If No, who is responsible for maintenance? _____

Road Association Name (if known): _____

Source of information: seller

Buyer Initials _____

Page 5 of 8

Seller Initials DS Initial ESJ Dms

PROPERTY LOCATED AT: 257 Pleasant View Ridge Rd, China, ME 04358

SECTION VI – FLOOD HAZARD

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from: (a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines "area of special flood hazard" as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Have any flood events affected a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has any flood-related damage to a structure occurred on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has there been any flood insurance claims filed for a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the dates of each claim: _____

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the date of each payment: _____

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ☐ Yes ☒ No ☐ Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

Relevant Panel Number: _____ Year: _____ (Attach a copy)

Comments: _____

Source of Section VI information: **seller**

Buyer Initials _____

Page 6 of 8

Seller Initials

DS
ESJ

PROPERTY LOCATED AT: 257 Pleasant View Ridge Rd, China, ME 04358

SECTION VII - GENERAL INFORMATION

Are there any tax exemptions or reductions for this property for any reason including but not limited to:

Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....

..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Is a Forest Management and Harvest Plan available?..... ☐ Yes ☐ No ☐ Unknown

Are there any actual or alleged violations of a shoreland zoning ordinance

including those that are imposed by the state or municipality? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, photovoltaics, wind turbines): Type: _____

Year Principal Structure Built: House 2001/Barn 1800's What year did Seller acquire property? 1996

Roof: Year Shingles/Other Installed: 2021

Water, moisture or leakage: none

Comments: _____

Foundation/Basement:

Is there a Sump Pump? ☐ Yes ☒ No ☐ Unknown

Water, moisture or leakage since you owned the property: ☐ Yes ☒ No ☐ Unknown

Prior water, moisture or leakage? ☐ Yes ☒ No ☐ Unknown

Comments: house is on a slab

Mold: Has the property ever been tested for mold? ☐ Yes ☒ No ☐ Unknown

If Yes, are test results available? ☐ Yes ☐ No

Comments: _____

Electrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: _____ ☐ Unknown

Comments: _____

Has all or a portion of the property been surveyed? ☐ Yes ☒ No ☐ Unknown

If Yes, is the survey available? ☐ Yes ☐ No ☐ Unknown

Manufactured Housing - Is the residence a:

Mobile Home ☐ Yes ☒ No ☐ Unknown

Modular ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure

..... ☐ Yes ☒ No ☐ Unknown

Comments: _____

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: none known

Comments: _____

Source of Section VII information: _____

Buyer Initials _____ Page 7 of 8 Seller Initials ESJ

PROPERTY LOCATED AT: 257 Pleasant View Ridge Rd, China, ME 04358

SECTION VIII - ADDITIONAL INFORMATION

Recent home updates include new hardwood floors on the 2nd floor and new carpet in the primary bedroom, second floor hallway, and stairs, new composite decking, newer kitchen appliances, fresh paint in entry way and office. Main floor bathroom to be remolded before December.

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ☐ Yes ☒ No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

SELLER
Elwood Stevens Jr

DATE

SELLER
Donna Stevens

DATE

SELLER

DATE

SELLER

DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER

DATE

BUYER

DATE

BUYER

DATE

BUYER

DATE

