

SYMBOLS AND LEGEND

- REQUIRED EXIT WITH OCCUPANT LOAD THROUGH EXIT
1" DENOTES PANIC HARDWARE REQUIRED - IBC 1010.1.10
- ACCESSIBLE EGRESS ROUTE
- EXIT SIGN PER IBC SECTION 1013
- REQUIRED EGRESS WIDTH (CLEAR) IBC TABLE 1005.1 & CHAPTER 10
- POSTED OCCUPANT LOAD SIGNAGE PER IBC 1004.3
- 30"x48" ACCESSIBLE CLEARANCE REQUIREMENT RECTANGLE
- 5'-0" DIAMETER HANDICAP ACCESSIBLE CLEARANCE REQUIREMENT CIRCLE
- FIRE EXTINGUISHER
- CIRCULATION SPACE
NO OCCUPANT LOAD
TABLE 1004.1
- UNOCCUPIED ACCESSORY (ACC.) AREA
NO OCCUPANT LOAD
TABLE 1004.1

ROOM NAME	OCCUPANCY	AREA	# OF EXITS REQUIRED	OCCUPANT LOAD FACTOR, TABLE 1004.2
OFFICE	B	200	1	1
TOTAL OCCUPANT LOAD: OFFICE II				

FIRE MARSHALL NOTES

1. FIRE DEPARTMENT ACCESS
THE CONTRACTOR SHALL MAINTAIN FIRE DEPARTMENT ACCESS TO THE SITE AND PROJECT THROUGHOUT CONSTRUCTION IN ACCORDANCE WITH FIRE MARSHAL REQUIREMENTS
2. ADDRESS NUMBERS TO BE POSTED
PERMANENT ADDRESS NUMBERS SHALL BE POSTED PER IBC 501.2 AND CITY LEANDER CODE. PERMANENT NUMBERS SHALL BE CLEARLY VISIBLE FROM ROAD IN CONTRASTING COLOR FROM ITS BACKGROUND, ADDRESS SIZE BASED ON DISTANCE FROM STREET, UP TO 50 FEET IS 4 INCH, 51 TO 100 FEET IS 6 INCH, 101 TO 150 FEET IS 8 INCH, 151 TO 200 FEET IS 10 INCH AND GREATER IS 12 INCH.

