

FOR SALE

PERMITTED WATERBURY LAND ON WATERBURY-STOWE RD

891 Waterbury-Stowe Road, Waterbury, Vermont



VT Commercial is pleased to offer this raw land that is conveniently located on the Waterbury Stowe Road. It is both commercial and residential zoned, with high visibility for business signage. Current ownership has gone through the process and it is permitted for a residential duplex with a detached garage. Plans available upon request. Property can be a commercial site with administrative approvals. Municipal water and sewer are at the street. Please contact us today for more information.

SIZE:
.18 +/- Acres

USE:
Residential

PRICE:
\$165,000

AVAILABLE:
Immediately

PARKING:
N/A

LOCATION:
891 Waterbury-Stowe Road, Waterbury

Information contained herein is believed to be accurate, but is not warranted. This is not a legally binding offer to sell or lease.



For more information, please contact:

JOHN BEAL


802-598-1168

john.beal@vtcommercial.com

208 FLYNN AVENUE, SUITE 2i

BURLINGTON, VT 05401

www.vtcommercial.com





Design Management,
Consulting & Mitrova
ARCHITECTS
1000 North Main Street
Waterbury, VT 05676
Tel: 802.249.1234
Fax: 802.249.1235
www.a0000.com

West Duplex
891 Waterbury Stowe Road
Waterbury, VT 05676

COVER SHEET

A000



West Garage

891 Waterbury Stowe Road Waterbury, VT 05676

SCHEMATIC DRAWING - FEBRUARY 24, 2022 - NOT FOR CONSTRUCTION

SCHEMATIC DRAWING - FEBRUARY 24, 2022 - NOT FOR CONSTRUCTION



Design Management,
Consulting & Mitrova
ARCHITECTS
1000 North Main Street
Waterbury, VT 05676
Tel: 802.249.1234
Fax: 802.249.1235
www.a0000.com

West Duplex
891 Waterbury Stowe Road
Waterbury, VT 05676

SCHEDULES & GENERAL NOTES

A001

WINDOW SCHEDULE MARVIN ELEVATE

EXTERIOR COLOR - BRONZE / ANTERIOR COLOR - WHITE
HARDWARE - WHITE
1/2" THERMAL PANE LOW-E III GLASS W/ ARGON

MARK	CALL NUMBER	PANEL ROUGH OPENING		PANEL		JAMB	GRID	NOTES	QUANTITY
		WIDTH	HEIGHT	HEAD HEIGHT	SILL HEIGHT				
A	ELCA 2971-2	4'-0"	5'-11 1/2"	7'-0"	1'-0 1/2"	6-9/16"	N/A	--	3
B	ELCA 3771-2	6'-1"	5'-11 1/2"	7'-0"	1'-0 1/2"	6-9/16"	N/A	--	1
C	ELCA 2931-2	4'-0"	2'-7 1/2"	10'-10 1/2"	8'-2 1/2"	6-9/16"	N/A	--	3
D	ELCA 3731-2	6'-1"	2'-7 1/2"	10'-10 1/2"	8'-2 1/2"	6-9/16"	N/A	--	1
E-T	ELCAP 5771 T	4'-1"	5'-11 1/2"	7'-0"	1'-0 1/2"	6-9/16"	N/A	FIXED - TEMP.	1
F	ELCA CUST	4'-1"	2'-9 1/2"	10'-10 1/2"	8'-0 1/2"	6-9/16"	N/A	CUSTOM POLYGON - FIXED	1
G	ELCA 3335	2'-9"	2'-11 1/2"	7'-0"	4'-0 1/2"	6-9/16"	N/A	--	1
H	ELCA 2955-2	4'-0"	4'-7 1/2"	7'-0"	2'-4 1/2"	6-9/16"	N/A	--	2
J	ELCA 3335	2'-9"	2'-11 1/2"	7'-0"	4'-0 1/2"	6-9/16"	N/A	--	1
									14

EXTERIOR DOOR SCHEDULE

QUANTITY	DOOR NUMBER	SIZE	ROUGH OPENING			SWING	JAMB	NOTES
			WIDTH	HEIGHT	HEAD HEIGHT			
1	102A	3076	3'-2 1/2"	7'-8 1/2"	7'-8 1/2"	LEFT	6-9/16"	FULL LITE
1	103A	9080	9'-3 1/2"	7'-6 1/2"	7'-6 1/2"	N/A	N/A	
1	103B	3068	3'-2 1/2"	6'-11"	6'-11"	LEFT	6-9/16"	
1	104A	3076	3'-2 1/2"	7'-8 1/2"	7'-8 1/2"	LEFT	6-9/16"	FULL LITE
4								

INTERIOR DOOR SCHEDULE

QUANTITY	DOOR NUMBER	SIZE	ROUGH OPENING			SWING	JAMB	NOTES
			WIDTH	HEIGHT	HEAD HEIGHT			
1	102B	2868	2'-10 1/2"	6'-10 1/2"	6'-10 1/2"	LEFT	4-9/16"	
1	102C	2848	2'-10 1/2"	4'-10 1/2"	4'-10 1/2"	LEFT	4-9/16"	
1	104B	2868	2'-10 1/2"	6'-10 1/2"	6'-10 1/2"	LEFT	4-9/16"	
1	104C	2848	2'-10 1/2"	4'-10 1/2"	4'-10 1/2"	LEFT	4-9/16"	
1	204A	2868 PKT DR	5'-5 1/4"	7'-1"	7'-1"	N/A	6-9/16"	
1	204B	2068-2	4'-1 1/4"	6'-10 1/2"	6'-10 1/2"	N/A	4-9/16"	BI-PASS
1	205A	2868	2'-10 1/2"	6'-10 1/2"	6'-10 1/2"	RIGHT	6-9/16"	
1	209A	NA	5'-5 1/4"	7'-0 1/4"	7'-0 1/4"	N/A	6-9/16"	
1	209B	2068-2	4'-1 1/4"	6'-10 1/2"	6'-10 1/2"	N/A	4-9/16"	BI-PASS
1	210A	2868	2'-10 1/2"	6'-10 1/2"	6'-10 1/2"	RIGHT	6-9/16"	
10								

CODE REVIEW

BUILDING CODE: INTERNATIONAL RESIDENTIAL CODE 2015 EDITION

CLIMATE AND GEOGRAPHIC DESIGN CRITERIA TABLE R301.2(1) OF THE INTERNATIONAL RESIDENTIAL CODE

CLIMATE ZONE	WIND SPEED MPH	SEVERE WIND CATEGORY	SEVERE WIND SPEED MPH	WIND DIRECTION ANGLE							
3	37	3B	37	165-195	195-225	225-255	255-285	285-315	315-345	345-375	375-405

TABLE R301.2(1) INSULATION AND FENESTRATION REQUIREMENTS BY COMPONENT OF THE INTERNATIONAL RESIDENTIAL CODE

CLIMATE ZONE	WIND SPEED MPH	SEVERE WIND CATEGORY	SEVERE WIND SPEED MPH	WIND DIRECTION ANGLE							
3	37	3B	37	165-195	195-225	225-255	255-285	285-315	315-345	345-375	375-405

BUILDING DATA:

SQUARE FOOTAGES:

FIRST FLOOR	431	SQUARE FEET
SECOND FLOOR	912	SQUARE FEET
BASEMENT / GARAGE	271	SQUARE FEET

DESIGN LOADS:

LIVING AREAS	40 PSF LIVE LOAD, 10 PSF DEAD LOAD
BEDROOM AREAS	30 PSF LIVE LOAD, 10 PSF DEAD LOAD
ATTIC w/o STORAGE	30 PSF LIVE LOAD, 10 PSF DEAD LOAD
ATTIC w/ STORAGE	10 PSF LIVE LOAD, 10 PSF DEAD LOAD
COVERED DECK / PORCHES	40 PSF LIVE LOAD, 10 PSF DEAD LOAD
EXTERIOR BALCONES	40 PSF LIVE LOAD, 10 PSF DEAD LOAD
EXTERIOR WALLS	15 PSF DEAD LOAD
EXTERIOR TRAILS	8 PSF DEAD LOAD


DRAWING INDEX:

A000	COVER SHEET
A001	GENERAL NOTES AND SCHEDULES
A100	FOUNDATION & 1st FLOOR PLAN & FOUNDATION DETAILS
A101	SECOND FLOOR & ROOF PLANS
A200	ELEVATIONS
A300	BUILDING SECTIONS
A301	BUILDING SECTIONS BY CHAIRLIEVER
S301	FRAMING LAYOUTS







SCHEMATIC DRAWING - FEBRUARY 24, 2022 - NOT FOR CONSTRUCTION



1 FOUNDATION PLAN
SCALE: 1/8" = 1'-0"



2 FIRST FLOOR PLAN
SCALE: 1/8" = 1'-0"



3 FOUNDATION DETAIL
SCALE: 1/2" = 1'-0"


4 FOUNDATION DETAIL
SCALE: 1/2" = 1'-0"

5 FOUNDATION DETAIL
SCALE: 1/2" = 1'-0"

6 FOUNDATION DETAIL
SCALE: 1/2" = 1'-0"

7 FOUNDATION DETAIL
SCALE: 1/2" = 1'-0"


8 FOUNDATION DETAIL
SCALE: 1/2" = 1'-0"




1 SECOND FLOOR PLAN
SCALE: 1/8" = 1'-0"




2 ROOF PLANE PLAN
SCALE: 1/8" = 1'-0"



3 1 HOUR FIRE RATED WALL SECTION DETAIL
SCALE: 1/2" = 1'-0"



4 1 HOUR FIRE RATED WALL SECTION DETAIL @ STAIRWELL
SCALE: 1/2" = 1'-0"



5 TYP. WALL SECTION DETAIL
SCALE: 1/2" = 1'-0"

SCHEMATIC DRAWING - FEBRUARY 24, 2022 - NOT FOR CONSTRUCTION







SCHEMATIC DRAWING - FEBRUARY 24, 2022 - NOT FOR CONSTRUCTION




1 FRONT ELEVATION
SCALE 1/4" = 1'-0"




2 RIGHT SIDE ELEVATION
SCALE 1/4" = 1'-0"




3 REAR ELEVATION
SCALE 1/4" = 1'-0"




4 LEFT SIDE ELEVATION
SCALE 1/4" = 1'-0"




1 BUILDING SECTION
SCALE 1/4" = 1'-0"



2 BUILDING SECTION
SCALE 1/4" = 1'-0"



3 BUILDING SECTION
SCALE 1/4" = 1'-0"



4 BUILDING SECTION
SCALE 1/4" = 1'-0"




SCHEMATIC DRAWING - FEBRUARY 24, 2022 - NOT FOR CONSTRUCTION







SCHEMATIC DRAWING - FEBRUARY 24, 2022 - NOT FOR CONSTRUCTION




1 BUILDING SECTION
SIDE VIEW 1



2 BUILDING SECTION
SIDE VIEW 2




3 BUILDING SECTION
SIDE VIEW 3




4 BUILDING SECTION
SIDE VIEW 4




SCHEMATIC DRAWING - FEBRUARY 24, 2022 - NOT FOR CONSTRUCTION



2 ALT. SECOND FLOOR FRAMING LAYOUT w/ CANTILEVER
SIDE VIEW 1




1 SECOND FLOOR FRAMING LAYOUT
SIDE VIEW 1



3 ROOF FRAMING LAYOUT
SIDE VIEW 1





West Garage

891 Waterbury Stowe Road Waterbury, VT 05676

SCHEMATIC DRAWING - FEBRUARY 24, 2022 - NOT FOR CONSTRUCTION

CODE REVIEW

BUILDING CODE: INTERNATIONAL RESIDENTIAL CODE 2015 EDITION
 CLIMATIC AND GEOGRAPHIC DESIGN CRITERIA TABLE R601.2(1) OF THE INTERNATIONAL RESIDENTIAL CODE

SECTION	TYPE	DESCRIPTION	REQUIREMENT	COMPLIANCE
1000	1000	1000	1000	1000

TABLE R601.2 INSULATION AND PENETRATION REQUIREMENTS BY COMPONENT OF THE INTERNATIONAL RESIDENTIAL CODE

CLIMATE ZONE	RESIDENTIAL	SEMI-DETACHED	COLLECTIVE	ROOFING	WALLS	FLOOR	FOUNDATION	GLAZING	DOORS	SCREEN DOORS
4	20	20	20	15	15	15	15	15	15	15

BUILDING DATA:

SQUARE FOOTAGES:
 BASEMENT / GARAGE: 400 SQUARE FEET

DESIGN LOADS:
 LIVING AREAS: 40 PSF LIVE LOAD, 10 PSF DEAD LOAD
 BEDROOM AREAS: 30 PSF LIVE LOAD, 10 PSF DEAD LOAD
 ATTIC & STORAGE: 10 PSF LIVE LOAD, 10 PSF DEAD LOAD
 CONDENSED SOILS / PORCHES: 40 PSF LIVE LOAD, 10 PSF DEAD LOAD
 EXTERIOR BALCONIES: 40 PSF LIVE LOAD, 10 PSF DEAD LOAD
 EXTERIOR WALLS: 12 PSF DEAD LOAD
 INTERIOR WALLS: 8 PSF DEAD LOAD

DRAWING INDEX:

- A000 COVER SHEET
- A001 GENERAL NOTES AND SCHEDULES
- A100 FLOOR PLANS & FOUNDATION DETAILS
- A200 ELEVATIONS & BUILDING SECTION

EXTERIOR DOOR SCHEDULE

QUANTITY	DOOR NUMBER	SIZE	ROUGH OPENING			SWING	JAMB	NOTES
			WIDTH	HEIGHT	HEAD HEIGHT			
1	101A	3080	3'-2 1/2"	8'-2 1/2"	8'-2 1/2"	RIGHT	6-9/16"	
1	101B	13080	13'-3 1/2"	7'-6 1/2"	7'-6 1/2"	N/A	N/A	
2								

WINDOW SCHEDULE MARVIN ELEVATE
 BRONZE ULTREX EXTERIOR/WHITE PAINTED INTERIOR
 HARDWARE: WHITE
 1/2" THERMAL PANE LOW-E III GLASS W/ ARGON

MARK	CALL-NUMBER	PANEL ROUGH OPENING		PANEL		JAMB	GRID	NOTES	QUANTITY
		WIDTH	HEIGHT	HEAD HEIGHT	SILL HEIGHT				
A	ELD-G-CUSTOM	5'-7 1/2"	2'-7 1/2"	11'-4 1/2"	8'-8 1/2"	6-9/16"	N/A	DIRECT GLAZE FIXED	3
									3











SCHEMATIC DRAWING - FEBRUARY 24, 2022 - NOT FOR CONSTRUCTION





SCHEMATIC DRAWING - FEBRUARY 24, 2022 - NOT FOR CONSTRUCTION



SCHEMATIC DRAWING - FEBRUARY 24, 2022 - NOT FOR CONSTRUCTION





Vermont Real Estate Commission Mandatory Consumer Disclosure



[This document is not a contract.]

This disclosure must be given to a consumer at the first reasonable opportunity and before discussing confidential information; entering into a brokerage service agreement; or showing a property.

RIGHT NOW YOU ARE NOT A CLIENT

The real estate agent you have contacted is not obligated to keep information you share confidential. ***You should not reveal any confidential information that could harm your bargaining position.***

Vermont law requires all real estate agents to perform basic duties when dealing with a buyer or seller who is not a client. All real estate agents shall:

- Disclose all material facts known to the agent about a property;
- Treat both the buyer and seller honestly and not knowingly give false or misleading information;
- Account for all money and property received from or on behalf of a buyer or seller; and
- Comply with all state and federal laws related to the practice of real estate.

You May Become a Client

You may become a client by entering into a written brokerage service agreement with a real estate brokerage firm. Clients receive the full services of an agent, including:

- Confidentiality, including of bargaining information;
- Promotion of the client's best interests within the limits of the law;
- Advice and counsel; and
- Assistance in negotiations.

You are not required to hire a brokerage firm for the purchase or sale of Vermont real estate. You may represent yourself.

If you engage a brokerage firm, you are responsible for compensating the firm according to the terms of your brokerage service agreement.

Before you hire a brokerage firm, ask for an explanation of the firm's compensation and conflict of interest policies.

Brokerage Firms May Offer

NON-DESIGNATED AGENCY or DESIGNATED AGENCY

- **Non-designated agency** brokerage firms owe a duty of loyalty to a client, which is shared by all agents of the firm. No member of the firm may represent a buyer or seller whose interests conflict with yours.
- **Designated agency** brokerage firms appoint a particular agent(s) who owe a duty of loyalty to a client. Your designated agent(s) must keep your confidences and act always according to your interests and lawful instructions; however, other agents of the firm may represent a buyer or seller whose interests conflict with yours.

THE BROKERAGE FIRM NAMED BELOW PRACTICES DESIGNATED AGENCY

I / We Acknowledge Receipt of This Disclosure

This form has been presented to you by:

Printed Name of Consumer

Printed Name of Real Estate Brokerage Firm

Signature of Consumer

Date

Printed Name of Agent Signing Below

[] Declined to sign

Printed Name of Consumer

Signature of Agent of the Brokerage Firm

Date

Signature of Consumer

Date

[] Declined to sign

9/24/2015

