









GENERAL NOTES:

1. ALL DOORS UNLESS OTHERWISE NOTED: SHALL BE 3068 MAIN DOOR AND SHALL BE CATCHED WITH PUSH BARS OR PUSH PLATES, OR SHALL HAVE LEVER, PUSH-PULL OR PULL TYPE HANDWARE. HEIGHTS 2'-0" TO 2'-6" ABOVE FINISH FLOOR. THRESHOLDS SHALL BE NO HIGHER THAN 1/2" ABOVE ADJACENT FLOOR LEVELS WITH NO MORE THAN 1/4" UNADJ. VERTICAL CURVE. NO GREATER THAN 1/8" SLOPE. ALL DOORS SHALL HAVE A SMOOTH, DURABLE SURFACE (OIL GLASS) FROM THEIR BOTTOM UP TO 36" UNLESS NOTED OTHERWISE. ALL DOORS SHALL BE OPERABLE FROM THE INSIDE, WITHOUT THE USE OF A KEY OR ANY SPECIAL KNOWLEDGE OR EFFORT, WITH MAX. CLOSURE PRESSURE OF 8.5 LBS. UNLESS NOTED OTHERWISE. SHALL NOT EXCEED 3 LBS. (SEE NOTE #15 FOR EXCEPTIONS) PROVIDING 1'-0" CLEAR SPACE ON STRIKE SIDE UP ALL INTERIOR DOORS.
2. EXIT SIGNS WHERE INDICATED ON PLANS SHALL COMPLY WITH SECTION 9092, 1997 UBC.
3. STOREFRONT GLAZING SHALL BE SIZED PER CHAPTER 24, 1997 UBC. PROVIDE TINTED OR SAFETY GLASS IN AND WITHIN 84" OF THE STOREFRONT AND ABOVE ANY KICK. PROVIDE HORIZONTAL MULLION 18" TO 36" A.F.F. (SEE ELEVATION SEE CHAPTER 24, 1997 UBC FOR OTHER LOCATIONS OF REQUIRED SAFETY GLAZING AS THEY APPLY).
4. SEALTH ALL METAL STUD WALLS WITH 1/8" GYP. SB. UNLESS OTHERWISE NOTED ON PLANS OR DETAILS.
5. WHERE FIRE SEPARATORS ARE REQUIRED, THEY SHALL CONFORM WITH CHAPTER 9, 1997 UBC. PROVIDE SHOP DRAWINGS TO BUILDING DEPARTMENT PRIOR TO INSTALLATION.
6. TENANT IMPROVEMENT PLANS SHALL BE SUBMITTED TO THE BUILDING DEPARTMENT FOR APPROVAL AS EACH TENANT IS ACQUIRED. THESE PLANS SHALL INCLUDE BUT NOT LIMITED TO MECHANICAL, HEAT AND VENTILATION, ELECTRICAL, AND PLUMBING, BEHIND WHICH SHALL MEET ALL LOCALLY ADOPTED REGULATIONS, CODES, AND LAWS.



BUILDING INSPECTION DIVISION
JUN 2 2003
APPROVED

REVISIONS	BY
1. REVISED	RE

METRO ENGINEERING SERVICES
A SACRAMENTO OFFICE
SACRAMENTO, CA 95826
(916) 379-9643 FAX (916) 379-9647

**FLOOR AND ROOF PLAN
BUILDING ELEVATIONS**



SKYWAY
SKYWAY DRIVE
TUBA CITY, CO

DATE 2/28/03
SCALE 1/8"=1'-0"
DRAWN JRE
JOB XXXXX
SHEET

A2.1

OF