

## **PROPERTY FEATURES**

±36,831 Total SF Available

Divisible to ±18.415 SF

Office BTS

**Cross Dock Configuration** 

Building Depth: 270'

Loading:

Two (2) Ground Level Doors

Ten (10) Dock High Doors

Four (4) Equipped with hydraulic 40,000#

levelers with dock seals

Clear Height: 32'

Column Spacing: 50' x 58' 4"

Loading Area with 60' Deep Speed Bays

Power: up to 400 Amps, 277/480 V, 3 Phase, 4 Wire

**ESFR Sprinklered** 

High Efficiency LED Highbay Fixtures

Fiber Meshed Reinforced Concrete Floor

- Slab Thickness: 8"; PSI: 4,000

- Avg Flatness: 95.5; Avg Levelness: 61.87

**Clerestory Windows** 


2 Store Fronts


140'5" & 156'4" Truck Court Depth

Parking Ratio: 1.16/1,000 SF

Potential Trailer Parking

Outdoor Picnic / Gathering Areas With Canopies





## **LISTED BY:**

Kyle Roberts, CCIM, SIOR, CSCMP

t 801-578-5525 kyle.roberts@nmrk.com **Ben Richardson** 

t 801-746-4733 ben.richardson@nmrk.com

The information contained herein has been obtained from sources deemed reliable but has not been verified and no guarantee, warranty or representation, either express or implied, is made with respect to such information. Terms of sale or lease and availability are subject to change or withdrawal without notice.



