

FULLY LEASED

PHOENIXINVESTORS.COM

GREENWOOD, SC

KURT JENSEN 262-308-0008 | KURT@PHOENIXINVESTORS.COM



This document has been prepared by Phoenix Investors for advertising and general information only. Phoenix Investors makes no guarantees, representations, or warranties of any kind, expressed or implied, regarding the information including, but not limited to, warranties of content, accuracy, and reliability.





LOCATED APPROXIMATELY 26 MILES SOUTH OF I-26 VIA FOUR-LANE HWY 72



THE GREENVILLE-SPARTANBURG AIRPORT IS LOCATED APPROXIMATELY 56 MILES NORTH OF THE SITE



PROPERTY DETAILS


215 PUCKETT FERRY RD BLDG M | GREENWOOD, SC

Twelve 8' x 10' Electric Dock High Doors with Levelers, Lock Lights, & Seals One 13' x 13' Electric One 10' x 10' Manual One 10' x 9' More Drive-In Doors CLEAR HEIGHT 24' 6" - 40' COLUMN WIDTH/DEPTH Varies ROOF Single-Ply Membrane Over Insulated Metal Deck WALLS 2" Insulated Metal Sandwich Panel FLOORS 6" Reinforced Concrete Slab YEAR BUILT 1989 YEAR BUILT 1989 Fluorescent, 400-Watt Metal Halide, T-8, & LED with Motion Sensors Transformers: Four @ 1000 KVA (4160 - 480/208) Six @ 75 KVA (4160 - 480/208) Two @ 1500 KVA (4160 - 480) Two @ 1500 KVA (4160	/lanual
CLEAR HEIGHT 24' 6" - 40' COLUMN WIDTH/DEPTH Varies ROOF Single-Ply Membrane Over Insulated Metal Deck WALLS 2" Insulated Metal Sandwich Panel 6" Reinforced Concrete Slab YEAR BUILT 1989 FIRE SUPPRESSION LIGHTING Divide A service of the service of	
COLUMN WIDTH/DEPTH Varies Single-Ply Membrane Over Insulated Metal Deck WALLS 2" Insulated Metal Sandwich Panel 6" Reinforced Concrete Slab YEAR BUILT FIRE SUPPRESSION D5/1500 to .65/2000 Density Fluorescent, 400-Watt Metal Halide, T-8, & LED with Motion Sensors Transformers: Four @ 1000 KVA (4160 - 480/208) Six @ 75 KVA (4160 - 480/208) Two @ 1500 KVA (4160 - 480) Two @ 1500 K	1
ROOF Single-Ply Membrane Over Insulated Metal Deck 2" Insulated Metal Sandwich Panel 6" Reinforced Concrete Slab YEAR BUILT 1989 FIRE SUPPRESSION LIGHTING Description of the proof	1
WALLS 2" Insulated Metal Sandwich Panel 6" Reinforced Concrete Slab YEAR BUILT FIRE SUPPRESSION Discrete Suppression LIGHTING Transformers: Four @ 1000 KVA (4160 - 480/208) Six @ 75 KVA (4160 - 480/208) Two @ 1500 KVA (4160 - 480) Tw	1
FLOORS 6" Reinforced Concrete Slab 1989 FIRE SUPPRESSION Display 1989 Fluorescent, 400-Watt Metal Halide, T-8, & LED with Motion Sensors Transformers: Four @ 1000 KVA (4160 - 480/208) Six @ 75 KVA (4160 - 480/208) Two @ 1500 KVA (4160 - 480) Two @ 1500 KVA (4160 -	1
YEAR BUILT 1989 FIRE SUPPRESSION .05/1500 to .65/2000 Density LIGHTING Fluorescent, 400-Watt Metal Halide, T-8, & LED with Motion Sensors Transformers: Four @ 1000 KVA (4160 - 480/208) Six @ 75 KVA (4160 - 480/208) Two @ 1500 KVA (4160 - 480) Total 9,700 Amps, 120/208, 3-Phase, 4-Wire Switchgear; and 12,000 A	1
### SUPPRESSION ### SUPPRESSION ### SUPPRESSION ### Control of the control of	1
Fluorescent, 400-Watt Metal Halide, T-8, & LED with Motion Sensors Transformers: Four @ 1000 KVA (4160 - 480/208) Six @ 75 KVA (4160 - 480/208) Two @ 1500 KVA (4160 - 480) Two @ KVA (4160 - 480) Total 9,700 Amps, 120/208, 3-Phase, 4-W Switchgear; and 12,000 Amps, 120/208, 3-Phase, 4-Wire Switchgear; and 12,0	1
LIGHTING Sensors POWER Transformers: Four @ 1000 KVA (4160 - 480/208) Six @ 75 KVA (4160 - 480/208) Two @ 1500 KVA (4160 - 480) Two @ 1500 KVA (4160 - 480) Total 9,700 Amps, 120/208, 3-Phase, 4-W Switchgear; and 12,000 Amps, 120/208, 3-Phase, 4-Wire Sw WATER Supplied by Greenwood CPW; 8" Main, 6" Lines SEWER Supplied by Greenwood CPW; 18" Main, Two 6" Lines	1
POWER KVA (4160 - 480/208) Two @ 1500 KVA (4160 - 480) Two @ 1500 KVA (4160 - 480) Total 9,700 Amps, 120/208, 3-Phase, 4-W Switchgear; and 12,000 Amps, 120/208, 3-Phase, 4-Wire Sw WATER Supplied by Greenwood CPW; 8" Main, 6" Lines SEWER Supplied by Greenwood CPW; 18" Main, Two 6" Lines	
SEWER Supplied by Greenwood CPW; 18" Main, Two 6" Lines	@ 500 ire
NATURAL GAS Supplied by Greenwood CPW; 6" Lines, 5 PSI	
COMPRESSED AIR Compressors Removed; Air Lines in Place Throughout Area	ı
HVAC 18 Roof-Mounted Trane Intellipak, Voyager, and York Units Ranging from 10- to 30-Tons	5
RESTROOMS Men: 10 Toilets, 10 Sinks, 10 Urinals Women: 11 Toilets, 1	1 Sinks
PARKING Approximately 169 Parking Spaces	
LAND AREA 21.95 Acres	
PARCEL ID 6877-855-859	




FLOOR PLAN

215 PUCKETT FERRY RD BLDG M | GREENWOOD, SC





NUMBER	SPACE DESIGNATION	SQUARE FEET
1	WAREHOUSE	276,854 SF
TOTAL		276,854 SF





FULLY LEASED

PHOENIXINVESTORS.COM

KURT JENSEN 262-308-0008 | KURT@PHOENIXINVESTORS.COM

215 PUCKETT FERRY RD BLDG M GREENWOOD, SC



PHOENIX

INVESTORS

Opportunity. Execution. Value Creation.