


Survey

P.O.C.
N.W. CORNER OF THE N.E. 1/4
OF SECTION 9-35-17

CORTEZ ROAD (S.R. 684)
(SECTION 13040 - 2504)



DESCRIPTION: (FITNESS CENTER PARCEL)
(AS PROVIDED)

FROM THE N.W. CORNER OF THE N.E. 1/4 OF SECTION 9, TOWNSHIP 35 SOUTH, RANGE 17 EAST, RUN S 00°04'35" W, ALONG THE WEST LINE OF THE SAID N.E. 1/4, A DISTANCE OF 262.88 FEET, AND S 89°49'32" E, A DISTANCE OF 57.75 FEET TO THE DEDICATED EAST RIGHT OF WAY LINE OF 43 STREET WEST AND CORTEZ ROAD, AS RECORDED IN O.R. BOOK 755, PAGE 3, PUBLIC RECORDS OF MANATEE COUNTY, FLORIDA AND THE POINT OF BEGINNING; THENCE CONTINUE S 89°49'32" E, A DISTANCE OF 190.00 FEET; THENCE N 00°10'28" E, A DISTANCE OF 36.00 FEET; THENCE N 47°07'49" E, A DISTANCE OF 196.61 FEET; THENCE N 00°10'28" E, A DISTANCE OF 28.80 FEET (29.38 FEET DEED) TO THE SOUTHERLY LINE OF THE SAID DEDICATED RIGHT OF WAY; THENCE N 86°54'14" E, A DISTANCE OF 145.66 FEET TO THE SOUTH RIGHT OF WAY LINE OF S.R. 684 (CORTEZ ROAD) SECTION 13040-2504; THENCE S 89°49'32" E, ALONG SAID SOUTH RIGHT OF WAY LINE, A DISTANCE OF 9.88 FEET; THENCE S 00°10'28" W, A DISTANCE OF 72.09 FEET; THENCE S 47°07'49" W, A DISTANCE OF 28.76 FEET; THENCE S 42°52'11" E, A DISTANCE OF 70.17 FEET; THENCE S 89°49'32" E, A DISTANCE OF 63.90 FEET; THENCE S 42°52'11" E, A DISTANCE OF 15.87 FEET; THENCE N 47°07'49" E, A DISTANCE OF 75.00 FEET; THENCE S 42°52'11" E, A DISTANCE OF 54.84 FEET TO A POINT ON THE ARC OF 49 CURVE; TO THE RIGHT WHOSE RADIUS POINT BEARS N 67°35'16" W, DISTANT 379.17 FEET; THENCE ALONG THE ARC OF SAID CURVE IN A SOUTHWESTERLY DIRECTION, A DISTANCE OF 19.37 FEET THROUGH A CENTRAL ANGLE OF 02°55'39" TO THE P.T. OF SAID CURVE; THENCE S 25°20'23" W, A DISTANCE OF 69.37 FEET TO THE P.C. OF A CURVE TO THE LEFT HAVING A RADIUS OF 444.09 FEET; THENCE ALONG THE ARC OF SAID CURVE IN A SOUTHWESTERLY DIRECTION, A DISTANCE OF 52.01 FEET THROUGH A CENTRAL ANGLE OF 06°42'36" TO THE P.C. OF A CURVE TO THE RIGHT HAVING A RADIUS OF 444.09 FEET; THENCE ALONG SAID DEDICATED EAST RIGHT OF WAY LINE TWO COURSES, VIZ: N 03°20'48" E, A DISTANCE OF 3.86 FEET; AND N 00°04'35" E, A DISTANCE OF 88.00 FEET TO THE POINT OF BEGINNING, LYING AND BEING IN SECTION 9, TOWNSHIP 35 SOUTH, RANGE 17 EAST, MANATEE COUNTY, FLORIDA.

SUBJECT TO EASEMENTS, RIGHTS OF WAY AND RESTRICTIONS OF RECORD.
CONTAINING 2.80 ACRES, MORE OR LESS.

LESS ANY PORTION OF THE ABOVE DESCRIBED PROPERTY WHICH LIES WITHIN THE FOLLOWING LEGAL DESCRIPTION (ORB. 1540, P. 6070)
A PARCEL OF LAND LOCATED IN SECTION 9, TOWNSHIP 35 SOUTH, RANGE 17 EAST, MANATEE COUNTY, FLORIDA, BEING DESCRIBED AS FOLLOWS:

COMMENCE AT THE NORTHWEST CORNER OF THE N.E. 1/4 OF SAID SECTION 9; THENCE SOUTH 00°04'35" WEST, ALONG THE WEST LINE OF SAID NORTHWEST 1/4 OF SECTION 9, A DISTANCE OF 54.63 FEET; THENCE SOUTH 89°49'32" EAST, A DISTANCE OF 53.22 FEET; THENCE SOUTH 00°10'28" WEST, A DISTANCE OF 0.84 FEET TO A POINT ON THE SOUTH RIGHT-OF-WAY LINE OF CORTEZ ROAD (STATE ROAD 684) SAID POINT BEING THE POINT OF BEGINNING; THENCE NORTH 86°54'14" EAST, ALONG SAID SOUTH RIGHT-OF-WAY LINE OF CORTEZ ROAD, A DISTANCE OF 14.72 FEET; THENCE SOUTH 89°49'32" EAST, ALONG SAID SOUTH RIGHT-OF-WAY LINE OF CORTEZ ROAD, A DISTANCE OF 231.94 FEET TO A POINT ON A CURVE TO THE RIGHT, WHOSE RADIUS POINT BEARS NORTH 89°49'32" WEST, A DISTANCE OF 379.17 FEET TO BEING A POINT ON THE WESTERLY RIGHT-OF-WAY LINE OF WILDEWOOD SPRINGS BOULEVARD, AS RECORDED IN CONDOMINIUM BOOK 6, PAGE 83 OF THE PUBLIC RECORDS OF MANATEE COUNTY, FLORIDA; THENCE SOUTHERLY, ALONG THE ARC OF SAID CURVE TO THE RIGHT, AND WESTERLY RIGHT-OF-WAY LINE, THROUGH A CENTRAL ANGLE OF 25°01'55", A DISTANCE OF 166.54 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 25°20'23" WEST, ALONG AFORESAID WESTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 30.64 FEET; THENCE NORTH 89°49'32" WEST, A DISTANCE OF 50.00 FEET; THENCE NORTH 40°04'35" WEST, A DISTANCE OF 60.15 FEET; THENCE NORTH 89°49'32" WEST, A DISTANCE OF 57.37 FEET; THENCE NORTH 42°52'11" WEST, A DISTANCE OF 75.38 FEET; THENCE NORTH 00°10'28" EAST, A DISTANCE OF 87.07 FEET TO THE POINT OF BEGINNING AND AFORESAID SOUTH RIGHT-OF-WAY LINE OF CORTEZ ROAD (STATE ROAD 684). LYING AND BEING IN SECTION 9, TOWNSHIP 35 SOUTH, RANGE 17 EAST, MANATEE COUNTY, FLORIDA.

SUBJECT TO PERTINENT EASEMENTS, RIGHTS-OF-WAY AND RESTRICTIONS OF RECORD.
CONTAINING 0.83 ACRES, MORE OR LESS.


BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

FROM THE N.W. CORNER OF THE N.E. 1/4 OF SECTION 9, TOWNSHIP 35 SOUTH, RANGE 17 EAST, RUN S 00°04'35" W, ALONG THE WEST LINE OF THE SAID N.E. 1/4, A DISTANCE OF 262.88 FEET, AND S 89°49'32" E, A DISTANCE OF 57.75 FEET TO THE DEDICATED EAST RIGHT OF WAY LINE OF 43 STREET WEST AND CORTEZ ROAD, AS RECORDED IN O.R. BOOK 755, PAGE 3, PUBLIC RECORDS OF MANATEE COUNTY, FLORIDA AND THE POINT OF BEGINNING; THENCE CONTINUE S 89°49'32" E, A DISTANCE OF 190.00 FEET; THENCE N 00°10'28" E, A DISTANCE OF 36.00 FEET; THENCE N 47°07'49" E, A DISTANCE OF 196.61 FEET; THENCE N 00°10'28" E, A DISTANCE OF 28.80 FEET (29.38 FEET DEED) TO THE SOUTHERLY LINE OF THE SAID DEDICATED RIGHT OF WAY; THENCE N 86°54'14" E, A DISTANCE OF 145.66 FEET; THENCE S 00°10'28" W, A DISTANCE OF 87.07 FEET; THENCE S 42°52'11" E, A DISTANCE OF 75.38 FEET; THENCE S 89°49'32" E, A DISTANCE OF 57.37 FEET; THENCE S 40°00'00" E, A DISTANCE OF 60.15 FEET; THENCE S 89°49'32" E, A DISTANCE OF 80.00 FEET TO THE WESTERLY LINE OF WILDEWOOD SPRINGS BOULEVARD, A 66 FOOT WIDE ACCESS EASEMENT AS DESCRIBED IN OFFICIAL RECORDS BOOK 774, PAGE 50, PUBLIC RECORDS OF MANATEE COUNTY, FLORIDA; THENCE ALONG SAID WESTERLY LINE THE FOLLOWING TWO COURSES: THENCE S 25°20'23" W, A DISTANCE OF 69.37 FEET TO THE P.C. OF A CURVE TO THE LEFT HAVING A RADIUS OF 444.09 FEET; THENCE ALONG THE ARC OF SAID CURVE IN A SOUTHWESTERLY DIRECTION, A DISTANCE OF 52.01 FEET THROUGH A CENTRAL ANGLE OF 06°42'36"; THENCE N 89°49'32" W, A DISTANCE OF 627.99 FEET TO THE ABOVE DESCRIBED DEDICATED EAST RIGHT OF WAY LINE; THENCE ALONG SAID DEDICATED EAST RIGHT OF WAY LINE TWO COURSES, VIZ: N 03°20'48" E, A DISTANCE OF 3.86 FEET; AND N 00°04'35" E, A DISTANCE OF 88.00 FEET TO THE POINT OF BEGINNING, LYING AND BEING IN SECTION 9, TOWNSHIP 35 SOUTH, RANGE 17 EAST, MANATEE COUNTY, FLORIDA.

SUBJECT TO EASEMENTS, RIGHTS OF WAY AND RESTRICTIONS OF RECORD.
CONTAINING 2.64 ACRES, MORE OR LESS.

- NOTES:
- BEARINGS ARE BASED ON THE WEST LINE OF THE N.E. 1/4 OF SECTION 9, TOWNSHIP 35 SOUTH, RANGE 17 EAST, MANATEE COUNTY, FLORIDA, BEING S 00°04'35" W, AND DO NOT REFER TO THE TRUE MERIDIAN.
 - IMPROVEMENTS SUCH AS, BUT NOT LIMITED TO, FOUNDATIONS, SUBSURFACE IMPROVEMENTS AND LANDSCAPE FEATURES, ETC., HAVE NOT BEEN LOCATED EXCEPT AS SHOWN.
 - THE PROPERTY LIES WITHIN FLOOD ZONE "C" AS SHOWN ON FLOOD INSURANCE RATE MAP PANEL No. 120153 0328 B REVISED MARCH 15, 1984.
 - SUBJECT TO A COMMON ACCESS EASEMENT RECORDED IN ORB. 1012 PG. 3183 AND ORB. 1506, PG. 5877 (AMENDED).
 - TITLE INFORMATION WAS DERIVED FROM TITLE COMMITMENT No. 15-97-1206, DATED MAY 27, 1997, BY ATTORNEYS' TITLE INSURANCE FUND, INC.
 - THE FOLLOWING EASEMENTS AFFECT INGRESS/EGRESS EASEMENT 3:
DRAINAGE EASEMENT (O.R. BOOK 1012, PG. 3178), AS AMENDED IN (O.R. BOOK 1506, PG. 5883), PUBLIC RECORDS OF MANATEE COUNTY, FLORIDA.
UTILITY EASEMENT (O.R. BOOK 1012, PG. 3189), AS AMENDED IN (O.R. BOOK 1506, PG. 5868), PUBLIC RECORDS OF MANATEE COUNTY, FLORIDA.
COMMON ACCESS EASEMENT (O.R. BOOK 1012, PG. 3183), AS AMENDED IN (O.R. BOOK 1506, PG. 5877), PUBLIC RECORDS OF MANATEE COUNTY, FLORIDA.
EASEMENT AGREEMENT (O.R. BOOK 1425, PG. 3757), AS AMENDED IN (O.R. BOOK 1428, PG. 7623) AND (O.R. BOOK 1506, PAGE 5864), PUBLIC RECORDS OF MANATEE COUNTY, FLORIDA.

- LEGEND
- FIR FOUND IRON ROD
 - FCM FOUND CONC. MONUMENT, RLS 1364
 - FN FOUND NAIL
 - FIP FOUND IRON PIPE
 - SIR SET IRON ROD
 - LB LICENSED BUSINESS
 - LS/PLS/RLS/PSM LICENSED SURVEYOR
 - PU & DE PRIVATE UTILITY & DRAINAGE EASEMENT
 - ROW RIGHT-OF-WAY
 - (P) PLAT
 - (M) MEASURED
 - CLF CHAIN LINK FENCE
 - WF WOOD FENCE
 - ⊗ BLOW-OFF
 - ⊙ FIRE HYDRANT
 - ⊕ GATE VALVE
 - P.O.B. POINT OF BEGINNING



CERTIFIED TO:
WILDEWOOD PLAZA, LLC, A FLORIDA LIMITED LIABILITY COMPANY
THE PROVIDENT BANK
McDANIEL & BALL, P.A.
AMERICAN PIONEER TITLE INSURANCE COMPANY

I CERTIFY THAT THIS SURVEY WAS MADE UNDER MY DIRECTION AND THAT IT MEETS THE MINIMUM TECHNICAL STANDARDS SET FORTH BY THE BOARD OF PROFESSIONAL LAND SURVEYORS AND MAPPERS IN CHAPTER 61G17-6, FLORIDA ADMINISTRATIVE CODE, PURSUANT TO SECTION 472.027, FLORIDA STATUTES.


BY: *C. Drew Branch* SURVEY DATE: 05/24/02
C. DREW BRANCH, PSM #5542

NOTE:
IN COMPLIANCE WITH F.A.C. 61G17-6.0031 (5) (E) (IF LOCATION OF EASEMENTS OR RIGHT-OF-WAY OF RECORD, OTHER THAN THOSE ON RECORD PLAT, IS REQUIRED, THIS INFORMATION MUST BE FURNISHED TO THE SURVEYOR AND MAPPER.
NOT VALID WITHOUT SURVEYOR'S SIGNATURE AND EMBOSSED SEAL
NOT A CERTIFICATION OF TITLE, ZONING, EASEMENTS OR FREEDOM OF ENCUMBRANCES.

DREW BRANCH SURVEYING & MAPPING, INC.
LICENSED BUSINESS # 7011
909 CATTLEMEN ROAD
SARASOTA, FL. 34232
941-342-6595 FAX 941-342-7495

REVISIONS:	
LEGAL/RECERT	05/29/02
DRAWN BY:	M.J.
DATE:	05/24/02
JOB NO.	0210379

Manatee County
Habitat for Humanity
Restore Tenant Build-Out
Bradenton, Florida



Rev. No.	Description	Date

FIRE PROTECTION

X



Manatee County Habitat for Humanity Restore Tenant Build-Out

Bradenton, Florida

33
 15
 12
 27
 8
 82
 30
 24
 18
 45.04
 22
 139
 85
 224

11
 16
 12
 20
 14
 250
 282

88 12' Suite 2x6x8
 92 10' 8
 36 8



LEGEND

- EXIST. DOOR
- NEW DOOR
- DEMO. WALL
- EXIST. WALL
- NEW WALL
- RATED WALL

REFLECTED CEILING PLAN

2

SCALE: 1/8" = 1'-0"



FLOOR PLAN

1

Rev. No.	Description	Date

**FLOOR PLAN/
REFLECTED
CEILING PLAN**

Manatee County
Habitat for Humanity
Restore Tenant Build-Out
Bradenton, Florida



ELECTRICAL LEGEND


- ⊕ EXISTING RECEPTACLE
- ⊖ EXISTING RECEPTACLE
- ⊕ EXISTING SWITCH
- ⊖ EXISTING SWITCH
- ⊕ EXISTING VOICE/DATA
- ⊖ EXISTING VOICE/DATA

Rev. No.	Description	Date

ELECTRICAL POWER AND COMMUNICATION PLAN

Manatee County
Habitat for Humanity
Restore Tenant Build-Out
 Bradenton, Florida

BUILDING CODE SUMMARY								
PROJECT NAME: MANATEE COUNTY HABITAT FOR HUMANITY RESTORE								
PROPOSED USE: EXISTING ONE STORY RETAIL/OFFICE INTERIOR BUILD-OUT								
GOVERNING CODES								
• THE 2007 FLORIDA BUILDING CODE (FBC).								
BUILDING DATA								
USE GROUPS:								
2007 FBC								
B - BUSINESS (004.1)								
M - MERCANTILE (009.1)								
MEANS OF EGRESS								
OCCUPANT LOAD FACTORS (TABLE 1004.1.1)								
USE	OCCUPANT LOAD FACTOR SF/OCC							
BUSINESS	100 GROSS							
MERCANTILE	30 GROSS							
STORAGE	300 GROSS							
OCCUPANT LOAD CALCULATIONS								
LEVEL	USE	AREA	OCCUPANT LOAD FACTOR	OCCUPANT LOAD				
GRADE	BUSINESS	2,129 SF	100	22				
GRADE	MERCANTILE	4,179 SF	30	149				
GRADE	STORAGE	629 SF	300	3				
				TOTAL OCC 183				
EXIT CAPACITY								
THE FOLLOWING EXIT CAPACITY FACTORS ARE APPLICABLE FOR A FULLY SPRINKLERED BUILDING (FBC-TABLE 1005.1)								
EXIT COMPONENT		EXIT CAPACITY FACTOR						
VERTICAL TRAVEL		0.3 INCHES PER PERSON						
HORIZONTAL TRAVEL		0.2 INCHES PER PERSON						
LEVEL	OCCUPANCY LOAD	EXIT CAPACITY						
GRADE	165 OCC X 2 (NOCC + 33 INCHES REQ'D)	>33						
PLUMBING FIXTURE REQUIREMENTS (FBC 2007 PLUMBING TABLE 403.1)								
CLASSIFICATION	OCCUPANCY	WATER CLOSETS	LAVATORIES	DRINKING FOUNTAIN				
		MALE FEMALE	MALE FEMALE	OTHER				
BUSINESS	B	1 PER 25 FIRST 50 THEN 1 PER 50	1 PER 40 FIRST 50 THEN 1 PER 80	1 PER 100				
MERCANTILE	M	1 PER 500	1 PER 750	1 PER 1000				
FIXTURE								
TOILET MEN	REQUIRED	PROVIDED						
TOILET WOMEN	2"	2 (1 EXISTING, 1 NEW ADA TOILET)						
LAVATORY MEN	2"	2 (1 EXISTING, 1 NEW ADA TOILET)						
LAVATORY WOMEN	2"	2 (1 EXISTING, 1 NEW ADA TOILET)						
DRINKING FOUNTAINS	1	1 ADA FOUNTAIN, EXISTING						
COMMON PATH OF TRAVEL (FBC 2007 SECTION 1014.3)								
OCCUPANCY	MAXIMUM OCCUPANT LOAD	MAXIMUM COMMON PATH OF TRAVEL						
B	50	75'						
M	50	75'						
1. In occupancies other than Groups H-1, H-2 and H-3, the common path of egress travel shall not exceed 75 feet (22 890 mm). In Group H-1, H-2 and H-3 occupancies, the common path of egress travel shall not exceed 25 feet (7620 mm).								
DEAD-END CORRIDORS (FBC 2007 SECTION 1017.3)								
USE GROUP	MAXIMUM PERMITTED DEAD-END							
B	20 FT							
M	20 FT							
EXIT ACCESS TRAVEL DISTANCE (FBC 2007 TABLE 1016.1)								
USE GROUP	TRAVEL DISTANCE							
B	200 FT							
M	169 FT							
EXIT ACCESS CORRIDORS (FBC 2007 SECTION 1017.1)								
USE GROUP	FIRE RATING							
B, M	1 HOUR							
FIRE PROTECTION CONCEPTS PROVIDED								
SYSTEM	REQUIRED	NOT SPRINKLERED						
AUTOMATIC SPRINKLER SYSTEM								
SMOKE DETECTION SYSTEMS	YES	PROVIDED IN THE FOLLOWING LOCATIONS: - WITHIN PROXIMITY OF EGRESS DOORS - ABOVE THE FIRE ALARM SYSTEM CONTROL PANEL - IN RETURN AIR DUCTS OR PLenums OF AIR HANDLING SYSTEMS WITH A DESIGN CAPACITY GREATER THAN 2,000 CFM						
FIRE ALARM SYSTEM	YES	VISIBLE/AUDIBLE ALARM IN ACCORDANCE WITH NFPA 72.						
EGRESS LIGHTING AND EXIT SIGNAGE	YES	EGRESS LIGHTING WILL BE PROVIDED THROUGHOUT THE COMMON PORTIONS OF THE BUILDING'S MEANS OF EGRESS. TENANT SPACES THAT REQUIRE TWO MEANS OF EGRESS WILL ALSO BE PROVIDED WITH EGRESS LIGHTING PRIOR TO OCCUPANCY.						
PORTABLE FIRE EXTINGUISHERS	YES	PORTABLE FIRE EXTINGUISHERS OF THE APPROPRIATE TYPE WILL BE LOCATED THROUGHOUT THE PROJECT WHERE REQUIRED IN ACCORDANCE WITH THE REQUIREMENTS OF THE FIRE CODE AND NFPA 10-2002, STANDARD FOR PORTABLE FIRE EXTINGUISHERS						
FIRE RESISTANCE OF BUILDING ELEMENTS (FBC 2007 TABLES 601 & 602)								
BUILDING ELEMENT	FIRE RESISTANCE RATING (IN HOURS) TYPE VA							
EXTERIOR NON-BEARING WALLS BASED ON 8 (TABLE 602)	1							
- SEPARATION DISTANCE ≤ 6 FT. OR LESS	1							
- SEPARATION DISTANCE > 6 FT. TO 10 FT.	0							
- SEPARATION DISTANCE > 10 FT. TO 30 FT.	0							
- SEPARATION DISTANCE > 30 FT.	0							
EXTERIOR BEARING WALLS	1							
INTERIOR BEARING WALLS	1							
COLUMN, GIRDER, TRUSSES	1							
EXIT STAIR ENCLOSURES (1020.1)	N/A							
- CONNECTING 3 STORES OR LESS	N/A							
- CONNECTING 4 STORES OR MORE	N/A							
EXIT PASSAGEWAYS	1							
FLOOR CONSTRUCTION	1							
ROOF CONSTRUCTION	1							
ELEVATOR HOISTWAYS (107.4)	N/A							
OTHER SHAFTS (107.4)	N/A							
EXIT ACCESS CORRIDORS (FIA-TABLE 1016.1)	N/A							
NONLOAD BEARING PARTITIONS								
MAXIMUM AREA OF EXTERIOR WALL OPENINGS (FBC 2007 TABLE 704.8)								
FIRE SEPARATION DISTANCE								
OPENING CLASSIFICATION	≤ 3 FT.	GREATER THAN 3 TO 6 FT.	GREATER THAN 6 TO 10 FT.	GREATER THAN 10 TO 15 FT.	GREATER THAN 15 TO 20 FT.	GREATER THAN 20 TO 25 FT.	GREATER THAN 25 TO 30 FT.	GREATER THAN 30 FT.
UNPROTECTED	NOT PERMITTED	NOT PERMITTED	10%	10%	25%	40%	70%	NO LIMIT
PROTECTED	NOT PERMITTED	10%	25%	40%	75%	NO LIMIT	NO LIMIT	NO LIMIT
OPENING PROTECTIVE DEVICES (FBC 2007 TABLE 715.4)								
TYPE OF ASSEMBLY	WALL RATING		OPENING RATING					
EXIT ACCESS CORRIDORS	1 HOUR		3/4 HOUR					
EXIT PASSAGEWAYS	1 HOUR		1 HOUR					



LS LEGEND

- EXIT SIGN
- FIRE EXTINGUISHER
- RATED WALL

Rev. No.	Description	Date


CODE SUMMARY + LIFE SAFETY PLAN

Manatee County
Habitat for Humanity
Restore Tenant Build-Out


Bradenton, Florida




24 inch wide (613 mm.) Plain Paper




OUTLET AND CONTROL LOCATIONS Q12
SCALE: 3/8" = 1'-0"




VISUAL AND PROTRUDING OBJECT CLEARANCES Q1
SCALE: 3/8" = 1'-0"




CLEARANCES AT DRINKING FOUNTAINS M1
SCALE: 3/8" = 1'-0"




ACCESSIBLE REACH RANGES G1
SCALE: 3/8" = 1'-0"



TOILET CLEARANCES
LAVATORY CLEARANCES
PLUMBING FIXTURE CLEARANCES D17
SCALE: 3/8" = 1'-0"



MANEUVERING CLEARANCE AT DOORS AND OPENINGS A1
SCALE: 1/4" = 1'-0"



ADA REQUIREMENTS

DATE: 3-11-2011 G1.02