



BURLINGTON-JACKSONVILLE ROAD  
 COUNTY ROUTE 670  
 (66' WIDE)

RIP-RAP APRON  
 1' THK., D50=3"  
 25YR CFS = 1.59


EMERGENCY SPILLWAY,  
 5.5' WIDE, ELEV. 74.50  
 100 YR. WS. ELEV. 74.91  
 RIP-RAP APRON  
 1' THK D50=3"




TRASH ENCLOSURE CONCRETE PAD DETAIL  
NOT TO SCALE




TRASH ENCLOSURE DETAIL  
N.T.S.



H.C. SIGN DETAIL  
N.T.S.




ACCESSIBLE STALL PAVEMENT MARKINGS DETAIL  
N.T.S.



EMERGENCY SPILLWAY DETAIL  
N.T.S.

**ADDITIONAL SOIL EROSION AND SEDIMENT CONTROL NOTES:**

- N.J.S.A. 4:24-39, ET SEQ. REQUIRES THAT UPON PERMANENT SITE STABILIZATION AND COMPLETION OF CONSTRUCTION THE CONTRACTOR SHALL APPLY TO THE SOIL CONSERVATION DISTRICT FOR A COMPLIANCE INSPECTION TO CHECK THAT ALL THE PROVISIONS OF THE CERTIFIED SOIL EROSION AND SEDIMENT CONTROL PLAN HAVE BEEN COMPLIED WITH FOR PERMANENT MEASURES.
- THE DISTRICT EROSION CONTROL INSPECTOR MAY REQUIRE ADDITIONAL MEASURES TO BE INSTALLED.



**ERIC J. RAES**  
 PROFESSIONAL ENGINEER  
 N. J. LIC. 38233  
 DATE: 9-18-07

**JAMES T. SAPIO**  
 PROFESSIONAL LAND SURVEYOR  
 N. J. LIC. 17780  
 DATE: 9-19-08

REV.	DATE	DESCRIPTION	INITIALS
8	09/18/08	REV. PER TOWNSHIP COMMENTS	CRN
7	04/14/08	REV. PER COUNTY REVIEW	CRN
6	03/21/08	REV. PER COUNTY REVIEW	CRN
5	01/10/08	REV. PER COUNTY REVIEW	CRN
4	10/08/07	REV. PER COUNTY REVIEW	CRN
3	09/11/07	REV. PER SCD REVIEW	CRN
2	08/15/07	REV. PER TOWN, COUNTY AND SCD REVIEW	CRN
1	06/07/07	REV. PER ENGINEER'S REVIEW	BCH

GRADING, UTILITY,  
 SOIL EROSION AND SEDIMENT CONTROL PLAN  
 #1693 BURLINGTON-JACKSONVILLE ROAD  
 LOT. 12.01 BLOCK. 501 PLATE. 5  
 SITUATE:  
 TOWNSHIP OF SPRINGFIELD  
 COUNTY OF BURLINGTON, NEW JERSEY  
 DATE: 4/16/07 DRAWN BY: CRN SHEET No. 4 OF 6  
 SCALE: CHECKED BY: JUC PROJECT No. 06-068  
**JTS ENGINEERS AND LAND SURVEYORS, INC.**  
 19 STRATFORD AVENUE, STRATFORD, N.J. 08084  
 (856) 783-0055