

## UMBING SYMBOLS

COLD WATER LINE	FLOOR SINK W/GRATE
HOT WATER LINE	
CLEAN OUT (SAME SIZE AS LINE)	
CLEAN OUT (SAME SIZE AS LINE)	
CLEANOUT TO GRADE	
HOSE BIBB W/BFP	
SANITARY SEWER	
INDIRECT WASTE	
VENT LINE	
VENT THROUGH ROOF	
DIRECTION OF FLOW	
CONCENTRIC REDUCER	
BFP	BACK FLOW PREVENTER
(E)	EXISTING
(N)	NEW


SOA MACHINE TO AT LEAST 12" DOWN STREAM FROM  
THE DISPENSER. PIPE SHALL BE APPROVED BY THE ENGINEER.2. VENT PIPE ROUTING TO RISE VERTICALLY NOT LESS  
THAN 6" ABOVE FLOOD LEVEL RIM OF THE FIXTURE BEING  
SERVED BEFORE OFFSETTING HORIZONTALLY.3. CONTRACTOR TO RUN VENT PIPE FOR HAND SINK, FLOOR  
SINK AND FLOOR DRAIN SERVING BAR AREA TO THE NEAREST  
APPROPRIATE LOCATION, PROVIDE CLEANOUTS AS NEEDED.4. CONTRACTOR TO RUN 1/2" CW LINE TO ALL FLOOR DRAINS  
P-TRAPS PRIMERS.5. CONTRACTOR TO VERIFY THE HEIGHT OF THE FIXTURE  
DRAIN CONNECTION WITH RESPECT TO FLOOD LEVEL.  
ALSO TO VERIFY ON SITE LOCATION OF BACKFLOW  
VALVES AND EJECTOR PUMPS AND COORDINATE THAT  
WITH ENGINEER AND BUILDING DEPARTMENT.INC.  
522 SECOND ST.  
SAN FRANCISCO  
CALIF. 94107TEL (415) 512-7566  
FAX (415) 546-6415Rayside Mechanical, Inc.  
650-570-0000  
FACSIMILE CONTRACTORS  
21700 EL CAMINO REAL  
SAN MATEO, CALIF.  
MECHANICAL ENGINEERS / CONTRACTORS

No.	Date	Revision
1	09/27/04	Plan check
2		
3		
4		
5		



ISSUED DATE NO.  
2021 Broadway Street

TI Remodeling  
Redwood City - California



DATE 6/17/05  
SCALE 1/4" = 1'-0"  
DRAWN AH/MT  
JOB  
CHECKED MT

SHEET DESCRIPTION  
**MAIN FLOOR  
WASTE AND  
VENT PLAN**

SHEET

**P2.11**  
OF SHEET

MAIN FLOOR PLAN  
SCALE 1/4" = 1'-0"

