© COPYRIGHT 2018 – ALL RIGHTS RESERVED. NO PORTION(S) OF THIS DOCUMENT MAY BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF ROBERTS ARCHITECTS

DOOR SCHEDULE

PR	NO.	DOOR INFORMATION					FRAME INFO.		RATINGS		H.W.	COMMENTS
	.	WIDTH	HEIGHT	THICK	MATL.	TYPE	MATL.	TYPE	LABEL	MIN.		
	101	3'–0"	7'–0"	1–3/4"	STL	STL	HM	SF	–	–	–	STEEL SWING GATE
	102	3'–0"	7'–0"	1–3/4"	SCWD	F	HM	SF	–	–	–	2,3
	103	3'–0"	7'–0"	1–3/4"	SCWD	F	HM	SF	–	–	–	5
	104	3'–0"	7'–0"	1–3/4"	SCWD	F	HM	SF	–	–	–	4
	105	3'–0"	7'–0"	1–3/4"	STL	STL	HM	SF	–	–	–	STEEL SWING GATE
	106	3'–0"	7'–0"	1–3/4"	SCWD	F	HM	SF	–	–	–	2,3
	107	3'–0"	7'–0"	1–3/4"	STL	STL	HM	SF	–	–	–	STEEL SWING GATE
	108	3'–0"	7'–0"	1–3/4"	STL	STL	HM	SF	–	–	–	STEEL SWING GATE
	109	3'–0"	7'–0"	1–3/4"	STL	STL	HM	SF	–	–	–	STEEL SWING GATE
	110	3'–0"	7'–0"	1–3/4"	SCWD	F	HM	SF	–	–	–	2,3
	111	3'–0"	7'–0"	1–3/4"	SCWD	F	HM	SF	–	–	–	4
	112	3'–0"	7'–0"	1–3/4"	SCWD	F	HM	SF	–	–	–	5
	113	3'–0"	7'–0"	1–3/4"	SCWD	F	HM	SF	–	–	–	5
	114	3'–0"	7'–0"	1–3/4"	SCWD	F	HM	SF	–	–	–	5
	115	3'–0"	7'–0"	1–3/4"	SCWD	F	HM	SF	–	–	–	5
	116	3'–0"	7'–0"	1–3/4"	SCWD	F	HM	SF	–	–	–	5
	117	3'–0"	7'–0"	1–3/4"	SCWD	F	HM	SF	–	–	–	4
	118	3'–0"	7'–0"	1–3/4"	SCWD	F	HM	SF	–	–	–	4
	119	3'–0"	7'–0"	1–3/4"	SCWD	F	HM	SF	–	–	–	5

DOOR / FRAME / HARDWARE COMMENTS

1. WEATHERSTRIP WITH THRESHOLD
2. CLOSER (MATCH HARDWARE FINISH)
3. PANIC BAR HARDWARE
4. BATH PRIVACY LOCK
5. BEDROOM LOCK

INDEX OF DRAWINGS

A1.10 BUILDING 'A' LIFE SAFETY PLAN



1 LIFE SAFETY FLOOR PLAN - BUILDING "A"

SCALE: 1/8" = 1'–0"

CODES & ZONING REVIEW DATA

PROJECT DESCRIPTION:

THIS PROJECT IS A ONE STORY TYPE VB BUILDING (NON–SPRINKLED) ON A CONCRETE SLAB ON GRADE

A. APPLICABLE CODES – MURFREESBORO, TN RUTHERFORD COUNTY

2018 INTERNATIONAL BUILDING CODE
2018 INTERNATIONAL MECHANICAL CODE
2018 INTERNATIONAL PLUMBING CODE
2017 NATIONAL ELECTRICAL CODE
2018 INTERNATIONAL FIRE CODE
2018 INTERNATIONAL ENERGY CONSERVATION CODE
2018 INTERNATIONAL RESIDENTIAL CODE
2018 INTERNATIONAL FUEL GAS CODE
2012 INTERNATIONAL EXISTING BUILDING CODE
2009 ICC A117.1–2009 ACCESSIBLE AND USABLE BUILDINGS AND FACILITIES

B. OCCUPANCY

IBC – B – BUSINESS

C. CONSTRUCTION TYPE

IBC – TYPE VB – UNPROTECTED – UNSPRINKLERED

D. SEISMIC ZONE

E. BUILDING HEIGHT AND AREA (TABLE 5030 IBC)
BUILDING HEIGHT 22'–8"
BUILDING AREAS (PROPOSED)
BUILDING 'A' 7,840 SF

LIFE SAFETY

DISTANCE OF TRAVEL

EMERGENCY LIGHT WITH EXIT SIGN

F.E.C. FIRE EXTINGUISHER CABINET
F.E.C.

34" EGRESS DOOR WIDTH

ROBERTS ARCHITECTURE
538 BROOKSHIRE WAY
KNOXVILLE, TN 37923
615.804.0799 (o) roberts58@comcast.net

DOG DAYCARE AT RIVER ROCK RETAIL

RIVER ROCK DRIVE MURFREESBORO, TN 37130

JEFFREY A. ROBERTS REGISTERED ARCHITECT No. 102095 STATE OF TENNESSEE
8.18.25

PROJ. NO.: 2024003

DATE: 08.14.25

BUILDING "A" LIFE SAFETY PLAN

A1.10