

REFERENCE DRAWINGS

DWG NO.

DRAWING TITLE

ISSUE DATE

NO.

FOR REVIEW

ISSUED

BY

DATE

REVISIONS

NO.

DESCRIPTION

BY

DATE

REINFORCING SCHEDULE

REINFORCING TO BE DEFORMED RILEY-STEEL CONFORMING TO ASTM A-615, GRADE 60. ALL HOOKS AND ENDS SHALL COMPLY WITH MINIMUM A.C.I. CODE UNLESS OTHERWISE SHOWN. ALL DIMENSIONS ARE OUT TO OUT OF BAR. DIMENSIONS OMITTED ARE ZERO.

TYPE 1

TYPE 2

TYPE 3

TYPE 4

TYPE 5

MARK	SIZE	TYPE	NO. REQ'D	LENGTH 1 BAR	TOTAL LENGTH	A	B	C
400	#3	5	66	5'-0"	330'	18"	3'-1/2"	
401	#4	2	54	12'-5"	670'-6"	11'-5"	1'-0"	
402	#3	2	74	6'-0"	444'	3'-0"	3'-0"	
403	#3	4	74	9'-5"	697'	1'-0"	3'-4"	0'-4"
404	#3	2	70	3'-0"	210'	1'-6"	1'-6"	
405	#3	4	70	4'-8"	326'-8"	1'-0"	1'-0"	0'-4"


SCORPIO Holdings, Ltd.

ROUND TOP, TEXAS

FOUNDATIONS

CONCRETE PLAN VIEW

SHOP BOYS BLDG



Ground Floor +/- 7,005 sq.ft.

