

6064 S Durango Dr Las Vegas, Nevada 89113 702.383.3383 | naiexcel.com

## **UNVERIFIED INFORMATION** FROM PREVIOUS BROKERAGE

1710 Whitney Mesa Dr, Henderson, NV 89014

- Laboratory Areas: 3 segregated areas which include state-of-the-art pressure controlled, HEPA filtered clean rooms.
- Property is FDA approved for drug assembly and R&D.
- Parking Ratio: +/- 2:1:1,000/71 stalls
- Insulated Roof
- Metal Halide Lighting

- Magnehelic airlock system throughout facility entry into clean rooms.
- Amplified, high-temperature sensor sprinkler system throughout.
- Compressed airlines in two assembly.
- Most rooms contain both 110 and 220V outlets and are individually temperature-controlled.
- Epoxied floors throughout.





Eric J. Larkin, MBA, CCIM, SIOR

LIC#BS.0073906 702.279.2479 elarkin@naiexcel.com Leslie Houston Member Associate, Society of Industrial and Office Realtors

LIC#S.01879121 660.287.2253 Ihouston@naiexcel.com

LIC#S.0178188 702.408.0963 mkenny@naiexcel.com

Michael Kenny, SIOR Zach M. McClenahan LIC#S.0198177

702.580.7055 zmcclenahan@naiexcel.com Seth Wright

LIC#S.0202229 949.531.8369 swright@naiexcel.com

ISTING