



Sunchoide Fl Villas /  
PanoAmore

Available  
10/1/24

Bamboo Island  
Bar  
Unit 200

**WALL LEGEND**

<p> 8" x 8" x 16" REINFORCED CMU WALL WITH CONCRETE FILLED CELLS AND BOND BEAM (EXISTING)</p> <p> PARTITION WITH STEEL STUDS AT 16" O.C. STEEL TOP AND BOTTOM TRACKS, 5/8" GYPSUM WALLBOARD EACH SIDE. EXTEND WALL TO UNDERSIDE OF ROOF OR FLOOR STRUCTURE ABOVE. FILL STUD SPACES WITH 3" MIN. FIBERGLASS INSULATION. WHERE PARTITION IS AGAINST CMU EXTERIOR WALL, OMIT GYPSUM BOARD AT NON-EXPOSED SIDE (EXISTING)</p>	<p> PARTITION WITH STEEL STUDS AT 16" O.C. STEEL TOP AND BOTTOM TRACKS, 5/8" GYPSUM WALLBOARD EACH SIDE. EXTEND WALL TO UNDERSIDE OF ROOF OR FLOOR STRUCTURE ABOVE. FILL STUD SPACES WITH 3" MIN. FIBERGLASS INSULATION.</p> <p> SAME AS ABOVE, EXCEPT EXISTING</p>	<p> PARTITION WITH STEEL STUDS AT 16" O.C. STEEL TOP AND BOTTOM TRACKS, 5/8" GYPSUM WALLBOARD EACH SIDE. EXTEND WALL TO UNDERSIDE OF ROOF OR FLOOR STRUCTURE ABOVE. FILL STUD SPACES WITH 3" MIN. FIBERGLASS BATT INSULATION.</p> <p> SAME AS ABOVE, EXCEPT EXISTING</p>	<p> EXTERIOR WALL WITH STEEL STUDS AT 16" O.C. STEEL TOP AND BOTTOM TRACKS, 1/2" CEMENTIOUS BACKERBOARD AT INTERIOR SIDE (TO 8'-0" AFF. 1/2" GYPSUM BOARD ABOVE 8'-0" AFF.). 1/8" THICK, 3-COAT, PAINTED, SAND TEXTURE CEMENT PLASTER ON FELT-BACKED GALV. METAL LATH ON WATER-RESISTANT BARRIER ON 15/32" APA EXPOSURE 1 RATED PLYWOOD SHEATHING AT EXTERIOR SIDE. EXTEND WALL TO UNDERSIDE OF ROOF STRUCTURE. FILL STUD SPACES WITH R-11 MIN. FIBERGLASS BATT INSULATION (EXISTING)</p>
---	---	--	---

**SECOND LEVEL FLOOR PLAN**  
SCALE: 1/4" = 1'-0"

UNLESS OTHERWISE INDICATED, HEIGHTS NOTED ON THIS SHEET ARE ABOVE SECOND LEVEL FINISH FLOOR ELEVATION.  
REFER TO SHEET A-1 FOR WALL LEGEND

TO THE BEST OF THIS ARCHITECT'S KNOWLEDGE, SAID PLANS AND SPECIFICATIONS CONFORM WITH THE APPLICABLE MINIMUM BUILDING CODES AND APPLICABLE MINIMUM FIRE SAFETY STANDARDS AS DETERMINED IN ACCORDANCE WITH CHAPTERS 905 AND 433, LAWS OF FLORIDA. ENCLOSING HAS BEEN DESIGNED IN ACCORDANCE WITH THE FLORIDA BUILDING CODE, SECTION 1609.5 FIFTH (2014) EDITION.

REVISIONS

--	--

**Randall Paul Sample**  
ARCHITECT  
46 NORTH WASHINGTON BOULEVARD SUITE 12  
BRADENTON BEACH, FLORIDA 34108  
P: (941) 267-0414  
E-MAIL: rps@rpsarchitect.com

TENANT INTERIOR COMPLETIONS  
**119 BRIDGE STREET**  
BRADENTON BEACH, FLORIDA

DATE  
11/16/17  
FILE  
17027

SHEET  
**A-2**  
OF 6