



WALL LEGEND:

- EXISTING CONSTRUCTION TO REMAIN
- EXISTING CONSTRUCTION TO BE REMOVED
- ONE HOUR RATED TENANT DEMISING WALL: 3" METAL STUDS @ 16" O.C. AND 3/4" TYPE X GMB EACH SIDE, SEE DETAIL 1/A2
- NEW 5" NOMINAL WALL CONSTRUCTION: 3" METAL STUDS @ 16" O.C. WITH 3/4" GMB WALL EACH SIDE, SEE DETAIL 2/A2

ELECTRICAL LEGEND:

- EXIT: EMERGENCY AND EXIT LIGHT WITH BATTERY BACK UP
- EMERGENCY LIGHT WITH BATTERY BACK UP
- EXIT LIGHT, WALL OR CEILING MOUNTED, WITH BATTERY BACK UP
- EMERGENCY STROBE LIGHT AND HORN
- FIRE ALARM PULL STATION
- SMOKE DETECTOR
- SMOKE AND CARBON MONOXIDE DETECTOR
- DUPLEX ELECTRICAL OUTLET, GFI WHERE NOTED
- LIGHT SWITCH
- 2x2' LED LIGHT PANEL AS SELECTED BY TENANT
- RECESSED LED LIGHT AS SELECTED BY TENANT
- SUSPENDED LED LIGHT FIXTURE AS SELECTED BY TENANT

ELEC. & CEILING NOTES:

- PROVIDE ELECTRICAL OUTLETS, LIGHT FIXTURES, AND SWITCHES PER CODE AND AS DIRECTED BY TENANT
- PROVIDE GFI OUTLETS AT SINK AND DUMP LOCATIONS AS REQUIRED BY CODE. OUTLETS WITHIN 6'-0" OF SINKS SHALL BE GFI TYPE
- ALL LIGHT FIXTURES TO BE SUPPLIED WITH LED FIXTURES, LIGHT FIXTURES AS SELECTED BY TENANT
- EXISTING SUSPENDED CEILING SYSTEM TO BE REMOVED, INSTALL NEW AS SELECTED BY TENANT, CONFIRM LAYOUT WITH TENANT
- PROVIDE TELEPHONE AND DATA OUTLETS AS DIRECTED BY TENANT
- PROVIDE OUTLETS OR POWER TO ALL BUILT-IN APPLIANCES, EQUIPMENT, AND AS REQUIRED
- PROVIDE HARD WIRED HEAT, SMOKE, AND CARBON MONOXIDE DETECTORS, WITH BATTERY BACKUP AS SHOWN ON PLAN AND AS REQUIRED BY CODE AND LOCAL CODE OFFICIALS
- ELECTRICIAN SHALL COORDINATE LOCATIONS OF ALL FIXTURES AND DETECTORS WITH HVAC SUPPLY AND RETURNS TO INSURE NO CONFLICTS
- EXIT AND EMERGENCY LIGHT LOCATIONS SHALL BE APPROVED BY LOCAL CODE OFFICIALS

1 TENANT DEMISING AND RENOVATION FLOOR PLAN
SCALE: 1/4"=1'-0"



SILVERLOCK DESIGN GROUP
200 EAST ECKERSON ROAD, SUITE 290, CLARKSTOWN, NEW YORK
PROPOSED TENANT RENOVATION FLOOR PLAN

PROJECT: 2250-00
DATE: 5/2/23
SCALE: AS NOTED
DRAWN BY: TR

REVISIONS	DESCRIPTION
NO.	

ROSENBLUM ARCHITECTURE
221 QUAKER ROAD
POMONA, NEW YORK 10970
(845) 364-0337
info@adaparch.com

SHEET NUMBER
A1