

GENERAL NOTES:

- ALL WORK SHALL BE IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION (GREEN BOOK) 2021 EDITION WITH ALL SUPPLEMENTS AND CITY OF SAN BERNARDINO STANDARD DRAWINGS.
- APPROVAL OF THIS PLAN BY THE CITY OF SAN BERNARDINO DOES NOT CONSTITUTE A REPRESENTATION AS TO THE ACCURACY OF THE LOCATION OR OF THE EXISTENCE OR NON-EXISTENCE OF ANY UNDERGROUND UTILITY PIPE OR STRUCTURE WITHIN THE LIMITS OF THIS PROJECT. CONTRACTOR SHALL CONTACT UNDERGROUND SERVICE ALERT 48 HOURS PRIOR TO START OF WORK.
- INSPECTION SHALL BE BY THE CITY OF SAN BERNARDINO DEPARTMENT OF PUBLIC WORKS. ALL REQUESTS FOR INSPECTION SHALL BE MADE AT LEAST 24 HOURS IN ADVANCE OF THE PROPOSED CONSTRUCTION. ALL REQUESTS FOR INSPECTION SHALL BE MADE AT LEAST 24 HOURS IN ADVANCE OF THE PROPOSED CONSTRUCTION AT (909) 584-7272 WITH THE PERMIT NUMBER.
- ALL REMOVALS AND JOIN LINES IN PAVED AREAS SHALL BE SAW CUT ON A NEAT, STRAIGHT LINE PARALLEL TO THE TRENCH. THE CUT EDGE SHALL BE PROTECTED FROM CRUSHING, AND ALL BROKEN EDGES SHALL BE RECUT PRIOR TO PAVING.
- DURING THE PERIOD OF CONSTRUCTION, THE CONTRACTOR SHALL FURNISH, ERECT AND MAINTAIN SUCH WARNING, SIGNS, STOP SIGNS, BARRICADES AND OTHER SAFETY MEASURES IN CONFORMANCE WITH THE W.A.T.C.H. MANUAL, OR AS DIRECTED BY THE CITY OF SAN BERNARDINO, DEPARTMENT OF PUBLIC WORKS WITH REFERENCE TO THE CALIFORNIA MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES.
- CONTRACTOR SHALL REINSTALL PAVEMENT MARKINGS, STRIPING AND SIGNAGE THAT HAS BEEN DISTURBED BY HIS OPERATION.
- THE CONTRACTOR SHALL PROVIDE SAFE AND CONTINUOUS PASSAGE FOR LOCAL PEDESTRIAN AND VEHICULAR TRAFFIC AT ALL TIMES.
- TRAFFIC SIGNAL FUNCTIONS SHALL BE THE RESPONSIBILITY OF THE CITY, HOWEVER, THE CONTRACTOR IS REQUIRED TO AT LEAST GIVE 48-HOUR NOTICE PRIOR TO CONSTRUCTION THAT WILL DAMAGE OR AFFECT BURIED TRAFFIC DETECTORS OR OTHER UNDERGROUND UTILITIES.
- SHOULD ANY OF THE EXISTING UTILITIES OR ANY OTHER FACILITIES CONFLICT WITH THE PROPOSED IMPROVEMENTS, THE CONTRACTOR SHALL NOTIFY THE ENGINEER AND AWAIT THE RELOCATION AND/OR PROVIDE AN ALTERNATE DESIGN.
- THE CONTRACTOR SHALL SO CONDUCT ITS OPERATIONS AS TO OFFER THE LEAST POSSIBLE OBSTRUCTION AND INCONVENIENCE TO THE PUBLIC, AND SHALL HAVE UNDER CONSTRUCTION NO GREATER LENGTH OR AMOUNT OF WORK THAT CAN BE PROPERLY PROSECUTED WITH DUE REGARD TO THE RIGHTS OR THE PUBLIC.


CONVENIENT ACCESS TO DRIVEWAYS, HOUSES, AND BUILDINGS ALONG THE LINE OF WORK SHALL BE MAINTAINED, AND TEMPORARY CROSSINGS SHALL BE PROVIDED AND MAINTAINED IN GOOD CONDITION. NOT MORE THAN ONE CROSSING OR INTERSECTING STREET OR ROAD SHALL BE CLOSED AT ANY ONE TIME WITHOUT THE APPROVAL OF THE ENGINEER.

THE CONTRACTOR SHALL PROVIDE AND MAINTAIN SUCH FENCES, BARRIERS, DIRECTIONAL SIGNS, LIGHTS AND FLAGMEN NECESSARY TO GIVE ADEQUATE WARNING TO THE PUBLIC AT ALL TIMES OF ANY DANGEROUS CONDITIONS TO BE ENCOUNTERED AS A RESULT OF THE CONSTRUCTION WORK AND TO GIVE DIRECTIONS TO THE PUBLIC.
- THE CONTRACTOR SHALL EXERCISE DUE CARE TO AVOID DAMAGE TO EXISTING IMPROVEMENTS OR FACILITIES, UTILITY FACILITIES, ADJACENT PROPERTY, AND TREES AND SHRUBBERY THAT ARE NOT TO BE REMOVED.
- IN ACCORDANCE WITH GENERALLY ACCEPTED CONSTRUCTION PRACTICES, THE CONTRACTOR SHALL BE SOLELY AND COMPLETELY RESPONSIBLE FOR CONDITIONS AT THE JOB SITE, INCLUDING SAFETY OF ALL PERSONS AND PROPERTY DURING PERFORMANCE OF THE WORK, AND THE CONTRACTOR SHALL FULLY COMPLY WITH ALL STATE AND FEDERAL LAWS, RULES, REGULATIONS, AND ORDERS RELATING TO SAFETY TO THE PUBLIC AND WORKMEN.
- DUST SHALL BE CONTROLLED AT ALL TIMES BY APPROVED METHODS.
- PUBLIC STREETS SHALL BE KEPT CLEAN AND FREE FROM DIRT AND/OR DEBRIS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL COSTS INCURRED IN STREET CLEANING NECESSATED BY HIS OPERATION.
- FULL STREET CLOSURE WILL NOT BE PERMITTED UNLESS PRIOR WRITTEN APPROVAL IS OBTAINED FROM THE DIRECTOR OF PUBLIC WORKS/CITY ENGINEER. WRITTEN APPROVAL IS A TWO-WEEK PROCESS. A TWO-WEEK NOTICE TO AFFECTED PROPERTY OWNERS SHALL BE REQUIRED PRIOR TO ANY CLOSURE.
- STREET CUT PERMITS MUST BE OBTAINED FROM THE PUBLIC WORKS DEPARTMENT. CONTRACTOR SHALL NOT OPEN MORE TRENCH THAN CAN BE PROPERLY CONSTRUCTED AND FILLED IN A DAY'S OPERATION. ANY TRENCH UNAVOIDABLY LEFT OPEN DURING THE HOURS OF DARKNESS OR OVER A WEEKEND SHALL BE FENCED WITH A 6-FOOT CHAIN LINK FENCING AND PROPERLY LIGHTED. ANY CONSTRUCTION WORK BEING IN THE COUNTY SHALL REQUIRE COUNTY PERMIT.
- CAL-OSHA PERMITS SHALL BE REQUIRED FOR ANY TRENCH WORK DEEPER THAN 5 FEET. EVIDENCE MUST BE PRESENTED TO THE CITY PRIOR TO PERMIT ISSUANCE.

TESTING AND INSPECTION

- TESTING AND INSPECTION ARE AS PER REQUIREMENTS OF THE UNIFORM BUILDING CODE AND APPLICABLE CITY CODES, IN ADDITION TO CODE REQUIREMENTS, THE FOLLOWING SHALL APPLY WHERE APPLICABLE:
- FILL TO BE COMPACTED TO NOT LESS THAN 90% OF MAXIMUM DENSITY AS DETERMINED BY ASTM SOIL COMPACTION TEST D1557-70T.
 - NOT LESS THAN ONE FIELD DENSITY TEST WILL BE MADE FOR EACH 2 FEET VERTICAL LIFT OF FILL, NOR LESS THAN ONE SUCH TEST FOR EACH 1,000 CUBIC YARDS OF MATERIAL PLACED.
 - FIELD DENSITY WILL BE DETERMINED BY THE SAND-CONE METHOD ASTM D1556-64. IN FINE/EXPNDTWO GRAINED, COHESIVE SOILS FIELD DENSITY MAY BE DETERMINED BY THE DRIVE-CYLINDER METHOD. D9237-71 ASTM PROVIDED NOT LESS THAN 20% OF THE REQUIRED DENSITY TESTS, UNIFORMLY DISTRIBUTED, ARE BY THE SAND CONE METHOD. THE METHOD OF DETERMINING FIELD DENSITY SHALL BE SHOWN IN THE COMPACTION REPORT. OTHER METHODS MAY BE USED IF RECOMMENDED BY THE SOILS ENGINEER AND APPROVED IN ADVANCE BY THE BUILDING OFFICIAL.
 - DENSITY TESTS WILL BE MADE AT POINTS APPROXIMATELY ONE FOOT BELOW THE FILL SLOPE SURFACE, ONE TEST WILL BE MADE FOR EACH 1,000 SQUARE FEET OF SLOPE SURFACE, BUT NOT LESS THAN ONE TEST FOR EACH 10-FOOT VERTICAL OF SLOPE HEIGHT.
 - ALL PADS AT ROUGH GRADING WILL HAVE A MINIMUM SLOPE OF 1% TOWARD THE STREET OR DESIGNED DRAINAGE OUTLET.
 - ENGINEER MUST SET GRADE STAKES FOR ALL DRAINAGE DEVICES AND INSPECTIONS MUST BE OBTAINED BEFORE POURING.
 - THE FINAL COMPACTION REPORT AND APPROVAL FROM THE SOILS ENGINEER SHALL CONTAIN THE TYPE OF FIELD TESTING PERFORMED. EACH TEST SHALL BE IDENTIFIED WITH THE METHOD OF OBTAINING THE IN-PLACE DENSITY, WHETHER SAND-CONE, DRIVE-RING, OR OTHER APPROVED METHOD AND SHALL BE SO NOTED FOR EACH TEST. SUFFICIENT MAXIMUM DENSITY DETERMINATIONS SHALL BE PERFORMED TO VERIFY THE ACCURACY OF THE MAXIMUM DENSITY CURVES USED BY THE FIELD TECHNICIAN.
 - ALL TRENCH BACKFILLS SHALL BE TESTED AND APPROVED BY THE SITE SOILS ENGINEER PER THE GRADING CODE.
 - THE PERMITTED OR HIS AGENT SHALL NOTIFY THE CITY OF SAN BERNARDINO WHEN THE GRADING OPERATION (EXCEEDING 5000 CU. YDS.) IS READY FOR EACH OF THE FOLLOWING INSPECTIONS:
 - INITIAL INSPECTION.** WHEN THE PERMITTED IS READY TO BEGIN WORK, BUT NOT LESS THAN TWO DAYS BEFORE ANY GRADING OR BRUSHING IS STARTED.
 - TOE INSPECTION.** AFTER THE NATURAL GROUND OR BEDROCK IS EXPOSED AND PREPARED TO RECEIVE FILL, BUT BEFORE FILL IS PLACED.
 - EXCAVATION INSPECTION.** AFTER THE EXCAVATION IS STARTED, BUT BEFORE THE VERTICAL DEPTH OF THE EXCAVATION, EXCEEDS TEN FEET.
 - FILL INSPECTION.** AFTER THE FILL PLACEMENT IS STARTED, BUT BEFORE THE VERTICAL HEIGHT OF THE FILL EXCEEDS TEN FEET.
 - DRAINAGE DEVICE INSPECTION.** AFTER FORMING OF TERRACE DRAINS, DOWN DRAINS OR AFTER PLACEMENT OF PIPE IN SUB DRAINS, BUT BEFORE ANY CONCRETE OR FILL MATERIAL IS PLACED.
 - ROUGH GRADING.** WHEN ALL ROUGH GRADING HAS BEEN COMPLETED, THIS INSPECTION MAY BE CALLED FOR AT THE COMPLETION OF ROUGH GRADING WITHOUT THE NECESSITY OF THE BUILDING OFFICIAL HAVING PREVIOUSLY REVIEWED AND APPROVED THE REPORT.
 - FINAL.** WHEN ALL WORK, INCLUDING INSTALLATION OF ALL DRAINAGE STRUCTURES AND OTHER PROTECTIVE DEVICES HAS BEEN COMPLETED AND THE AS-GRADED PLAN, PROFESSIONAL CERTIFICATIONS AND THE REQUIRED REPORTS HAVE BEEN SUBMITTED.
- REQUEST FOR INSPECTIONS SHOULD BE MADE A MINIMUM OF 24 HOURS BEFORE THE INSPECTION IS REQUIRED.
- ARRANGEMENTS FOR INSPECTIONS ARE MADE BY CONTACTING (909)384-5111 BETWEEN THE HOURS OF 7:30 A.M. AND 4:30 P.M.
- NORMAL INSPECTION HOURS ARE 7:30 A.M. TO 4:30 P.M., MONDAY THROUGH FRIDAY. ANY REQUESTS FOR INSPECTIONS AT OTHER TIMES OR ON OTHER DAYS MUST BE SUBMITTED TO THE DEPARTMENT OF PUBLIC WORKS A MINIMUM OF 48 HOURS BEFORE THE INSPECTION IS REQUIRED. THE PERMITTED MUST BEAR THE COST OF SUCH OVER-TIME INSPECTIONS AND WILL BE BILLED ACCORDINGLY. NORMAL OVER-TIME RATE IS 1.5 TIMES THE BASE RATE. OVER-TIME INSPECTIONS MAY BE DISALLOWED DEPENDING ON STAFF AVAILABILITY.
- INSPECTION ROUTES ARE PLANNED 24 HOURS IN ADVANCE AND ARE BASED ON EFFICIENT USE OF PERSONNEL. INSPECTION REQUESTS MADE WITH LESS THAN 24 HOURS NOTICE WILL BE PROCESSED ON AN AVAILABILITY BASIS ONLY AND NO GUARANTEE IS MADE THAT AN INSPECTION CAN BE PERFORMED WITHOUT PRIOR ADVANCE NOTICE.
- EVIDENCE OF BUSINESS LICENSE, INSURANCE AND PERMITS WILL BE CHECKED BY THE INSPECTION STAFF.

IN THE CITY OF SAN BERNARDINO, CALIFORNIA
PRELIMINARY GRADING PLAN
SAN JACINTO ST. SAN BERNARDINO, CA.



SHEET INDEX:

SHEET NO.	DESCRIPTION
1	INDEX PLAN
2	PRELIMINARY GRADING PLAN

"I CERTIFY THAT I WILL BE RESPONSIBLE FOR THIS GRADING IN ACCORDANCE WITH SECTION 7014(C) OF THE BUILDING CODE TO INCLUDE INCORPORATING ALL RECOMMENDATIONS OF THE SOILS ENGINEER, REPORT AND BE RESPONSIBLE FOR PROFESSIONAL INSPECTION AND APPROVAL OF THE GRADING. THIS SHALL INCLUDE, BUT NOT BE LIMITED TO, INSPECTION AND APPROVAL AS TO THE ESTABLISHMENT OF LINE GRADE AND DRAINAGE OF DEVELOPMENT AREA. I WILL ALSO BE RESPONSIBLE FOR THE PREPARATION OF REVISED PLANS AND THE SUBMISSION OF 'AS GRADED' GRADING PLANS UPON THE COMPLETION OF THE WORK.

C 66015
SUPERVISING CIVIL ENGINEER R.C.E. NUMBER DATE

SOILS ENGINEER

COMPANY NAME: AEC MORENO CORP.
COMPANY ADDRESS:
236 W. ORANGE SHOW RD. #112
SAN BERNARDINO, CA 92408

REPRESENTATIVE: HECTOR MORENO, P.E.
PHONE: (909) 440-2855

THE SOILS ENGINEER SHALL SIGN THE FOLLOWING STATEMENT ON THE PLANS: "I SHALL PROVIDE PROFESSIONAL INSPECTION AND APPROVAL CONCERNING THE PREPARATION OF GROUND TO RECEIVE FILLS, TESTING FOR REQUIRED COMPACTION STABILITY OF ALL FINISHED SLOPES AND INCORPORATING THE DATE SUPPLIED BY THE ENGINEERING GEOLOGIST AND THE PREPARATION OF THE SOILS GRADING REPORT."

C 66015
SUPERVISING CIVIL ENGINEER R.C.E. NUMBER DATE

PRELIMINARY CONSTRUCTION NOTES:

- CONSTRUCT NEW BUILDING.
- PLACE 4" A.C. PAVING OVER 6" OF CLASS II AGGREGATE BASE (PER SOIL REPORT).
- CONSTRUCT DRIVEWAY APPROACH (W=24) PER CITY STD. No. 204. (PER SEPARATE PLAN AND PERMIT).
- NEW 6'-0" HIGH CMU BLOCK WALL (FOOTING OPT. B) PER CITY STD. (PER SEPARATE PERMIT).
- CONSTRUCT 6" P.C.C. CURB TYPE "A" PER STD. No. 200.
- CONSTRUCT 8" CURB AND GUTTER PER CITY STD. 200 TYPE B (PER SEPARATE PLAN AND PERMIT).
- INSTALL 4" P.V.C. DRAINAGE PIPE.
- CONSTRUCT NEW SIDEWALK PER CITY STD No 202 CASE A. (PER SEPARATE PLAN AND PERMIT).
- INSTALL 24"x24" PARKING LOT CATCH BASIN WITH FILTER INSERT FOR DROP INLET PER CITY OF SAN BERNARDINO STD 402.
- CONSTRUCT PARKWAY CULVERT (S=1'-0") PER CITY STD. 400. (PER SEPARATE PLAN AND PERMIT).
- CONSTRUCT NEW ADA RAMP PER CALTRANS STD. A88A.
- CONSTRUCT GROUTED RIVER ROCK MEDIANS PER CITY OF SAN BERNARDINO STD. 206.
- CONSTRUCT EARTH DRAINAGE SWALES.
- NEW TRASH ENCLOSURE 8'X15'MIN PER CITY OF SAN BERNARDINO STD. 508.
- INSTALL 9"X9" NDS DRAIN CATCH BASIN (MODEL 900GRKIT).
- PROPOSED POLE MOUNTED LIGHT FIXTURE.
- PROPOSED SEWER LATERAL PER STD. No. 305
- PAINT NEW STANDARD ACCESSIBLE PARKING STALL (9'X19') PER CALTRANS STD A90A.
- PAINT ACCESS AISLE STRIPPING PER CALTRANS STD. A90A.
- INSTALL NEW WARNING SURFACE (TRUNCATED DOMES) PER CALTRANS STD. A88A.

ABBREVIATION

CLCENTER LINE
FFFINISH FLOOR ELEVATION
GFFGARAGE FINISHED FLOOR
PEPAD ELEVATION
GPEGARAGE PAD ELEVATION
FGFINISH GRADE
FSFINISHED SURFACE
FLFLOW LINE ELEVATION
HPHIGH POINT ELEVATION
LPLOW POINT ELEVATION
MAXMAXIMUM
MINMINIMUM
NGNATURAL GROUND
EGEXIST GROUND
EXISTEXISTING
PPROPERTY LINE
R/WRIGHT-OF-WAY
TWTOP OF WALL
TFTOP OF FOOTING
TCTOP OF CURB
TGTOP OF GRATE
NG NATURAL GROUND

UTILITIES:

WATER: SBMWD
1350 S. "E" STREET, SAN BERNARDINO, CALIFORNIA 92408
(909) 384-5141 OFFICE
CONTACT: ENGINEERING


TELEPHONE: VERIZON
(800) 483-5000 OFFICE
CONTACT: PENDING

SEWER: SBMWD

POWER: SOUTHERN CA. EDISON CO.
7951 REDWOOD AVENUE
REDLANDS, CALIFORNIA
(909) 307-6791 OFFICE
CONTACT: MS. KRISTEN

GAS: THE GAS COMPANY
(800) 427-2200 OFFICE
CONTACT: PENDING

CABLE: ADELPHIA
(888) 683-1000 OFFICE
CONTACT: PENDING



VICINITY MAP
N.T.S.

THOMAS BROTHERS GUIDE 2007 EDITION
PAGE 607 COORDINATES A3

LEGAL DESCRIPTION

ALL THAT CERTAIN REAL PROPERTY IN THE COUNTY OF SAN BERNARDINO, STATE OF CALIFORNIA, DESCRIBES AS FOLLOWS: LOT 7, OF TRACT NO. 2505, IN THE CITY OF SAN BERNARDINO, COUNTY OF SAN BERNARDINO, STATE OF CALIFORNIA, AS PER MAP RECORDED IN BOOK 36, PAGE(S) 1 OF MAPS, IN THE OFFICE OF THE COUNTY RECORDER OF SAID COUNTY.

A.P.N. NO: 0280-061-05

SITE ADDRESS:
VACANT LOT, SAN JACINTO ST.
SAN BERNARDINO, CA

LAND OWNER(S) PPLICANT(S)
JOSE ALFARO
8230 MAGNOLIA AVE. APT. 306
RIVERSIDE, CA 92504
PHONE: (951) 543-2311


SOURCE OF TOPOGRAPHY

TOPOGRAPHIC SURVEY WAS PERFORMED ON JANUARY 1 2007. USING THE BASIS OF BEARING FOR THIS SURVEY IS THE CENTERLINE MILL STREET AS SHOWN ON PARCEL MAP No. 16947, RECORDS OF SAN BERNARDINO COUNTY. BEING N89°38'05"E.

EARTHWORK:

USE:
FILL: 300.00 CY
CUT: 20.00 CY
IMPORT: 280.00 CY
OVER EXCAVATION: 250.00 CY

AREA DISTURBED
26,000.00 SF



APN#: 0280-061-05 WDD#: N/A DP

Underground Service Alert

Call: TOLL FREE
1-800-227-2600

TWO WORKING DAYS BEFORE YOU DIG

PREPARED BY:

AEC MORENO CORPORATION

236 W ORANGE SHOW RD, SUITE 112
SAN BERNARDINO, CA 92408
Office: (909) 440-2855
Fax: (909) 533-2263
www.aecmoreno.com

HECTOR M. MORENO R.C.E. NO. C 66015 EXP. 06/30/26

DATE: 08/11/2025

MARK	REVISIONS	BY	APPR.	DATE

BENCH MARK:

APPROVED _____ 20__

CITY ENGINEER AZZAM JABSEH

REGISTERED CIVIL ENGINEER NO. 61198

DRAWN BY:

CHECKED BY:

RECORDED BY:

CITY OF SAN BERNARDINO
Public Works Department


INDEX PLAN
SAN JACINTO ST., CA (VACANT LOT)
APN:0280-061-05

ACTIVITY #

SHEET 1

OF 2

IN THE CITY OF SAN BERNARDINO, CALIFORNIA
PRELIMINARY GRADING PLAN



PRELIMINARY CONSTRUCTION NOTES:

- ① CONSTRUCT NEW BUILDING.
- ② PLACE 4" A.C. PAVING OVER 6" OF CLASS II AGGREGATE BASE (PER SOIL REPORT).
- ③ CONSTRUCT DRIVEWAY APPROACH (W=24) PER CITY STD. No. 204. (PER SEPARATE PLAN AND PERMIT).
- ④ NEW 6'-0" HIGH CMU BLOCK WALL (FOOTING OPT. B) PER CITY STD. (PER SEPARATE PERMIT).
- ⑤ CONSTRUCT 6" P.C.C. CURB TYPE "A" PER STD. No. 200.
- ⑥ CONSTRUCT 8" CURB AND GUTTER PER CITY STD. 200 TYPE B (PER SEPARATE PLAN AND PERMIT).
- ⑦ INSTALL 4" P.V.C. DRAINAGE PIPE.
- ⑧ CONSTRUCT NEW SIDEWALK PER CITY STD No 202 CASE A. (PER SEPARATE PLAN AND PERMIT).
- ⑨ INSTALL 24"x24" PARKING LOT CATCH BASIN WITH FILTER INSERT FOR DROP INLET PER CITY OF SAN BERNARDINO STD 402.
- ⑩ CONSTRUCT PARKWAY CULVERT (S=1'-0") PER CITY STD. 400. (PER SEPARATE PLAN AND PERMIT).
- ⑪ CONSTRUCT NEW ADA RAMP PER CALTRANS STD. A88A.
- ⑫ CONSTRUCT GROUTED RIVER ROCK MEDIANS PER CITY OF SAN BERNARDINO STD. 206.
- ⑬ CONSTRUCT EARTH DRAINAGE SWALES.
- ⑭ NEW TRASH ENCLOSURE 8'X15' MIN PER CITY OF SAN BERNARDINO STD. 508.
- ⑮ INSTALL 9"X9" NDS DRAIN CATCH BASIN (MODEL 900GRKIT).
- ⑯ PROPOSED POLE MOUNTED LIGHT FIXTURE.
- ⑰ PROPOSED SEWER LATERAL PER STD. No. 305
- ⑱ PAINT NEW STANDARD ACCESSIBLE PARKING STALL (9'X19') PER CALTRANS STD A90A.
- ⑲ PAINT ACCESS AISLE STRIPPING PER CALTRANS STD. A90A.
- ⑳ INSTALL NEW WARNING SURFACE (TRUNCATED DOMES) PER CALTRANS STD. A88A.

EASEMENT NOTES:

- Ⓐ 10 SOUTHERN CALIFORNIA EDISON COMPANY EASEMENT PER FILE NO. 363 IN BOOK 6859, PAGE 792 OF O.R.
- ⚠ BASELINE FEEDER EXTENSION SOUTH PIPELINE PER SAN BERNARDINO MUNICIPAL WATER DISTRICT ASBUILT DWG C-11

APN#: 0280-061-05 WIDID#: N/A DP _____

Underground Service Alert
 Call: TOLL FREE
 1-800-227-2600
 TWO WORKING DAYS BEFORE YOU DIG

PREPARED BY:
AEC MORENO CORPORATION
 236 W ORANGE SHOW RD, SUITE 112
 SAN BERNARDINO, CA 92408
 Office: (909) 440-2855
 Fax: (909) 533-2263
 www.aecmoreno.com

REGISTERED PROFESSIONAL ENGINEER
 HECTOR M. MORENO R.C.E.
 No. C 66015
 EXP. 6/30/26
 CIVIL
 STATE OF CALIFORNIA

Hector Moreno
 DATE: 08/11/2025
 HECTOR M. MORENO R.C.E. NO. C 66015 EXP. 06/30/26

MARK	REVISIONS	BY	APPR.	DATE
BENCH MARK:				

APPROVED _____ 20__

CITY ENGINEER AZZAM JABSHEH

REGISTERED CIVIL ENGINEER NO. 61198

DRAWN BY:

CHECKED BY:

RECORDED BY:

CITY OF SAN BERNARDINO
 Public Works Department
PRELIMINARY GRADING PLAN
 SAN JACINTO ST., CA (VACANT LOT)
 APN:0280-061-05

ACTIVITY # _____

SHEET 2

OF 2