



NOTE: EXISTING CONDITIONS SHOWN REFLECT PROPOSED D.O.T. IMPROVEMENTS. CONTRACTOR TO LOCATE (HORIZONTAL & VERTICAL) ALL UTILITIES AND DRAINAGE PRIOR TO COMMENCEMENT OF WORK. NOTIFY THE ENGINEER OF ANY DISCREPANCIES.

- GENERAL NOTES:
- CONTRACTOR TO VERIFY THE LOCATION OF EXISTING UTILITIES PRIOR TO COMMENCEMENT OF WORK. NOTIFY THE ENGINEER OF ANY DISCREPANCIES. CONTRACTOR TO COORDINATE UTILITY RELOCATION WITH UTILITY IN QUESTION.
  - SITE WORK CONTRACTOR SHOULD NOTE THAT THE DOMESTIC AND FIRE WATER LINES SHOULD BE INSTALLED AT A DEPTH THAT WILL AVOID CONFLICT WITH THE SANITARY SEWER.
  - SITE CONTRACTOR TO MAKE SANITARY SEWER CONNECTION UP TO GREASE TRAP. BUILDING PLUMBING CONTRACTOR RESPONSIBLE FOR INSTALLING GREASE TRAP AND ALL WASTE LINES FROM THE BUILDING TO GREASE TRAP.
  - PLUMBING CONTRACTOR SHALL MAKE CONNECTIONS TO TERMINAL MANHOLES AND CLEANOUTS.

- NOTES:
- ALL SANITARY SEWERS AND WATER LINES SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE STANDARDS AND SPECIFICATIONS OF THE BOARD OF WATER AND SEWER COMMISSIONS OF THE CITY OF MOBILE.
  - WHERE A PLUMBING DRAINAGE SYSTEM MAY BE SUBJECT TO BACKFLOW OF SEWAGE (e.g. BELOW THE LEVEL OF THE NEAREST UPSTREAM MANHOLE COVER), SUITABLE PROVISIONS SHALL BE MADE TO PREVENT ITS OVERFLOW IN THE BUILDING. IT SHALL BE THE OWNERS RESPONSIBILITY TO INSTALL AND MAINTAIN SUITABLE DEVICES IN ACCORDANCE WITH THE LOCAL PLUMBING CODES.
  - ALL WATER AND SEWER INSTALLATIONS TO BE COORDINATED WITH MR. TONY SCIORTINO (694-3132).

4	ADD NEW ENT. GRAD. REV. UTIL.	4-25-97
3	CHG TO K&B ADD. ENT. UTIL.	4-10-97
2	CHG DRUG STORE REV. NOTES	3-7-97
1	REV. DRUG & DECEL. & ETAL.	2-11-97
NO.	REVISION	DATE

**REYNOLDS & RAWSON, INC.**  
 LAND PLANNING - SURVEYING - ENGINEERING  
 1572 Montgomery Highway, Suite 108  
 Birmingham, Alabama 35216  
 (205) 823-7900 Fax: (205) 979-7635

PROPOSED SCHILLINGER MARKET PLACE GRADING & UNDERGROUND UTILITIES MOBILE, ALABAMA		
DRAWN BY: ATB	SCALE: 1"=40 FT	SHEET #:
CONTACT: D. RAWSON	BOOK #:	C-4
DATE: JAN. 20, 1997	FILE: ACAD/MOB/SCH-C4	

CONTRACTOR TO INSTALL  
 11 LF 58" X 36" PIPE  
 MATCH EXISTING SLOPE

SEE SHEET C-3 FOR SHADING