



REMODEL (T-1 TO T-2)

GENERAL NOTES

- CEILING HEIGHT IS 9'-0"
- ELECTRICAL OUTLET HEIGHTS MEASURED TO BOTTOM OF BOX.
- ONE ELECTRICAL JUNCTION BOX TO BE LOCATED IN CEILING ABOVE EACH WINDOW.
- CUNO MODEL SW3-PLUS WATER FILTRATION SYSTEM IS REQUIRED IN ALL NEW STORES THAT DISPENSE BEVERAGES. THE RECOMMENDED PLACEMENT FOR INSTALLATION IS MOUNTED TO SODA SYRUP RACK BY COCA-COLA. SECONDARY PLACEMENT OPTION IS MOUNTED ON BACKROOM WALL. THIRD INSTALLATION OPTION IS MOUNTING INSIDE THE FRONT BEVERAGE COUNTER WHEN SPACE LIMITATIONS OCCUR. REQUIRED: 1/2" INCOMING WATER LINE FEED WITH 1/2" BALL VALVE SHUTOFF AND 1/2" FPT CONNECTION.
MINIMUM 110 VOLT, 20 AMP ELECTRICAL SERVICE TO SUPPORT THE CARBONATOR AND WATER BOOSTER (MUST BE DEDICATED CIRCUIT)
- SECONDARY CHIP RACK IS REQUIRED IN THE CUSTOMER AREA. THE AVAILABLE OPTIONS ARE: BASKET STYLE CHIP RACK AT THE POINT OF ORDER (PREFERRED PLACEMENT) OR PURSE RAIL MOUNTED CHIP RACK (MOUNTED ON TOP OF THE PURSE RAIL.)
- EXIT LIGHTS INSTALLED BY G.C. PER LOCAL CODE.
- EMERGENCY LIGHTS INSTALLED BY G.C. PER LOCAL CODE.
- EXTINGUISHERS, SMOKE AND FIRE DETECTION SYSTEMS INSTALLED BY G.C. PER LOCAL CODE.
- LABOR & MATERIAL SUPPLIED BY G.C. UNLESS OTHERWISE NOTED.
- ALL DIMENSIONS TO BE VERIFIED BY G.C. ON SITE.
- DECOR SPECIFICATIONS ARE TO BE SUBWAY'S "TUSCAN II" SCHEMATIC

NOTE: "THESE PLANS ARE FOR REVIEW ONLY AND ARE NOT TO BE CONSTRUED AS FINAL APPROVAL."

SUBWAY®	
REVISION	# 1
FRANCHISEE JOE HART	
STORE ADDRESS 1825 PIEDMONT RD NE ATLANTA, GA 30324	
D.A. JOE HART	
SCALE 1/4" = 1'	STORE # 148
DATE MARCH 6, 2014	
DRAWN BY <input type="checkbox"/> MELISSA DI CHELLO	
ALL DIMENSIONS MUST BE VERIFIED PRIOR TO REQUESTING A FULLSET OF PLANS.	
PLEASE NOTE: DO NOT SCALE THIS FLOOR PLAN. REFER TO THE WRITTEN DIMENSIONS. PHOTO- COPYING OR FAXING WILL DISTORT THIS DRAWING	