





Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

			% of	IA	Overall	Soil Class (Non-	
Code	Description	Acres	field	CSR2	NCCPI	lrr)	Drainage Class
L138B 📃	Clarion loam, Bemis moraine, 2 to 6 percent slopes	48.42	33.77 %	88	79	2	Well drained
L107	Webster clay loam, Bemis moraine, 0 to 2 percent slopes	37.33	26.03 %	88	83	2	Poorly drained
L138C 📃	Clarion loam, Bemis moraine, 6 to 10 percent slopes	23.58	16.44 %	84	75	3	Well drained
L507	Canisteo clay loam, Bemis moraine, 0 to 2 percent slopes	18.27	12.74 %	87	81	2	Poorly drained
L62C2 🗌	Storden loam, Bemis moraine, 6 to 10 percent slopes, moderately eroded	9.82	6.85 %	64	66	3	Well drained
L62D2 📙	Storden loam, Bemis moraine, 10 to 16 percent slopes, moderately eroded	3.07	2.14 %	41	63	4	Well drained
L55	Nicollet loam, 1 to 3 percent slopes	2.89	2.02 %	91	85	1	Somewhat poorly drained
Average:					78.5		

IA has updated the CSR values for each county to CSR2. Soils data provided by USDA and NRCS.