




1 SECOND FLOOR PLAN (EXISTING/NEW CONDITION)
SCALE: 3/16" = 1'-0"



KEYED NOTES:

- A REMOVE CLOSER
- B REVERSE DOOR & REMOVE CLOSER
- C RELOCATED DOOR
- D TOILET SPACE SHALL COMPLY WITH DETAIL 09/DI.0
- E STAIR CHANGE NOT NECESSARY W/ ELEVATOR (PER ADA COMPLIANCE GUIDEBOOK 4.1.3 (4))

- F REVERSE DOOR
- G REMOVE DOOR


NOTE:

1. LOCATION OF OUTLET & SWITCHES ONLY REQUIRES W/ NEW CONSTRUCTION OR ADDITION TO EXISTING FACILITIES
2. SIGNAGE TO COMPLY W/ ADA COMPLIANCE GUIDEBOOK 4.1.2 (7)
3. PATCH AFFECTED AREA WITH GYPSUM BOARD AND PAINT TO MATCH EXISTING WALLS.


Revisions:


1	
2	
3	
4	
5	
6	
7	
8	
9	
10	

Date	06-10-02
Project No.	03108
Drawn By	JL/RCS
Check By	IVY
Sheet No.	



SECOND FLOOR PLAN (EXISTING/NEW CONDITION)
**LAS VEGAS POLICE
PROTECTIVE ASSOC.**
1250 BURNHAM AVE.
LAS VEGAS, NV 89104






KEYED NOTES

- | | |
|---|---|
| 1 NEW CONC. RAMP W/ 1:12 MAX. SLOPE | 5 NEW HANDICAP PARKING & STRIPPING, 1992 CABO, ANSI A117.1, SECTION 4.6 |
| 2 1 1/2" DIA. GALVANIZED PIPE RAILING, SEE ADA DETAILS 12,13/D2.0 | 6 NEW ACCESSIBLE ROUTE & CONCRETE RAMP |
| 3 CONCRETE WALKWAY MODIFICATION W/ DROP OFF RAMP AND FLARED SIDES SEE ADA DETAILS 10, 11/D3.0 | 7 1/2" MAX. HIGH THRESHOLD |
| 4 PEDESTRIAN CROSSWALK STRIPPING, 1992 CABO, ANSI A117.1, SECTION 4.6 | 8 MODIFY EXISTING SIDEWALK RAMP TO MEET ADA REQUIREMENTS |

2

SITE PLAN (NEW CONDITION)

SCALE: 1" = 20'-0"



1

SITE PLAN (EXISTING CONDITION)

SCALE: 1" = 20'-0"

Revisions:



Date:

06-10-02

Project No.:

0308

Drawn By:

J./RCS

Check By:

IVY

Sheet No.:

A1:0


of

SITE PLAN (EXISTING and NEW CONDITION)


**LAS VEGAS POLICE
PROTECTIVE ASSOC.**

1250 BURNHAM AVE.
LAS VEGAS, NV 89104

THESE PLANS AND ANY INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF DENNIS E. RUSK ARCHITECT, LLC. NO PART OF THESE PLANS MAY BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE WRITTEN PERMISSION OF DENNIS E. RUSK ARCHITECT, LLC. ANY UNAUTHORIZED USE OF THESE PLANS SHALL BE AT THE USER'S SOLE RISK AND WITHOUT LIABILITY TO DENNIS E. RUSK ARCHITECT, LLC.




DENNIS E. RUSK
ARCHITECT, LLC



FOR COMPLIANCE TECHNICALLY NOT FEASIBLE, CONFLICT W/ EXITING FLOW OF EGRESS, TO CHANGE DOOR SWING REMOVE CLOSURE IN CONFLICT, REMOVE LATCH AND PROVIDE PUSH BAR.

1 SECOND FLOOR PLAN (EXISTING/NEW CONDITION)
SCALE: 3/16" = 1'-0"




KEYED NOTES:

- A REMOVE CLOSER
- B REVERSE DOOR & REMOVE CLOSER
- C RELOCATED DOOR
- D TOILET SPACE SHALL COMPLY WITH DETAIL 09/D1.0
- E STAIR CHANGE NOT NECESSARY W/ ELEVATOR (PER ADA COMPLIANCE GUIDEBOOK 4.1.3 (4))

- F REVERSE DOOR
- G REMOVE DOOR

NOTE:

1. LOCATION OF OUTLET & SWITCHES ONLY REQUIRES W/ NEW CONSTRUCTION OR ADDITION TO EXISTING FACILITIES
2. SIGNAGE TO COMPLY W/ ADA COMPLIANCE GUIDEBOOK 4.1.2 (7)
3. PATCH AFFECTED AREA WITH GYPSUM BOARD AND PAINT TO MATCH EXISTING WALLS.




SECOND FLOOR PLAN (EXISTING/NEW CONDITION)
LAS VEGAS POLICE PROTECTIVE ASSOC.
1250 BURNHAM AVE.
LAS VEGAS, NV 89104

THESE DRAWINGS ARE THE PROPERTY OF DENNIS E. RUSK ARCHITECT, LLC. NO PART OF THESE DRAWINGS SHALL BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE WRITTEN PERMISSION OF DENNIS E. RUSK ARCHITECT, LLC.

Revisions:

1	
2	
3	
4	
5	

Date:	08-10-02
Project No.:	0308
Drawn By:	JL/RCS
Check By:	IVY
Sheet No.:	A3.0



FIRST FLOOR PLAN (EXISTING/NEW CONDITION)

SCALE: 3/16" = 1'-0"



KEYED NOTES:

- 283 B STAIRS & STAIRS
- 212 B OS STAIRS
- 604 B STAIRS
- TOILET SPACE SHALL COMPLY WITH DETAIL 09/D1.0
- STAIR CHANGE NOT NECESSARY W/ ELEVATOR (PER ADA COMPLIANCE GUIDEBOOK 4.1.3 (4))
- REMOVE LATCH
- EXISTING WALLS TO BE DEMOLISHED AND RELOCATE EXISTING DOORS & WINDOW (SEE FLOOR PLAN FOR LOCATION)

- REMOVE CLOSER
- REVERSE DOOR & REMOVE CLOSER
- RELOCATED DOOR
- TOILET SPACE SHALL COMPLY WITH DETAIL 09/D1.0
- STAIR CHANGE NOT NECESSARY W/ ELEVATOR (PER ADA COMPLIANCE GUIDEBOOK 4.1.3 (4))
- REMOVE LATCH
- EXISTING WALLS TO BE DEMOLISHED AND RELOCATE EXISTING DOORS & WINDOW (SEE FLOOR PLAN FOR LOCATION)
- REMOVE DOOR
- REVERSE DOOR
- DEMOLISH PORTION OF EXISTING CONCRETE FLOOR SLAB AND WALL TO ACCOMMODATE NEW RAMP W/ HANDRAIL (SEE FLOOR PLAN FOR LOCATION AND SIMILAR DETAILS 12, 13, 14 & 15 ON SHEET D2.0)
- NEW GYPSUM WALL ON 2"x4" WOOD STUDS & RUNNER @16" O.C.
- NEW RAMP WITH HANDRAIL (SEE SIMILAR DETAILS 12, 13, 14 & 15 ON SHEET D2.0)
- EXISTING WALLS TO BE DEMOLISHED
- HT - 17" TO 19"
- RELOCATED DOOR AND WINDOW
- EXISTING DOOR AND WINDOW TO BE REMOVE


- NOTE:
- LOCATION OF OUTLET & SWITCHES ONLY REQUIRES W/ NEW CONSTRUCTION OR ADDITION TO EXISTING FACILITIES
 - SIGNAGE TO COMPLY W/ ADA COMPLIANCE GUIDEBOOK 4.1.2 (7)
 - PATCH AFFECTED AREA WITH GYPSUM BOARD AND PAINT TO MATCH EXISTING WALLS.

THESE DRAWINGS ARE INSTRUMENTS OF SERVICE AND ARE THE PROPERTY OF DENNIS E. RUSK ARCHITECT, LLC. NO PART OF THESE DRAWINGS SHALL BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE WRITTEN PERMISSION OF DENNIS E. RUSK ARCHITECT, LLC. ANY UNAUTHORIZED REPRODUCTION OR TRANSMISSION OF THESE DRAWINGS SHALL BE CONSIDERED A VIOLATION OF THE PROFESSIONAL ETHICS OF THE ARCHITECT.


Revisions:

1	
2	
3	
4	
5	

Date: 06-10-02
Project No.: 0308
Drawn By: JLRCS
Check By: IVY
Sheet No.: A2.0
of 2



FIRST FLOOR PLAN (EXISTING/NEW CONDITION)
LAS VEGAS POLICE PROTECTIVE ASSOC.
1250 BURNHAM AVE.
LAS VEGAS, NV 89104



1 FIRST FLOOR PLAN (EXISTING/NEW CONDITION) SCALE: 3/16" = 1'-0"

KEYED NOTES:

- REMOVE CLOSER
- REVERSE DOOR & REMOVE CLOSER
- RELOCATED DOOR
- TOILET SPACE SHALL COMPLY WITH DETAIL 09/D1.0
- STAIR CHANGE NOT NECESSARY W/ ELEVATOR (PER ADA COMPLIANCE GUIDEBOOK 4.1.3 (4))
- REMOVE LATCH
- EXISTING WALLS TO BE DEMOLISHED AND RELOCATE EXISTING DOORS & WINDOW (SEE FLOOR PLAN FOR LOCATION)

Handwritten notes below the keyed notes:


- $3411.35' + 550' \pm 12.0's = 3961' \pm 12.0's$
- $3411.35'$
- $1585' \pm 12.0's$

- REMOVE DOOR
- REVERSE DOOR
- DEMOLISH PORTION OF EXISTING CONCRETE FLOOR SLAB AND WALL TO ACCOMMODATE NEW RAMP W/ HANDRAIL (SEE FLOOR PLAN FOR LOCATION AND SIMILAR DETAILS 12, 13, 14 & 15 ON SHEET D2.0)
- NEW GYPSUM WALL ON 2"x4" WOOD STUDS & RUNNER @16" O.C.
- NEW RAMP WITH HANDRAIL (SEE SIMILAR DETAILS 12, 13, 14 & 15 ON SHEET D2.0)
- EXISTING WALLS TO BE DEMOLISHED

- HT - 17" TO 19"
- RELOCATED DOOR AND WINDOW
- EXISTING DOOR AND WINDOW TO BE REMOVE

NOTE:

- LOCATION OF OUTLET & SWITCHES ONLY REQUIRES W/ NEW CONSTRUCTION OR ADDITION TO EXISTING FACILITIES
- SIGNAGE TO COMPLY W/ ADA COMPLIANCE GUIDEBOOK 4.1.2 (7)
- PATCH AFFECTED AREA WITH GYPSUM BOARD AND PAINT TO MATCH EXISTING WALLS.





FIRST FLOOR PLAN (EXISTING/NEW CONDITION)

LAS VEGAS POLICE PROTECTIVE ASSOC.
1250 BURNHAM AVE.
LAS VEGAS, NV 89104

Revisions:

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Date: 06-10-02
Project No.: 0308
Drawn By: JLRCS
Check By: IVY
Sheet No.: A2.0



SITE PLAN (EXISTING AND NEW CONDITION)
**LAS VEGAS POLICE
PROTECTIVE ASSOC.**
 1250 BURNHAM AVE.
 LAS VEGAS, NV 89104

DENNIS E. RUSK
 ARCHITECT, LLC

THESE DRAWINGS ARE INSTRUMENTS OF SERVICE AND ARE THE PROPERTY OF DENNIS E. RUSK, ARCHITECT, LLC. NO PART OF THESE DRAWINGS ARE TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT FIRST OBTAINING THE WRITTEN PERMISSION OF DENNIS E. RUSK, ARCHITECT, LLC.

Revisions:

1	2	3	4	5	6	7	8
△	△	△	△	△	△	△	△

Date: 06-10-02
 Project No.: 03108
 Drawn By: JLR/CS
 Check By: IVY
 Sheet No.:

A1.0

File No. 200303030303A10