



INTEGRATED SCIENCE I  
ENGINEERING SCIENCE I  
GROUP (2) BUSINESS COORDINATOR  
30704 SECOND FLOOR  
SECOND FLOOR

1 SECOND FLOOR PLAN  
3/16" = 1'-0"

INDICATES EXISTING ASSEMBLY ITEMS WHICH ARE TO REMAIN AND TO BE MADE READY FOR NEW CONSTRUCTION

INDICATES WALL ASSEMBLY TO RECEIVE SOUND ATTENUATION INSULATION TO MEET MIN. STC RATING FOR NORMAL SPEECH OF 45 OR GREATER

NOTE THAT THE EXISTING HOLLOW METAL FRAMED DOORS, FRAMED GLASS PANELS, PLUMBING FIXTURES, TOILET ACCESSORIES TO INCLUDE PARTITIONS ARE TO BE REPLACED IN ASSIGNED AREAS OF NEW CONSTRUCTION ON BOTH FLOOR LEVELS - COORDINATE W/ ARCHITECT

COORDINATE LOCATION OF ALL FIXED GLASS PANELS IN RELATIONSHIP TO DOORS ON BOTH FLOOR LEVELS W/ ARCHITECT

TIERNAN & PATRYLO DESIGN GROUP  
engineers architects managers

665 Highway 74 South, Suite 100 Peachtree City, GA 30269-3003 telephone (770)632-0828 faxsimile: (770)632-9604

1039 Sullivan  
1039 Sullivan Road  
Newnan, Georgia 30265

This drawing is property of Tiernan & Patrylo Design Group, Inc. and is not to be reproduced in whole or in part. It is not to be used on any other project and shall be returned upon request.

number	description	date	drawn by	scale	project no.
1	ISSUES & REVISIONS		B.S.		

ref.	date	description	d/d	appl.
#1	10/17/12	Permit Set	B.S.	
#1	10/25/12	Revision #1	B.S.	
#2	10/30/12	Permit Comments	B.S.	
#2	10/30/12	Revision #2	B.S.	

SECOND FLOOR PLAN



A-3