



4619 N. Santa Fe, OKC, OK 73118 - (405) 488-2400 - (405) 488-2404 fax

Analytical Report

Report Date: 04/04/2007
Order # 2007030092
Project # 2100MON07

Laboratory Certificate # 7211

Client: Mr. Rob Williams
StanTech
4300 N. Lincoln
Oklahoma City, OK 73105

Project: TPI#4462 6735 N. Peoria Turley, OK

Analytical Results

Client Sample ID: MW-1

ETI ID: 1

Sample Collected : 03/07/2007 @ 15:30

Matrix: Aqueous

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Analyzed On</u>	<u>Analyst</u>	<u>Method</u>
MTBE	108	µg/L	03/08/2007 11:19:00 AM	BM	8021B
Benzene	602	µg/L	03/08/2007 11:19:00 AM	BM	8021B
Toluene	11.5	µg/L	03/08/2007 11:19:00 AM	BM	8021B
Ethylbenzene	8.83	µg/L	03/08/2007 11:19:00 AM	BM	8021B
Xylene (m,p & o)	10.3	µg/L	03/08/2007 11:19:00 AM	BM	8021B
TPH-GRO	1.1	mg/L	03/08/2007 11:19:00 AM	BM	8020/8015M

Client Sample ID: MW-2

ETI ID: 2

Sample Collected : 03/07/2007 @ 15:24

Matrix: Aqueous

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Analyzed On</u>	<u>Analyst</u>	<u>Method</u>
MTBE	<5.0	µg/L	03/08/2007 12:11:00 PM	BM	8021B
Benzene	<5.0	µg/L	03/08/2007 12:11:00 PM	BM	8021B
Toluene	<5.0	µg/L	03/08/2007 12:11:00 PM	BM	8021B
Ethylbenzene	<5.0	µg/L	03/08/2007 12:11:00 PM	BM	8021B
Xylene (m,p & o)	<5.0	µg/L	03/08/2007 12:11:00 PM	BM	8021B
TPH-GRO	<1.0	mg/L	03/08/2007 12:11:00 PM	BM	8020/8015M

Analytical Results

Client Sample ID: **MW-4**

ETI ID: **3**

Sample Collected : **03/07/2007 @ 14:58**

Matrix: **Aqueous**

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Analyzed On</u>	<u>Analyst</u>	<u>Method</u>
MTBE	846	µg/L	03/08/2007 12:26:00 PM	BM	8021B
Benzene	287	µg/L	03/08/2007 12:26:00 PM	BM	8021B
Toluene	<50.0	µg/L	03/08/2007 12:26:00 PM	BM	8021B
Ethylbenzene	541	µg/L	03/08/2007 12:26:00 PM	BM	8021B
Xylene (m,p & o)	499	µg/L	03/08/2007 12:26:00 PM	BM	8021B
TPH-GRO	7.4	mg/L	03/08/2007 12:26:00 PM	BM	8020/8015M

Client Sample ID: **MW-5**

ETI ID: **4**

Sample Collected : **03/07/2007 @ 14:45**

Matrix: **Aqueous**

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Analyzed On</u>	<u>Analyst</u>	<u>Method</u>
MTBE	664	µg/L	03/08/2007 12:44:00 PM	BM	8021B
Benzene	<5.0	µg/L	03/08/2007 12:44:00 PM	BM	8021B
Toluene	<5.0	µg/L	03/08/2007 12:44:00 PM	BM	8021B
Ethylbenzene	<5.0	µg/L	03/08/2007 12:44:00 PM	BM	8021B
Xylene (m,p & o)	<5.0	µg/L	03/08/2007 12:44:00 PM	BM	8021B
TPH-GRO	<1.0	mg/L	03/08/2007 12:44:00 PM	BM	8020/8015M

Client Sample ID: **MW-7**

ETI ID: **5**

Sample Collected : **03/07/2007 @ 15:18**

Matrix: **Aqueous**

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Analyzed On</u>	<u>Analyst</u>	<u>Method</u>
MTBE	<5.0	µg/L	03/08/2007 12:59:00 PM	BM	8021B
Benzene	<5.0	µg/L	03/08/2007 12:59:00 PM	BM	8021B
Toluene	<5.0	µg/L	03/08/2007 12:59:00 PM	BM	8021B
Ethylbenzene	<5.0	µg/L	03/08/2007 12:59:00 PM	BM	8021B
Xylene (m,p & o)	<5.0	µg/L	03/08/2007 12:59:00 PM	BM	8021B
TPH-GRO	<1.0	mg/L	03/08/2007 12:59:00 PM	BM	8020/8015M

Client Sample ID: **MW-8**

ETI ID: **6**

Sample Collected : **03/07/2007 @ 15:10**

Matrix: **Aqueous**

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Analyzed On</u>	<u>Analyst</u>	<u>Method</u>
MTBE	1700	µg/L	03/08/2007 01:18:00 PM	BM	8021B
Benzene	4540	µg/L	03/08/2007 01:18:00 PM	BM	8021B
Toluene	<50.0	µg/L	03/08/2007 01:18:00 PM	BM	8021B
Ethylbenzene	387	µg/L	03/08/2007 01:18:00 PM	BM	8021B
Xylene (m,p & o)	66.1	µg/L	03/08/2007 01:18:00 PM	BM	8021B
TPH-GRO	11.4	mg/L	03/08/2007 01:18:00 PM	BM	8020/8015M
MTBE	948	µg/L	04/03/2007 02:41:00 PM	BM	8260B

Analytical Results

Client Sample ID: **MW-10**

ETI ID: 7

Sample Collected : **03/07/2007 @ 14:40**

Matrix: Aqueous

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Analyzed On</u>	<u>Analyst</u>	<u>Method</u>
MTBE	32.3	µg/L	03/08/2007 01:33:00 PM	BM	8021B
Benzene	<5.0	µg/L	03/08/2007 01:33:00 PM	BM	8021B
Toluene	<5.0	µg/L	03/08/2007 01:33:00 PM	BM	8021B
Ethylbenzene	<5.0	µg/L	03/08/2007 01:33:00 PM	BM	8021B
Xylene (m,p & o)	<5.0	µg/L	03/08/2007 01:33:00 PM	BM	8021B
TPH-GRO	<1.0	mg/L	03/08/2007 01:33:00 PM	BM	8020/8015M

Client Sample ID: **MW-11**

ETI ID: 8

Sample Collected : **03/07/2007 @ 13:44**

Matrix: Aqueous

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Analyzed On</u>	<u>Analyst</u>	<u>Method</u>
MTBE	<5.0	µg/L	03/08/2007 01:50:00 PM	BM	8021B
Benzene	<5.0	µg/L	03/08/2007 01:50:00 PM	BM	8021B
Toluene	<5.0	µg/L	03/08/2007 01:50:00 PM	BM	8021B
Ethylbenzene	<5.0	µg/L	03/08/2007 01:50:00 PM	BM	8021B
Xylene (m,p & o)	<5.0	µg/L	03/08/2007 01:50:00 PM	BM	8021B
TPH-GRO	<1.0	mg/L	03/08/2007 01:50:00 PM	BM	8020/8015M

Client Sample ID: **MW-12**

ETI ID: 9

Sample Collected : **03/07/2007 @ 13:28**

Matrix: Aqueous

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Analyzed On</u>	<u>Analyst</u>	<u>Method</u>
MTBE	<5.0	µg/L	03/08/2007 02:09:00 PM	BM	8021B
Benzene	<5.0	µg/L	03/08/2007 02:09:00 PM	BM	8021B
Toluene	<5.0	µg/L	03/08/2007 02:09:00 PM	BM	8021B
Ethylbenzene	<5.0	µg/L	03/08/2007 02:09:00 PM	BM	8021B
Xylene (m,p & o)	<5.0	µg/L	03/08/2007 02:09:00 PM	BM	8021B
TPH-GRO	<1.0	mg/L	03/08/2007 02:09:00 PM	BM	8020/8015M

Client Sample ID: **MW-13**

ETI ID: 10

Sample Collected : **03/07/2007 @ 13:34**

Matrix: Aqueous

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Analyzed On</u>	<u>Analyst</u>	<u>Method</u>
MTBE	<5.0	µg/L	03/08/2007 02:29:00 PM	BM	8021B
Benzene	<5.0	µg/L	03/08/2007 02:29:00 PM	BM	8021B
Toluene	<5.0	µg/L	03/08/2007 02:29:00 PM	BM	8021B
Ethylbenzene	<5.0	µg/L	03/08/2007 02:29:00 PM	BM	8021B
Xylene (m,p & o)	<5.0	µg/L	03/08/2007 02:29:00 PM	BM	8021B
TPH-GRO	<1.0	mg/L	03/08/2007 02:29:00 PM	BM	8020/8015M

Analytical Results

Client Sample ID: ESMW-1

ETI ID: 11

Sample Collected : 03/07/2007 @ 14:20

Matrix: Aqueous

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Analyzed On</u>	<u>Analyst</u>	<u>Method</u>
MTBE	<50.0	µg/L	03/08/2007 03:10:00 PM	BM	8021B
Benzene	836	µg/L	03/08/2007 03:10:00 PM	BM	8021B
Toluene	<50.0	µg/L	03/08/2007 03:10:00 PM	BM	8021B
Ethylbenzene	135	µg/L	03/08/2007 03:10:00 PM	BM	8021B
Xylene (m,p & o)	205	µg/L	03/08/2007 03:10:00 PM	BM	8021B
TPH-GRO	6.6	mg/L	03/08/2007 03:10:00 PM	BM	8020/8015M

Client Sample ID: ESMW-3

ETI ID: 12

Sample Collected : 03/07/2007 @ 14:32

Matrix: Aqueous

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Analyzed On</u>	<u>Analyst</u>	<u>Method</u>
MTBE	<5.0	µg/L	03/08/2007 03:30:00 PM	BM	8021B
Benzene	37.6	µg/L	03/08/2007 03:30:00 PM	BM	8021B
Toluene	<5.0	µg/L	03/08/2007 03:30:00 PM	BM	8021B
Ethylbenzene	<5.0	µg/L	03/08/2007 03:30:00 PM	BM	8021B
Xylene (m,p & o)	<5.0	µg/L	03/08/2007 03:30:00 PM	BM	8021B
TPH-GRO	<1.0	mg/L	03/08/2007 03:30:00 PM	BM	8020/8015M

Client Sample ID: STMW-4

ETI ID: 13

Sample Collected : 03/07/2007 @ 14:25

Matrix: Aqueous

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Analyzed On</u>	<u>Analyst</u>	<u>Method</u>
MTBE	<50.0	µg/L	03/08/2007 03:47:00 PM	BM	8021B
Benzene	1880	µg/L	03/08/2007 03:47:00 PM	BM	8021B
Toluene	<50.0	µg/L	03/08/2007 03:47:00 PM	BM	8021B
Ethylbenzene	120	µg/L	03/08/2007 03:47:00 PM	BM	8021B
Xylene (m,p & o)	210	µg/L	03/08/2007 03:47:00 PM	BM	8021B
TPH-GRO	9.0	mg/L	03/08/2007 03:47:00 PM	BM	8020/8015M

Client Sample ID: STMW-6

ETI ID: 14

Sample Collected : 03/07/2007 @ 13:52

Matrix: Aqueous

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Analyzed On</u>	<u>Analyst</u>	<u>Method</u>
MTBE	<5.0	µg/L	03/08/2007 04:03:00 PM	BM	8021B
Benzene	16.4	µg/L	03/08/2007 04:03:00 PM	BM	8021B
Toluene	<5.0	µg/L	03/08/2007 04:03:00 PM	BM	8021B
Ethylbenzene	<5.0	µg/L	03/08/2007 04:03:00 PM	BM	8021B
Xylene (m,p & o)	<5.0	µg/L	03/08/2007 04:03:00 PM	BM	8021B
TPH-GRO	<1.0	mg/L	03/08/2007 04:03:00 PM	BM	8020/8015M

Analytical Results

Client Sample ID: STMW-7

ETI ID: 15

Sample Collected : 03/07/2007 @ 13:58

Matrix: Aqueous

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Analyzed On</u>	<u>Analyst</u>	<u>Method</u>
MTBE	95.7	µg/L	03/08/2007 04:18:00 PM	BM	8021B
Benzene	<5.0	µg/L	03/08/2007 04:18:00 PM	BM	8021B
Toluene	<5.0	µg/L	03/08/2007 04:18:00 PM	BM	8021B
Ethylbenzene	<5.0	µg/L	03/08/2007 04:18:00 PM	BM	8021B
Xylene (m,p & o)	<5.0	µg/L	03/08/2007 04:18:00 PM	BM	8021B
TPH-GRO	<1.0	mg/L	03/08/2007 04:18:00 PM	BM	8020/8015M

Client Sample ID: RW-1

ETI ID: 16

Sample Collected : 03/07/2007 @ 14:50

Matrix: Aqueous

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Analyzed On</u>	<u>Analyst</u>	<u>Method</u>
MTBE	139	µg/L	03/08/2007 04:33:00 PM	BM	8021B
Benzene	<5.0	µg/L	03/08/2007 04:33:00 PM	BM	8021B
Toluene	<5.0	µg/L	03/08/2007 04:33:00 PM	BM	8021B
Ethylbenzene	<5.0	µg/L	03/08/2007 04:33:00 PM	BM	8021B
Xylene (m,p & o)	<5.0	µg/L	03/08/2007 04:33:00 PM	BM	8021B
TPH-GRO	<1.0	mg/L	03/08/2007 04:33:00 PM	BM	8020/8015M

Client Sample ID: RW-2

ETI ID: 17

Sample Collected : 03/07/2007 @ 15:05

Matrix: Aqueous

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Analyzed On</u>	<u>Analyst</u>	<u>Method</u>
MTBE	160	µg/L	03/08/2007 04:48:00 PM	BM	8021B
Benzene	<5.0	µg/L	03/08/2007 04:48:00 PM	BM	8021B
Toluene	<5.0	µg/L	03/08/2007 04:48:00 PM	BM	8021B
Ethylbenzene	<5.0	µg/L	03/08/2007 04:48:00 PM	BM	8021B
Xylene (m,p & o)	<5.0	µg/L	03/08/2007 04:48:00 PM	BM	8021B
TPH-GRO	<1.0	mg/L	03/08/2007 04:48:00 PM	BM	8020/8015M

Client Sample ID: Water Drum Corp.

ETI ID: 18

Sample Collected : 03/07/2007 @ 15:45

Matrix: Aqueous

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Analyzed On</u>	<u>Analyst</u>	<u>Method</u>
MTBE	78.3	µg/L	03/08/2007 05:04:00 PM	BM	8021B
Benzene	81.7	µg/L	03/08/2007 05:04:00 PM	BM	8021B
Toluene	<5.0	µg/L	03/08/2007 05:04:00 PM	BM	8021B
Ethylbenzene	109	µg/L	03/08/2007 05:04:00 PM	BM	8021B
Xylene (m,p & o)	307	µg/L	03/08/2007 05:04:00 PM	BM	8021B
TPH-GRO	3.0	mg/L	03/08/2007 05:04:00 PM	BM	8020/8015M
Lead	0.02	mg/L	03/12/2007 03:54:40 PM	WH	200.7
Flashpoint	>140	°F	03/15/2007 03:00:00 PM	JV	1010A

Respectfully Submitted:



Russell Britten

President

Unless ETI receives prior notification, all sample material not consumed in analysis will be retained for a period of 30 days before disposal.



Quality Control Report

Report Date: 04/04/2007
Order #: 2007030092

4619 N. Santa Fe, OKC, OK 73118 - (405) 488-2400 - (405) 488-2404 fax

Laboratory Certificate # 7211

Quality Control

Aqueous

Blank

Parameter	QC Value	Units	ETI ID
MTBE	<5.0	µg/L	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
Benzene	<5.0	µg/L	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
Toluene	<5.0	µg/L	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
Ethylbenzene	<5.0	µg/L	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
Xylene (m,p & o)	<5.0	µg/L	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
TPH-GRO	<1.0	mg/L	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
Lead	<0.01	mg/L	18

Duplicate

Parameter	QC Value	Units	ETI ID
Lead	0.0	% dif.	18

LCS

Parameter	QC Value	Units	ETI ID
MTBE	87	% rec.	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
Benzene	113	% rec.	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
Toluene	107	% rec.	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
Ethylbenzene	112	% rec.	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
Xylene (m,p & o)	115	% rec.	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
TPH-GRO	104	% rec.	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
Lead	100	% rec.	18

Matrix Spike

Parameter	QC Value	Units	ETI ID
MTBE	131 M	% rec.	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
Benzene	268 M	% rec.	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
Toluene	185 M	% rec.	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
Ethylbenzene	135 M	% rec.	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
Xylene (m,p & o)	143 M	% rec.	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
TPH-GRO	132 M	% rec.	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
Lead	117	% rec.	18

Matrix Spike Dup

Parameter	QC Value	Units	ETI ID
MTBE	158 M	% rec.	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18

Quality Control

Aqueous

Matrix Spike Dup

Parameter	QC Value	Units	ETI ID
Benzene	80	% rec.	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
Toluene	130 M	% rec.	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
Ethylbenzene	127 M	% rec.	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
Xylene (m,p & o)	120	% rec.	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
TPH-GRO	117	% rec.	1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18
Lead	117	% rec.	18

E = Estimated Value (above linear range)
 M = Out of Control Due to Matrix Effect
 D = Surrogate or Matrix Spike Diluted Out
 Q = Outside of QC Limits on Both Original and Rerun
 C = Possible Laboratory Contamination
 * = Out of Control

J = Estimated Value (below linear range)
 *TA = Lab ID: 9412
 *OL = Lab ID: 8306
 *SM = Lab ID: 9940

01/11/2023 09:00:00



ENVIRONMENTAL TESTING, INC.

4619 NORTH SANTA FE
OKLAHOMA CITY, OK 73118
(405) 488-2400
FAX: (405) 488-2404

SAMPLE SERIES #: 2007030001

DUE DATE: 03-15-07

COMPANY: StanTech

PHONE #: 424-8378

P.O. #:

CLIENT CONTACT:

PROJECT #: 2100MOND7 / MANAGER: Rob Williams

SITE LOCATION: TPI #4462 6735 N. Peoria Turley, OK

SAMPLE TYPE

- 1. WATER
- 2. SOIL
- 3. SLUDGE
- 4. OIL
- 5. OTHER

ANALYSES

CONTAINER TYPE

- P - PLASTIC
- G - GLASS
- V - VOA
- O - OTHER
- T - TEFLON

ETI SAMPLE #	CLIENT SAMPLE IDENTIFICATION	SAMPLE TYPE	CONTAINER			SAMPLING	
			SIZE	TYPE	#	DATE	TIME
1	MW-1	1	40mL	V	2	3-07-07	1530
2	MW-2	(	(	(	(	(	1524
3	MW-4	(	(	(	(	(	1458
4	MW-5	(	(	(	(	(	1445
5	MW-7	(	(	(	(	(	1518
6	MW-8	(	(	(	(	(	1510
7	MW-10	(	(	(	(	(	1440
8	MW-11	(	(	(	(	(	1344
9	MW-12	(	(	(	(	(	1328
10	MW-13	(	(	(	(	(	1334

SAMPLE CONDITION:

SAMPLER:

Gerald A. Fields

FIELD PH:

TEMP: 0.0w

TIME:

COND:

CALIB: 4 7 10

SPECIAL INSTRUCTIONS:

☐ RUSH DATE REQUIRED
(ADDITIONAL COST MAY APPLY)

☒ REGULAR

RECEIVED BY:

M. M. M. M.

DATE: 3-08-07

TIME: 0940

RECEIVED BY:

DATE: 3-08-07

TIME: 0940

RELINQUISHED BY:

Gerald A. Fields

RELINQUISHED BY:

DATE: 3-08-07

RELINQUISHED BY:

DATE: 3-08-07

QUANTIFIED COPY



ENVIRONMENTAL TESTING, INC.

4619 NORTH SANTA FE
OKLAHOMA CITY, OK 73118
(405) 488-2400
FAX: (405) 488-2404

SAMPLE SERIES #:

20070300097

DUE DATE:

03 - 15 - 07

COMPANY: StanTech

PHONE #: 424-8378

P.O. #:

CLIENT CONTACT:

PROJECT #: 2100MDN07

MANAGER: Rob Williams

SITE LOCATION: IPI # 4462 6735 N. Peoria Turley, OK

SAMPLE TYPE

1. WATER
2. SOIL
3. SLUDGE
4. OIL
5. OTHER

ANALYSES

CONTAINER TYPE

- P - PLASTIC
- G - GLASS
- V - VOA
- 0 - OTHER
- T - TEFLON

ETI SAMPLE #	CLIENT SAMPLE IDENTIFICATION	SAMPLE TYPE	CONTAINER		SAMPLING		PRESERVATIVES	LAB COMMENTS
			SIZE	TYPE	#	DATE		
11	ESMW-1	1	40mL	V	2	3-07-07	HCl	X X
12	ESMW-3							
13	STMW-4							
14	STMW-6							
15	STMW-7							
16	RW-1							
17	RW-2							
18	Water Drum Comp.							

SAMPLE CONDITION:

SAMPLER:

Gerald A. Fields

FIELD PH:

TEMP: 0.0°C
COND: 0.0

RELINQUISHED BY:

Gerald A. Fields

DATE: 3-08-07

TIME: 0940

RECEIVED BY:

mm

DATE: 030807

TIME: 0940

SPECIAL INSTRUCTIONS:

☐ RUSH DATE REQUIRED
(ADDITIONAL COST MAY APPLY)

☒ REGULAR

RELINQUISHED BY:

RECEIVED BY:

DATE:

TIME:

CUSTOMER COPY