

HISTORIC GOLD MINES and LAND

Santa Maria Homestake, Broken Stick 1 & 2, Water Sunset
46 DEEDED ACRES + 254± ACRES UNPATENTED MINING CLAIMS
YAVAPAI COUNTY, AZ



FOR SALE \$1,410,000.00

**Gold Mines, Land + Water Rights:
450-GPM + 20-acre feet for mining**

STEELE

RESIDENTIAL ■ COMMERCIAL
■ PROPERTY MANAGEMENT ■

Tyler Mills
(480) 332-3653
Tmills@steelecommercial.com
867 Washington St. Raleigh
Commercial Broker





DETAILS:

3 Geological Reports – Available upon Request

HISTORY:

Water Sunset, Santa Maria and Big Stick (Broken Stick) Mines were operational until 1942. Delve into the past as you explore the remnants of old smelter, stamp mill, grinding sites and mineshafts, still standing as testaments to the expertise of the old-timers who knew exactly where to **strike gold!**



1010001
-Gold-

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Mine Broken Stick (Homestake)

Date 4-7-58

District Eureka (Bagdad)

Engineer Lewis A. Smith

Subject: Reported by Wm. Hibbert and from early report by Louis Ribber, United Verde Co.
(A copy of this report will be available later.)

Claims: 12 unpatented

Location: 28 miles from Wickenburg and 3 miles east at the Congress to Kingman road, in south bank of Santa Maria River.

Work: There is a 70' shaft which was sampled at 50, 60 and at the bottom across the vein. At 50 feet the vein ran \$8.00 in gold per ton and in the bottom the tenor rose to \$12.00. A second 60 foot shaft shows about \$22.00. The outcrop was sampled at regular intervals, by some 20 samples, and showed from 0.09 oz. to 1 oz. of gold per ton, but averaged around \$6.00 to \$8.00 per ton. These values are computed with gold at \$20.00 per ounce. Samples from the extension of the vein to the north, and at 250' in elevation below the Broken Stick outcrop, showed 3' @ \$10.00 and 4' @ \$30.00, and a total width of 7-15 feet. One other shaft, 85' deep and inclined at 60°, was located 400 feet south of the main shaft. This showed fair value (\$6.00 to \$8.00 per ton) over a width of 3-5 feet. Two other veins lie west of the main vein and are about 1000 feet long.

Geology: The main vein trends N40W and dips 86° east. The other veins vary between N10°E and N20°E and are vertical. The "Main" vein has granite in the footwall and a rhyolite (?) porphyry dike in the hanging wall. The gangue consists of quartz with included fragments of rhyolite and granite. The mass is stained and blebbed with hematite.

Ribber commented upon increase in grade with depth of 150' as compared with surface.

Recommendation made that the vein be drilled to depths of 200 and 300 feet and 500 feet, preferably by diamond core drilling.



STEELE

RESIDENTIAL ■ COMMERCIAL
■ PROPERTY MANAGEMENT ■

Tyler Mills
(480) 332-3653
Tmills@steelecommercial.com
867 Washington St. Raleigh
Commercial Broker



Santa Maria Homestake

Railroad to Stamp Mill

Big Stick

Stamp Mill

Broken Stick

Mill Site

Smelter

old pads

Water Sunset