



**NOTE**  
 THE BUILDING IS CURRENTLY SERVED WITH SEPTIC ON ADJACENT PROPERTY - NO SEPTIC TANK OR DRAINFIELD REPORTEDLY ON THIS SITE

**NOTE**  
 INSTALL 4" DIA SCH 40 PVC PIPE BETWEEN SEPTIC & DOSING TANKS  
 2" DIA SCH 40 PVC 24" MIN BELOW GRADE 490' LONG  
 5'x5' DOSING TANK 150'+ FROM WELLS SEE SHEET 2  
 1,000 GAL SEPTIC TANK WITH ZABEL A-1800 FILTER AT OUTLET AND ACCESS RISERS AT INLET AND OUTLET 150'+ FROM WELLS

EXTENDING EXISTING BLDG SEWER LINE WITH 4" DIA SCH 40 PVC  
 PROVIDE 4" SCH 80 PVC IN AREAS SUBJECT TO POTENTIAL VEHICLE TRAVEL  
 EXISTING CLEANOUT AT BUILDING  
 EXISTING LIFT PUMP TANK JUST OUTSIDE OF THE FENCED AREA - TANK TO BE PUMPED OUT BY LICENSED WASTE HAULER, FILLED WITH SAND AND ABANDONED IN PLACE. IF IT INTERFERES WITH INSTALLATION OF THE NEW 4" DIA LINE REMOVE IT FROM SITE AFTER PUMPOUT AND FILL THE EXCAVATION WITH CLEAN FILL.



|  |   |
|--|---|
| <b>SEPTIC PLOT PLAN</b>  |   |
| BALSAMO, LLC   |   |
| BYRON H. JEFFERSON<br>P.O. BOX. 161<br>LINCOLN, DE 19960<br>(302) 422-9568 | DATE: 5/14/21<br>SCALE: 1"=100'<br>SHEET: 1 |