

PROPERTY LOCATED AT: 341 US Route 1, Weston, ME

PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.

SECTION I - WATER SUPPLY

TYPE OF SYSTEM: Public Private Seasonal _____ Unknown
 Drilled Dug Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?

Pump (if any): N/A Yes No Unknown
Quantity: Yes No Unknown
Quality: Yes No Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? Yes No
If Yes, Date of most recent test: 05/08/2025 Are test results available? .. Yes No
To your knowledge, have any test results ever been reported as unsatisfactory or satisfactory with notation? Yes No
If Yes, are test results available? Yes No
What steps were taken to remedy the problem? Filtration system installed

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: 198' from structure-behind the lodge
Installed by: Lawrence Lord
Date of Installation: 1998

USE: Number of persons currently using system: Varies
Does system supply water for more than one household? Yes No Unknown

Comments: Well pump wiring required service & was repaired June 2025

Source of Section I information: Sellers

Buyer Initials _____ Page 1 of 8 Seller Initials DS Initial

PROPERTY LOCATED AT: 341 US Route 1, Weston, ME

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: Public Private Quasi-Public _____ Unknown

~~IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):~~

~~Have you had the sewer line inspected?..... Yes No~~

~~If Yes, what results: _____~~

~~Have you experienced any problems such as line or other malfunctions? Yes No~~

~~What steps were taken to remedy the problem? _____~~

IF PRIVATE (Strike Section if Not Applicable):

Tank: Septic Tank Holding Tank Cesspool Other: _____

Tank Size: 500 Gallon 1000 Gallon Unknown Other: 2-1000 gallon tanks

Tank Type: Concrete Metal Unknown Other: _____

Location: Facing the lodge in the front to the left OR Unknown

Date installed: 1997 Date last pumped: 09-25-24 Name of pumping company: Houlton Septic

Have you experienced any malfunctions? Yes No

~~If Yes, give the date and describe the problem: _____~~

~~Date of last servicing of tank: _____ Name of company servicing tank: _____~~

Leach Field: Yes No Unknown

If Yes, Location: Front of lodge to the left

Date of installation of leach field: 1997 Installed by: Unknown

Date of last servicing of leach field: Unknown Company servicing leach field: Unknown

Have you experienced any malfunctions? Yes No

~~If Yes, give the date and describe the problem and what steps were taken to remedy: _____~~

Do you have records of the design indicating the # of bedrooms the system was designed for? Yes No

If Yes, are they available? Yes No

Is System located in a Shoreland Zone? Yes No Unknown

~~Comments: _____~~

Source of Section II information: Sellers

Buyer Initials _____

Seller Initials ^{DS} DT ^{Initial} AK

PROPERTY LOCATED AT: 341 US Route 1, Weston, ME

SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	HWBB	Pellet Stove Insert	Heat Pump	
Age of system(s) or source(s)	2021	2017	2024	
TYPE(S) of Fuel	Oil	Pellets	Electric	
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	1875+-gallons	1 ton	Unknown	
Name of company that services system(s) or source(s)	McPartland & Sons	None	Mainway Mechanical	
Date of most recent service call	November 2024	09/29/2025	October 2024	
Malfunctions per system(s) or source(s) within past 2 years	Circulator Replaced	None	None	
Other pertinent information	June 2024 Circulator	None	None	

- Are there fuel supply lines? Yes No Unknown
- Are any buried? Yes No Unknown
- Are all sleeved? Yes No Unknown
- Chimney(s): Yes No
 - If Yes, are they lined: Yes No Unknown
 - Is more than one heat source vented through one flue? Yes No Unknown
 - Had a chimney fire: Yes No Unknown
 - Has chimney(s) been inspected? Yes No Unknown
 - ~~If Yes, date: _____~~
 - Date chimney(s) last cleaned: _____
- Direct/Power Vent(s): Yes No Unknown
- Has vent(s) been inspected? Yes No Unknown
- ~~If Yes, date: _____~~

~~Comments: _____~~

Source of Section III information: **Sellers**

SECTION IV - HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

- A. UNDERGROUND STORAGE TANKS** - Are there now, or have there ever been, any underground storage tanks on the property? Yes No Unknown
- ~~If Yes, are tanks in current use? Yes No Unknown~~
- ~~If no longer in use, how long have they been out of service? _____~~
- ~~If tanks are no longer in use, have tanks been abandoned according to DEP? Yes No Unknown~~
- ~~Are tanks registered with DEP? Yes No Unknown~~
- ~~Age of tank(s): _____ Size of tank(s): _____~~
- ~~Location: _____~~

Buyer Initials _____ Page 3 of 8 Seller Initials DS
DT Initial
AC

PROPERTY LOCATED AT: 341 US Route 1, Weston, ME

~~What materials are, or were, stored in the tank(s)?~~ _____

~~Have you experienced any problems such as leakage: Yes No Unknown~~

~~Comments: _____~~

Source of information: Sellers

B. ASBESTOS - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work? Yes No Unknown

In the ceilings? Yes No Unknown

In the siding? Yes No Unknown

In the roofing shingles? Yes No Unknown

In flooring tiles? Yes No Unknown

Other: _____ Yes No Unknown

~~Comments: _____~~

Source of information: Sellers

C. RADON/AIR - Current or previously existing:

Has the property been tested? Yes No Unknown

If Yes: Date: 03-14-22 By: Northland Home Inspections

Results: 1.4 & 1.5

If applicable, what remedial steps were taken? None required.

~~Has the property been tested since remedial steps? Yes No Unknown~~

~~Are test results available? Yes No~~

~~Results/Comments: _____~~

Source of information: Inspection Report

D. RADON/WATER - Current or previously existing:

Has the property been tested? Yes No Unknown

If Yes: Date: 03-14-22 By: Northland Home Inspections

Results: 717

If applicable, what remedial steps were taken? None required.

~~Has the property been tested since remedial steps? Yes No Unknown~~

~~Are test results available? Yes No~~

~~Results/Comments: _____~~

Source of information: Inspection report

E. METHAMPHETAMINE - Current or previously existing:

Yes No Unknown

~~Comments: _____~~

Source of information: Sellers

Buyer Initials _____

Seller Initials ^{DS} DT

^{Initial} AK

PROPERTY LOCATED AT: 341 US Route 1, Weston, ME

F. LEAD-BASED PAINT/PAINT HAZARDS - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
..... Yes No Unknown Unknown (but possible due to age)

~~If Yes, describe location and basis for determination:~~ _____

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: Yes No

~~If Yes, describe:~~ _____

Are you aware of any cracking, peeling or flaking paint? Yes No

~~Comments:~~ _____

Source of information: Sellers

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL: Yes No Unknown

LAND FILL: Yes No Unknown

RADIOACTIVE MATERIAL: Yes No Unknown

~~Other:~~ _____

Source of information: Sellers

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? Yes No Unknown

If Yes, explain: Property has a lake view easement, review easement for details.

Source of information: Sellers

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? Yes No Unknown

~~If No, who is responsible for maintenance?~~ _____

~~Road Association Name (if known):~~ _____

Source of information: Sellers

Buyer Initials _____

Seller Initials DS Initial
DT AK

PROPERTY LOCATED AT: 341 US Route 1, Weston, ME

SECTION VI – FLOOD HAZARD

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from:(a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines “area of special flood hazard” as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? Yes No Unknown

~~If Yes, explain: _____~~

Have any flood events affected a structure on the property? Yes No Unknown

~~If Yes, explain: _____~~

Has any flood-related damage to a structure occurred on the property? Yes No Unknown

~~If Yes, explain: _____~~

Has there been any flood insurance claims filed for a structure on the property? Yes No Unknown

~~If Yes, indicate the dates of each claim: _____~~

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? Yes No Unknown

~~If Yes, indicate the date of each payment. _____~~

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? Yes No Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

~~_____~~

Relevant Panel Number: 230039 Year: 1975 (Attach a copy)

~~Comments: _____~~

Source of Section VI information: **Sellers**

Buyer Initials _____

Seller Initials ^{DS} DT ^{Initial} AK

PROPERTY LOCATED AT: 341 US Route 1, Weston, ME

SECTION VII - GENERAL INFORMATION

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....
..... Yes No Unknown

~~If Yes, explain: _____~~

Is a Forest Management and Harvest Plan available?..... Yes No Unknown

Are there any actual or alleged violations of a shoreland zoning ordinance including those that are imposed by the state or municipality? Yes No Unknown

~~If Yes, explain: _____~~

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, photovoltaics, wind turbines): Type: Propane Tank

Year Principal Structure Built: 1997 What year did Seller acquire property? 2022

Roof: Year Shingles/Other Installed: 2023

Water, moisture or leakage: None

Comments: In 2023 west side of structure, complete roof was replaced due to storm damage

Foundation/Basement:

Is there a Sump Pump? Yes No Unknown

Water, moisture or leakage since you owned the property: Yes No Unknown

Prior water, moisture or leakage? Yes No Unknown

~~Comments: _____~~

Mold: Has the property ever been tested for mold? Yes No Unknown

~~If Yes, are test results available? Yes No~~

~~Comments: _____~~

Electrical: Fuses Circuit Breaker Other: _____ Unknown

~~Comments: _____~~

Has all or a portion of the property been surveyed? Yes No Unknown

If Yes, is the survey available? Yes No Unknown

Manufactured Housing - Is the residence a:

Mobile Home Yes No Unknown

Modular Yes No Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure Yes No Unknown

~~Comments: _____~~

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: None known.

~~Comments: _____~~

Source of Section VII information: Sellers

Buyer Initials _____

Seller Initials DS Initial
DT AC

PROPERTY LOCATED AT: 341 US Route 1, Weston, ME

SECTION VIII - ADDITIONAL INFORMATION

No additional information to disclose.

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: Yes No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

DocuSigned by:
DAVID TAYLOR **10/1/2025**
SELLER 1712A59E46146E... DATE
Frist Settlers Properties LLC , Member

Signed by:
[Signature] **10/1/2025**
SELLER B841FB044EE480... DATE
First Settlers Properties LLC , Member

SELLER DATE

SELLER DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER DATE

BUYER DATE

BUYER DATE

BUYER DATE

