



SHOP BLDG ELEVATION - COLUMN LINE 6

SCALE: 1/8" = 1'-0"




SHOP BLDG ELEVATION - COLUMN LINE 1

SCALE: 1/8" = 1'-0"



SHOP BLDG ELEVATION - COLUMN LINE A

SCALE: 1/8" = 1'-0"



SHOP BLDG ELEVATION - COLUMN LINE E

SCALE: 1/8" = 1'-0"



DOH KREISER  
CONSTRUCTION COMPANY  
REGISTRATION NO. F-1022

**Stallion**  
OIL FIELD SERVICES



|             |                 |
|-------------|-----------------|
| SCALE       | 1/8" = 1'-0"    |
| PROJECT No. | 129             |
| DATE        | JANUARY 8, 2013 |
| REV No.     | ---             |
| DRAWN       | ---             |






A-2.1

| ROOM FINISH SCHEDULE |                 |          |      |             |              |        |         |
|----------------------|-----------------|----------|------|-------------|--------------|--------|---------|
| RM NO                | ROOM NAME       | FLOORING | BASE | WALL FINISH | CEILING TYPE | CLB HT | REMARKS |
| 101                  | LABORATORY      | CONC     | RB   | PSB         | ACT          | 8'-0"  |         |
| 102                  | STORAGE         | CONC     | RB   | PSB         | ACT          | 8'-0"  |         |
| 103                  | MEAS RESTROOM   | 4 x 4 CT | CB   | Q x D CT    | ACT          | 8'-0"  |         |
| 104                  | OFFICE          | CONC     | RB   | PSB         | ACT          | 8'-0"  |         |
| 105                  | WORKERS GLOMET  | CONC     | RB   | PSB         | ACT          | 8'-0"  |         |
| 106                  | WALL            | CONC     | RB   | PSB         | ACT          | 8'-0"  |         |
| 107                  | MEAS RESTROOM   | 4 x 4 CT | CB   | Q x D CT    | ACT          | 8'-0"  |         |
| 108                  | BREAK ROOM      | CONC     | RB   | PSB         | ACT          | 8'-0"  |         |
| 109                  | STORAGE         | CONC     | RB   | PSB         | ACT          | 8'-0"  |         |
| 110                  | SHOP AREA       | CONC     | RB   | PSB         | ACT          | 8'-0"  |         |
| 111                  | MECHANICAL ROOM | CONC     | RB   | PSB         | ACT          | 8'-0"  |         |

| SECOND FLOOR |           |          |      |             |              |        |         |
|--------------|-----------|----------|------|-------------|--------------|--------|---------|
| RM NO        | ROOM NAME | FLOORING | BASE | WALL FINISH | CEILING TYPE | CLB HT | REMARKS |
| 201          | STORAGE   | CONC     | RB   | PSB         | ACT          | 8'-0"  |         |

| DOOR SCHEDULE |               |      |          |        |         |  |  |
|---------------|---------------|------|----------|--------|---------|--|--|
| DR NO         | DOOR SIZE     | TYPE | MATERIAL | FINISH | REMARKS |  |  |
| 101           | 8'-0" x 7'-0" | 1    | RM       | RM     |         |  |  |
| 102           | 8'-0" x 7'-0" | 2    | RM       | RM     |         |  |  |
| 103           | 8'-0" x 7'-0" | 3    | RM       | RM     |         |  |  |
| 104           | 8'-0" x 7'-0" | 4    | RM       | RM     |         |  |  |
| 105           | 8'-0" x 7'-0" | 5    | RM       | RM     |         |  |  |
| 106           | 8'-0" x 7'-0" | 6    | RM       | RM     |         |  |  |
| 107           | 8'-0" x 7'-0" | 7    | RM       | RM     |         |  |  |
| 108           | 8'-0" x 7'-0" | 8    | RM       | RM     |         |  |  |
| 109           | 8'-0" x 7'-0" | 9    | RM       | RM     |         |  |  |
| 110           | 8'-0" x 7'-0" | 10   | RM       | RM     |         |  |  |
| 111           | 8'-0" x 7'-0" | 11   | RM       | RM     |         |  |  |
| 112           | 8'-0" x 7'-0" | 12   | RM       | RM     |         |  |  |
| 113           | 8'-0" x 7'-0" | 13   | RM       | RM     |         |  |  |
| 114           | 8'-0" x 7'-0" | 14   | RM       | RM     |         |  |  |
| 115           | 8'-0" x 7'-0" | 15   | RM       | RM     |         |  |  |
| 116           | 8'-0" x 7'-0" | 16   | RM       | RM     |         |  |  |
| 117           | 8'-0" x 7'-0" | 17   | RM       | RM     |         |  |  |
| 118           | 8'-0" x 7'-0" | 18   | RM       | RM     |         |  |  |
| 119           | 8'-0" x 7'-0" | 19   | RM       | RM     |         |  |  |
| 120           | 8'-0" x 7'-0" | 20   | RM       | RM     |         |  |  |

| TOILET ACCESSORIES |                                |                                 |         |  |  |  |  |
|--------------------|--------------------------------|---------------------------------|---------|--|--|--|--|
| RM NO              | ITEM                           | INSTALLATION                    | REMARKS |  |  |  |  |
| 101                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |
| 102                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |
| 103                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |
| 104                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |
| 105                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |
| 106                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |
| 107                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |
| 108                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |
| 109                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |
| 110                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |
| 111                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |
| 112                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |
| 113                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |
| 114                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |
| 115                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |
| 116                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |
| 117                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |
| 118                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |
| 119                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |
| 120                | BRICK 8-10" x 8-10" x 4" BRICK | 8" FROM FLOOR TO TOP OF BRACKET |         |  |  |  |  |




Don Kulesa  
Construction Company  
Houston, TX 77058

Stallion  
OILFIELD SERVICES


PLAN REF  
SCALE: 1/4\"/>

A=1:6




**A** BUILDING SECTION

SCALE: 1/4" = 1'-0"




**D** BUILDING SECTION



**B** BUILDING SECTION

SCALE: 1/4" = 1'-0"



**C** BUILDING SECTION

SCALE: 1/4" = 1'-0"




STALLION  
CONSTRUCTION COMPANY  
REGISTRATION NO. 74822

**Stallion**  
OILFIELD SERVICES



SCALE: 1/4" = 1'-0"  
PROJECT No: 120  
DATE: JANUARY 5, 2012  
REV No: ---  
SHEET

A-3.2



SHOP BLDG - FOUNDATION PLAN

SCALE: 1/4" = 1'-0"

**BUILDING DESIGN LOADS**

|                           |                    |
|---------------------------|--------------------|
| BUILDING CODE             | BOC 2004           |
| GENERAL LOADS             |                    |
| ROOF DEAD LOAD            | HTL BLDG STRUCTURE |
| ROOF COLLATERAL LOAD      | 3 psf              |
| SPRINKLER LOAD            | 3 psf              |
| ROOF LIVE LOAD            | 20 psf             |
| TRANSITORY LL REDUCTION   | ALLOWABLE          |
| RAINFALL INTENSITY @ 1 HR | 10 in/hr           |
| WIND SPEED                | 10 mph             |
| WIND IMPORTANCE FACTOR    | 1.0                |
| WIND EXPOSURE CATEGORY    | C                  |
| WIND CONDITION            | FRONT ENCLOSED     |
| SKEL LOADS                |                    |
| ROOF SNOW LOAD            | 0 psf              |
| GROUND SNOW LOAD          | 0 psf              |
| SEISMIC LOADS             |                    |
| OCCUPATION CATEGORY       | I                  |
| SEISMIC DESIGN CATEGORY   | A                  |
| CONSTRUCTION CATEGORY     |                    |
| MAX # BY FRAMES           | 1 & 1/2            |
| ROOF PANELS               | L&D                |
| PURLIN                    | L&D                |
| WALL PANELS               | L&D                |
| DOORS                     | L&D                |




DON KREUER  
CONSTRUCTION COMPANY  
MEMPHIS, TENNESSEE

**Stallion**  
OILFIELD SERVICES



PLAN KEY



|             |                 |
|-------------|-----------------|
| SCALE:      |                 |
| PROJECT No: | 100             |
| DATE:       | JANUARY 5, 2000 |
| REV No:     |                 |

S-2.3