



VICINITY MAP
 THOMAS BRO. COORDINATES: 1253-B4



BMP LEGEND

- PDS 659** BROW DITCH
- PDS 659** BERM
- DIRECTION OF LOT DRAINAGE
- MATERIALS & WASTE MANAGEMENT BMPs:**
 - WM-1** MATERIAL DELIVERY & STORAGE
 - WM-4** SPILL PREVENTION AND CONTROL
 - WM-8** CONCRETE WASTE MANAGEMENT
 - WM-5** SOLID WASTE MANAGEMENT
 - WM-9** SANITARY WASTE MANAGEMENT
 - WM-6** HAZARDOUS WASTE MANAGEMENT
- TEMPORARY RUNOFF CONTROL BMPs:**
 - SS-2** PRESERVATION OF EXISTING VEGETATION
 - SS-3** BONDED OR STABILIZED FIBER MATRIX (WINTER)
 - SS-4** HYDROSEEDING (SUMMER)
 - SS-6** STRAW OR WOOD MULCH
 - SS-7** PHYSICAL STABILIZATION (WINTER)
 - SS-10** ENERGY DISSIPATOR
 - SC-1** SILT FENCE
 - SC-2** SEDIMENT / DESILTING BASIN
 - SC-5** FIBER ROLLS
 - SC-6** GRAVEL OR SAND BAGS
 - SC-7** STREET SWEEPING AND VACUUMING
 - SC-10** STORM DRAIN INLET PROTECTION
 - NS-2** DEWATERING FILTRATION
 - TC-1** STABILIZED CONSTRUCTION ENTRANCE
 - TC-2** CONSTRUCTION ROAD STABILIZATION
 - TC-3** ENTRANCE / EXIT TIRE WASH
- POST-CONSTRUCTION SITE DESIGN BMPs**
 - 4.3.1** MAINTAIN NATURAL DRAINAGE PATHWAYS AND HYDROLOGIC FEATURES
 - 4.3.2** CONSERVE NATURAL AREAS, SOILS, AND VEGETATION
 - 4.3.3** MINIMIZE IMPERVIOUS AREA
 - 4.3.4** MINIMIZE SOIL COMPACTION
 - 4.3.5** IMPERVIOUS AREA DISPERSION
 - 4.3.6** RUNOFF COLLECTION
 - 4.3.7** LANDSCAPING WITH NATIVE OR DROUGHT TOLERANT SPECIES
 - 4.3.8** HARVESTING AND USING PRECIPITATION
- POST CONSTRUCTION SOURCE CONTROL BMPs**
 - 4.2.1** PREVENTION OF ILLICIT DISCHARGES INTO THE MS4
 - 4.2.2** STORM DRAIN STENCILING AND POSTING OF SIGNAGE
 - 4.2.3** PROTECTED OUTDOOR MATERIALS STORAGE AREAS
 - 4.2.4** PROTECT MATERIALS STORED IN OUTDOOR WORK AREAS
 - 4.2.5** PROTECT TRASH STORAGE AREAS
 - 4.2.6** ADDNL BMPs BASED ON POTENTIAL RUNOFF POLLUTANTS:

A ON-SITE STORM DRAIN INLETS	G FOOD SERVICE	M FUEL DISPENSING AREAS
B INTERIOR FLOOR DRAINS & ELEVATOR SHAFT SUMPS	H TRASH OR REFUSE AREAS	N LOADING DOCKS
C INTERIOR PARKING GARAGES	I INDUSTRIAL PROCESSES	O FIRE SPRINKLER TEST WATER
D NEED FOR FUTURE INDOOR & STR. PEST CONTROL	J OUTDOOR STORAGE OF EQUIP. OR MATERIALS	P MISCELLANEOUS DRAIN OR WASH WATER
E LANDSCAPE/OUTDOOR PESTICIDE USE	K VEHICLE AND EQUIPMENT CLEANING	Q PLAZAS, SIDEWALKS, DRIVEWAYS, AND PARKING LOTS
F POOLS, SPAS, PONDS, FOUNTAINS, & WATER FEATURES	L VEHICLE/EQUIPMENT REPAIR AND MAINTENANCE	



SETBACKS (DESIGNATION: "C")
 FRONT: 60'
 INTERIOR: 15'
 EXTERIOR: 35'
 REAR: 25'

- ABBREVIATIONS:**
- AC = ASPHALT CONCRETE OR ACRES
 - APN = ASSESSOR'S PARCEL NUMBER
 - B.O.P = BOTTOM OF POND
 - BW = BOTTOM OF WALL
 - C.B. = CATCH BASIN
 - CL = CENTERLINE
 - FF = FINISH FLOOR
 - FG = FINISH GRADE
 - FH = FIRE HYDRANT
 - FS = FINISH SURFACE
 - FYS = FRONT YARD SETBACK
 - HP = HIGH POINT
 - IYS = INTERIOR YARD SETBACK
 - MAX = MAXIMUM
 - MIN = MINIMUM
 - LP = LOW POINT
 - PL = PROPERTY LINE
 - PCC = PORTLAND CEMENT CONCRETE
 - PP = POWER POLE
 - PVC = POLYVINYL CHLORIDE
 - R = RADIUS
 - RYS = REAR YARD SETBACK
 - R/W = RIGHT-OF-WAY
 - SF = SQUARE FEET
 - TG = TOP OF GRATE
 - T.O.P = TOP OF POND
 - TW = TOP OF WALL
 - W = WATER
 - WV = WATER VALVE

CONSTRUCTION IMPERVIOUS SURFACE AREAS

SITE ID	SURFACE	AREA
1	RESIDENCE (ROOF & STEPS)	1,517 SF
2	GREENHOUSE (ROOF)	5,600 SF
3	RESIDENCE DRIVEWAY (AC PAVEMENT)	1,505 SF
4	GREENHOUSE DRIVEWAY (AC PAVEMENT)	1,055 SF
5	RETAINING WALL	225 SF
TOTAL:		9,902 SF

CONSTRUCTION PERVIOUS SURFACE AREAS

SITE ID	SURFACE	AREA
1	PAVERS @ RESIDENCE	3,281 SF
2	PAVERS @ GREENHOUSE	1,111 SF
TOTAL:		4,392 SF

PREPARED BY:
 LEE C. WHITTINGTON
 DATE: _____
SWEETWATER ENGINEERING
 Civil Engineering, Land Development Services
 8070 Rancho Finito, Santee, CA 92071
 PH: (970) 471-4792 or (619) 368-7605

GRADING NOTES

- ALL GRADING SHALL CONFORM TO THE REQUIREMENTS OF THE GRADING ORDINANCE SECTIONS 87.101 THROUGH 87.804 OF THE SAN DIEGO COUNTY CODE OF REGULATORY ORDINANCES.
- A REGISTERED CIVIL ENGINEER IS REQUIRED TO SUPERVISE INSTALLATION OF THE FILL KEYWAY AND ALL FILL BENCHING AND COMPACTION. A SOILS REPORT WITH COMPACTION TESTS IS REQUIRED FOR ALL FILL THAT IS OVER 12" IN DEPTH. DPLU FORM #73, MINOR GRADING CERTIFICATION, AND THREE (3) COPIES OF THE COMPACTION REPORT COMPLETED BY A SOILS ENGINEER SHALL BE SUBMITTED PRIOR TO ROUGH GRADE APPROVAL.
- ALL FILL MATERIAL SHALL BE COMPACTED TO AT LEAST 90% MAXIMUM DRY DENSITY.
- NATURAL DRAINAGE SHALL NOT BE DIVERTED OR CONCENTRATED ONTO ADJACENT PROPERTY.
- MAINTAIN 1% (MINIMUM) SLOPE AWAY FROM ALL BUILDINGS FOR AT LEAST 5'.
- ALL GRADING DETAILS SHALL BE IN CONFORMANCE WITH THE FOLLOWING SAN DIEGO COUNTY DESIGN STANDARDS OR REGIONAL STANDARD DRAWINGS:
 - A. DS-8 LOT GRADING
 - B. DS-10 GRADING OF SLOPES
 - C. DS-11 REQUIRED SETBACKS
 - D. D-40 RIP RAP ENERGY DISSIPATOR
 - E. D-75 DRAINAGE DITCHES
- BERMS SHALL BE REQUIRED AT THE TOP OF ALL FILL SLOPES AND SWALES OR BROW DITCHES SHALL BE REQUIRED AT THE TOP OF ALL CUT SLOPES. ALL BERMS, SWALES, OR BROW DITCHES SHALL CONFORM TO THE DESIGN STANDARDS OR REGIONAL STANDARD DRAWINGS LISTED ABOVE.
- REGARDLESS OF WHICH BMP'S ARE IMPLEMENTED THE FACE OF ALL CUT AND FILL SLOPES IN EXCESS OF 3' VERTICAL HEIGHT SHALL BE PLANTED AND MAINTAINED WITH A GROUND COVER OR OTHER PLANTING TO PROTECT THE SLOPES AGAINST EROSION AND INSTABILITY. PLANTING SHALL COMMENCE AS SOON AS SLOPES ARE COMPLETED. ALL PLANTING MUST HAVE A PERMANENTLY INSTALLED IRRIGATION SYSTEM
- REQUIRED SLOPE RATIOS ARE AS FOLLOWS:
 - A. CUTS - 1.5:1 FOR MINOR SLOPES (UP TO 15' VERTICAL HEIGHT)
 - B. CUTS - 2:1 FOR MAJOR SLOPES (OVER 15' VERTICAL HEIGHT)
 - C. FILLS - 2:1 (MAXIMUM) FOR ALL FILL SLOPES
- NOTWITHSTANDING THE MINIMUM STANDARDS SET FORTH IN THE GRADING ORDINANCE AND NOTWITHSTANDING THE APPROVAL OF THESE GRADING PLANS, THE OWNER AND PERMITEE ARE RESPONSIBLE FOR THE PREVENTION OF DAMAGE TO ADJACENT PROPERTIES. NO PERSON SHALL EXCAVATE SO CLOSE TO THE PROPERTY LINE AS TO ENDANGER ANY ADJOINING PUBLIC STREET OR SIDEWALK, OR THE FUNCTION OF ANY SEWAGE DISPOSAL SYSTEM OR ANY OTHER PUBLIC OR PRIVATE PROPERTY.
 - A. IMPROVEMENT OF EXISTING GRADING TO CONFORM WITH THE GRADING ORDINANCE, AND;
 - B. REQUIREMENTS FOR FENCING OF EXCAVATIONS OR FILLS THAT WOULD OTHERWISE BE HAZARDOUS, AND;
 - C. ADEQUATE DUST CONTROL MEASURES.
- ALL OPERATIONS CONDUCTED ON THE PREMISES, INCLUDING THE WARMING UP, REPAIR, ARRIVAL, DEPARTURE OR RUNNING OF TRUCKS, EARTH MOVING EQUIPMENT, CONSTRUCTION EQUIPMENT OR ANY OTHER ASSOCIATED GRADING EQUIPMENT SHALL BE LIMITED TO THE PERIOD BETWEEN 7:00AM AND 6:00PM MONDAY THROUGH SATURDAY. NO EARTH MOVING OR GRADING SHALL BE CONDUCTED ON SUNDAYS OR HOLIDAYS.
- THE CONTRACTOR SHALL VERIFY THE EXISTENCE AND LOCATION OF ALL UTILITIES BEFORE COMMENCING WORK. NOTICE OF THE PROPOSED WORK SHALL BE PROVIDED TO THE FOLLOWING AGENCIES BY CALLING 1-800-422-4133 FOR UTILITY CONTACT INFORMATION:
 - A. SAN DIEGO GAS AND ELECTRIC
 - B. PHONE SERVICE
 - C. CABLE TV SERVICE
 - D. WATER UTILITY
 - E. SEWER UTILITY
- APPROVAL OF THESE PLANS BY THE DIRECTOR OF PLANNING AND LAND USE DOES NOT AUTHORIZE ANY WORK OR GRADING TO BE PERFORMED UNTIL THE PROPERTY OWNER'S PERMISSION IS OBTAINED, RIGHT TO ENTRY FORM COMPLETED AND VALID GRADING PERMIT ISSUED.
- THE ISSUANCE OF A GRADING PERMIT SHALL CONSTITUTE AN AUTHORIZATION TO PERFORM ONLY THAT WORK WHICH IS DESCRIBED OR SHOWN ON THE GRADING PERMIT APPLICATION AND APPROVED GRADING PLANS. ALL WORK SHALL BE PERFORMED IN ACCORDANCE WITH ANY CONDITIONS IMPOSED BY THE DIRECTOR OF PLANNING AND LAND USE AND IN ACCORDANCE WITH THE GRADING ORDINANCE.
- EARTHWORK QUANTITIES:

EXCAVATION:	2,490	CUBIC YARDS
FILL:	2,490	CUBIC YARDS
IMPORT:	0	CUBIC YARDS
EXPORT:	0	CUBIC YARDS

GRADING LEGEND

ITEM	SYMBOL	ITEM	SYMBOL
CUT SLOPE:		CUT/FILL LINE:	
FILL SLOPE:		PROPERTY LINE:	
WATERCOURSE:		EASEMENT LINE:	
EXISTING CONTOUR:		RETAINING WALL:	
PROPOSED CONTOUR:		FUEL MODIFICATION ZONE:	

STORMWATER MANAGEMENT NOTES

- DURING THE RAINY SEASON FROM OCTOBER 1ST TO APRIL 30TH THE AMOUNT OF EXPOSED SOIL ALLOWED AT ONE TIME SHALL NOT EXCEED THAT WHICH CAN BE ADEQUATELY PROTECTED WITHIN 48 HOURS OF A PREDICTED RAIN.
- 125% OF ALL NEEDED BMP MATERIALS SHALL BE STORED ONSITE YEAR-ROUND TO ALLOW FULL DEPLOYMENT AND INSTALLATION WITHIN 48 HOURS OF A PREDICTED RAIN.
- THE PROPERTY OWNER SHALL COMPLY WITH ALL APPLICABLE STORMWATER REGULATIONS AT ALL TIMES. THE BMPs THAT HAVE BEEN INCORPORATED INTO THIS PLAN SHALL BE IMPLEMENTED AND MAINTAINED TO PREVENT ONSITE EROSION AND TO PREVENT DISCHARGES OF POLLUTANTS FROM LEAVING THE SITE. MAINTENANCE OF BMPs IS THE RESPONSIBILITY OF THE PROPERTY OWNER AND FAILURE TO PROPERLY INSTALL OR MAINTAIN THE BMPs MAY RESULT IN ENFORCEMENT ACTION BY THE COUNTY OF SAN DIEGO OR OTHERS. IF INSTALLED BMPs FAIL, THEY MUST BE REPAIRED OR REPLACED WITH AN ACCEPTABLE ALTERNATE AS SOON AS IT IS SAFE TO DO SO.
- PERIMETER SEDIMENT CONTROL BMPs SHALL BE INSTALLED IMMEDIATELY AFTER THE AREA TO BE GRADED IS BRUSHED OR CLEARED, BUT PRIOR TO THE START OF GRADING OPERATIONS.
- EROSION CONTROL BMPs USED FOR SLOPE STABILIZATION SHALL BE INSTALLED AS SOON AS THE FINISHED SLOPES ARE COMPLETE.

PROPERTY OWNER INFORMATION

NAME: THOMAS MAX BLEA
 ADDRESS: 2730 LOGAN AVENUE
 SAN DIEGO, CA 92113
 TELEPHONE NUMBER: 619-665-0455
 (24 HOUR CONTACT NUMBER)
 SITE A.P.N. NUMBER: 513-091-03-00
 SITE ADDRESS: (VACANT) HARBISON CANYON ROAD
 EL CAJON, CA 92019

GRADING ON ADJACENT PARCELS

LIST ANY ADJACENT PARCELS UNDER THE SAME OWNERSHIP AS THIS PARCEL FOR WHICH A GRADING PLAN HAS BEEN SUBMITTED OR A GRADING PERMIT ISSUED:
 APN(s): N/A

PROPERTY OWNER CERTIFICATION

I CERTIFY THAT I HAVE READ AND UNDERSTAND THE STORMWATER MANAGEMENT NOTES AND THE GRADING NOTES:
 OWNER'S SIGNATURE (REQUIRED): _____ DATE: _____

DISTURBED AREA CALCS

PADS + SLOPES: 33,207 SF
 DRIVEWAYS: 6,834 SF
 PRIMARY SEPTIC: X,XXX SF
 TOTAL: 40,041 SF

IF ≥ 1 AC, PROVIDE WDI# : N/A

FIRE CLEARING: 0* SF
 IF FIRE CLEARING AREA = 0
 *ALL REQUIRED FIRE CLEARING WILL NOT CREATE A LAND DISTURBANCE ACTIVITY AS DEFINED BY COUNTY CODE.

PLAN CHECK/PERMITS

BUILDING PERMIT PLAN CHECK NUMBER: XXXXXXXX
 PARCEL MAP NUMBER: N/A

ENGINEER OF WORK

I HEREBY DECLARE THAT I AM THE ENGINEER OF WORK FOR THIS PROJECT AND THAT I HAVE EXERCISED RESPONSIBLE CHARGE OVER THE DESIGN OF THE PROJECT.

NAME: LEE C. WHITTINGTON DATE: 4-17-17
 RCE NO: 82332 EXPIRES: 3-31-18



PRIVATE CONTRACT

COUNTY OF SAN DIEGO
 PLANNING AND DEVELOPMENT SERVICES


MINOR GRADING PLAN FOR:
BLEA RESIDENCE

SHEET: 1 OF 3

APPROVED PLANNING AND DEVELOPMENT SERVICES
 GRADING PERMIT NUMBER: _____
 BY: _____ DATE: _____



- LEGEND:**
- ① 16' WIDE AC DRIVEWAY PER DS-7
 - ② AC DIKE TYPE "A" PER SDRSD D-5
 - ③ AC PAVEMENT
 - ④ PAVERS (NOT TO BE SEALED)
 - ⑤ HAMMERHEAD TURN-AROUND
 - ⑥ AC SPILLWAY PER SDRSD D-22
 - ⑦ RIP RAP PAD PER SDRSD D-40
 - ⑧ 2-FOOT WIDE GRADED WIDTH
 - ⑨ 12"x12" NDS CATCH BASIN
 - ⑩ 4" HDPE STORM DRAIN PIPE
 - ⑪ KEYSTONE RETAINING WALL (3' MAX.)
 - ⑫ BUILDING ROOF EAVE
 - ⑬ HEADWALL PER SDRSD D-34
 - ⑭ 18" PVC STORM DRAIN PIPE



PREPARED BY:

LEE C. WHITTINGTON DATE

SWEETWATER ENGINEERING
 Civil Engineering, Land Development Services
 8070 Rancho Finita, Santee, CA 92071
 PH: (970) 471-4792 or (619) 368-7605

PROPERTY OWNER INFORMATION	GRADING ON ADJACENT PARCELS	DISTURBED AREA CALCS	PLAN CHECK/PERMITS	PRIVATE CONTRACT
NAME: THOMAS MAX BLEA ADDRESS: 2730 LOGAN AVENUE SAN DIEGO, CA 92113 TELEPHONE NUMBER: 619-665-0455 (24 HOUR CONTACT NUMBER) SITE A.P.N. NUMBER: 513-091-03-00 SITE ADDRESS: (VACANT) HARBISON CANYON ROAD EL CAJON, CA 92019	LIST ANY ADJACENT PARCELS UNDER THE SAME OWNERSHIP AS THIS PARCEL FOR WHICH A GRADING PLAN HAS BEEN SUBMITTED OR A GRADING PERMIT ISSUED: APN(s): N/A PROPERTY OWNER CERTIFICATION I CERTIFY THAT I HAVE READ AND UNDERSTAND THE STORMWATER MANAGEMENT NOTES AND THE GRADING NOTES: OWNER'S SIGNATURE (REQUIRED): _____ DATE: _____	PAD + SLOPES: 33,207 SF DRIVEWAY: 6,834 SF PRIMARY SEPTIC: X,XXX SF TOTAL: 40,041 SF IF ≥ 1 AC, PROVIDE WDI# : N/A FIRE CLEARING: 0* SF IF FIRE CLEARING AREA = 0 *ALL REQUIRED FIRE CLEARING WILL NOT CREATE A LAND DISTURBANCE ACTIVITY AS DEFINED BY COUNTY CODE.	BUILDING PERMIT PLAN CHECK NUMBER: _____ PARCEL MAP NUMBER: N/A ENGINEER OF WORK I HEREBY DECLARE THAT I AM THE ENGINEER OF WORK FOR THIS PROJECT AND THAT I HAVE EXERCISED RESPONSIBLE CHARGE OVER THE DESIGN OF THE PROJECT. NAME: LEE C. WHITTINGTON DATE: 4-17-17 RCE NO: 82332 EXPIRES: 3-31-18	COUNTY OF SAN DIEGO PLANNING AND DEVELOPMENT SERVICES MINOR GRADING PLAN FOR: BLEA RESIDENCE SHEET: 2 OF 3 APPROVED PLANNING AND DEVELOPMENT SERVICES GRADING PERMIT NUMBER: _____ BY: _____ DATE: _____

BMP LEGEND

- PDS 659 BROW DITCH
- PDS 659 BERM
- DIRECTION OF LOT DRAINAGE
- MATERIALS & WASTE MANAGEMENT BMPs:**
 - WM-1 MATERIAL DELIVERY & STORAGE
 - WM-4 SPILL PREVENTION AND CONTROL
 - WM-8 CONCRETE WASTE MANAGEMENT
 - WM-9 SOLID WASTE MANAGEMENT
 - WM-9 SANITARY WASTE MANAGEMENT
 - WM-6 HAZARDOUS WASTE MANAGEMENT
- TEMPORARY RUNOFF CONTROL BMPs:**
 - SS-2 PRESERVATION OF EXISTING VEGETATION
 - SS-3 BONDED OR STABILIZED FIBER MATRIX (WINTER)
 - SS-4 HYDROSEEDING (SUMMER)
 - SS-6 STRAW OR WOOD MULCH
 - SS-7 PHYSICAL STABILIZATION (WINTER)
 - SS-10 ENERGY DISSIPATOR
 - SC-1 SILT FENCE
 - SC-2 SEDIMENT / DESILTING BASIN
 - SC-5 FIBER ROLLS
 - SC-6 GRAVEL OR SAND BAGS
 - SC-7 STREET SWEEPING AND VACUUMING
 - SC-10 STORM DRAIN INLET PROTECTION
 - NS-2 DEWATERING FILTRATION
 - TC-1 STABILIZED CONSTRUCTION ENTRANCE
 - TC-2 CONSTRUCTION ROAD STABILIZATION
 - TC-3 ENTRANCE / EXIT TIRE WASH


- POST-CONSTRUCTION SITE DESIGN BMPs**
 - 4.3.1 MAINTAIN NATURAL DRAINAGE PATHWAYS AND HYDROLOGIC FEATURES
 - 4.3.2 CONSERVE NATURAL AREAS, SOILS, AND VEGETATION
 - 4.3.3 MINIMIZE IMPERVIOUS AREA
 - 4.3.4 MINIMIZE SOIL COMPACTION
 - 4.3.5 IMPERVIOUS AREA DISPERSION
 - 4.3.6 RUNOFF COLLECTION
 - 4.3.7 LANDSCAPING WITH NATIVE OR DROUGHT TOLERANT SPECIES
 - 4.3.8 HARVESTING AND USING PRECIPITATION

- POST CONSTRUCTION SOURCE CONTROL BMPs**
 - 4.2.1 PREVENTION OF ILLICIT DISCHARGES INTO THE MS4
 - 4.2.2 STORM DRAIN STENCILING AND POSTING OF SIGNAGE
 - 4.2.3 PROTECTED OUTDOOR MATERIALS STORAGE AREAS
 - 4.2.4 PROTECT MATERIALS STORED IN OUTDOOR WORK AREAS
 - 4.2.5 PROTECT TRASH STORAGE AREAS
 - 4.2.6 ADDNL BMPs BASED ON POTENTIAL RUNOFF POLLUTANTS:
 - A ON-SITE STORM DRAIN INLETS
 - B INTERIOR FLOOR DRAINS & ELEVATOR SHAFT SUMPS
 - C INTERIOR PARKING GARAGES
 - D NEED FOR FUTURE INDOOR & STR. PEST CONTROL
 - E LANDSCAPE/OUTDOOR PESTICIDE USE
 - F POOLS, SPAS, PONDS, FOUNTAINS, & WATER FEATURES
 - G FOOD SERVICE
 - H TRASH OR REFUSE AREAS
 - I INDUSTRIAL PROCESSES
 - J OUTDOOR STORAGE OF EQUIP. OR MATERIALS
 - K VEHICLE AND EQUIPMENT CLEANING
 - L VEHICLE/EQUIPMENT REPAIR AND MAINTENANCE
 - M FUEL DISPENSING AREAS
 - N LOADING DOCKS
 - O FIRE SPRINKLER TEST WATER
 - P MISCELLANEOUS DRAIN OR WASH WATER
 - Q PLAZAS, SIDEWALKS, DRIVEWAYS, AND PARKING LOTS


STORMWATER MANAGEMENT NOTES

- DURING THE RAINY SEASON FROM OCTOBER 1ST TO APRIL 30TH THE AMOUNT OF EXPOSED SOIL ALLOWED AT ONE TIME SHALL NOT EXCEED THAT WHICH CAN BE ADEQUATELY PROTECTED WITHIN 48 HOURS OF A PREDICTED RAIN.
- 125% OF ALL NEEDED BMP MATERIALS SHALL BE STORED ONSITE YEAR-ROUND TO ALLOW FULL DEPLOYMENT AND INSTALLATION WITHIN 48 HOURS OF A PREDICTED RAIN.
- THE PROPERTY OWNER SHALL COMPLY WITH ALL APPLICABLE STORMWATER REGULATIONS AT ALL TIMES. THE BMPs THAT HAVE BEEN INCORPORATED INTO THIS PLAN SHALL BE IMPLEMENTED AND MAINTAINED TO PREVENT ONSITE EROSION AND TO PREVENT DISCHARGES OF POLLUTANTS FROM LEAVING THE SITE. MAINTENANCE OF BMPs IS THE RESPONSIBILITY OF THE PROPERTY OWNER AND FAILURE TO PROPERLY INSTALL OR MAINTAIN THE BMPs MAY RESULT IN ENFORCEMENT ACTION BY THE COUNTY OF SAN DIEGO OR OTHERS. IF INSTALLED BMPs FAIL, THEY MUST BE REPAIRED OR REPLACED WITH AN ACCEPTABLE ALTERNATE AS SOON AS IT IS SAFE TO DO SO.
- PERIMETER SEDIMENT CONTROL BMPs SHALL BE INSTALLED IMMEDIATELY AFTER THE AREA TO BE GRADED IS BRUSHED OR CLEARED, BUT PRIOR TO THE START OF GRADING OPERATIONS.
- EROSION CONTROL BMPs USED FOR SLOPE STABILIZATION SHALL BE INSTALLED AS SOON AS THE FINISHED SLOPES ARE COMPLETE.

RESIDENCE PAD



GREENHOUSE PAD









CONSTRUCTION IMPERVIOUS SURFACE AREAS

SITE ID	SURFACE	AREA
1	RESIDENCE (ROOF & STEPS)	1,517 SF
2	GREENHOUSE (ROOF)	5,600 SF
3	RESIDENCE DRIVEWAY (AC PAVEMENT)	1,505 SF
4	GREENHOUSE DRIVEWAY (AC PAVEMENT)	1,055 SF
5	RETAINING WALL	225 SF
TOTAL:		9,902 SF

CONSTRUCTION PERVIOUS SURFACE AREAS

SITE ID	SURFACE	AREA
1	PAVERS @ RESIDENCE	3,281 SF
2	PAVERS @ GREENHOUSE	993 SF
3	BIORETENTION POND (BMP #1)	190 SF
4	BIORETENTION POND (BMP #2)	69 SF
5	BIORETENTION POND (BMP #3)	216 SF
6	BIORETENTION POND (BMP #4)	298 SF
TOTAL:		5,047 SF



PREPARED BY:

LEE C. WHITTINGTON

DATE



SWEETWATER ENGINEERING
Civil Engineering, Land Development Services
8070 Rancho Finita, Santee, CA 92071
PH: (970) 471-4792 or (619) 368-7605



PROPERTY OWNER INFORMATION

NAME: THOMAS MAX BLEA
ADDRESS: 2730 LOGAN AVENUE
SAN DIEGO, CA 92113
TELEPHONE NUMBER: 619-665-0455
SITE A.P.N. NUMBER: 513-091-03-00
SITE ADDRESS: (VACANT) HARBISON CANYON ROAD
EL CAJON, CA 92019

GRADING ON ADJACENT PARCELS

LIST ANY ADJACENT PARCELS UNDER THE SAME OWNERSHIP AS THIS PARCEL FOR WHICH A GRADING PLAN HAS BEEN SUBMITTED OR A GRADING PERMIT ISSUED:
APN(s): N/A
PROPERTY OWNER CERTIFICATION
I CERTIFY THAT I HAVE READ AND UNDERSTAND THE STORMWATER MANAGEMENT NOTES AND THE GRADING NOTES:
OWNER'S SIGNATURE (REQUIRED): _____ DATE: _____

DISTURBED AREA CALCS

PAD + SLOPES: 33,207 SF
DRIVEWAY: 6,834 SF
PRIMARY SEPTIC: X,XXX SF
TOTAL: 40,041 SF
IF ≥ 1 AC, PROVIDE WDI#: N/A
FIRE CLEARING: 0* SF
IF FIRE CLEARING AREA = 0
*ALL REQUIRED FIRE CLEARING WILL NOT CREATE A LAND DISTURBANCE ACTIVITY AS DEFINED BY COUNTY CODE.

PLAN CHECK/PERMITS

BUILDING PERMIT PLAN CHECK NUMBER: _____
PARCEL MAP NUMBER: N/A
ENGINEER OF WORK
I HEREBY DECLARE THAT I AM THE ENGINEER OF WORK FOR THIS PROJECT AND THAT I HAVE EXERCISED RESPONSIBLE CHARGE OVER THE DESIGN OF THE PROJECT.
NAME: LEE C. WHITTINGTON DATE: 4-17-17
RCE NO: 82332 EXPIRES: 3-31-18

PRIVATE CONTRACT

COUNTY OF SAN DIEGO
PLANNING AND DEVELOPMENT SERVICES
EROSION CONTROL AND CONSTRUCTION BMP
STANDARD NOTES AND DETAILS FOR:
BLEA RESIDENCE
SHEET: 3 OF 3
APPROVED PLANNING AND DEVELOPMENT SERVICES
GRADING PERMIT NUMBER: _____
DATE: _____